

# Index

Page numbers in italic, e.g. 122, signify references to figures. Page numbers in bold, e.g. 264, denote references to tables.

- Acaster 122  
accelerator mass spectrometry (AMS) 20–21, 47–48, 64  
Adventurers' Land, Cambridgeshire **45**, 254, **264**, 2  
    67, 268, 270  
    particle size of mud facies 257, 257, 258  
    stratigraphy 56, 57, **64**, 265  
age evaluation, principles of 58  
Aire, River 88, 88, 89, 98, 120, 122  
    metal deposition rates 94  
    sediment sources 95  
    stratigraphy 91  
Aldbrough 121  
Alnmouth **45**, 199, 200, 208  
Alnwick 199  
Alrewas 122  
Amble 199, 200  
Amble Dunes **206**  
AMS (accelerator mass spectrometry) 20–21, 47–48, 64  
Ancholme, River 146  
Ancholme Valley 98, 120  
Annstead Burn **312**  
annual radiation doses **61**, 62–63
- Bamburgh 199, 199  
Barmston 121  
Barrow Haven **100**  
Basal Suite 125, 126, 129, **129**, 132–137, 133, 135, 136  
Bawtry 122  
Beadnell Bay 199, 200, 201  
Beal 88, 88, 89, 90, 122  
    metal deposition rates 94  
    sediment sources 95  
    stratigraphy 91  
Beal Cast **312**  
Berwick-upon-Tweed 199, 199  
beta-TLD 62, 63  
Billingham 172  
Billingham Beck 172, 181, 184–185  
Biogeochemical Ocean Flux Study 1  
Birmingham 122  
Blakeney **45**, **224**, **313**  
    coastal dune study 202, 203, 203  
    North Norfolk barrier coastline study 212, 220, 226,  
    227  
Blakeney Point **224**  
Blakeney Spit 203, 246  
Blaydon **312**  
Boston **313**  
Boston Spa 122  
Boulmer 199  
Bran Sands 172  
Brancaster **45**, **225**  
    coastal dune study 203, 203, 205  
    North Norfolk barrier coastline study 212, 220, 227  
Brancaster Bay 220  
Brancaster Marsh **225**  
Bridge Mill **45**, 278–280, 279, **280**  
Bridlington **313**  
Brigg 98, **101**, **102**  
British Geological Survey (BGS) 2
- Broadland **312**  
Broomhouse Farm **45**  
Bull Sand Fort **313**  
Burnham 220, 227, 236, 244, **313**  
Burnham Deepdale **225**  
Burnham Flats 203  
Burnham Market 203  
Burnham Norton 226  
Burnham Overy **224**  
Burton 122  
Butterwick Suite 126, 127, 129, **129**, 132–137, 133, 135,  
    136, 138, 138
- caesium-137 (<sup>137</sup>Cs) accretion 235–239, 238, 239  
Calder, River 88, 89  
Cambleforth 121  
Cambridge 254  
carbon, ocean balance 145  
Cattal 122  
Catterick 88, 88, 89, 90  
    metal deposition rates 94  
    sediment sources 95  
    stratigraphy 91  
Cawood 122  
Chatteris 254, 268  
Chernobyl accident fallout 236  
Cheswick 199, 200, 208  
clastic sequences, indications from 47–49  
Cleethorpes 146  
Clenchwarton **264**, **312**  
Cley 203, **224**  
    North Norfolk barrier coastline study 220, 226, 227,  
    241, 246  
coastal dunes 5–6  
    chronology 198, 207–209  
    development 198–199, 204, 207–209, 213–215  
    link with sea-level 215  
    wind direction 197, 213  
continental shelf 299  
copper 89, 93  
Coquet, River 44  
Coquet Island 199  
Cowbit **45**, **264**  
Cowbit Wash 254  
Cowpen March 172  
Cresswell Pond **45**  
Cromer 220  
<sup>137</sup>Cs (caesium-137) accretion 235–239, 238, 239
- dating, principles of 58  
Deeping St Nicholas 254  
Derby 122  
Derwent, River (Derbyshire) 122  
Derwent, River (Yorkshire) 88, 89, 98, 122  
diatoms, halobian groups 19  
diatoms, as sea-level indicators 42  
digital terrain model (DTM) 132  
Dimlington 121  
Dirtness Levels **45**, 98, **100**  
Dogger Bank 6, **45**, **302**, 303, 305, 315

- Don, River 88, 89, 120, 122  
 Doncaster 98, 122  
 Dove, River 122  
 Druridge Bay 199, 199, 200, 201, **206**, 208, 209  
 DTM (digital terrain model) 132  
 Dunswell **45**, **100**
- East Clough **100**  
 east coast sea-level study  
 analysis of data 283–284, **286**  
 Bridge Mill 278–280, 279, **280**  
 chronology 278  
 conclusions 296–297  
 data sources 276–283, 277  
 Fenland 283, **286**, 292, 293  
 glaciation 275  
 Humber Estuary 283, 284–287, **286**  
 Lincolnshire Marshes 283, **286**, 289–292, 291, 292  
 North Norfolk 283, 286, 293–294, 294  
 Northumberland 283, **286**, 287–289, 288, 289, 290, 293–294  
 predictions 295–296  
 relative sea-level (RSL) 276  
 study sites 276  
 Sunk Island 280–283, 281, 282  
 Tees Estuary 283, **286**, 289, 290, 291
- East Ferry 98, **100**  
 Eastville **264**
- ED (equivalent dose) 79, 81, 82  
 Elbow Formation, North Sea **302**  
 Embleton 199, 200, 208  
 Environmental Research Centre (ERC) 44, 277  
 equivalent dose (ED) 79, 81, 82
- Farne Islands 199  
 FBTF (foraminiferal-based transfer function) 41–42, 44, **45**, 46, 48, 49–52, **49**
- feldspars  
 anomalous fading of luminescence signal 73–75  
 charge eviction characteristics 75–76, 76  
 effect of weathering on luminescence 76–78, **77**, 85  
 luminescence spectra 71–75, **72**, 72, 73, 74,
- Fenland 276, 301  
 borehole sites 254, 263  
 chronology 270–271  
 clay mineralogy 254–255, 258–260, 259, 260, 261, 263  
 creation 253  
 east coast sea-level study 283, **286**, 292, 293  
 future study areas 272  
 lithological database 254  
 LOEPS special topic site 2, **4**  
 modelling  
 pre-Holocene surface 255–256, 255  
 sediment thickness 256  
 topography 255, 255  
 multi-element geochemistry 254, 258, 258, 261–262, 263  
 palaeocoastline reconstruction 265–270, 267–270  
 conclusions 272  
 sea-level change 266, 266  
 radiocarbon dating **64**, **264**  
 sea-level change 6, **45**, 283, **286**, 292, 293, **312**  
 sedimentary facies 256–257  
 mud 257–260, 257, 271–272  
 peat 263–265, 266, 271–272  
 sand 257, 260–263, 262, 271–272  
 stratigraphy 56, 57  
 tides 315
- Flamborough Head 199, 301  
 foraminifera  
 abundance in basal peat 47, 48  
 abundance in intercalated peat 46, 46  
 as sea-level indicators 42, 43–44  
 taxonomy 44, **44**  
 foraminiferal-based transfer function (FBTF) 41–42, 44, **45**, 46, 48, 49–52, **49**
- Gainsborough 98, 122  
 Garthorpe **32**, **100**, **102**, **148**  
 Garthorpe Farm 98, **100**  
 Garthorpe Suite 126, 127–128, 129, **129**, 130, 132–137, 134, 135, 136, 138
- Gateforth 121  
 Gedney Fen **45**, 254, 262, **264**  
 Gedney Hill **264**  
 Geordie Trough, North Sea **302**  
 German Bight **302**  
 Gibraltar Point 276  
 Glass Moor 254  
 Goole 98, 120, 146  
 Gore Point 202, 203, 203  
 Gosburton **45**, **264**  
 Great Haywood 122  
 Great Ou-se, River (Cambridgeshire) 253, 254, 267  
 Great Yarmouth 199, 220  
 Greatham Creek 172, 181, 190, **190**  
 green-light-stimulated luminescence (GLSL)  
*see* optically stimulated luminescence
- Greyingham 121  
 Grimsby 98, 121, 146, **313**  
 Guyhirn **264**
- Halsham Carrs **100**  
 Hartlepool 122  
 Hasholme **100**  
 Hatfield Moor 88, 114  
 Hatton 122  
 Hauxley 199, 200  
 highest astronomical tide (HAT) 42  
 Holderness 146  
 Holkham 212, 212, 220, **224**, 226, 227, 234, 243  
 Holkham Bay 203, 203  
 Holme-next-the-sea 220, 227  
 Holme Fen 254  
 Holme Fleet **45**  
 Holy Island 199, 199, **206**  
 Hornsea 98, 121  
 Hull, city of Kingston Upon 89, 98, 120, 121, 122, 146  
 Hull, River 88, 98, 120  
 Hull Market Place **102**  
 human activities  
 agriculture 165, 166  
 commercial development 165  
 land reclamation 147, 165–166  
 metal mining 89, 188  
 Humber Bight 98, **100**

- Humber Bridge 146
- Humber Estuary 276, 301
- area calculation 163–165, **163**
  - biota profile 29, 35, 36
  - borehole sites 14, 21, 22, 120, 121, 146
  - chronology 31–33, **32**
  - diatom records 103–106, **103**, 105, 115
  - east coast sea-level study 283, 284–287, **286**
  - evolution 98–99
  - glaciation 97–98, 146
  - human land usage 114–115
    - agriculture 165, 166
    - commercial development 165
    - land reclamation 147, 165–166
  - LOEPS special topic site 2, **4**, 5
  - mineralogy 31
  - modern geography 164
  - organic deposits 106–109, 107, 155
  - palaeogeography 110–113, 111, 112, **113**, 164, 165
  - provenance studies 121, 121, 122
  - sea-level 34, 37, **100–102**, 106–110, 110, 113–114, 115–116, **312**
  - sea-level change **45**, 283, 284–287, 284, 285, **286**
  - sedimentation 98, 116, 120, 286–287
    - additional data sources 123
    - Basal Suite 125, 126, 129, **129**, 132–137, 133, 135, 136
    - borehole sites 14, 21, 22
    - Butterwick Suite 126, 127, 129, **129**, 132–137, 133, 135, 136, 138, 138
    - carbon deposition 149, 153–159, 153, 155, 156, **157**, 159, 161, **166**
    - carbon–nitrogen–sulphur chemistry 12–13, 20, 26, 33–34
    - characterization 123–129, 124, 125, 126, **129**
    - chronology 159–163, **162**
    - clay mineralogy **10–11**, 18, 123, 138
    - diatom analysis 19, 29, 35
    - drilling **10–11**, 14
    - facies 149–153, **150–152**, 160
    - foraminiferal analysis **12–13**, 19, 29, 35
    - Garthorpe Suite 126, 127–128, 129, **129**, 130, 132–137, 134, 135, 136, 138
    - geochemistry **10–11**, 15–18, 28
    - heavy mineralogy **12–13**, 18, 123, 137–138
    - levelling **10–11**, 14–15
    - logging of data **10–11**, 15, 16
    - marine origin 139–140
    - multi-element geochemistry 122–123, 124, 132–137, 133, 134, 135, 136, 137
    - Newland Suite 125–127, 126, 129, **129**, 132–137, 135, 136, 138
    - nitrogen deposition 149, 153–156, 154, **157**
    - on-shore origin 140–141
    - palaeomagnetism **10–11**, 15, 3133
    - particle size analysis (PSA) **10–11**, 15
    - pollen analysis **12–13**, 19–20, 29, 35
    - radiocarbon dating **12–13**, 20–21, 3133, 32, **127**, **148**
    - Saltend Suite 126, 128, 129, **129**, 131, 132–137, 135, 136, 138, 139
    - sampling 120–122, 121
    - sea-level determination 21
    - Skeffling Suite 126, 128, 129, **129**, 132–137, 135, 136
    - sources 138–141, 138
    - Spurn Suite 126, 128–129, **129**, 132–137, 134, 135, 136
    - stable carbon isotopes **12–13**, 20
    - storage estimates 163–167
    - sulphur deposition 149, 153–156, 156, **157**, 158, 167, **167**
    - Sunk Island Suite 126, 128, 129, **129**, 132–137, 134, 135, 136, 139
    - volumetric modelling 129–132, 130–131
    - stratigraphy 16
      - inner estuary 22–25, 23, 24, 33
      - outer estuary, north bank 27, 30–31, 34
      - outer estuary, south bank 25, 26, 29, 30, 33–34
    - Sunk Island 280–283, 281, 282
    - tides 97, 99, 115–116, 147, 284–286, 315
    - tributaries 88, 89, 119, 120
    - warping 114
    - wetlands 113–115

Humber Gap 98

Humberhead Levels 90, 92, 93, 98

Hunstanton
 
    - coastal dune study 203, 203, 212
    - North Norfolk barrier coastline study 220, 221, **313**

Idle, River 122

Immingham **33**, **45**, **100**, 120, **148**

infra-red stimulated luminescence (IRSL) 55, 58, 58, 60–61, 70
 
    - anomalous fading of feldspars 7375
    - colluvium, partially bleached **82**
    - dose–response curve 60
    - feldspar shinedown curves 76
    - River Tyne alluvium, partially bleached **82**
    - sunlight bleaching 71, 71
    - water content, effect of 78
    - water upt-ake, effect of 62–63, 63

Intergovernmental Panel on Climate Change (IPCC) 276, 295–296

Kegworth 122

Kelling 220

Kettlewell 88, 88, 89, 90, 91

Kexby 122

Kilnsea **102**

Kilnsea Warren **100**

Kings Lynn 199, 254, **313**

Kirk Hammerton 88, 88, 89, 94, 95

Land–Ocean Evolution Perspective Study *see* LOEPS

Land–Ocean Interaction Study *see* LOIS

laser stimulation 70

LBA (lithological-based approach) 42, 43, 44, **45**, 46, 48, 49–52, **49**

lead-210 (<sup>210</sup>Pb) accretion 237, 238, 239

lead deposits 93

Leeds 88, 89, 122

Leicester 122

Lemon Bank **302**

Leyburn 88, 89

LIA (Little Ice Age) 212, 213, 214–215, 247

Lincoln 254

Lincolnshire coast 83–85

- luminescence dating **80, 81, 84**
- Lincolnshire Marshes *120, 276, 301*
- chronology **49**
- east coast sea-level study *283, 286, 289–292, 291, 292*
- LOEPS special topic site **2, 4**
- sea-level **312**
- sea-level change **45, 283, 286, 289–292, 291, 292**
- stratigraphy *47*
- tides *315*
- Lincolnshire Wolds *97, 121*
- lithological-based approach (LBA) *42, 43, 44, 45, 46, 48, 49–52, 49*
- Little Ice Age (LIA) *212, 213, 214–215, 247*
- Lockham **32, 100, 105, 106, 109, 148**
- LOEPS (Land–Ocean Evolution Perspective Study)
- 16, 2*
- core programme **2**
- data centre **6**
- multidisciplinary approach *914*
- objectives *2–3, 57, 119, 171–172, 221*
- publications **6**
- special topics **2, 4**
- techniques *4–5*
- LOIS (Land–Ocean Interaction Study) *1, 2*
- objectives *1, 119*
- borehole sites *43*
- Lower Eider **302**
- Lower Elbe **302**
- luminescence dating *55, 59, 65–66, 65, 69*
- see also* infra-red stimulated luminescence; optically stimulated luminescence; thermoluminescence
- age determination **58**
- anomalous fading of feldspars *73–75*
- bleaching parameters *79–82*
- charge eviction *75–76*
- choice of dosimeter *73–75*
- detection filters *70, 70*
- emission spectra *71–75, 74*
- experimental procedures *58–62*
- Lincolnshire coast **80, 81**
- methodology *57–58, 79–85*
- partial bleaching *82–83, 82*
- photon-stimulation methods *71*
- quality assurance of *83–85*
- River Swale **80, 81**
- River Tees **80, 81**
- sample treatment, effects of *72–73*
- sunlight, bleaching by *71, 71*
- water content, effects of *78, 78*
- weathering, effects of *76–78, 77*
- Lynn Knock *203*
- Malton *89*
- marine clastic sediments *55*
- Market Weighton *98*
- Marshchapel **45**
- mean high water spring tide (MHWST) *20, 37, 41, 46, 48*
- mean sea-level (MSL) *44*
- mean tide level (MTL) *42*
- metal mining *89, 188*
- MHWST (mean high water spring tide) *20, 37, 41, 46, 48*
- Middlesbrough *88, 172*
- Miele Bay **302**
- modelling
- bathymetric *308, 309*
- digital terrain modelling (DTM) *132*
- hydrodynamic **308**
- pre-Holocene surface *255–256, 255*
- sediment thickness *256*
- tidal *312–314, 313*
- topographic *255, 255*
- volumetric modelling of sediments *129–132, 130–131*
- Morston *220, 226, 246*
- MSL (mean sea-level) *44*
- MTL (mean tide level) *42*
- Murrow *254*
- Myton-on-Swale *88, 88, 90, 91, 94, 95*
- Natural Environment Research Council (NERC) *1, 64*
- natural remnant magnetization (NRM) *15*
- Nene, River *57, 253, 254, 265, 267*
- Newark *122*
- Newcastle-upon-Tyne *199*
- Newland Suite *125–127, 126, 129, 129, 132–137, 135, 136, 138*
- Newlands **100–101, 148**
- Newton *122*
- Newton Links *199, 200, 201, 206, 208, 209, 211*
- Nidd, River *88, 88, 89, 94, 95, 122*
- NNC *see* North Norfolk: barrier coastline study
- Nordelph *254*
- Norfolk Broads **312**
- North Norfolk *276, 301*
- barrier coastline study (NNC)
- back-barrier lithofacies association *240–243*
- barrier development *221–222*
- barrier lithofacies association *243–247*
- borehole sites *220*
- coastal management *249*
- deposition rates **240**
- foraminiferal analysis *223, 229–230*
- future outlook *248–249*
- lithofacies *228–230, 229, 247–248*
- luminescence dating **231, 232–235, 232, 234, 236**
- methodology *222–223*
- radiocarbon dating *223, 224–225, 230–232, 230, 232, 234, 236, 241, 242*
- radionuclide analysis *235–239*
- sand transport rate *221*
- sea-level change *222, 249*
- sedimentation *235–247*
- structure *223–228, 226*
- tides *221*
- coastal dune study *199, 292–305*
- chronology *207–209, 208, 212–213, 212*
- climate changes *214–215, 214*
- morphology *204–205*
- sea-level change *203, 214, 215*
- sediment particle size *209, 209*
- stratigraphy *207, 208*
- vibracore methodology *205–207, 206*
- vibracore sites *203*
- wind direction *213–214, 213, 214*
- east coast sea-level study *283, 286, 293–294, 294*
- LOEPS special topic site **2, 4, 5**
- North Sea core *303–304, 306*

- North Sea sea-level index point **302**  
 sea-level **312**  
 sea-level change **45**, **283**, **286**, 293–294, 294  
 tides **315**
- North Sea  
 core sites **301**, **303**  
   Dogger Bank **303**, **305**  
   North Norfolk **303–304**, **306**  
   Well Bank **304**, **307**
- modelling  
   bathymetric **308**, **309**  
   hydrodynamic **308**  
   tidal **312–314**, **313**
- palaeocoastlines **300**  
 palaeogeographic maps **304–312**, **310**, **311**, **314**  
 predictions **317**  
 sea-level **299–300**, **301**, **302**, **312**  
 tides **314–317**, **315**
- North Sea Modelling Study (NORMS) **2**
- North Sea Project **1**
- North York Moors **90**
- Northumberland **276**, **301**  
 Bridge Mill **278–280**, **279**, **280**  
 coastal dune study **5–6**, **199–202**, **199**  
   chronology **207–209**, **208**, **209–212**, **210–211**  
   climate changes **214–215**, **214**  
   radiocarbon dating **206**  
   sea-level change **201–202**, **202**, **214**, **215**  
   sediment particle size **209**, **209**  
   stratigraphy **207**, **208**  
   vibracore methodology **205–207**, **206**  
   vibracore sites **199**  
   wind direction **213–214**, **213**, **214**
- east coast sea-level study **283**, **286**, **287–289**, **288**, **289**, **290**, **293–294**
- sea-level **312**  
 sea-level change **6**, **45**, **283**, **286**, **287–289**, **288**, **289**, **290**, **293–294**  
 stratigraphy **44**  
 tides **315**, **316**
- Norwich **220**
- Nottingham **122**
- NRM (natural remnant magnetization) **15**
- Old Den **98**, **101**, **312**  
 optically stimulated luminescence (OSL) **55**, **58**, **70**, **76**  
 organic deposits, as sea-level indicators **106–109**
- Ouse, River (Yorkshire) **94**, **95**, **98**, **120**, **122**  
 catchment **88**, **88**, **89**  
 LOIS research programme **87–88**  
 study area **88–90**, **88**, **89**
- Ouse Basin (Yorkshire)  
 climate **90–93**, **91**, **95**  
 effects of land use **93–95**  
 geology **89**  
 metal deposits **89**, **93**, **94**  
 sedimentation **90–95**, **92**
- Ousefleet **102**, **104**, **105**
- Overy Swaithe **212**, **220**
- Paradise Farm **98**, **101**, **108–109**  
<sup>210</sup>Pb (lead-210) accretion **237**, **238**, **239**
- Peterborough **254**  
 photomultiplier tubes (PMT) **70**
- Pinchbeck **264**  
 pollen, as sea-level indicators **42**  
 pollen analysis **65**
- Portrack Marsh **45**  
 potassium, palaeodose contribution **63–64**, **64**, **69**
- Pyewipe Pumping Station **98**, **101**
- quartz, luminescence spectra **71–75**, **72**
- RACS (River–Atmosphere–Coast Study) **1**, **2**, **3**, **57**  
 radiocarbon dating **64–66**, **64**, **65**  
 Ramsey **254**, **268**  
 Redbourne Hayes **102**  
 relative sea-level (RSL) **41**, **276**  
 Richmond (Yorkshire) **88**, **89**  
 Ripon **89**  
 River–Atmosphere–Coast Study (RACS) **1**, **2**, **3**, **57**  
 Roos **101**  
 Ross Links **199**, **200**, **201**, **206**, **208**, **208**, **209**  
 Rossington **122**  
 RSL (relative sea-level) **41**, **276**
- Saltend Suite **126**, **128**, **129**, **129**, **131**, **132–137**, **135**, **136**, **138**, **139**  
 Salthouse **45**, **225**, **227**, **242**  
 saltmarshes **49–50**  
 Sand-le-Mere **45**, **98**, **101**
- Sandholme **101**  
 Scarborough **89**, **313**  
 Scolt Head **45**, **208**, **212**, **225**  
 Scolt Head Island **202**, **203**, **205**, **220**, **221**, **239**, **245–246**, **245**
- Scunthorpe **98**  
 sea-level change **42**, **49–52**  
   Fenland **6**, **45**, **283**, **286**, **292**, **293**, **312**  
   Humber Estuary **45**, **283**, **284–287**, **284**, **285**, **286**  
   Lincolnshire Marshes **45**, **283**, **286**, **289–292**, **291**, **292**  
   North Norfolk **45**, **203**, **214**, **215**, **222**, **249**, **283**, **286**, **293–294**, **294**  
   Northumberland **6**, **45**, **201–202**, **202**, **214**, **215**, **283**, **286**, **287–289**, **288**, **289**, **290**, **293–294**  
   NW Scotland **276**  
   SE England **276**  
   Tees Estuary **181–182**, **182**, **190–192**, **283**, **286**, **289**, **290**, **291**
- sea-level indicators (SLI) **19**, **42**, **45**, **50**, **51–52**, **106–109**
- Sellafield nuclear fuel reprocessing plant **236**
- SES (Shelf Edge Study) **2**
- Sheffield **88**, **89**, **122**
- Sheringham **220**
- Skeffling **146**
- Skeffling Suite **126**, **128**, **129**, **129**, **132–137**, **135**, **136**  
 Skegness **313**
- SLI (sea-level indicators) **19**, **42**, **45**, **50**, **51–52**
- Soal Sands **172**
- Soar, River **122**
- South Farm **102**, **148**, **280–283**, **281**
- South Ferriby **101**, **102**
- South Lynn **45**, **264**
- South Marsh **45**, **101**, **148**
- Sow, River **122**
- Spalding **254**, **264**

- Spondon 122
- Spurn Bight 146, 147, 165
- Spurn Head (Point) 98, 146, 199, 301, **313**
- Spurn Suite 126, 128–129, **129**, 132–137, 134, 135, 136
- St Aidan's 199, 200, **206**, 209, 211
- standardized water-level index (SWLI) 44, 47, 51
- Stiffkey 212, 220, 226, 227, 238
- Stiffkey Marsh 203
- Stoke-on-Trent 122
- Sunk Island (Humber Estuary) 120, 276, 280–283, 281, 282
- Sunk Island Suite 126, 128, 129, **129**, 132–137, 134, 135, 136, 139
- Sunk Sand (The Wash) 203
- Swale, River 88, 88, 89, 89, 94, 95, 122  
luminescence dating **80**, 81  
sedimentation 91
- SWLI (standardized water-level index) 44, 47, 51
- Tab's Head **313**
- Tadcaster 88, 88, 89, 94, 95
- Tame, River 122
- Tees, River 172, 301  
luminescence dating **80**, 81
- Tees Estuary 276  
borehole sites 172  
contamination 188–190  
diatom assemblages 182–185, 183, 184  
east coast sea-level study 283, **286**, 289, 290, 291  
human impact 188–189, 191  
LOEPS special topic site 2, 4, 5, 171–172  
metal mining 188–189  
sea-level **312**  
sea-level change 181–182, 182, 190–192, 283, **286**, 289, 290, 291  
sedimentation  
comparison with Greenland Ice Sheet Project 179  
deposition rate 185–188, 186, 187, **190**  
Holocene deposition 180–192  
Late Glacial record 176–180  
magnetic properties 178  
material sources 180–182, 181  
multi-element geochemistry 173–176, 175, **176**, 188–189, 188  
radiocarbon dating **174**, 178  
stratigraphy 172–173, 173, 175–176, **176**, 177  
varve characterization 178–179, 179  
tides 181–185, 192, 315
- Teesside **45**
- Terrestrial Initiative in Global Environmental Research I
- Texel 301
- Theddlethorpe St Helen 43, **45**, 47, **312**
- thermoluminescence (TL) 55, 58, 69–70  
anomalous fading of feldspars 73–75  
bleaching by sunlight 71, 71
- thick source alpha counting (TSAC) 61
- Thirsk 89
- Thirtle Bridge **101**
- thorium, palaeodose contribution 63–64, 64, 69
- Thornaby-on-Tees 172, **312**
- Thorne 121
- Thorne Moor 88, 114
- Thornham **45**, 220, **225**, 227
- Thornton Lands 98, **101**
- Thorpe Culvert **264**
- Titchwell 220
- Titchwell Foreshore **225**
- TL (thermoluminescence) 55, 58, 69–70  
anomalous fading of feldspars 73–75  
bleaching by sunlight 71, 71
- Torne, River 122
- Trent, River 88, 89, 98, 120, 122, 146
- Trent Falls 146
- Tunstall 121
- Tyne, River **82**, 301, **312**
- Union Dock **101**, **102**
- unstable:stable mineral index (USi) 18, 31, 137–138
- uranium, palaeodose contribution 63–64, 64, 69
- Ure, River 88, 88, 89, 94, 95
- Vale of York 89, 121, 138
- Warham 232
- Warham Marsh **224**, **312**
- Warkworth 43, 44–47, **45**, **312**
- Wash, The 199, 202, 203, 253, 254, 276, 301
- Well Bank 304, 307, **302**
- Welland, River 253, 254
- Wells-next-the-sea 199, 203, 212, 220, 227, **313**
- Welney Wash 254, 267, 269
- Welwick Marsh 146
- West Carr Farm 98
- Weybourne 220, 221
- Wharfe, River 88, 88, 89, 89, 91, 94, 95, 122
- Whitton Ness **102**, 106–108, **148**
- Wilford 122
- wind direction, effect on coastal dunes 197, 213
- Winterton Carrs 104–106, 105
- Winterton Ings 98, **101**, **102**
- Witham, River 253, 254
- Wrangle Bank **45**, **264**
- Wrangle Lowgate **45**, **264**
- X-ray diffraction (XRD) 18, 59
- X-ray fluorescence (XRF) 17–18
- York 88, 88, 89, 94, 95, 121, 122
- York, Vale of 89, 121, 138
- Yorkshire Wolds 97, 121
- zinc 89, 93