

Index

Page numbers in *italics* refer to Figures and Tables

- Ægir Ridge 374
- Artinskian–Ladinian, stretching 94–96
- asthenosphere, anomalies 424
- Atlantic rift zone 239, 242, 295
 - geological framework 296–298
 - palaeogeography 307–316
 - volcanism 316–320
- Baltic delta 220
- Barents Sea 295–307, 313
 - crustal stress 436, 442, 446–448, 453–464
- basalt 413–414
- flood basalt 307, 320, 353
- basement rocks 34
- basin infill 167–173
- basin modelling 15–16, 84–100, 89, 273–292
- basin overfill 286
- basin subsidence, Viking Graben 64–66
- Bathonian–Berrisian, stretching 96–97
- Bergen Arcs 31
- biostratigraphy, Tertiary 227–228
- Bivrost Fracture Zone 328, 329
- Bivrost Lineament 328, 334–337, 348, 353, 379–395
- Brent delta 141–144
- Brent Group 64, 72, 107
 - structure 61–63, 109
- British Tertiary Igneous Project 316
- Carboniferous
 - sedimentary rocks 329
 - tectonic activity 337
- Cenozoic succession 245
 - absolute age conversion 228
 - biostratigraphy 224–228
 - computer simulation 273–292
 - environmental influences 245
 - geological evolution 219–242
 - mineralogical analysis 223–224, 246–247
 - mineralogical change 268–270
 - sediment composition 245, 247–270
 - seismic stratigraphy 224–242, 245–271, 276–279
 - tectonic subsidence 286–292
 - see also* Tertiary sediments
- computer simulation
 - basin modelling 273–292
- continental rifting, NE Atlantic 296–321
- Cretaceous
 - Atlantic rift zone 299, 308–312
 - basin formation 340, 343
 - sediments 276
 - structural evolution 379–386
 - subsidence 275
 - tectonic activity 329, 357
 - uplift 353
- crustal faults 55
- crustal stress 429, 441–446, 451–452
 - in situ* observations 441–448
 - Norway 432–438, 442–446, 447, 453–454
 - see also* stress-generating mechanisms
- crustal structure 29–30, 36, 46–49
 - data analysis 19–29
- crustal thickness estimates 91–93, 99
- crustal thinning 34–36
 - β -curves 36
 - estimates 298
 - see also* Permo-Triassic rifting, Jurassic rifting
- Deep Sea Drilling Project 327
- DEMOSTRAT 273, 282–284
- detachment faults 105–128
 - modelling 125–127
- Devonian sediments 17, 96, 99, 117
- domino faults 112–113, 117, 124–125
- Dønna Terrace 342
- Draupne Formation 191–199, 200
- earthquakes 432–438
 - focal mechanisms 429–438, 431
- East Shetland Basin 30
- East Shetland Platform 17, 219
 - Tertiary sediment deposition 231, 276
- eclogite formation 31
- Eocene
 - flood basalt 353, 357
 - stratigraphy 228–229, 239, 253, 331, 348
- Erlend Platform 329
- eustacy 144, 239, 241–242, 245, 284
- exploration 327
- extensional modelling 45–46
- Faeroe Plateau 359
- Faeroe–Shetland Basin 329
- Faeroe–Shetland escarpment 357, 359
- fault geometry 51–55, 105
- fault plane reflection 50, 51–53
- Fjerritslev fault zone 219
- Fles fault complex 332, 340, 342, 348
 - reverse reactivation 348
- flexural basin model 66–77
- footwall uplift 76, 91, 96, 202–206
- forward modelling 85, 91, 273
- Froan Basin 337
- Frøya High 337
- Fulla Ridge 340
- Fur Formation 228
- geochemistry, Cenozoic sediments 245–270
- Gjallar Ridge 340–342
- glacial rebound 456, 464
- graben systems 19, 108
- gravity modelling 29
- Greenland 296–297
 - NE Greenland margin basin 309–311
- Greenland Sea *see* Norwegian–Greenland Sea
- Gullfaks detachment 113, 126
- Gullfaks fault block 91, 109–117
- Gullfaks Field 110–113, 117, 123–128
- Håkon Mosby Mud Volcano 408
- Halten Terrace 329, 337–340, 342

- hanging wall subsidence 91
 Hatton–Rockall margin 295, 304, 306–307
 HEAT 401
 heat flow 320, 397–408
 surveys 400
 Heather Formation 184
 Hel Graben 340, 342
 Helland Hansen Arch 300, 348
 Horda Platform 17, 31, 36, 48, 91
 Tertiary deposition 228, 236, 239, 276–278
 uplift 241
 horst and graben structure 352, 353
 Hutton alignment 96, 109–110
- Iceland mantle plume 316, 413, 423
 Integrated Basin Studies Project 1
 database 3
 results 4–10
 inter-rift periods 141
 intra-basement detachment 117–123
 intra-mantle reflections 49, 53, 55
 isostasy 88, 284
- Jan Mayen Fracture Zone 328, 329, 334
 Jan Mayen Lineament 328, 332–337, 348, 353
 Jan Mayen Microcontinent 374
 Jennegga High 353
 Jurassic rifting
 modelling 96–100
 sediments 141
 structure 138
 see also Viking Graben
- Klakk Fault Complex 359
 Kolbeinsey Ridge 374–375
- Labrador Sea 297, 311
 large igneous provinces 413, 421–422
 crustal emplacement 422
 North Atlantic 414, 422–423
 listric faults 54–55, 105–106
 lithosphere
 extension model 67–79
 flexural strength 66–67, 70–72, 75–77, 99–100
 lithostratigraphic nomenclature 137
 Lofoten Ridge 329, 353
 low angle faults *see* detachment faults
- magmatic rocks
 Norwegian Sea 366
 see also sills
 magmatism 316
 magnetic anomalies 295, 334, 420
 magnetic modelling 29
 Magnus Basin 30
 mantle faults 53
 mantle plumes 316–319, 413, 423
 mantle structures 48–9, 53–4, *see also* mantle plumes
 Mesozoic sediments 61, 85
 Mid Atlantic Ridge 417
 middle Miocene unconformity 348
 middle Triassic subsidence 139–141
 Miocene sequence 231–236, 241, 263, 266
 Modgunn Arch 348
- Moho 31–34, 48, 74, 85, 92
 Møre Basin 328
 faulting 359
 formation 297, 305, 353–365
 stratigraphy 330–332
 tectonic framework 329, 369–375, 370
 Møre Margin 305–307
 Møre Marginal High 328, 357, 359
 Møre–Trøndelag fault complex 357
- Naglfar Dome 348
 Någrind Syncline 340, 342, 386
 Namibia *see* North Namibia margin
 necking depth 68–69, 78, 88
 Nordland Ridge 342, 359
 North Namibia margin 414–419, 423
 North Sea
 basin formation 15
 rift system 17, 107–110
 North Sea Basin, geological setting 274–276
 Northern North Sea 134
 basement rocks 34
 basin infill 167–173
 basin models 15–16, 60–66, 84–100, 273–292
 Cenozoic succession 245
 crustal geometry 46–55
 crustal structure 16, 29–36, 91–93
 gravity and magnetic data 29
 seismic data 19–29
 faults 105–128
 geological setting 17–19, 46, 274–276
 lithostratigraphy 137
 rift 108–110, 306–307
 sedimentation 90, 172–173
 tectonic models 52–53
 Norway Margin, heat flow 407
 Norwegian Petroleum Directorate 327
 seismic data 329
 Norwegian Sea
 exploration 327
 structure 328, 329, 379–386
 tectonic history 329, 331, 366, 367–375
 unconformities 331–332, 334, 348
 Norwegian stress provinces 447
 Norwegian–Danish Basin
 biostratigraphy 227
 mineralogical analysis 223–224
 seismic interpretation 221–227, 230
 stratigraphy 222–223
 Tertiary sequence 228–236
 Norwegian–Greenland Sea
 heat flow measurements 397–408, 398, 400
 thermal conductivity 399, 402–403
 Nyk High 340, 342, 348
 structural evolution 379–388
- oceanic crust, thermal properties 397
 Oligocene sequence 231, 239–241, 257, 263
 opal–CT transition 270, 365, 367
 Oseberg formation 65, 70, 140, 148–151
 Øygarden fault zone 51–52, 85, 97, 109–110, 140, 219
 Tertiary sediments 228, 231, 236, 276

- palaeo-waterdepth 98
 palaeoenvironment 424
 Paleocene sequence 239, 248–249, 331
 Penguin half-graben 153–158
 Permian, sedimentary rocks 329
 Permo-Triassic rifting
 modelling 94–100
 sediments 138–139
 structure 138
 see also Horda Platform
 planar faults 105
 plate reconstruction 307–316
 plate tectonics, Norwegian Sea 367–375
 Pliocene sequence 236, 241, 266–268
 post-rift sediments 61
 loading 88
 modelling 279–290
 uplift 71
 see also syn-rift sediments, Tertiary sediments,
 Cretaceous sediments
 progradation 222–223, 227–228, 231, 236, 239
- Rås Basin 330–331, 340
 reservoir facies 179–181
 resource evaluation 424
 restored basin geometry 307–316
 reverse modelling 85
 Revfallet Fault Complex 342, 359
 rheology, coupled v decoupled 54, 66–67, 70–72,
 75–77, 99–100
 Ribban Basin 353
 ridge push force 455–456, 459–461
 rift evolution 73, 140–141
 rifting *see* Permo-Triassic rifting, Jurassic rifting
 rifting
 Møre Basin 357
 Trøndelag Platform 337–340
 Vøring Basin area 340–350
 Rockall Trough 297, 306–307, 311–312
 rotational faulting 83, 140, 141
 Rym Fault Zone 342
- salt diapirs 313
 sea floor spreading 329, 373–374, 413
 sediment
 compaction 89, 279–283
 correction 63–64
 composition, Cenozoic 245, 247–270
 transport coefficients 283–284
 sediment loading 457–459, 461–464
 seismic data 19–29, 42–45, 85, 105
 seismic stratigraphy, Cenozoic 224–242, 245–271,
 276–279
 shear models 15–16, 45
 Shetland Platform 96, 99
 sills 320, 367, 414
 Slørebotn Sub-basin 357
 Snorre fault block
 geological setting 184
 syn-rift evolution 180–215
 stratigraphy 188–191
 Snorre half-graben 161–163
- Snorre-H
 footwall uplift 202–206
 tectonostratigraphic evolution 206–210
 Sorgenfrei-Tornquist zone 219
 South Atlantic, structure 417
 South Atlantic margins 414
 structural features 417
 Statfjord-Statfjord North area 158–161
 stratigraphic modelling, problems 97–99
 stress-generating mechanisms 454–466
 stretching distribution 93–97
 sub-aerial deposition 286–287
 sub-aerial erosion 287, 290
 submarine erosion, Miocene 348
 subsidence 91
 Tertiary 219–220, 245, 284, 287, 290–292
 Triassic-Jurassic 139–141
 see also thermal subsidence
 supra-basement detachment 110, 123–128
 Surt Lineament 342–343, 379–395
 Svalbard Margin, heat flow 407
 syn-rift evolution 199–206
 syn-rift sediments 61, 90, 138–139, 141–173
 stratigraphy 88
 see also post-rift sediments, Snorre fault block
- Tampen Spur 30, 110
 lithostratigraphy 181
 Tarbert formation 141, 146, 148
 tectonic movements, *see also* thermal subsidence
 tectonics subsidence 284–292
 tectono-magmatic models 319–320
 Tertiary
 reactivation phases 348
 structural evolution 386–388
 volcanism 413
 Tertiary sediments
 isopach maps 238
 Norwegian-Danish Basin 228–242
 seismic data 221–223
 sonic log velocity 221, 232
 thermal evolution 97
 thermal plumes *see* mantle plumes
 thermal subsidence 219, 275, 284–292, 318, 340
 Træna Basin 330–331, 340
 Tristan plume trail 414, 423
 Tromsø Basin 299–300, 307, 313
 Trøndelag Platform 328, 330, 337–340
- Unst Basin 89, 138
 uplift 99, 219, 239, 241–242, 316
 Cretaceous 353
 Lofoten-Utrøst area 353
 Tertiary 357
 Vøring Basin 348
 Upper Cretaceous, stratigraphy 329
 upper Paleocene sequence 228–229
 US East Coast margin 419–420, 423
 Utrøst Ridge 353
- Vema Dome 348
 structural evolution 379–388
 Vestfjorden Basin 353
 Vigra High 357

- Vigrid Syncline 340, 342
- Viking Graben 51, 91
- basin modelling 60–77
 - fault geometry 48, 105–128
 - formation 17
 - lithosphere extension 67–79
 - rifting 59–61
 - sediments 141–151
 - Tertiary deposition 219, 228–231, 276–279
 - structure 61–66
 - subsidence 64–66, 139–140
- Vingleia fault complex 337
- Visund detachment 117, 122
- Visund fault block 113
- Visund half-graben 163–164
- Visund Sørøst detachment 113–117, 123, 126
- volcanic margin formation 316, 319–320, 411–424
- Vøring Basin 328
- folding 342
 - formation 297, 316, 340–350
 - sediment 219
 - stratigraphy 329–332
 - structural evolution 379–386
 - tectonic framework 329, 369–375, 370
- Vøring escarpment 346–348, 351
- Vøring Margin, crustal thinning 299–306
- Vøring Marginal High 303, 328, 350–353
- water depth 98, 279, 286–287
- West Africa margin 423
- West Australia margin 423
- Western Gneiss Region 31
- World Stress Map (WSM) 429