

# Index

Note: Page numbers in **bold type** refer to tables, those in *italic type* to illustrations

- Abrolhos Transfer Zone (ATZ) 476, 480–481, 481, 482, 483
- Abu Rudeis 456
- Abu Zenima 456
- Adria plate 237
- margin shear zones 278–279
- Alanooka Transfer Fault 477, 478, 478, 478, 479, 480
- Alexis Formation 81, 82, 86, 95
- Alp da Starschagns 237, 250
- Alps 267–268, 277
- Adria margin shear zone 278–279
  - deformation 240–241
  - Eastern, evolution of 3
  - geological setting 430, 431–433
  - Jurassic exhumation of lower crust and upper mantle 272–273, 284
  - large-scale structures 273
  - microstructures
    - gabbros 273–275, 274
    - peridotites 275–277, 276
  - oceanic evidence 1
  - ophicalcites 16
    - similarity to tectonic breccia 17–18
  - palaeogeography 268, 271–272
  - palinspastic cross-section 432
  - passive continental margin formation model 282–284, 283
  - P–T–t* paths 279–282, 279
  - rift-related ages 277
  - similarity to west Iberian margin 25
  - Southern rifting 2
  - Southern and Eastern 433–435
    - Err–Platta domain 433–435, 434
  - strain localization 277–278
  - tectonic map 430
  - tectonics along Penninic–Austroalpine boundary zone 268–271, 269
- amphiboles
- chemical evolution 256
  - composition 169–170, 247, 252
  - major-element chemistry 152
- amphibolites 14, 191–207
- Appat Sequence 81, 83, 84, 86, 87
- Arosa Zone 237, 243, 269
- Atane Formation 81, 86
- Baffin Bay 78, 79
- crust 90
  - extinct spreading axis 91
  - free-air gravity map 89
  - transform fracture zones 90–91
- Baffin Island 78, 79, 89
- bastite 146
- Bay of Biscay 530
- seismic velocity 539
- Beagle Fault 481, 482, 483
- Beharra Spring Fault 482
- Beibu Gulf Basin 490, 491
- modelling 498
- Bergell 237
- Bernina nappe 269, 270, 272
- Bismarck Sea 374
- Bivio 237
- Bjarni Formation 81, 82, 83, 85, 86, 95, 96
- Bookara Transfer Fault 477, 478, 478
- breccia 16, 17
- Bremer Basin 476
- Bunbury Trough 484
- Byerlee's Law 567
- calcite grain twinning 328–332, 329, **331**
- Campo 269
- Canavese 128, 129, 133
- Cape Dyer 79
- Cape Finisterre 108, 109, 210
- Cape St Vincent 108, 109, 210
- Cape Vogel Basin 339, 336
- Cartwright Formation 81, 82, 83, 97
- Ceduna sub-basin 53, 53, 54, 64–67, 65
- Cervantes Transfer Zone (CTZ) 476, 480–481
- chlorite, composition 170–171, 247
- chromium number 149, 150, 156
- clinopyroxene 143–145, 146
- chemical evolution 253, 256
  - composition **147, 148, 151, 157, 166–168, 170, 246–247, 251–252**
  - major-element chemistry 152
  - obtained from Leg 173 of ODP 163
  - quadrilateral projection 168
  - trace-element chemistry 152, **153, 154**
- Colier Basin 476
- conjugate margins 8
- continent–ocean boundary (COB) *see* ocean–continent boundary (OCB)
- continent–ocean transition (COT) zones *see* ocean–continent transition (OCT) zones
- continental break-up 9, 13, 15, 18, 23, 31
- Coral Sea 308, 320
- Corvatsch nappe 269
- Cumberland Basin 79
- Curie temperature 226–227
- Cuu Long Basin 32
- Cuvier Abyssal Plain 476
- Dandaragan Trough 477, 481, 484
- Dangerous Grounds 32, 490
- Darling Fault System 476, 484
- Davis Strait 78, 79, 87, 90
- free-air gravity map 89

- nature of crust 91–92
- Davos 237
- Dayman Dome 308
- Deep Sea Drilling Project (DSDP) 1
- detachment faults 405–428
- D'Entrecasteaux Islands 308, 336, 339
- Diamantina Zone 54
- differential stress 328, 331
  
- El Qaa Basin 456
- El Rehba Shear Zone 456
- Eneabba Fault 482
- Engadine Line 237, 269
- Err nappe 237, 239, 269, 272
  - palinspastic reconstructions of OCT zone 238, 433
- Err–Platta OCT 270
- Estremadura Spur 108, 109, 210
- Eyre sub-basin 53, 53, 64–67
  
- Falotta 237, 239, 242, 243
- fast Lagrangian analysis of continua (FLAC) 293
- faults and faulting 7, 289–291
  - deformation fabrics 319, 333
    - ductile and brittle microfibrils 324–328, 325, 326
    - overprinting relationships 327
    - syntectonic stress estimations 328–332, 329, 331
    - tectonic implications 332–333
  - Woodlark Rift Basin 321–324, 330
- graben formation model 291
- high-angle normal faults 289–290, 290
- low-angle detachment system in Iberia Abyssal Plain 405–406, 407, 408, 425–426
  - evidence from ODP sites 409–416, 410
  - H detachment stage 423–424
  - Hobby High detachment stage 424–425
  - kinematic evolution 421–422, 422
  - L detachment stage 423
  - lower crustal rocks 411–415
  - pre-detachment stage 422–423
  - pre-rift sediments 411
  - seismic data 407–409
  - serpentinized peridotites 415–416
  - syn- and post-rift sediments 409–411
  - synrift magmatic rocks 416
  - tectonic setting 406–407
- modelling 292, 294, 300, 302
  - advective layer thinning 298–299, 299–300, 301
  - brittle rheology and weakening 293
  - effect of layer thickness 294–296, 295, 296
  - effect of weakening rate 296–298, 297, 298
  - fault width and layer thickness 299–300
  - formulation 292
  - hydrothermal cooling 300–301
  - initial layer geometry 291
  - numerical scheme 293–294
  - strain-dependent friction 301
- Mohr–Coulomb failure theory 289, 291, 293
- previous work 291–292, 291
- South China Sea 35, 38, 39
- strike-slip 289
- symmetry 9
  
- Fergusson Island 308, 336, 374
- Flemish Cap 538
  - seismic velocity 539
- flexural-cantilever model 498, 499
- Fuorcla da Faller 237, 249, 249, 250, 251
- Fylla Structural Complex 79, 86
  
- gabbros
  - Alpine microstructures 273–275, 274
  - geochemistry 175
- Galicia Bank 10, 108, 109, 144, 210, 538
  - bathymetric map 110
  - peridotites 173
  - seismic velocity 539
- Galicia margin 12, 14, 435–437, 436, 437, 438
  - breccia 17, 17
  - deep Galicia Margin (DGM), prestack depth migrations 554
  - peridotite ridge 1, 9, 118–119, 554
- Garda Fault 129
- Gebel Abu Durba 456
- Gebel Araba 456
- Gebel Ekma 456
- geochemistry
- geochronology *see* isotope geochronology
- geodynamic models
- Gjoa zone 79, 92, 93
- Goban Spur 530
- Goodenough Island 308, 336
- Gorringe Bank 108, 109, 144, 210
- graben formation 291
- Grand Banks 538
  - seismic velocity 539
- gravimetric modelling, South China Sea 41–43, 42, 43
- Great Australian Bight (GAB) 2, 51–53, 53, 73
  - basement ridge models 71
  - Diamantina Zone 54
  - evolutionary model 66, 70
  - geological and physiographic framework 53–56, 54
  - gravity anomalies 54
  - Magnetic Quiet Zone (MQZ) 52, 54, 69
  - potential field analysis
    - gravity field 67
    - magnetic field 67
    - modelling 67–70
    - petrophysical properties 68
  - rifting and break-up models 71–73
  - seismic investigations
    - basement ridge complex 62–64, 63
    - definition of Moho 64
    - oceanic crust 58–60, 59
    - reflection data and modelling 58
    - reflection profiles 56, 57, 59, 61, 65
    - refraction data and modelling 56–58
    - sub-basins 64–67
    - transitional crust 60–62
    - spreading rate model 55
- Greenland, offshore W and SW
  - comparison of models with observations 565
  - geotherm evolution 558
  - ocean–continent transition (OCT) zone 92–97, 93, 94, 96, 98

- predicted crustal thickness 561  
 rheological evolution 559  
 sedimentation 84–86  
 seismic profile 83, 86, 87  
 seismic velocity 539  
 serpentinization 553  
 stratigraphy 81  
 stretching factors 560  
 Grisons 269  
 Gulf of Corinth 311–312, 312  
 Gulf of Suez 290  
   eastern margin 456–457, 456  
     basement 457–458  
     basement fabrics 463  
     cross-sections 457–458  
     fault linkages 463  
     faults 457–458, 459  
     post-rift strata 459–462  
     pre-rift strata 458  
     stratigraphy 455, 457, 460  
     structure 462–463  
     synrift strata 458–459  
 Hainan 32  
 Haiphong 32  
 Hamrawin Shear Zone 454  
 harzburgites, palladium/iridium values 181  
 Hecla Rise 79, 93  
 Hobby High detachment (HHD) fault 417, 418, 424–425, 439, 439, 441, 446  
   origin 449  
 Hopedale Basin 79, 81, 82, 83  
 hornblende/pargasite, composition 148  
 Hudson Fracture Zone (HFZ) 79, 89–90, 89  
 Hurghada 454  
 Iberia Abyssal Plain 10, 111, 538  
   *see also* West Iberia continental margin  
   3D model 118  
   bathymetric map 110, 144, 210  
   breccia 16–17  
     similarity to Alpine ophiolites 17–18  
   cross-section 145  
     shape of margin and rift duration 540–542, 541  
   extension rate 543, 544  
   finite element (FE) modelling 531–533, 532, 532  
   gabbro crystallization 15  
   geological and tectonic settings 145–146  
   low-angle detachment fault system 405–406, 407, 408, 425–426  
     evidence from ODP sites 409–416, 410  
     H detachment stage 423–424  
     Hobby High detachment stage 424–425  
     kinematic evolution 421–422, 422  
     L detachment stage 423  
     lower crustal rocks 411–415  
     pre-detachment stage 422–423  
     pre-rift sediments 411  
     sediments, syn- and post-rift 409–411  
     seismic data 407–409  
     serpentinized peridotites 415–416  
     synrift magmatic rocks 416  
     tectonic setting 406–407  
   lower crustal rocks  
     ages 414–415  
     brittle deformation 412–414, 413  
     granulite- to amphibolite facies deformation 412  
     greenschist-facies mylonitization 412, 413, 414  
     lithology 411–412  
   magnetic anomalies 115, 210, 230  
   melt generation models 542–546, 545, 546, 547  
   melt production 537–538, 548  
   metagabbro 14  
   nannofossils 443, 443  
   peridotite samples 146–150, 156–158  
     comparison with other tectonic settings 154–156, 154, 155  
     composition 147, 148, 149, 157  
     equilibrium temperature and pressure 152–154  
   rift evolution 20–22  
   seismic evidence and tectonic history 438–439, 439  
   seismic evidence from ODP sites 442–446, 442, 445, 446, 447  
     absence of synrift intervals 447–449, 448  
     low- and high- $\beta$  fault basins 449–450, 449, 450  
     origin of HHD 449  
   seismic reflectors 18, 19, 20  
   seismostratigraphy 439–442, 440, 441, 450–451  
   serpentinized peridotites  
     deformation 415–416  
     lithology 415  
   serpentinization 553  
   similarity to Alpine geology 25  
   stratigraphy 5  
   tectonic evolution  
     kinematic inversion of seismic section 419, 420–421  
     Lusigal 12 profile 416–420, 417, 441  
     transition zone models 546–548  
 Ikermiut Formation 81  
 ilmenite 171  
 Insubric Line 125, 126, 237, 269  
 Irwin Terrace 477  
 isotope geochronology  
 Jurien Uplift 477, 481  
 Kangâmiut Formation 81, 83, 85  
 Kangeq Sequence 81, 83, 84, 86, 87, 91  
 Kangilia Formation 81  
 Kenamu Formation 81, 82, 83  
 Kitsissut Sequence 81, 83, 84, 85, 86  
 Kome Formation 81, 81  
 Königsberger ratio 217–219, 220  
 Labrador Sea 2, 77–82, 78, 79, 530, 552  
   Baffin Bay  
     crust 90  
     extinct spreading axis 91  
     fracture zones 90–91  
   comparison of models with observations 565  
   Davis Strait, nature of crust 91–92  
   free-air gravity map 89  
   Gjoa zone 79  
   magnetic modelling 88

- ocean–continent transition (OCT) zones 92, 101  
 offshore Labrador 95–97, 96, 97, 98  
 offshore W Greenland 92–97, 93, 94, 96, 98  
 structural development 97–101  
 temperature–depth profiles 100  
 thermal restrictions on extension rates 101–103  
 sea-floor spreading 86–92  
 sedimentary basins  
 offshore W Greenland 84–86  
 onshore outcrops 80–82  
 seismic profiles 86, 87  
 shelf basins 82–84  
 stratigraphy 81  
 seismic velocity 539  
 Lady Franklin Arch 79  
 Lago Maggiore Fault 129  
 Lake Como 127  
 laser ablation–inductively coupled plasma mass  
 spectrometry (LA–ICPMS) 143  
 Iherzolites, palladium/iridium values 181  
 Ligurian Ocean 15  
 listric faulting 5  
 lithosphere, rheological structure in FE models 518  
 lithospheric shear zones, ophicalcites 15–18, 16  
 Lombardian Basin 128, 129, 133  
 Lost Ditchmen Ridge 476  
 low-angle faults, origin 3–4  
 lower crust 11–14  
 behaviour during rifting 7, 21–22  
 serpentinized peridotites 12  
 thickening 12  
 Lugano–Val Grande Fault 127, 129, 138
- Macclesfield Bank 32, 490  
 magmatism  
 magnesium number 147, 149, 165  
 clinopyroxene 165, 169  
 olivine 165  
 orthopyroxenes 165, 166, 167  
 major-element mineral chemistry 150–152, 165–171  
 Malenco 237  
 Malenco–Forno nappe 269, 272  
 Maligât Formation 81, 82  
 Mantisq Formation 81  
 Manus Basin 374  
 Manus Island 374  
 Manus Trench 374  
 Margna 237  
 Margna nappe 269, 270, 272  
 Margna–Malenco OCT 270  
 Markland Formation 81, 82, 83, 85, 86, 95, 96, 101  
 Mazzaspitz Marmorea Serpentine (MMS) 433  
 metagabbro, Iberia Abyssal Plain 14  
 Milne Bay 336, 339  
 modelling 6  
 fast Lagrangian analysis of continua (FLAC) 293  
 faults 294, 300, 302  
 advective layer thinning 298–299, 299–300,  
 301  
 brittle rheology and weakening 293  
 effect of layer thickness 294–296, 295, 296  
 effect of weakening rate 296–298, 297, 298  
 fault width and layer thickness 299–300  
 formulation 292  
 hydrothermal cooling 300–301  
 initial layer geometry 291  
 numerical scheme 293–294  
 strain-dependent friction 301  
 finite element (FE) modelling of rifting 528–531,  
 529, 533  
 boundary and initial conditions 519  
 crustal thickness 523, 525, 526–527  
 extension rate 522  
 Iberia Abyssal Plain 531–533, 532, 532  
 mantle weakness 523, 524, 525, 526–527  
 melt production 520  
 method 516–519  
 physical parameters employed 517  
 results 520–524, 525, 526–527  
 rheology of lithosphere 518  
 sensitivity analysis 524–528, 526–527  
 strain rate 521  
 gravity anomaly 41–43, 42, 43  
 melt generation 542–546, 545, 546, 547  
 passive continental margin formation 282–284,  
 283  
 rheological evolution of lithosphere 571–573  
 parameters 557, 571  
 Southern Alps 131, 132  
 transition zones 546–548  
 Moho 12, 13  
 definition in Great Australian Bight (GAB) 64  
 gravity anomaly modelling 41, 42, 43  
 isostatic 42–43, 43  
 shape 47  
 Mohr–Coulomb failure theory 289, 291, 293  
 Mokami Formation 81, 83, 84  
 Monte Cecci syncline 127  
 Moresby Seamount 308, 310, 311, 315, 320, 321–  
 322, 336, 337  
 crest 354–356  
 cross-section 322, 323, 330  
 seismic profiles 375, 338  
 southern flank 356–357  
 Morocco, seismic velocity 539  
 Mountain Bridge Fault 478, 478, 479, 480  
 Musso line 127
- Nam Con Son Basin 32, 490, 491  
 modelling 498  
 Nam Hai Basin 32  
 Naturaliste Plateau (NP) 476  
 New Britain Trench 320, 336, 339, 374  
 Nha Trang Basin 32  
 Nhatrang 32  
 non-volcanic rifted margins (NVRMs) 7–8, 52, 429–  
 431, 511–512, 528–531, 529, 533, 551–552  
 characteristics 518  
 comparison of models with observations 562–563  
 Labrador Sea 565  
 Rockall Trough 565–566  
 West Greenland Margin 565  
 West Iberia Margin 563–565  
 Woodlark Basin 563  
 crustal structure 531  
 detachment faults 566–570, 567  
 duration of rifting and  $\beta$  values 513, 514  
 effect of progressive extension 552–555

- initial lithospheric models 556–557, 556
  - general parameters 555
  - initial strength curves 557
- previous models 512–516
- results of finite element modelling 520–524, 520, 521, 522, 523, 525, 526–527
- rheological evolution 557–562, 558, 559, 560, 561
  - model calculations 571–573
  - parameters 557, 571
  - serpentinization 553, 570–571
  - temporal evolution 569, 570
- Normanby Island 308, 336
- North Atlantic Ocean
  - geological setting 431
  - reconstruction 530
- Northern Carnarvon Basin 476
- Nukik Formation 79, 81
- Nuussuaq Basin 79, 80–81, 81, 86
  
- Ocean Drilling Program (ODP) 1, 9, 10
- ocean geology, influence of land evidence 1
- ocean–continent boundary (OCB) 9
  - definition 23
  - location 22–23, 24
  - South China Sea 43–48, 46
- ocean–continent transition (OCT) zones 1, 22
  - detachment fault models 52
  - Great Australian Bight (GAB) 51–53, 53, 73
    - basement ridge models 71
    - evolutionary model 66, 70
    - geological and physiographic framework 53–56, 54
    - gravity anomalies 54
    - Magnetic Quiet Zone (MQZ) 52, 54, 69
    - potential field analysis 67–70
    - rifting and break-up models 71–73
    - seismic investigations 56–67, 56, 57, 59, 61, 63, 65
    - spreading rate model 55
    - hypotheses 51–52
  - Iberia Abyssal Plain 111–113, 121
  - Labrador Sea 92, 101
    - offshore Labrador 95–97, 96, 97, 98
    - offshore W Greenland 92–97, 93, 94, 96, 98
    - structural development 97–101
    - temperature–depth profiles 100
    - thermal restrictions on extension rates 101–103
    - origin 2
    - rifting 7
    - Tethyan Ocean 12, 14
- oceanic crust, Great Australian Bight (GAB) 58–60, 59
- octagenesis 2–3, 121
- olivine
  - composition 147, 164, 166
  - major-element chemistry 152
- ophicalcites 9, 15, 16
  - lithospheric shear zones 15–18, 16
  - type 1 (OC1) 16
  - type 2 (OC2) 16, 20
- orthopyroxene
  - composition 147, 148, 166, 167, 247
  - major-element chemistry 152
  - quadrilateral projection 168
- Ortler nappe 269
  
- Palawan 32
- Palaeomagnetism 209–234
- Papua New Guinea
  - geological map 339
  - rock-relations diagram 340
- passive continental margin formation model 282–284, 283
- Pearl River Mouth Basin 32, 490, 491
  - forward extensional model 499
- pegmatitic amphibolites 192
- pegmatitic gabbros 164
- pentlandite 175
- peridotites
  - Alpine microstructures 275–277, 276
  - palladium/iridium values 181, 184
  - serpentinization 11, 12, 23
- Perth Basin, West Australia 475, 484–486
  - east–west transfer faults 478–480, 478
  - geological setting 475–478, 476
  - northwest transfer zones 480–482
    - correlation with oceanic transform faults 483–484, 486
  - seismic profiles 478, 479, 485
  - stratigraphy 477
  - structural features 477
- Peruvian Andes 312–313
- plagioclase, composition 169, 252
- platinum group elements (PGE) 3, 171, 175–180, 182, 185
- Platta nappe 238–240, 257, 262, 269, 272
  - Alpine deformation 240–241
  - basalts and dolerites 256–257, 259
  - emplacement timing 259–260, 260, 261
  - gabbroic intrusions 248, 249, 250, 258–259
    - age 251
    - compositions 254–255
    - conditions of intrusion 252–253
    - contact with mantle rocks 250–251
    - field relationships 248–249
    - high-temperature deformation and hydration 253
    - low-temperature deformation 256
    - magmatic and deformational textures 251
    - mineral chemistry 251–252
    - P, T* paths 257
    - stratigraphy 247
  - geological map 237
  - magmatic sources 259
  - mantle rocks 241, 257–258
    - chemical evolution 246
    - lower serpentinized peridotites 242–243, 244
    - mineral chemistry 244–245, 246–247
    - retrograde metamorphism 247–248
    - upper serpentinized peridotites 242, 243–246, 243, 245
- palinspastic reconstructions
  - Falotta 239
  - Ocean–continent transition zone 238, 433
- Pre-Alpine situation and stratigraphy 241
- relationships between tectonic and magmatic processes 260–262
- stratigraphy 236

- Pocklington Rise 320, 339, 374  
 Pogallo Line 269  
 Porto Seamount 210  
 power-law creep 294  
 P–T–t evolution 192, 202, 203, 207
- Quikavsak Formation 81  
 Quseir 454, 461
- rare earth elements (REEs) 143, 152  
 Recherche sub-basin 53, 54, 64–67  
 Red Sea  
   faulting 5  
   northwestern margin 461, 464  
     basement 464  
     basement fabrics 465–466  
     cross-sections 462  
     fault linkages 466–468  
     faults 462, 464  
     pre-rift strata 464–465  
     stratigraphy 464  
     structure 465  
     synrift strata 465  
 Red Sea–Gulf of Suez rift system 453, 468, 469–470  
   plate tectonic setting 453–454, 454  
   rift models 466–467, 468–469  
   structural and stratigraphic framework 454–456, 455  
     Gulf of Suez eastern margin 456–463  
     Red Sea NW margin 464–468  
 Reed Bank 32, 490  
 Ribba Shear Zone 454  
 rifts and rifting 7  
   active continental systems 306, 307  
     Gulf of Corinth 312  
     Peruvian Andes 312–313  
     prehistoric examples 313  
     Woodlark Rift Basin, Papua New Guinea 309–311  
 Adria plate margin 278–279  
 evolution 20–22  
   detachment–shear-zone models 13, 23–24  
 finite element (FE) modelling 528–531, 529, 533  
   boundary and initial conditions 519  
   crustal thickness 523, 525, 526–527  
   extension rate 522  
   Iberia Abyssal Plain 531–533, 532, 532  
   mantle weakness 523, 524, 525, 526–527  
   melt production 520  
   method 516–519  
   physical parameters employed 517  
   results 520–524, 525, 526–527  
   sensitivity analysis 524–528, 526–527  
   strain rate 521  
 non-volcanic rifted margins (NVRMs) 511–512  
   characteristics 518  
   previous models 512–516  
 propagation 2  
   3D view 2  
 seismic evidence from ODP sites 442, 442–446, 445, 446, 447, 450–451  
   absence of synrift intervals 447–449, 448  
   low- and high- $\beta$  fault basins 449–450, 449, 450  
     origin of Hobby High detachment 449  
     seismicity 306–308, 315–316  
     seismogenic normal faults 305–306, 313  
     failure requirements 313–315, 314  
   South China Sea 36–41  
   volcanic rifted margins (VRMs) 511–512  
     previous models 512–516  
     whole lithosphere 515  
 Rockall Trough 552  
   comparison of models with observations 565–566  
   seismic velocity profile 566  
 rock magnetism 209–234
- Safaga 454, 461  
 Saglek Basin 79, 81  
 Saglek Formation 81, 84  
 San Cristobal Trench 320  
 sea floor, ultramafic 11  
 sea-floor spreading 9, 13  
   conceptual model 18–20  
   Labrador Sea 86–92  
   slow-spreading ridges 11, 13  
   ultraslow ridges 120  
 Sebino Fault 129  
 secondary ion mass spectrometry (SIMS) 143, 152  
 Sella nappe 269, 270, 272  
 serpentinite, composition 170  
 serpentinization 551–576  
 serpentinized peridotite  
   analytical techniques 143–145  
   geochemistry 173–175  
   magnetic measurement procedure 212  
   magnetic results 212–215, 213–215, 229–231  
     Curie temperature 226–227  
     demagnetization behaviour 216–217, 218–219, 222  
     hysteresis properties 215, 222–223, 222  
     Königsberger ratio 217–219, 220, 229  
     low-temperature a.c. susceptibility 227, 228–229, 228  
     low-temperature properties 223–226, 223, 224, 225  
   magnetic polarity 219–222, 221  
   NRM and magnetic susceptibility 215–216, 216, 217, 229  
   thermomagnetic curves 226  
 palaeomagnetic sampling 212  
 Platta nappe mantle rocks 241, 257–258  
   chemical evolution 246  
   composition 244–245  
   lower unit 242–243, 244  
   retrograde metamorphism 247–248  
   upper unit 242, 243–246, 243, 245  
 samples from Iberia Abyssal Plain 145, 145, 146–150, 156–158  
   comparison with other tectonic settings 154–156, 154, 155  
   composition 147, 148, 149, 157  
   equilibrium temperature and pressure 152–154  
 West Iberian OCT zone 161–162, 185  
   discussion of results 172–173  
   geochemistry 173–175  
   Leg 173 of ODP 163–165

- previous work 161–162
  - Silvretta nappe 269
  - Sinai 454, 456
  - Sisimiut Basin 79, 85, 87
  - Snorri Fracture Zone 79
  - Solomon Islands 320
  - Solomon Sea 308, 320, 336, 339, 374
  - Song Hong Basin 32
  - South China Sea 31, 32, 48–49, 489–491, 490, 505, 507–508
    - bathymetric map 34
    - break-up propagation 47–48
    - core photographs 502
    - cross-sections 493, 495
    - crustal stretching 43–48
    - crustal structure 43, 44, 45
    - depth–age plot 501
    - faulting 35, 38, 39
    - formation 33
    - free-air gravity anomalies (FAA) 35, 37, 40, 43
    - geological setting and previous work 491–493
    - geophysical data acquisition and processing 33
    - gravimetric modelling 41–43, 42, 43
    - heat flow 500–505, 503, 504
    - isotherm profiles 42
    - kinematic framework 31–33
    - magnetic anomalies 37
    - modelling 6
    - OCB (COB) 43–48, 489
      - crustal stretching 46
      - structure 493–494
    - oceanic kinematics 47–48, 48
    - rift architecture 506, 506
    - rift magmatism 505–506, 506
    - rift propagation 2, 31
    - rifting 36–38
      - age and propagation 38–41
    - rift-to-drift transition 500
    - sediment unloaded basement depth 504
    - seismic profiles 36, 37, 492
    - shape of basin and structure of margins 33–36, 34, 35
    - strain accommodation 506–507
    - structure 38
    - study methods 494–496
      - Beibu Gulf Basin 498
      - estimating lithosphere extension 496–498, 497
      - Nam Con Son Basin 498
      - South China Slope 499–500
  - South China Slope 499–500
  - Southern Alps 125–127, 126
    - evolution of rifted margins 127
    - deformation along fault zones 131
    - geochronology 129–131
    - geometries and kinematics 127–129
    - numerical modelling 131, 132
    - rheology 131
    - subsidence 129, 130, 132, 133, 135, 136
    - upper-crustal profiles 128, 129
  - integrated strength and effective elastic thickness 137
  - Lake Como area 127
  - post-rift stage 137
  - pre-rift stage
    - Late Permian to Early Triassic 131–132
    - Mid-Triassic to Carnian 132–134
    - relevance to rifted margin studies
      - cooling after rifting 137–139
      - thermal anomalies and rifting 137
      - thermal effects of lithospheric extension 139
    - rift stage
      - Norian to Rhaetian 134–136
      - Early to Mid-Liassic 136
      - Toarcian to Mid-Jurassic 136–137
    - sedimentation 132, 134–135, 136
    - tectonics 134–135, 136
    - thermal evolution 132–134, 133, 135, 136
    - thermal modelling 134
  - Southern Carnarvon Basin 476
  - spinel 146
    - composition 147, 148, 149, 150, 156, 168–169, 171, 172, 247
    - major-element chemistry 150–152
    - obtained from Leg 173 of ODP 163
  - St Moritz 237
  - Steinmann Trinity 1, 3, 235–238, 262
    - general situation 238
  - stress, differential 328, 331
  - strike-slip faults 289
- 
- Tagus Abyssal Plain 108, 109, 144, 210, 538
    - seismic velocity 539
  - Tethyan Ocean
    - evolution 21
    - OCT 12, 14
  - tilted fault blocks 1
  - Tore Seamount 108, 109, 210
  - transitional crust, Great Australian Bight (GAB) 60–62, 61
  - tremolite, composition 147
  - Trobriand Island 336
  - Trobriand Trough 336
  - Tryal Ridge 476
- 
- Ungava Fault Zone 79
  - Ungava Fracture Zone (UFZ) 87, 89–90, 89
- 
- Vaigat Formation 81–82, 81
  - Val da Natons 237, 248–249, 248, 250, 251
  - Val d'Err 237, 242
  - Val Malenco 269
    - crust–mantle complex 272–273
    - $P$ – $T$ – $t$  diagram 273
    - $P$ – $T$ – $t$  paths 279
  - Val Savriez 237, 248
  - Vasco da Gama Seamount 210
  - Venetian Plateau 128, 129
  - Verwey transition 225, 226
  - Vigo Seamount 210
  - Vlaming sub-basin 476, 481–482, 484
  - volcanic rifted margins (VRMs) 511–512
    - duration of rifting and  $\beta$  value 513, 514
    - previous models 512–516
- 
- Wadi Baba 456

- Wadi Feiran 456
- West Iberia continental margins 10, 107–108, 109, 209–211, 552  
*see also* Iberia Abyssal Plain
- acidic gneiss 192–193, 207  
 ages 194  
 composition **199**, 200, **200**  
 metamorphic evolution 202–203  
 petrological description 195  
*P–T–t* evolution 203
- amphibolites 192–194, 205–207  
 ages 194, 204, 205–207  
 apatite composition **204**  
 apatite fission-track dating 203–205, 204, 206  
 composition **196**, 198–200, 198  
 fluid inclusions 200–201  
 isochores 201  
 metamorphic evolution 201–202  
 oxygen isotope data 194–195, **194**  
 petrogenesis 202  
 petrological description 195  
 photomicrographs 197  
*P–T–t* evolution 203
- apatite composition **204**  
 apatite fission-track dating  
 background 203  
 interpretation 205  
 sampling and results 204–205, 204, 206
- background 108–110
- bathymetric maps 144, 192, 210
- comparison of models with observations 563–565
- cross-section 432
- depth-to-basement chart 111
- evolution 3
- extension 569
- geochemical data 3
- geochemistry 182–185  
 gabbros 175, 180–182, 180  
 major and trace elements **176–179**  
 palladium/iridium values **181**, 183  
 peridotites 173–175  
 platinum group elements (PGE) 171, 175–180, 182, 185  
 pyroxenite 173–175, 180–182, 180
- geological setting 430, 431–433
- geotherm evolution 558
- intrusive melt bodies 2–3
- Leg 149 of ODP 3, 211–212
- Leg 173 of ODP 1, 3, 163–165  
 basement cores 163  
 site descriptions 192–194, 212
- magnetic observations 114–117  
 deep-tow magnetometer profiles 117  
 Euler deconvolution solutions 115  
 magnetization solution 116
- magnetic quiet zone 23
- magnetic studies 3
- metamorphic evolution 201–203
- mineral chemistry 195–200, **196**, 198, **199**
- Ocean–continent transition zone 2, 161–162, 191–192  
 previous work 161–162
- oxygen isotope data 193, 194–195, **194**
- passive margin 11, 12, 14  
 predicted crustal thickness 561  
 radiometric ages 3  
 rheological evolution 559  
 seismic observations 110–114  
 velocity model 112  
 velocity–depth profiles 112  
 stretching factors 560  
 synrift magmatism 117–121  
 tectonic map 430
- Western Australia, faulting 5
- Whipple Mountains 290  
 comparison of models with observations 563
- Woodlark Rift Basin, Papua New Guinea 308, 335–336, 367–369, 374, 552  
 deformation fabrics 321–324, 330  
 Mohr circles 332  
 earthquake fault planes 309, 310  
 earthquake locations 309, 310  
 extension 569  
 Gameta earthquake (1985) 309–311, 310  
 geological setting 319–321, 320  
 geotherm evolution 558  
 implications for rift processes 367  
 Leg 180 of ODP 336, 337, 338, 341  
 micropalaeontological investigations 389–390, 395–403  
 analytical methods 391  
*Pulleniatina* coiling 390, 393, 397, 401  
 results 391–395, 393, 397, **398–399**, 401  
 site locations 391
- Moresby Detachment Fault 357–359
- Moresby Seamount earthquake 311, 311, 315
- northern rift margin ODP sites  
 Late Miocene forearc emergence and paralic deposition 347–348  
 Late Miocene–Early Pliocene initial transgression 348  
 Late Pliocene–Pleistocene deepening rift basin 352, 353, 354  
 Latest Miocene–Early Pliocene rift-related subsidence 348–350  
 Mid–Late Pliocene continuing rift subsidence 350–352  
 Middle Miocene forearc turbiditic succession 344–347
- palaeomagnetic polarity investigations 390  
 analytical methods 390–391  
 results 391–395, 392, 396, 400  
 site locations 391  
 predicted crustal thickness 561  
 regional setting 336, 336–338  
 regional tectonic history 338–341  
 regional tectonic interpretation 368  
 rheological evolution 559  
 sedimentary evolution 340, 341, 341, 342, 343, 344–345, 346  
 sedimentary–tectonic evolution 360, 362, 363, 364, 365  
 Early–Late Pliocene 364–366  
 Late Miocene 361–363  
 Late Miocene–Early Pliocene 363–364  
 Latest Pliocene–Pleistocene 366–367  
 Miocene 361  
 Paleogene 359–361



- seismic profiles 338
  - setting 308–309
  - southern rift margin ODP sites 354, 355, 356, 357
    - Moresby Seamount crest 354–356
    - Moresby Seamount southern flank 356–357
  - stratigraphy 5
  - stretching factors 560
  - tephra layers 373–374, 386–388
    - age determinations 377–386, **378–379, 381**
    - age/depth diagrams 386, 387
    - analytical methods 377
  - fallout ash 377–384
  - geological setting 375–377
  - isotope correlation diagrams 380, 383, 385
  - laser step-heating analyses 382
  - lithostratigraphy 376
  - site locations 375
  - volcaniclastic deposits 384–386
- Zenith Seamount 476