

Index

Page numbers in *italic* refer to tables, and those in **bold** to figures.

- accretionary orogens, defined 23
- Africa, East
- Congo–Sao Francisco Craton 4, 5, 35, 45–6, 49, **64**
 - palaeomagnetic poles at 1100–700 Ma 37
 - East African(–Antarctic) Orogen
 - accretion and deformation, Arabian–Nubian Shield (ANS) 327–61
 - continuation of East Antarctic Orogen 263
 - E/W Gondwana suture 263–5
 - evolution 357–8
 - extensional collapse in DML 271–87
 - deformations 283–5
 - Heimefront Shear Zone, DML 208, **251**, 252–3, 284, 415, 417
 - structural section, Neoproterozoic deformation, Madagascar 365–72
 - see also* Arabian–Nubian Shield (ANS); Mozambique Belt
 - Mozambique Belt evolution 60–1, **291**, 401–25
 - carbonates 405–6
 - Dronning Maud Land 62–3
 - eclogites and ophiolites 406–7
 - isotopic data
 - crystallization and metamorphic ages 407–11
 - Sm–Nd (T^{DM}) 411–14
 - lithologies 402–7
 - magmatic arc sequences 402–5
 - and relationship with Rodinia and Gondwana 417–18
 - structural aspects 414–17
 - crustal structures 414
 - see also* East Africa(–Antarctic) Orogen
- Africa, South
- Angola, and NW Botswana, orogenic belts (1.35–1.0 Ga) 442
 - Angola–Kasai Craton 427
 - Archaean cratonic nuclei 417–9
 - Barberton Greenstone Belt 28
 - geochronology and tectonic evolution 427–63
 - Kalahari Craton **2–5**, 35, 42, **64**, 208, 417–18
 - amalgamation with EAC, Rodinia formation 417–18
 - and Antarctica 208
 - and Australia 42
 - Namaqua Orogen 4, 42
 - Kalahari Plate 4
 - palaeomagnetic poles at 1100–700 Ma 37, **43**
 - orogenic belts (2.05–1.8 Ga) 429–35
 - Kheis–Magondi Orogen 432–3
 - Limpopo Belt and Bushveld Igneous Province 433–5
 - Palaeoproterozoic basement N of Damara Belt 435
 - Richtersveld Terrane and Rehoboth Inlier 435
 - Ubendian–Usagaran Orogen and Bangweulu Block **404**, **408–9**, 429–32
 - orogenic belts (1.35–1.0 Ga) 435–42
 - Choma–Kalomo Block and subsurface continuation 438
 - Kibaran and Irumide Belts and adjacent terranes 25, 439–42
 - Namaqua–Natal Orogen 435–8
 - SW Angola and NW Botswana 442
 - Umkondo Igneous Province 438–9
 - Pan-African orogenic belts (650–450 Ma) 442–50
 - Damara–Lufilian Arc–Zambezi Belt **3**, 435, 442–50
 - Katangan basaltic rocks 443, 446
 - Mwembeshi Shear Zone 442
 - Neoproterozoic basin evolution and seafloor spreading 445–6
 - orogenesis 446–51
 - Ubendian and Kibaran Belts 445
 - within-plate magmatism and basin initiation 443–5
 - Zambezi Belt 27, 415
 - Zambezi Orogen **3**, 5
 - Zambezi–Damara Belt 65, 67, 442–50
 - Zimbabwe Belt, ophiolites 27
 - Zimbabwe Craton 427, 433
 - Zimbabwe–Kapvaal–Grunehogna Craton 42, 208, **250**, 272–3
 - see also* Pan-African
- Africa, West 40–1
- Amazonia–Rio de la Plata megacraton **2–3**, 40–1
 - Birimian Orogen 24
 - Al-Jifn Basin *see* Najd Fault System
 - Albany–Fraser–Wilkes Orogen, Australia 67, 83, 103–10
 - Aldan Shield, Siberia 44
 - Thelon Magnetic Belt 45
 - Altaid Orogen, central Asia 28
 - Amazonia–Laurentia collision 4, 40
 - Amazonia–Rio de la Plata megacraton, W Africa **2–3**, 40–1
- anatexis
- Grenvillian events, Prydz Bay 237–8
 - Kuunga Orogeny Zone 414
- Antananarivo Block, Madagascar 61, 365, 372–6, **382**
- Antarctic Orogen *see* Africa, East, East African(–Antarctic) Orogen; East Antarctica
- Antarctica, East 57–75, 251–61
- Archaean–Cambrian crustal development 203–30
 - Cambrian juxtaposition of Proterozoic crustal provinces 220–5
 - correlations, Rayner Province and Eastern Ghats 219–20
 - East Antarctic Shield 204–6
- Circum-East Antarctic Orogen *vi* 57–9, 66–9
- East Antarctic Orogen 57–75, 251–61
- Conradbjerger–Orvinfjella 255–60, **275**, 415–16
 - Gjelsvikfjella 255
 - pathways for Pinjarra Orogen **119**
 - UHT rocks, reaction textures **222**
- East Antarctic Shield 204–6
- East Antarctica–Australia, Gondwana fit 117
- Gondwana setting 117, **205**
- magmatism, late to post-tectonic, central DML 261
- metamorphic basements
- Gjelsvikfjella and Western Muhlig–Hofmann–Gebirge 255
 - Orvinfjella and Wohlthatmassiv 255–60, **275**, 415–16

- Antarctica, East (*cont.*)
- Pan-African Suture
 - definition 60–3, 263
 - Shackleton Range to Lützow–Holm Bay 60–2, 102–3
 - Southern Prydz Bay area 62–3
 - Progress Granite 62–3, 66, 233–6, 238
 - Proterozoic–Cambrian history of Dronning Maud Land 251–61
 - metamorphic basements, Sør Rondane 209, 252–3, 260–1
 - Prydz Bay, Pan-African events, inference in East
 - Gondwana Tectonics 231–45
 - terrane of Antarctic–Africa–Madagascar sector 208–9
 - Grunehogna Craton, Dronning Maud Land 42, 208, 250, 272–3, 403–4
 - Mesoproterozoic–Neoproterozoic Maud Province 208
 - Pan-African high-grade tectonism in Dronning Maud Land Belt 208–9
 - terraces of Antarctic–Australia sector 207–8
 - Denman Glacier/Obruchev Hills area 207
 - Pan-African high-grade events in Denman Glacier Belt 208–9
 - Wilkes Province 207
 - terrane of Antarctic–India–Sri Lanka sector 209–19
 - Archaean Napier Complex, Enderby Land 61, 67, 133, 136, 209–12
 - Archaean–Mesoproterozoic, Rauer Terrane, Prydz Bay 213–14, 239
 - Pan-African high-grade tectonism in Lützow–Holm Bay Belt 216–18
 - Pan-African high-grade tectonism in Prydz Bay Belt 218–19
 - Rayner Province 61, 67, 133, 136, 209–12, 214–16
 - Ruker Terrane, Southern Prince Charles Mountains 103, 213
 - Vestfold Block, Prydz Bay 212–13
 - Terre Adelie, zircon U–Pb SHRIMP ages 100–2
 - Windmill Islands 109–10
 - see also* Dronning Maud Land; Lützow–Holm Bay; Prydz Bay
- APWP paths 35–8
- see also* palaeomagnetism/palaeopoles
- Ar–Ar zircon ages 66, 135
- Arabian–Nubian Shield (ANS) 4, 24, 289
- age range, Pb and Nd data 293
 - assembly, 4 time slices 316
 - and assembly of Gondwana 263–4, 289–325
 - crust formation rates 28
 - diachronous tectonic events 310
- Late Neoproterozoic
- gneiss belts and domes 309–11
 - north-trending shear zones 312–13
 - shear zones 311–15
- movement along Najd fault zones 357
- N continuation 263
- Nabitah–Bargaloi Shear Zone 263–4
- Neoproterozoic origin 263
- ophiolites 27
- post-amalgamation overlap assemblages 306–9
- ages of basins 308
 - epicontinental terrestrial basins 309
 - marine basins 306–9
- present-day tectonic setting 290
- terrane amalgamation and suture zones 301–6
- Oman 305
 - Yemen 305–6
- terrane amalgamation and sutures (650–600 Ma) 304–5
- Kerak Suture 304–5
- terrane amalgamation and sutures (680–640 Ma) 304
- Ar Amar Suture 304
 - Halaban Suture 304
 - Hulayfah–Ad Dafinah–Ruwah Suture 304
 - Nabitah Fault Zone 304
- terrane amalgamation and sutures (750–660 Ma) 303–4
- Allaqi–Heiani–Sol Hamed–Onib–Yanbu Suture 303–4
 - Atmur–Delgo Suture 303
- terrane amalgamation and sutures (786–760 Ma) 301–3
- Bi'r Umq–Nakasib Suture 303
 - Tabalah–Tarj Shear Zone 301–2
- terrane analysis 290–301
- Ad Dawadimi Terrane 300
 - Afif Terrane 300
 - Ar Rayn Terrane 300
 - Asir Terrane 296, 298
 - Barka Terrane 295–7
 - Bayuda Terrane 293–5, 414
 - Eastern Desert/Gerf Terrane 298
 - Gebeit and Gabgaba regions 297–8
 - Ghedem Terrane 297
 - Hager–Tokar Terrane 297
 - Halfa Terrane 290–3
 - Haya Terrane 297
 - Hijaz Terrane 299
 - Jiddah Terrane 299
 - Midyan Terrane 299–300
 - Nafka Terrane 297
- terrane assembly 302
- U–Pb, Pb–Pb, Rb–Sr ages 292
- see also* Najd Fault System (NFS)
- Archaean cratonic nuclei
- Proterozoic cover, Gondwana assembly context, DML 249
 - S Africa 417–9
- Archaean cratonic terranes, Eastern Ghats Granulite Belt (EGB) 146–8
- Archaean domains, India 170–3
- Archaean Napier Complex, Enderby Land 209–12
- Archaean–Cambrian crustal development 203–30
- Archaean–Mesoproterozoic, Antarctic–India–Sri Lanka sector 213–14, 239
- Arctida, Precambrian craton 43
- Arizona, Payson Ophiolite 27
- AUSMEX Rodinia reconstruction 41, 46
- Australia
- 1.8–0.7 Ma deformation 80
 - Albany–Fraser–Wilkes Orogen 103–10
 - Biranup Complex 105, 107
 - Bunger Hills 110
 - Bunger Hills–Denman Glacier region 63, 102, 115–16
 - Corumup Gneiss 105, 107
 - Fraser Complex 105, 107
 - Nornalup Complex 105, 108
 - Northern Foreland 105, 106–7

- time–space diagram **105**
 Windmill Islands 109–10
- Barramundi Orogeny 78
- Centralian Superbasin **83**
- cratonic assemblages **79**
 North Australian (NAC) 78–81
 South Australian (SAC) 81–2
 West Australian (WAC) 78
- Curnamona Province 82
- Eyre Peninsula **97, 98**
- Gairdner Dyke Swarm 27, 46, 83
- Gawler Craton 82, 95–100
- Gawler Range Volcanics **96, 100**
 pole, APWP **87**
- Gondwana fit 117
- Kararan Orogeny 100
- Kimberley Block 78
- Leeuwin–Darling Belt–Denman Glacier Belt 62, 67, **112, 113–14**
- Lincoln Batholith 81–2, 98–9
- Mawson Craton **41, 64, 95–103, 117–18, 207**
 Australia–Antarctica **41**
 correlation with Terre Adelie and King George V Land **96, 100–2, 207**
 Gawler Craton 82, 95–100
 geographical extent 117–18
 Miller Range 102
 other potential fragments 102–3
 time–space diagram **96**
- models, single vs multiple block assembly 77
- Musgrave Block 83
- orogenic provinces **94**
- palaeomagnetic constraints on tectonic evolution 77–91
 Mesoproterozoic amalgamation 82–3
 Neoproterozoic events 83
 tectonic summary 78–83
- palaeomagnetic poles at 1100–700 Ma 37
- palaeomagnetic segments 83–6
- Petermann Ranges 83
- Pinjarra Orogen 62–3, 67, 110–17
 Darling Fault Zone 110, **112, 114–15**
 Darling Mobile Belt 110
 Denman Glacier region 63, 102, **111, 112, 115–16**
 low-grade schist 114
 Mullingar Complex 113–14
 Northampton, Mullingar and Leeuwin Complexes **112, 113–14**
 pathways, East Antarctica **119**
 Prydz Bay region 62–3, **112, 116**
 Southern extension 118–21
 Southern Prince Charles Mountains, E Antarctica 62, 102–3, 116–17
 tectonic setting and its Antarctic counterparts 121–2
 time–space diagram **112**
- precambrian rocks **81**
- Proterozoic tectonic evolution 77–87
- S and SW basement provinces, correlation with Antarctica 93–130
- Stirling Range Formation 107, 114
- Strangeways Orogeny 78
- Yilgarn Craton 82, **106, 109**
- Australia–Antarctica, Mawson Craton **41, 64, 95–103, 117–18, 207**
- AUSWUS Rodinia configuration 2, 41, 46
- Avalonia, accretionary orogen 4, 25
- Baltic Shield 24
 flood basalts 26
- Baltica
 and Amazonia 3
 APWP paths **39**
 breakup from Laurentia 27
 crust production rates 28
 palaeomagnetic poles at 1100–700 Ma 36–7
- Bangweulu Block, Africa, South **404, 408–9, 429–32**
- Barberton Greenstone Belt, South Africa 28
- Barentsia plate 39
- Bayuda Terrane, Arabian–Nubian Shield (ANS) 293–5, 414
- Belcher Islands, Canada 26
- Bhandara Craton, Eastern Ghats Granulite Belt 146, 148, **150**
- Bhavani Shear Zone, India 176–7
- Birimian Orogen, West Africa 24
- Botswana, and Angola, orogenic belts, S Africa 442
- Bunger Hills–Denman Glacier, Australia 63, 102, 110, 115–16
- Bushveld Igneous Province, S Africa 433–5
- Cadomian–Avalonian accretionary orogen 25
- Canada
 Belcher Islands 26
 Coppermine River basalts 26
 Flin Flon Belt 24, 25, 27
 Grenville Dyke Swarm 27
 Kapuskasing Uplift 28
 Portuniqu Ophiolite 27
 Trans-Hudson Orogen 24, 28
 Ungava Orogen 24
- carbonates 405–6
- Chewore Ophiolite, Zimbabwe Belt, S Africa 27
- China, S
 and Laurentia 42–3
 palaeomagnetic poles at 1100–700 Ma 37
 Sibao Orogen 42
- Choma–Kalomo Block, and subsurface continuation 438
- Cimmerian terranes 291
- conglomerates, Al-Jifn Basin, Najd Fault System (NFS) 336–9
- Congo Craton, E Africa 4, 5, 35, 45–6, 49, **64**
- Conradbjerger–Orvinfjella, East Antarctic Orogen 255–60, **275, 415–16**
- continental flood basalts 26
- continental growth 1–21
see also Proterozoic continental growth
- Coppermine River basalts, Canada 26
- Cuddapah Basin, Eastern Ghats Granulite Belt 146, **151**
- Damara–Lufilian Arc–Zambezi belt, S Africa 442, 445–50
- Darling Fault Zone, Pinjarra Orogen, Australia 110, **112, 114–15**
- Darling Mobile Belt, Pinjarra Orogen, Australia 83, 110
- Denman Glacier region, Australia, S and SW 63, 102, **111, 115–16**
 Obruchev Hills 207–9

- Dharwar Craton, Eastern Ghats Granulite Belt 146, 170–2, 177
- Dronning Maud Land 65, 247–69, 271–87
- Antarctic–Africa–Madagascar sector 208–9
- extensional collapse of Neoproterozoic–Palaeozoic E African–Antarctic Orogen 271–87
- fluid inclusion study 280–2
- geological setting 272–4
- late orogenic extension 283–5
- Zwiesel Gabbro Complex 274–80
- geological map **248**
- Gondwana reconstruction **262**
- Grunehogna Craton 42, 208, **250**, 272–3, **403–4**
- Heimefront Shear Zone 208, **251**, 252–3, 284, 415, 417
- late Mesoproterozoic orogenic belt, W continuation in S Africa 249–51
- magmatism, late to post-tectonic, central DML 261
- Mozambique Belt 62–3
- Orvinfjella 255–60, **275**, 415–16
- Pan-African high-grade tectonism 208–9
- Pan-African lithostratigraphy 252–3
- Proterozoic–Cambrian history, Gondwana assembly context 247–69
- Annandagstoppane 249
- Archaean craton and its Proterozoic cover 249
- Cambrian orogenic belt, Lützow-Holmbukta and Prydz Bay 261–3
- East Antarctic Orogen 251–61
- N continuation of E Antarctic Orogen into E Africa 263–4
- Ritscherflya Supergroup 249
- Western DML 254–5
- structural summary **257**
- summary 264–5
- zircon U–Pb SHRIMP ages 274, 276–9
- dykes and dyke swarms 26–7
- Eastern Ghats, India 131–68
- Archaean cratonic terranes 146–8
- Bhandara Craton 146, 148, **150**
- Cuddapah Basin 146, **151**
- Dharwar Craton 146, 170–2, 177
- geological outline 148, **150**
- Proterozoic intracratonic basins 146–8
- Singhbhum Craton 146, **150**
- boundaries of crustal provinces 159–60
- Eastern Ghats Granulite Belt (EGB) 131–68
- geological framework of EGB 131–5, **146**
- lithology 131–3
- subdivisions 133–5, **149**
- Eastern Ghats Province 156–9
- Angul Domain 158
- Chilka Lake Domain 159
- Khariar Domain 158
- geological evolution
- high-grade crustal terranes, Rodinia/Gondwana context 162–3
- pre-Rodinia 160–1
- Rodinia assembly 161–2
- Godaveri Rift 131, **134**, **147**
- Indo–Antarctica correlation 138–9
- isotopic domains **134**
- Jeypore Province 149–51, 159
- Krishna Province 153–6
- Nellore–Khammam schist belt 153–5
- Ongole Domain 155–6
- Udayagiri Domain 155
- Vinjamuru Domain 153
- location of Grenvillean orogenic front 139
- Mahanadi Rift 131, **134**, **145**
- metamorphic history updated 135–8
- Nagavalli–Vamasdhara Shear Zone 133
- Napier–Rayner Block 61, 67, 133, **136**, 209–12, 214–16
- new subdivision 149
- pre-Rodinia evolution 160–1
- Rengali Province 151–2
- Sileru Shear Zone 133, 158–9
- spatial and temporal variations in *P–T* trajectories **136**, 138–9
- suture zones 162
- zircon Ar–Ar ages 135
- zircon U–Pb SHRIMP ages 135
- eclogites 29, **404**, 406–7
- Ediacaran trace fossils 191
- Egersund Dyke Swarm, Norway 27
- Enderby Land, Napier–Rayner Block, E Antarctica 61, 67, 133, **136**, 209–12, 214–16
- Euler rotation parameters 47
- fanglomerates, Al Jifn Basin, Najd Fault System (NFS) 337–8
- Fennoscandia, dolerite sill complexes 27
- Finland, Jormua Ophiolite 27
- Flin Flon Belt, Canada 24, 25, 27
- flood basalts 26
- FMAS assemblages 210, 223
- French Guiana 25
- Gairdner Dyke Swarm, Australia 27, 46, 83
- Gawler Craton, Australia 82, 95–100
- Gjelsvikfjella, East Antarctic Orogen 255
- Gondwana
- assembly *vi*, 49, 123
- assembly
- Arabian–Nubian Shield (ANS) 263–4, 289–325
- East Antarctic Orogen 117, **205**
- EGB geological evolution 162
- Mozambique Belt evolution 401–25, **403**
- Proterozoic–Cambrian history of Dronning Maud Land 247–69
- see also* Arabian–Nubian Shield
- reconstruction
- 500 Ma **242**
- 750–500 Ma **364**
- Dronning Maud Land **262**
- E/W suture 263–4
- igneous crystallization ages **409**, **410**
- metamorphic crystallization ages **408**, **410**
- N and S, Kuunga Orogeny Zone 413–14, 418
- Nd T^{DM} model ages 177, 411–14, **412**
- probability graphs **410**
- shear belts **416**
- Gondwana, East
- defined 93
- Pan-African amalgamation 63
- reevaluation of Pan-African events 57–75

- tectonics, Prydz Bay 240–3
see also Pan-African
- Gondwana, West, defined 93
- greenstone belts 26, 28
 summary 28
- Grenville Dyke Swarm, Canada 27
- Grenvillean Orogen 1–4, 12, 57–9
 front, location in Eastern Ghats Granulite Belt (EGB)
 139
 inference in East Gondwana Tectonics, Prydz Bay
 237–40
- Grove Mountains, E Antarctica 233, **235**, 239
- Grunehogna Craton, Dronning Maud Land 42, 208, **250**,
 272–3, **403–4**
- Harohalli Dykes, India 49
- Heimefront Shear Zone, Dronning Maud Land 208, **251**,
 252–3, 284, 415, 417
- HFSE patterns 24
- Iapetus Ocean opening 9–10, 27
- India
 Achankovil Shear Zone 61, 175, 180, 417
 Archaean domains 170–3
 and Australia juxtaposition 103
 crustal architecture 145–68
 crustal evolution 169–80
 Dharwar Craton 146, 170–2, 177
 Biligirirangan (BR) Hills 171
 granulites west of Chennai 171–2
 Nilgiri Hills 171, 176
 Eastern Ghats Granulite *see* Eastern Ghats
 Harohalli Dykes 49
 palaeomagnetic poles at 1100–700 Ma 37
 peninsular, units **145**
 Proterozoic domains 173–80
 Southern Granulite Terrain **145**, **170**, 172–80
 Achankovil Shear Zone 61, 175, 180, 417
 Archaean domains 172–3
 Bhavani Shear Zone 176–7
 boundaries 176–7
 Cardamom Hills Massif 173
 charnockite–enderbite massifs 173–4
 crust-forming processes and products 177–8
 Dharwar craton to Anamalai Hills **174**
 geochronology 178–9
 geological evolution and assembly 180
 gneiss–migmatic terrains 174–5
 Kerala Khondalite Belt (KKB) 173, **176**
 Krishnagiri–Salem Zone 172–3
 lithologies 173–6
 Madurai block 61, 173, 178–80
 metamorphic evolution 179–80
 Moyar Shear Zone 179
 Neoproterozoic igneous rocks 176
 Palghat–Cauvery Shear Zone 61, 172–4, 177, 417–18
 Ponmudi Unit 174, 180
 Proterozoic domains 173–80
 and Sri Lanka
 Gondwana context 190–3
 Rodinia context 190–1
 Western Ghats 173
 zircon U–Pb SHRIMP ages 61–3
 summary 189–93
- Southern Granulite Terrain (SGT) **145**, 172–80
 terranes of Antarctic–India–Sri Lanka sector 209–19
see also Eastern Ghats, India
- Indo–Antarctic correlation 138–9
- Iratsu Body, Japan 29
- Irumide Belt, and adjacent terranes, S Africa 439–42
 island arcs 24–5
- Japan
 Iratsu Body 29
 subduction of Sørachi Plateau 29
- Jormua Ophiolite, Finland 27
- juvenile crust material 12–14, 23
- Kaapval Craton, S Africa 427, **428**, 433
- Kadugannawa Complex (KC), Sri Lanka 183–5
- Kalahari Craton, S Africa 2–5, 35, 42, **64**, 208, 417–18
- Kalahari Plate, S Africa 4, 37, **43**
- Kalahari–Grunehogna Craton, Dronning Maud Land 42,
 208, **250**, 272–3, 403–4
- Kapuskasing Uplift, Canada 28
- Kararan Orogeny, Australia 100
- Katangan basaltic rocks, S Africa 443, 446
- Kheis–Magondi Orogen, S Africa 432–3
- Kibaran Belt, and adjacent terranes, S Africa 25, 439–42
- Kimban Orogen, Australia 99–100
- Kimberley Block, Australia 78
- King George V Land, correlation with Mawson Craton,
 Australia 100–2
- Kola Peninsula
 lamprophyres 26
 Pechenga Greenstone Belt 26
 Umba Complex 25
- Krishna Province (EGB), India 153–5
- Kuunga Orogeny Zone
 anatexis 414
 Gondwana reconstruction 413
 N and S Gondwana amalgamation 418
- Lambert Glacier, drainage region, E Antarctica 63, 103
- Larsemann Hills, Progress Granite, E Antarctica 62–3,
 66, 233–6, 238
- Laurentia
 APWP **39**
 and Australia 41
 crust production rates 28
 Laurentia–Amazonia collision 4, 40
 Laurentia–Baltica 38–40
 breakup from Baltica 27
 Laurentia–Siberia
 connection 2–4, 43–5
 palaeopositions **44**
 palaeomagnetic poles at 1100–700 Ma 36, **43**
 Western, and South China 42–3
- Lieuwin–Darling Belt–Denman Glacier Belt, Australia
 62, 67, **112**, 113–14
- Lewisian Orogen, Scotland 24, 25, 28
- Limpopo Belt, S Africa 433–5
- Lincoln Batholith, Australia 81–2, 98–9
- Loch Maree Group, Scotland 25–6
- Lurio Belt, Mozambique 418
- Lützow–Holm Bay
 E Antarctica, zircon U–Pb data 284
 and Prydz Bay, Cambrian orogenic belt? 261–3

- Lützow–Holm Bay (*cont.*)
 suture 60–2, 65–7
 terranes of Antarctic–India–Sri Lanka sector 216–18
- Madagascar 49, 60–1, **64**, 68
 Itremo Group metasediments 387–95
 Antananarivo Block 365, 372–6, **382**
 Antongil Block 365
 Bemarivo Belt 365
 deformation 417
 summary 375
 depositional setting and age 387
 geological setting 381–4
 higher grade basement rocks 387, 392–4
 Itheninkenina region 368–70
 Itremo Nappes 389–96, **397**
 Itremo Sheet 365
 lithologies 384–6
 metacarbonates 384–6
 metamorphic grade 387
 metapelites 384–5
 quartzites 384–6
 Saronara region 370–2
 structural evolution 372–6
 structures 388–95
 study areas 366
 Tsaratanana Sheet 365
 Upper Mania River 366–8
 Neoproterozoic deformation, East African Orogen
 structural section 365–72
 Neoproterozoic intrusive rocks 394–5
- Madurai Block, Southern Granulite Terrain 61, 173,
 178–80
- mafic dykes/rocks 26–7, 406
- magmatic arc sequences, Mozambique Belt evolution
 402–5
- magmatism
 East Antarctica/Orogen 261
 within-plate, and basin initiation Pan-African orogen
 443–5
- Magondi Supergroup Orogen, S Africa 432–3
- mantle plume model, crust formation 29
- Mawson Craton, Australia **41**, **64**, 95–103, 117–18,
 207
- Mesoproterozoic (Late) juvenile crust **15**
- Miller Range 102
- Miltalie Gneiss 98
- Mongolia, Bayankhongur Ophiolite 28
- Mozambique Belt, E Africa 60–1, **291**, 401–25
- Mozambique Ocean
 closure 263, 327–61, 418
 4 time slices **316**
 Najd Fault System, ANS 327–61
- Mt Harding, E Antarctica 233, **235**, 239
- Muhlig–Hofmann–Gebirge, East Antarctic Orogen 255
- Mullingarra Complex, Pinjarra Orogen 113–14
- Mwembeshi Shear Zone, S Africa 442
- mylonitic leucogranites, DML **276**, **281**
 fluid inclusion study 280–2
- Nabitah–Bargaloi Shear Zone, Arabian–Nubian Shield
 263–4
- Nagavalli–Vamasdhara Shear Zone, Eastern Ghats, India
 133–4
- Najd Fault System (NFS), Arabian–Nubian Shield (ANS)
 327–61
 age of NFS 331
 Al-Jifn Basin 335–9, 344–52
 calcareous reworked facies 338
 coarse-grained interformational facies 338
 conglomerates 336–9
 fanglomerate facies 337–8
 faults 344–7
 folding 347–8
 limestone and argillite facies 338
 polymict basal facies 336
 pull-apart basin 332–5, 349–52
 sandstone and shale-bed facies 338
 structural features 344–52
 volcanic rocks 338–9
 dextral/sinistral faulting 327–61
 East African Orogen, implications for evolution 357–8
 geochronology 339–44
 sample location and local structural relationship 339
 U–Pb results and discussion 339–44
- Habariyah Mylonite Zone **329**
- Jibalah Group 335–9
 major Najd-related faults 331–2
 Ajjaj Shear Zone (ASZ) 331–2
 Ar-Rika and Ruwah Shear Zones 331
 Halaban–Zarghat Fault Zone (HZFZ) 332, **333**
 movement and offset along NFS 330–1
 timing and origin 313–14
see also Arabian–Nubian Shield (ANS)
- Namaqua Orogen, Kalahari Craton 4, 42
- Namaqua–Natal Orogen 435–8
- Napier–Rayner Block, Enderby Land, E Antarctica 61,
 67, 133, **136**, 209–12, 214–16
 as part of Dharwar Craton 263
- Nd isotopic mapping 24
 data summary 29
 Pb and Nd data **293**
 Sm–Nd (T^{DM}) 66, 68, 177, **239**, 411–14
- Nellore–Khammam schist belt, India 153–5
- Neoproterozoic 1–21
 basin evolution and seafloor spreading 445–6
 and Early Palaeozoic East African–Antarctic Orogen,
 extensional collapse in DML 271–87
 gneiss belts and domes 309–11
 island arcs 25
 juvenile crust, Rodinia 7–8, **15**
- Madagascar 394–5
 deformation 363–79
 palaeomagnetic constraints on tectonic evolution,
 Australia 83
 shear zones 311–15
 Southern Granulite Terrain, India 176
- Nile Craton 4
- Nimrod Orogeny, S Antarctica 102
- Northampton Complex, Pinjarra Orogen **112**, 113–14
- Norway, Egersund Dyke Swarm 27
- Oaxaquia 3
 palaeomagnetic poles at 1100–700 Ma 37
 obducted oceanic plateaus 29–30
 oceanic plateaus 25–6
 subductability 29–30
- Oman, terrane amalgamation and suture zones, ANS 305

- Ongole Domain, Krishna Province 155–6
 Ontong Java Plateau, Solomon Islands 29
 ophiolites 29, **404**, 406–7
 island arcs 25
 and ocean floor 27–8
 Orvinfjella, East Antarctic Orogen 255–60, **275**, 415–16
 Oubanguide Belt 45
- P–T (pressure–temperature) path(s)
 Antarctica–Indian sector **23**, 138–9, **206**, 220–5
 vs extensional collapse **224**
 metamorphic evolution, Sri Lanka 186–8
 Zwiesel Gabbro Complex, DML **284**
- palaeomagnetism segments (Australia) 83–6
 I:1.8–1.7 Ga 85
 II:1.6–1.5 Ga 85
 III:1.36–1.32 Ga 85
 IV:1.07 Ga 85–6
- palaeomagnetism/palaeopoles 83–6
 1100–700 Ma **36–7**
 APWP construction 83–4
 APWP paths 35, 35–8, **39**
 Australia 83–6, **84**
- Palghat–Cauvery Shear Zone (PCSZ), India 61, 172–4,
 177, 417–18
- Pampean–Rio de la Plata Craton **2–3**, 40–1
- Pan-African events 57–75, 59–60
 650–450 Ma 442–51
 750–550 Ma 9–11
 DML, terranes of Antarctic–Africa–Madagascar sector
 208–9
 lithostratigraphy in DML 252–3
 Lützow–Holm Bay Belt **61–2**, 65, 216–18
 Pan-African amalgamation 63
 Pan-African orogeny 264–5
 possible constraining approach 67–9
 Prydz Bay 62–3, 240–3
 recyclicity of orogens 66–7
 sinistral nature 417
 suture identification 63
 sutures within East Gondwana **59**, 63–6
- Pan-African Suture 60–3, 261–3
 definition 60–3, 263
 Lützow–Holm Bay to Prydz Bay 60, 261–3
 S Prydz Bay to S Prince Charles Mountains 62–3, **104**,
 262
 Shackleton Range to Lützow–Holm Bay 60–2, 102–3
- Pangaea, fragmentation, extent 26
- Pannotia–Gondwana 580 Ma 13
- Payson Ophiolite, Arizona 27
- Pb diffusion method 68
- Pechenga Greenstone Belt, Kola Peninsula 26
- Pinjarra Orogen, Australia 62–3, 67, 110–17
- Portuniqu Ophiolite, Canada 27
- Prince Charles Mountains, Pinjarra Orogen, E Antarctica
 62, 102–3, **104**, 116–17, 213
 Pan-African Suture 62–3, **104**, **262**
- probability graphs, Gondwana reconstruction **410**
- Progress Granite
 E Antarctica 62–3, 66, 233–6, 238
 zircon Ar–Ar and Pb–Pb ages 66
- Proterozoic continental growth 23–33
 continental flood basalts 26
 crustal growth rates 28–9
 island arcs 24–5
 mafic dykes 26–7
 Neodymium isotopic mapping 24
 oceanic plateaus 25–6
 ophiolites and the ocean floor 27–8
 seismic reflection studies 24
- Proterozoic intracratonic basins, India 146–8
- Prydz Bay, E Antarctica 62–3, 65–6, 116, 231–45, **262**
 accretionary model **241**
 Archaean Vestfold Block 212–13
 Grenvillean events 237–40
 anatexis and high-grade metamorphism 237–8
 basement and cover 238–9
 multiple metamorphism or terranes amalgamation
 239–40
 location map **232**
 and Lützow–Holm Bay, Cambrian orogenic belt?
 261–3
- Pan-African events 240–3
- Pan-African Suture, Prince Charles Mountains 60,
 62–3, **104**, **262**
- Rauer Terrane 213–14, 239
 regional geological background 231–3
 syn- and post-tectonic granites 233–7
 temperature–time (*T–t*) cooling paths **218**
 Vestfold Hills 212–13, **232**
 zircon Pb–Pb SHRIMP ages 62, **240**
 zircon U–Pb SHRIMP ages 65–6, 237–8
- pull-apart basins, Najd Fault System (NFS) 332–5,
 349–52
- Rauer Terrane, East Antarctica 213–14, 239
- Rayner Complex, Eastern Ghats, India 67, 214–16
 correlations 219–20, 263
 Napier–Rayner Block 61, 133, **136**, 209–12
- REE abundances 24
- Rehoboth Inlier, S Africa 435
- Rengali Province, Eastern Ghats, India 151–2
- Richtersveld Terrane, S Africa 435
- Rio de la Plata Craton, Amazonia–Rio de la Plata
 megacraton **2–3**, 40–1
- Rockall Plateau 38
- Rodinia 1–21, 35–55
 700–550 Ma **10**
 800–700 Ma **6**
 900–800 Ma **3**
 990 Ma **40**, **41**, **46**
 1100 Ma **2**, **5**
 assembly 161–2
 AUSMEX 41, 46
 AUSWUS 2, 41, 46
 Eastern Ghats Granulite Belt (EGB) 161–2
 Kalahari Craton amalgamation with EAC 417–18
 assembly and fragmentation model 35–55
 breakup 46–9
 configuration 1–4, 38–46
 Amazonia, West Africa and Rio de la Plata **2–3**,
 40–1
 Australia, Antarctica and India 41–2
 Congo–Sao Francisco Craton 45–6
 Kalahari and Australia 42
 Laurentia and Australia 41
 Laurentia and Baltica 38–40
 Laurentia and Siberia 2–4, 43–5

- Rodinia (*cont.*)
 Laurentia (Western) and South China 42–3
 Laurentia–Baltica and Amazonia 40
 SWEAT orogen/hypothesis 1, 26, 41, 131, **132**
 connection, Sri Lanka 190–1
 crustal growth rate 14–16
 juvenile continental crust (1350–500 Ma) 7–8, 12–14, **15**
 Mozambique Belt evolution 401–25
 Neoproterozoic 7–8, 12–14, **15**
 Pan-African orogenic system (750–550 Ma) 9–11
 rifting and collisional events, 900–500 Ma **5**
 Sr isotopic record 11–12
 superplume events 16–17
 tectonic history 4–9
 breakup (850–600 Ma) 5–9
 early rifting (1100–900 Ma) 4–5
 Ross Orogeny, Australia 102
 Ruker Terrane, S Prince Charles Mountains, E Antarctica 103, 213
- Sao Francisco Craton, Africa, East 45–6
 Saudi Arabia *see* Arabian–Nubian Shield (ANS)
 Scotland
 Lewisian Orogen 24, 25, 28
 Loch Maree Group 25–6
 seismic reflection studies 24
 Shackleton Range, E Antarctica 102–3
 and Dronning Maud Land 62–3, 65, 67
 to Lützow–Holm Bay, Pan-African Suture 60–2, 102–3
 Sibao Orogen, China 42
 Siberia
 Aldan Shield 44
 palaeomagnetic poles at 1100–700 Ma 37
 Siberian Craton 43–4
 Thelon Magnetic Belt 45
 Siberia–Laurentia
 connection 2–4
 palaeopositions **44**
 Sileru Shear Zone 133, 158–9
 Eastern Ghats, India 133, 158–9
 Singhbhum Craton, Eastern Ghats Granulite Belt (EGB) 146
 Sm–Nd isochron ages 66, 68, **239**
 Sm–Nd (T^{DM}), Mozambique Belt evolution 411–14
 Solomon Islands, obduction of Ontong Java Plateau 29
 Sør Rondane, metamorphic basement, Dronning Maud Land 209, 252–3, 260–1, 284
 Sr isotopic record, Rodinia 11–12
 Sri Lanka 49, 61, 181–200
 age of metamorphism 188
 correlation between India, Madagascar and Antarctica 190–3
 correlation of nomenclature 181
 Highland Complex (HC) 181–3
 Kadugannawa Complex (KC) 183–5
 large-scale structures and scheme of structural phenomena 185–6
 metamorphic evolution and P–T path(s) 186–8
 Rodinia connection 190–1
 SGT and India, Gondwana context 189–90, 191–3
 structural evolution 415
 tectonic evolution 188–9
 terranes of Antarctic–India–Sri Lanka sector 209–19
 units and lithologies 181–3
 Vijayan Complex (VC) 185
 Wanni Complex (WC) 183–5
 Stanovoy Province 45
 Strangeways Orogeny, Australia 78
 subduction model 29–30
 supercontinent cycle, superplume events **17**
 Superior Province
 Canada
 basalts 26
 greenstone belts 28
 superplume events, Rodinia 16–17
 sutures
 defined 63
 within East Gondwana 63–6
 Svecofennian Orogen 24, 28
 crustal thickness 28
 Sveconorwegian Orogen 38
 APWP Loops 38–9
 SWEAT orogen/hypothesis, Rodinia configuration 1, 26, 41, 131, **132**
- Tanzania Craton, S Africa 427, **428**, 430
 temperature–time ($T-t$) cooling paths, Prydz Bay **218**
 Terre Adelie, East Antarctica **96**, **98**, 100–2, 207
 Thelon Magnetic Belt, Siberia 45
 Tournefort Dyke Swarm, Australia 99
 Trans-Hudson Orogen, Canada 24, 28
 Trivandrum Block, India 61
 trondjhemite–tonalite–granite (TTG) suites
 Kalahari Craton amalgamation with EAC, Rodinia formation 417–18
 magmatic arc sequences 402–5
- U–Pb isotopic mapping, data summary 29
 Ubendian–Usagaran Orogen, S Africa **404**, **408–9**, 429–32
 Umba Complex, Kola Peninsula 25
 Umkondo Igneous Province, S Africa 438–9
 Ungava Orogen, Canada 24
- Vestfold Block, Prydz Bay 212–13, **232**
- Wilkes Land–Albany–Fraser Orogen, Australia 67, 83, 103–10
 Wilkes Province, East Antarctica 207
 Windmill Islands, Australia 109–10
 Wohlthatmassiv, East Antarctic Orogen 255–60, **275**
- Yamato–Belgica Block, India 61
 Yemen, terrane amalgamation and suture zones, ANS 305–6
- Zambezi *see* Africa, South
 Zimbabwe *see* Africa, South
 Zimbabwe–Kapvaal–Grunehogna Craton, S Africa 42, 208, **250**, 272–3
 zircon grains, CL images **236–7**
 Zwiesel Gabbro Complex, Dronning Maud Land 274–80
 granite dykes, veins and quartz-filled tension gashes 280
 P–T path **284**
 U–Pb SHRIMP geochronology 276–9