

Index

Page numbers in *italic*, e.g. 153, refer to figures. Page numbers in **bold**, e.g. 321, signify entries in tables.

- Aetosaurus ferratus* 26
Agadirichnus elegans **321**, 322–323
air diverticulae *see* pneumatization
Angustinaripterus **144**, 177
Anhanguera 123–124
 pectoral girdle 191–215
 inferred myology 201–208
 osteological correlates 193–197
Anhanguera blittersdorffi, skull 153
Anhanguera piscator 122–123
Anhanguera santanae, skull 251
Anhangueridae 123
 scapulocoracoid 73–77
ankle and pes, Triassic genera 37–39
Anurognathidae 107–111, 176
Anurognathus ammoni 152–153, 176
 phalanges 176
Apón Formation, Venezuela, Early Cretaceous 73–77
“*Araripesaurus*” 178
Araripesaurus castilhoi **145**
Archaeoptero-dactyloidea, definition, content,
 synapomorphies 117–119
Araripe Basin, Brazil, Santana Formation 234–235
Arizona, Morrison Formation 45–46
Asiatocognathidae 107, 111–112
astragalus 37
Austria, Tyrol, *Eudimorphodon cf. ranzii* 5–22
Austriadactylus
 general description 25, 32
 taxonomy 37, 176
Azhdarchidae
 bone histovariability 335–342
 defined 125–126, 181
 Late Cretaceous
 Brazil (*indet.*) 249–250
 Morocco 79–90
 Transylvania 91–104
 scapulocoracoid 267–274
Azhdarcho lancicollis 181
Azhdarchoidea
 definition, content, synapomorphies 125, 169–170
 skulls 156

‘basal pterosaurs’
 defined 24
 skulls 151
Batrachognathus volans 176
 phalanges 176
bats, physiology 226–227
beaks, edentulous 154, 250–251
Bennett, pterosaurs, cladogram relative to extant reptiles
 192
Bennett (1989, 1994 cladistic analyses; Paup analysis)
 141–142, 173
birds, homology of axial pneumatization 227–228
body hair 228, 234
bone histological analysis
 John Quekett sections 325–334
 variability 335–342
bootstrap analysis 149, 171
brachiopatagium
 Azhdarchidae (*indet.*) 249–250
 Crato Formation 250
 Rhamphorhynchus muensteri 238, 240–246
 Solnhofen Lithographic Limestone 234, 235–346
 thermoregulation 256–259
Brazil
 Crato Formation 56, 65–72, 234–235, 247–250
 Nova Olinda Member 56–63
 Santana Formation 234–235
 bone histovariability 335–342
Breviquartossa, definition, content, synapomorphies
 155–156
Caelidracones, definition, content, synapomorphies
 152–153
Campylognathoides 115–116
 caudal vertebrae 18
 jugal 9
 pectoral girdle 191–215
 inferred myology 198–201, 203–208
 osteological correlates 197
Campylognathoides liasicus
 skull 152
 wing ratios **19**
Campylognathoididae 176
 carpus, comparative morphology 165
 caudals, rhamphorhynchids 12–14
Cearadactylus 180
Cerro del Pueblo Formation, Mexico 275–282
cladistic analysis 106–134, 141–150
classification
 Bennett (1989, 1994 cladistic analyses) 141–142
 character list 130–133
 data matrix 133–134
 ichnotaxonomy 316–317
 Kellner (1996 cladistic analysis) 143
 Kuhn (1967 tree) 140
 Pterosauria **112**
 Unwin (1992, 1995 MPT analyses) 142
 Unwin (PAUP analysis) 149–150
 Viscardi (1999 cladistic analysis) 143
 Wellnhofer (1978 tree) 140
 Young (1964 tree) 140
 see also phylogeny
Coloborhynchus, scapulocoracoid 268–269
Coloborhynchus robustus, skull 153
Comodactylus ostromi 45, 52
conodont *Epigondolella* 26–27
Cosesaurus 147
cranial crest 52, 253–256
 comparative anatomy 69
 function 69–71
 “Rhamphorhynchoidea” 45, 52
 sclerophorhynchine 45, 52
 Tapejara navigans 65–72, 247–248
Crato Formation, Brazil 56–63, 65–72, 234–235,
 247–250
Crayssac, SW France, tracksites 283–296
Criorhynchus mesembrinus 251

- crocodilian trackways, vs pterosaurian 288
- Ctenochasma gracile* 180
(juvenile) 179
- Ctenochasmataidae 117, 118, 119–120, 180
- Ctenochasmatoidea
definition, content, synapomorphies 165–166
skulls 155
- Cycnorhamphus suevicus* 165–166, 179
- decay analysis 171
- dentition
edentulous beaks 154, 250–251
Eudimorphodon 9–12, 39–40
Harpactognathus 49–50
Peteinosurus zambellii 39
Triassic pterosaurs 39–40
- Dermodactylus* 45
- Dermodactylus montanus* 52
- Dimorphodon* 112–114
- Dimorphodon macronyx* 149, 176
wing ratios **19**
- Dimorphodontidae 176
- Doratorhynchus* 84–85
- Dorygnathus* 112–114, 144
- Dorygnathus banthensis* 177
jugal 9
wing ratios **19**
- Dsungaripteridae 124–125, 180
- Dsungaripteroidea
definition, content, synapomorphies 117–118,
120–121, 168–169
skull 156
- Dsungaripterus weii* 168–169, 180
skull 251
- El Pelillal Tracksite, Mexico 275–282
- Eosipterus* 180
- Euctenochasmata, definition, content, synapomorphies
166–168
- Eudimorphodon*
dentition 9–12, 39–40
general description 24–25, 27–28
taxonomy 17–20, 32–33
- Eudimorphodon* cf. *ranzii* 5–22
systematics and description 7–17
taxonomic assignment 17–20, 115–116, 176
- Eudimorphodon cromptonellus* 13, 24–25, 151
wing ratios **19**
- Eudimorphodon ranzii* 17–20, 24–25, 27–28, 153–155,
176–177
skull 152
wing ratios **19**
- Eudimorphodon rosenfeldi* 5, 17–20, 24–25, 112–114,
115–116
wing ratios **19**
- Euornithocheira, definition, content, synapomorphies
162–163
- feathers 228
protofeathers (body hair) 228, 234
- femur
Hatzegopteryx thambema 100–101
Hunterian, histological analysis 325–334
- fibula, Triassic pterosaurs 40
- flight apparatus 260–262
top-, middle- and bottom-deck 267–274
wing phalanges, *Eudimorphodon* cf. *ranzii*
15–16
wing ratios
Jurassic and Cretaceous genera 35
Triassic genera 34, 40
- foot 259–260
see also manus and pes
- France, Jurassic Crayssac tracksites 283–296
- Gallodactylidae 117, 118, 119–120
- Germanodactylus* 117–119, 180
- Germanodactylus cristatus* 168–169, 180
skull 251
- Germanodactylus rhamphastinus* 180
skull 251
- Germany, Solnhofen Lithographic Limestone 233–234,
235–246
- Gnathosaurus subulatus* 180, 251
- hair, body 228–229, 234
- hand 259–260
see also manus and pes
- Haopterus gracilis* 178
- Harpactognathus gentryii* 45–54
- Hateg Basin, Romania 91–104
- Hatzegopteryx thambema* 92–104
femur 100–101
size 98–99
- hind limb *see* limbs
- histological analysis
John Quekett sections 325–334
variability 335–342
- Howse (1986 cladistic analysis) 141
- Huanhepterus* 84–85, 251
- humerus
Anhanguera 195–196
Campylognathoides 197, 198
comparative morphology 162
Eudimorphodon cf. *ranzii* 15
Hatzegopteryx thambema 96–97
histological analysis
John Quekett sections 325–334
variability 335–342
morphometric data **146**
- Hunterian pterosaur bone, histological analysis
325–334
- ichnotaxonomy 315–324
classification 316–317
ichnospecies 317–318
Principle of Priority 315
type species fixation 315–316
see also *Pteraichnus* trackways
- integumentary structures 228–229
- Istiodactylus* 123, 144
- Istiodactylus latidens* 159–162
skull 153
- Italy
Triassic pterosaurs 23–43
dating 26–27
locations 6
revised characters 27–32

- jaws, edentulous 154, 250–251
 jugals, comparative morphology 9
- Karatau Formation, Kazakhstan 234
 Kellner (1995 PAUP analysis) 141
 Kellner (1996 cladistic analysis) 143, 173
Kepodactylus grandis 45
Kepodactylus insperatus 52
 Kuhn (1967 tree) 140
- Laopteryx priscus* 45, 52
- limbs
 morphometric data **146**
 ratios of long bone lengths
 Jurassic and Cretaceous genera 35
 Triassic genera 34, 40
 Triassic, comparative morphology 29, 37–39
see also tracks
- Lonchodectidae, definition 179–180
 Lonchognatha, definition, content, synapomorphies 153–155
 Lophocratia, definition, content, synapomorphies 164–165
Ludodactylus sibbicki
 description 57–60
 skull 251
- Macronychoptera, definition, content, synapomorphies 149–152
- manus and pes
 anatomy 259–260
Azhdarchidae (indet.) 249–250
 comparative morphology 37–40, 167
 manus 259–260
 webbed pes 233, 305–306
- manus and pes tracks
 swimming 301–303
see also trackways
- Mesadactylus ornithosphyos* 52, 145
 metacarpus, comparative morphology 165
 metatarsals, comparative morphology 38–39
 Mexico, Campanian Cerro del Pueblo Formation, trackways 275–282
Mockina slovakensis, Seefeld Beds 7
 Morocco, Oulad Abdoun Phosphatic Basin 79–90
 morphometric data, limbs **146**
 Morrison Formation, Wyoming 45–46
 musculature, osteological correlates *see* pectoral girdle morphology
- Neoazhdarchia, definition, content, synapomorphies 170
 Norian stage 23–24
 North America
 Morrison Formation 45–46, 299–301
 Summerville–Sundance Formation 299–300, 305
 trackways
 Jurassic locations 299–301
 western Jurassic swimtracks 297–313
- Novalioidea 112–114
 definition 114
 Nyctosauridae 121–122
Nyctosaurus gracilis 163–164, 179
- Ornithocheiridae 178
 Ornithocheiroidea
 Brazil 56–63
 definition, content, synapomorphies 122, 159–162
 scapulocoracoid 267–274
 skulls 154
Ornithocheirus compressirostris 122–123
Ornithocheirus mesembrinus 162–163
 skull 153
Ornithocheirus simus 178
Ornithodemus see Istiodactylus
 ornithodirans 217, 228–229
Ornithostoma sedgwicki 178
 Oulad Abdoun Phosphatic Basin, Morocco 79–90
- Parapsicephalus* 47
 (*Dorygnathus banthensis*) 177
 partitioning 171
 patagia 234
see also brachiopatagium
 pectoral girdle morphology 191–215
Eudimorphodon cf. ranzii 14–15
 flight design 267–274
 inferred myology 198–208
 osteological correlates 193–197
 summary/discussion 208–213
 functional consequences 210–212
 phylogenetic implications 212–213
- pelvic girdle morphology, *Eudimorphodon cf. ranzii* 16
 pes *see* manus and pes (tracks)
Peteinosaurus 112–114
Peteinosaurus zambellii 176
 dentition 39
 general description 25, 28–31
 taxonomy 33
 wing ratios **19**
- Phobopter parvus*, skull 251
Phosphatodraco mauritanicus 79–90
 phylogeny 105–190
 abbreviations/conventions 143–144
 analysis using parsimony (PAUP) 105–106, 141, 149–150
 characteristics used (appendix II) 181–182
 classification 144–145
 data matrix 133–134
 materials/methods 105–106, 144–147
 most parsimonious trees (MPTs) 141
 new taxa 144
 results 106–127, 147–170
 summary/discussion 170–174
 bootstrap and decay analyses 171
 comparison with previous studies 172–174
 quality of character data set 170–171
 tree robusticity 170
 taxon–character matrix 148
 terminal taxa (incl. appendix I) 144–146, 175–181
 morphometric data **146**
see also cladistic analyses
 physiology, axial pneumatization 225–227
Plataeorhynchus 180
 pneumatization 217–232
 homology with birds 227–228
 physiology 225–227

- Preondactylus* 112–113, 175–176
 general description 25, 31–32
 taxonomy 36–37, 149–152
- Preondactylus buffarini* 25, 149
 general description 31–32
 wing ratios **19**
- Principle of Priority 315
- prolacertiforms 142, 147
- '*Psittacosaurus*' 228
- Pteraichnus* trackways
 case study 315–324
 Crayssac, SW France 283–296
 El Pelillal Tracksite, Mexico 275–282
P. palacei-saenzi 320, 321
P. saltwashensis 320, 321
P. stokesi 320, 321
 revision and emended diagnosis 319–323
- Pteranodon ingens* 251
- Pteranodon longiceps* 158–159, 174, 178
- Pteranodon sternbergi* 251
- Pteranodontia, definition, content, synapomorphies 163–164
- "Pterodactylidae" 167–168
- Pterodactyloidea 117–118
 definition, content, synapomorphies 158–159
 unnamed taxon 116–117
see also Anhanguera
- Pterodactylus* 118–119, 179
 soft-part preservation 236–238, 239
- Pterodactylus antiquus* 179
 skeleton 211
- Pterodactylus elegans see Ctenochasma gracile*
- Pterodactylus kochi* 166–168, 234, 236
 'Pterodactylus' longicollum 180
- Pterodactylus 'micronyx'* 179
- Pterodactylus* sp. 236–238
- Pterodaustro guinazui* 164–165, 180
- Pterosauria
 character list 181–182
 classification **112**
 definition, content 107, 149
- pterosaurs
 'basal', defined 24
 biochronology 107
 bone histological analysis, John Quekett sections 325–334
 cladogram relative to extant reptiles 192
 feeding traces 307–308
 flight design 267–274
 locomotion *see* trackways
see also Triassic pterosaurs
- Puntanipterus globosus* 145
- Purbeckopus pentadactylus* 320–322
- quadrupedal locomotion, trackways 283–296
- Quekett, John, bone histological analysis 325–334
- Quetzalcoatlus* 84–85
 scapulocoracoid 268–269
- Quetzalcoatlus northropi* 149
- radius/ulna
Anhanguera 197
Campylognathoides 197
- Rhamphorhynchidae
 definition, content, synapomorphies 117, 156–158
 unnamed taxon 116–117
see also Campylognathoides
- "Rhamphorhynchoidea" 143, 149, 174
 vs 'basal pterosaurs', defined 24
 cranial crest 45, 52
 skulls 152
- Rhamphorhynchus muensteri* 155–156, 217–232
 axial pneumatizations 217–232
 general description 219–221
 homology with birds 227–228
 physiology 225–227
 pneumatic features 221–225
 skull 152
 soft-part preservation 238–247
- rhamphothecae, throat pouches 61, 62, 233–234
- Romania, Transylvania, Late Cretaceous 91–104
- rostrum 252–253
Harpactognathus 47–50
- Santana Formation, Brazil 234–235
 bone histovariability 335–342
- "*Santanadactylus*" 178
- Santanadactylus*
S. araripensis **145**
S. brasiliensis **145**
S. pricei **145**
S. spixi **145**
- scaphognathines, *Harpactognathus* 45–54
- Scaphognathus* 112–113
- Scaphognathus crassirostris*
 size 51
 skull description 50, 152
- scapulocoracoid 160, 267–274
 anhanguerids 73–77, 194–195
 azhdarchids, ornithocheirids and tapejaroids 267–274
Campylognathoides 197, 198
 and flight design 267–274
- Scleromochlus* 106
- Seefeld Beds, 'Steinöl' and 'Ichthyol' (oils) 7
- Sharovipteryx* 142, 147
- skeletal pneumaticity 217–232
- skulls
 azhdarchoids 156
 basal pterosaurs 151
 ctenochasmatooids 155
 dsungaripteroids 156
 edentulous ornithocheirids 154
 evolution of cranial crests 253–254
 evolution of edentulous jaws 250–251
 evolution of rostra 252
Hatzegopteryx thambema 92–96
 "Rhamphorhynchoidea" 152
 rostrum 252–253
Scaphognathus 50
 toothed ornithocheirids 153
see also cranial crest
- soft-part preservation 233–266
- Solnhofen Lithographic Limestone, Germany, soft-part preservation 233–234, 235–246
- Sordes pilosus* 112–113, 156, 234

- sternum
Anhanguera 194
Eudimorphodon cf. *ranzii* 14
stratigraphic congruence 171–172
Summerville–Sundance Formation, trackway specimens 299–300, 305
swimtracks
Jurassic western North America 297–313
swimming vs walking 298–299
- tail vane 234
Tapejara 180–181
Tapejara imperator, skull 251
Tapejara navigans 65–72, 247–248
soft parts 247–248
Tapejara wellnhoferi 169–170
skull 251
Tapejaridae
cranial crests 68–71
defined 125
scapulocoracoid 267–274
Tapejaroidea 124
teeth *see* dentition
terminal taxa (incl. appendix I) 144–146, 175–181
thermoregulation, brachiopatagium 256–259
throat pouches 61, 62, 233–234
tibia, morphometric data **146**
trackways
Campanian Cerro del Pueblo Formation, Mexico 275–282
crocodilian vs pterosaurian 288
Jurassic, Crayssac, SW France 283–296
Jurassic locations 299–301
Pteraichnus case study 315–324
quadrupedal locomotion 283–296
swimming vs walking 298–299
swimtracks, Jurassic western North America 297–313
- Transylvania, Late Cretaceous 91–104
Triassic
Austria, stratigraphy 7
chronostratigraphy 24
Triassic pterosaurs
Austria, *Eudimorphodon* cf. *ranzii* 5–22
dating 26–27
Italy 23–43
limbs 29
locations 6
revised characters 27–32
unique characters 39–40
Tupuxuara cristata 251
Tupuxuara longicristatus 170, 181
- ulna, morphometric data **146**
ultra-violet light photography 236
Unwin (1992, 1995 MPT analyses) 141–142, 173
Unwin (PAUP analysis) 149–150
uropatagium 234
- Venezuela, Early Cretaceous 73–77
vertebral column
axial pneumatization 217–232
cervical vertebrae 81–84, 158
Eudimorphodon cf. *ranzii* 12–14
and ribs, *Anhanguera* 193–194
Triassic pterosaurs 40
Viscardi (1999 cladistic analysis) 143
- webbed foot 233, 305–306
Wellnhofer (1978 tree) 140
wing *see* flight apparatus
- Young (1964 tree) 140
- Zhejiangopterus* 86–87
Zittel wing 234, 245