

Subject Index

(*Figures in italics—Tables in bold*)

- aeolian sandstone 15
Aislaby Group 3
alabastrine 15, 128
algae 15, 175, 228
 blue-green 13, 14, 123, 231
 red 123
algal deposits, Shark Bay, W Australia 123
algal encrustations 14
algal lamination 13, 15
algal laminites 13, 150
algal mats 66, 122, 123, 145, 226, 227, 231
alluvial fans 143
Alpine faulting 183, 185
ammonoids 226
anaerobic bacteria 173
anaerobic environment 178
anhydrite 14, 15, 29, 81, 82, 85, 91, 128, 129, 166, 225,
 226, 228, 229, 230, 231
 calcitization of 114
 cryptospherulitic 217–18, 219
 crystalline 15, 16
 displacive, nodular 100
 early, lenses of 28
 flaser 158, 159, 161, 162
 laminated 146, 160, 162
 nodular 15, 145
 pearly 160
 pletholitic 157, 160, 162
 problems of sedimentation 3
 pseudospherulitic 217, 219
 spherulitic 217, 219, 220
 stratobolic 158, 159, 160, 162
 transition to gypsum 82
 Z1 157
anhydrite growth 78
anhydrite nodules 160
 calcitized 103
anhydrite walls 160, 161, 162
Anhydritknotenschiefer 161
anoxic conditions 26, 27, 173
anoxic decomposition, during diagenesis 189
anoxic environment 19
anoxic events, Pleistocene 27
anoxic waters 22, 180
aquicludes 79, 108
aquifers 127
 overpressured 82
aragonite 78, 93
 penecontemporaneous replacement of 88
Araucaria araucana 43
Archaeocalamites 33
Archaeopodocarpus 48
argillites 226, 230, 231
arsenic 23–4, 26
artesian water 127, 128, 137
Askrigg Block 107
asphaltite 109
authigenic clays 100
authigenic kaolinite 93, 94
Autunia 33
azimuths, of cross-bedding 71–2
azurite 107

‘Back-reef Community’ 215
bacteria, photosynthetic 175
Bakevella binneyi 71
Bakevella Sea 31
Bändersalz 165
barite 103, 193
 bladed 107
 replacive 108, 115
 spherulitic 107
barite cementation 105
barite mineralization 107
barium 105
 origin, Carboniferous formation waters 108
‘Barrier Reef Top Community’ 215
Basal Limestone 178, 179
 schwellen deposits 180
Basal Limestone (Mutterflöz) 171
Basal Permian Sands 82
Basalanhydrit 3, 166
base metal sulphides 27
basin and schwellen facies (Germany),
 environmental analysis of 143–7
basin and schwellen topography 3
bedform contacts 64, 66
bedding structures, chaotic 146
bedforms
 cross-stratified 2
 lobate 66–7
 Sprotborough Member 65
bedrock depression 134
bennettids 31
benthos 180
Bereznikovsk Unit 230
bicarbonate influx 26
Billingham (Anhydrite) Formation 15, 129, 166
biochemical cycle 19
bioclastic shell-beds 144–5
bioclasts 115, 179
bioerosion 123
biogenic structures 68–9, 71
bioherms 226, 228, 231
 stromatolitic 229–30
biomicrites 178, 179
 bryozoan 179
 sandy 178
biostromes 14, 211
bioturbation 13, 66, 68, 71, 72, 76, 87, 145, 179
biozones, Polish Zechstein 214
bitumens 172–3, 175, 177
bivalves 13, 14, 15, 118, 146, 174, 179, 211, 213–4, 215,
 228, 229, 231
 euryhaline 215
 stenohaline 213
bogs, coastal 51

- Border Dolomite 143, 195, 196–8
 mineralization 200–1
 Boreal Ocean 19
 bornite 106, 185, 200, 201
 lamination 200
 bornite-chalcopyrite mineralization zone 191
 Boulby Halite 166
 Boulby Potash 166
 boundstone facies, Trow Point Bed 120–2
 boundstones 114, 207
 brachiopod banks 207
 brachiopods 13, 14, 78, 122, 143, 145, 146, 174, 179, 211,
 228, 229, 231
 articulate and inarticulate 213
 breccia 15, 76, 108, 229, 231
 intraformational 150, 152
 breccia pipe 131
 brecciation, hydraulic 105
 brines
 barium-enriched 109
 connate 99, 100
 hypersaline 88, 93
 NaCl 162
 refluxing 85
 Brotherton Formation 15, 103, 128, 131, 135, 137, 167
 foundering of 76
 brown coals 183
 bryozoans 13, 14, 78, 99, 122, 145, 146, 153, 174, 211–2,
 228, 231
 Bunter sandstones 183
 burrows 77, 93

 Ca 22–3
 Cadeby Formation 2, 9–13, 15, 63, 127, 134, 137
 diagenetic history 75–86
 mineralization in 103–10
 Cadeby Quarry 10
 ?*Calamites kutorgai* 33
 calcarenites 228
 calcite 93, 107, 108, 172, 175, 176, 193, 198, 220
 basinal facies 146
 high-Mg 78
 penecontemporaneous replacement of 88
 radial 227
 calcite allochems 99
 calcite cementation 76, 77
 calcite cements
 phreatic 83
 telogenetic 99
 calcitization 76
 preferential 94
 rapid 177
 calcium carbonates, conversion to dolomite 26
 calcium sulphate, precipitation and deposition 145
Callipteris 33, 51
Callipteris conferta 33
Callipteris martinsi 33, 38
 carbonate
 complete Cycle 1 150
 marine, Cycle 1 63
 rim 153
 carbonate enrichment 22
 carbonate facies, Cadeby Formation 75–6
 carbonate formation, Kungurian evaporite basin 231
 carbonate laminae 20
 carbonate laminites 19
 carbonate rocks 157, 230
 marine 10, 13, 14, 15
 open shelf 13
 restricted shelf/lagoonal 13
 carbonate rocks of the Kungurian basin 4, 225–31
 geological setting 225
 stratigraphy and sedimentary environment
 Filippovskian Group 225–8
 Irenian Group 228–31
 carbonate sandstones 75
 carbonate sedimentation 26
 carbonates 175, 226
 Artinskian 230
 biological 231
 bioturbated 145
 lagoon 76–7
 leaching and dissolution 82
 microcrystalline 114
 nearshore 103
 oncoid-rich 226
 replacement by anhydrite 82
 Upper Permian, mineralization in 105–10
 carbonic acid 134
 Carboniferous strata, mineralization in 107
 carbonization, of organic matter 173
 carnallite 166
 Carnallitic (Rotten) Marl 15, 166
 CaSO₄
 deposition of 162
 precipitation of 157
 catalytic action during dolomitization 78
 cave systems 134, 135
 cavern collapse and breccia pipes 135, 137
 caves 127
 cementation
 barite 105
 calcite 76, 77
 early diagenetic 177
 marine 97
 cements
 calcite 83, 99, 198
 carbonate 198
 dolomite 198
 gypsum-anhydrite 190
 intercrystalline 109
 Cenozoic complex, cover for Foresudetic Monocline
 and Foresudetic Block 183
 cephalopods 211, 214, 226, 228, 229, 231
 cerussite 108, 109
 chalcedony 20, 29
 chalcocite 185, 200, 201
 chalcocite mineralization 200
 chalcopyrite 19, 23, 24, 27, 106, 107, 185, 200, 201
 chemocline 143, 145
 chlorites 176
 clastic carbonates 231
 Claxheugh Rock 55
 clay laminae 195
 clay minerals 172, 175, 180
 clay-shales (red shales, Copper Shales) 176
 clays 183
 authigenic 100

- clays (*cont.*)
 red-brown 165
 claystones 153, 166
 red 185
 Cleveland Axis 15
 climatic change, rhythmic 51, 52
 coalfield formation water chemistry 109–10
 coated grains 114
 coatings 99
 iron oxide 180
 oncologic 228
 colour lamination 177
 colour rhythms 177
 compaction 114, 188, 198
 copper-bearing shales 193
 Concretionary Limestone 15
 concretions 188, 195
 lithification of 226
 conglomerates 129, 179, 226, 229
 transgressive 179
 conifers 31, 36–8, 40–1, 43–51
 Zechstein, classification of 31
 conodonts 55–62
 copper (Cu) 24–5, 27, 106, 107
 concentration of 185
 copper mineralization 183, 190, 192, 195
 Foresudetic region 184
 vertical distribution 186
 Copper Shale 4
 base metal enrichment 4
 lithofacies 171
 black shales 172–4, 177
 grey shales 174–6
 red shales 176–7
 palaeogeography
 nearshore zone 179
 offshore zone 177–8
 postulated palaeogeographical zones (Poland) 178
 Copper Shale lithofacies and palaeoenvironments in
 SW Poland 171–81
 copper sulphides 195, 198
 copper-bearing shales 201
 Lubin area 197, 198
 copper-polymetallic mineralization 198
 copper-polymetallic ore deposit, Foresudetic
 Monocline, genesis and structure of 183–94
 characteristics of the deposit 185–92
 genesis of the deposit 192–3
 geological outline of the region 183–5
 coquinas 13, 145, 228, 229, 230, 231
 Cordaitales 36
 cordaites 31
 covellite 106, 201
 Craven Fault Zone 107
 crinoid ossicles 143
 crinoids 122, 145, 146
 cross-bedding 15, 165
 small scale 177
 cross-laminations 14, 16, 195
 ripple 75
 cross-stratification 10, 13, 75
 hummocky 67–8
 cross-stratified bedforms as oolite sandwaves 64
 cryptalgal laminites 107
 Cryptostomata 211
 crystal water, expulsion of 82
Culmitzschia 48
Culmitzschia florini 43, 48, 50
 cut-and-fill structures 75
 cyanobacteria 176
 cyanophytes 14, 123, 124
 cycads 31, 33, 35
 cyclicity, Zechstein Limestone 203
 cyclothems, 171, 177
 debris flows 146
 dedolomites
 lagoon facies 94
 oolite shoal/barrier complex facies 97–8
 dedolomitization 80, 82, 99, 100, 113, 114, 146
 dedolimitizing fluids 94
 deformation
 gliding 162
 soft-sediment 15
 syndimentary 161
 deglaciations 19
 degradation 177
 deltaic processes 73
 Derbyshire basin massif 109
 desiccation 231
 desiccation cracks 87
 dewatering 105
 diagenesis 117
 in the Cadeby Formation 2
 carbonate rocks, Sprotbrough Member 87–101
 complex, Trow Point Bed 114
 gradual 193
 lowest Zechstein deposits 198, 200
 meteoric 79
 obliteration of micro-textures 64
 diagenetic alteration 120
 diagenetic bleaching 195
 diagenetic events
 eogenetic 79–82
 mesogenetic 82, 83–4
 penecontemporaneous 76–9
 telogenetic 82–3
 diagenetic hardening 66
 diagenetic history, Cadeby Formation 75–86
 carbonate facies 75–6
 eogenetic diagenetic events 79–82
 mesodiagenetic events 82
 penecontemporaneous diagenetic events 76–9
 telodiagenetic events 82–3
 diagenetic mineralization 188, 189, 200
 diagenetic reactions, and mineralization 19
 diagenetic veinlets 188
 diapirs 165
 Dictyoclastidae 213
Diopatra 71
 Discinidae 213
 discontinuity 149, 150
 dissolution
 present day by R Ure 128
 surface 131
 dolomicrite 20, 64, 89
 ferroan 20, 23

- dolomicrite (*cont.*)
 recrystallization of 100
- dolomicrospar 64
- dolomite crystals, anhedral 78
- dolomite and evaporite textures 90, 92
- dolomite fauna 78
- dolomite micronodules 29
- dolomites 2, 10, 14, 15, 16, 23, 64, 81, 100, 127, 143, 149, 153, 172, 175, 185, 193, 198, 225, 228, 230
- anhedral 64
 - aphanitic 94
 - argillaceous 14, 122, 198
 - baroque or saddle 99
 - calcified 97–8
 - clay-rich 198
 - copper-bearing 191
 - cross-bedded, shallow-water 146
 - crystalline anhedral mosaic 93
 - eogenetic 79–80
 - euohedral 89
 - ferroan 23, 84
 - flaggy, micritic 231
 - fossiliferous 153
 - micritic 150, 153
 - microcrystalline 87, 88, 97
 - oncolitic 150
 - oolitic 13, 14, 231
 - peloidal 14
 - penecontemporaneous 88–9
 - peritidal 13, 14
 - pisolitic 14
 - sapropelic 19
 - schwollen facies 146
 - secondary 198
 - solubility of 134
 - stoichiometric 80
 - streaked 198
 - sucrose 80–1, 83, 109
- dolomitization 2, 14, 26, 27, 71, 75, 76, 77, 78, 79, 85, 146, 177
- cryptalgal model 99
 - early-diagenetic 173
 - eogenetic 83
 - facies-restricted 79
 - lagoon facies 93
 - later 91
 - mixed-water 80
 - models of 79–80
 - open marine shelf 99–100
 - penecontemporaneous 83
 - sabkha facies 88–9, 91
 - schizohaline 97
 - supratidal 88–9
- dolomitizing fluids 100
- restricted migration of 77
- dolospar 23
- dolostones 20, 22, 23, 25, 26, 28, 76
- Domnichnia* (dwelling burrows) 69, 70, 71
- Don Group 3
- Don Monoline 108
- drape 113
- drape structures 66
- draping, by Hampole Beds 72
- drawdown 79
- dune bed forms 19
- dunes, aeolian 143
- dysaerobic conditions 180
- echinoderms 122, 211, 214
- Edlington Formation 10, 13, 14, 15, 76, 82, 108, 127–8, 134, 167
- Eh, variation in 27
- Eichsfeld-Schwelle 150
- Ellisonia* 56
- Ellisonia triassica* 56
- enargite 201
- endobenthos 71
- environmental analysis, lower Zechstein facies (Germany) 143–7
- environments
- anoxic 19
 - continental 183
 - depositional
 - deltaic 72
 - open shelf 72
 - shallow sea 72
 - shallow-marine 226
 - eodiagenetic imposition 158–9
 - eogenesis, late 82
 - epibenthos 68
 - epirelief structures 68
 - erosion 229
 - contemporaneous 66
 - during the Saxonian 171
 - erosion channels 195
 - eutrophication, of basin 180
 - euxinic conditions 145
 - evaporation 79
 - increase in 76
 - evaporation concentration 145
 - evaporative pumping/capillary movement 88
 - evaporite diagenesis, sabkha facies 91
 - evaporite moulds 89
 - evaporite nodules, displacive 78
 - evaporite precipitation 80
 - evaporite sedimentation 230
 - evaporite sulphate, bacterial reduction of 78
 - evaporites 2, 3, 15, 100, 225, 226, 228
 - displacive 75, 78
 - dissolution of 82, 94, 100, 106
 - partial 82
 - laminations 52
 - primary 85
 - replacive 14, 81
 - secondary 85
 - replacive and pore-filling 81–2, 83
 - slope 146
 - Sprotbrough Member 91
 - sub-tidal 93
 - expulsion, of metal-ion-bearing aqueous solutions 189
- fabric lamination 177
- facies
- arid supratidal (sabkha) 63
 - back-reef 14
 - basinal 143, 146
 - boundstone, Trow Point Bed 120–2

- facies (*cont.*)
 carbonate, Cadeby Formation 75–6
 deep water, Werraanhydrit 160
 geochemical 171
 lagoon 75, 87, 93–4
 lagoon, semi-restricted 63
 lower Zechstein 144
 oolite shoal complex 63–4
 oolite shoal/barrier shelf 87, 94–5, 97–9
 open marine shelf 64, 87, 99–100
 packstone, Trow Point Bed 115–20
 reef 14
 sabkha 87, 88–9, 91, 93
 schwellen, Kupferschiefer 143
 shoal 13
 facies cycles and cyclic sea-level changes 162
 facies zones, Kungurian Stage, stratigraphical division of 226
 fan bedding 68
 and lateral migration of sandwaves 68
 fans, alluvial 143
 Farnham Anticline, localized copper and lead mineralization 107
 Farsley-Scarcroft Fault Zone 107
 fault aquicludes 108
 fauna preservation, Polish Zechstein 211
 fauna, stenohaline 124
 FeO 185
 ferns 31
 ferroan alteration 82
 Filippovskian Group 225–8
 Filippovsk Division 228
 Karnauchovsk Division 228
 Leksk Division 228
 Mysovsk Division 226–8
 fill structures 177
 fish 19
 flame structures 195
 floodplains 143
 flora, Zechstein strata 1–2
 Flöz Stassfurt 166
 fluid expulsion, vertical 105
 fluid migration 94, 100
 fluid migration pathways 85, 99
 precipitation in 100
 fluids, sub-Permian, barium-rich 109
 fluorite 107
 replacive 115
 flute casts 177
Fodichnia (feeding burrows) 69
 foraminifera 13, 14, 19, 78, 99, 118, 122, 174, 175, 179, 198, 228, 231
 Ford Formation 13, 14, 55, 113
 reef facies 55, 58
 Fordon (Evaporite) Formation 15
 Fordon Evaporites 167
 forereef carbonates, macrofauna of 215
 Foresudetic Block 183
 Foresudetic Monocline 4, 175, 195, 207
 geological and genetic features summarized 193–4
 Foresudetic region (SW Poland), characteristics of the Copper Shale 171–9
 Foresudetic region, geological section 184
 formation brines, Carboniferous 109
 formation fluid migration 110
 formation fluids 2, 100
 Carboniferous 110
 formation water, Carboniferous 109
 Formations
 Billingham (Anhydrite) 15, 129, 166
 Brotherton (Upper Magnesian Limestone) 15, 103, 128, 131, 137, 167
 foundering of 76
 Cadeby (Lower Magnesian Limestone) 2, 9–13, 15, 63, 103, 127, 134, 137
 diagenetic history 75–86
 Edlington 10, 13, 14, 15, 76, 82, 108, 127–8, 134, 167
 Ford (Magnesian Limestone) 13, 14, 55, 58, 113
 Fordon (Evaporite) 15
 Hartlepool (Anhydrite) 14, 113, 124
 Hayton (Anhydrite) 10, 13, 15, 85, 128
 Kirkham Abbey 15, 128
 Littlebeck (Anhydrite) 16
 Raisby (Magnesian Limestone) 13–4, 20, 55, 58
 Roker (Dolomite) 14–5
 Roxby 16, 129, 134
 Seaham 166–7
 Sherburn (Anhydrite) 15–6, 165
 Sleights (Siltstone) 16
 Sneaton Halite 15, 16, 165
 Uppang 15, 165
 fossils, stenohaline 153
 fractures 99
 fracturing, hydraulic 105
 freshwater influx, inferred 25
Fucoides 35
 galena 19, 25, 27, 103, 108, 109, 191
 stratabound 105
 galena mineralization 108
 galena-wulfenite mineralization, stratiform 109
 Gallup Sandstones, Cretaceous, Rocky Mountains 67
 gastropods 13, 14, 15, 71, 122, 211, 214, 215
 ghost layers 157
 ginkgophytes 31, 35–6
 glacial phase, Devensian 131
 glauconite 178
 glauconite grains 176
 goethite aggregates, opaque 80
 graded bedding 226
 grains
 coated 114
 compound 115
 grainstones 64, 75, 76, 78, 79, 87, 106, 207
 fabric retention 79
 ooid 109
 peloid 82
 quartz-rich 109
 grapestones 64, 95
 Grauer Salztun 15, 166
 Grauliegendes 178
 groundwater 78
 meteoric
 penetration 79
 percolation of 83
 groundwater flow (present-day), fault controlled 108
 Groups
 Aislaby 3

- Groups (*cont.*)
 Don 3
 Sherwood Sandstone 16, 129, 131, 134, 135
 Staintondale 165, 166
 Teesside 3, 166–7
 growth rings 51
 gymnosperms 54
 gypsum 15, 16, 76, 81, 82, 85, 99, 128, 129, 134, 135, 193, 225, 226, 228, 229, 230
 alabastrine 15
 coarse-grained 218, 220
 displacive, nodular 100
 dissolution of 82, 131
 causing subsidence and foundering in N Yorkshire 127–38
 present day 3
 dissolution rates 134
 fibrous (satinspar) 15, 88, 114, 218
 porphyroblastic 128
 precipitation of 100
 primary (satinspar) 91
 replacive 14
 secondary 91
 gypsum crystals, primary 165–6
 gypsum dissolution, controlled by water flow 137
 gypsum nodules 88
 gypsum-anhydrite cements, and decrease of copper mineralization 190
 gypsum-anhydrite transition 134
 halite 16, 85, 146, 157, 161, 162, 166, 217, 225, 230
 hopper, casts 78
 pure, white 165
 halite pseudomorphs 15
 halocline 29
 halotectonic disturbance, N Denmark 165
 Hampole Beds 10, 13, 63, 79, 145
 Hampole Discontinuity 3, 4, 10, 13, 63, 75, 145, 147, 153
 hardgrounds 153
 Harrogate Anticline 107
 Hartlepool (Anhydrite) Formation 14, 124
 dissolution of 113
 Hauptanhydrit 165
 Hauptdolomit 213
 macrofauna 215
 schwellen facies 146
 Hauptdolomit/Stinkschiefer 167
 Hayton (Anhydrite) Formation 10, 13, 15, 85, 128
 heat flow, high 110
 hematite/goethite 107
 Hesleden Dene Stromatolite Biostrome 14
Hibbardella baltica 60
Hiltonia rivuli 43
Hindeodella triassica 60
Horridonia 71
Horridonia horrida 143
 horsetails 31, 33
 hydration, anhydrite/gypsum 84
 hydrological system, complex, controlling penecontem-
 poraneous dolomitization 78–9
 hydrothermal activity 192
 hydrothermal fluids 110
 'Hypersaline Landlocked Basin Community' 215
 hypersalinity 80, 83, 85, 88, 93
 ichnofossils 68, 71
 illite 94, 172, 175, 176
 ingressions 179, 225
 Kangurian basin 228
 interboundary sheet pores 94, 99, 100
 intraclasts 87, 88, 175
 Irenian Group 228–31
 Iren Division 230–1
 Koshelevsk Division 229–30
 Popovsk Division 230
 Iron (Fe) 23, 26
 iron oxides 109, 176
 isoprenoids 172, 173, 176, 177
 joints, relationship to subsidence 134–5
 Jutland trough 166
 kaolinite 172, 175, 176
 authigenic 93, 94
 kaolinite 'books' 94
 karst topography 131
 kerogen 175
 kettle holes 131
 kieserite 166
 Kirkham Abbey Formation 15, 128
 Knaresborough Monocline 107
 Kungurian basin (Urals) 4
 Kupferletten (Frankenberg) 41, 43
 Kupferschiefer 143–5, 147, 149, 153, 211
 euxinic, laminated 147
 flora of 31
 laminations of 51
 and mineralization 19
 Kupferschiefer facies 3
 Kupferschiefer/Marl Slate/Copper Shale 171
 lacustrine deposits 134–5
 lamellitic/stratobolic change 158–9
 laminae 14, 172, 175, 198
 alternating dolomite and calcite 99
 carbonaceous 120
 carbonate 20, 144, 176
 carbonate-rich 175
 clay 195
 clay-micrite 177
 oncoids 115
 organic 20
 wavy sparite 176
 lamination, and rate of sedimentation 173
 laminations 157
 algal 13
 lenticular 175
 parallel 173
 shaly 198
 Upper Permian evaporites 52
 laminites, 22, 23, 25, 28, 160
 cryptalgal 76, 107
 land flora, Zechstein sequences 31–54
 palaeoenvironment of 51–2
 systematic review 31–51
 lead mineralization 190, 191
 lead (Pb) 24–5, 27

- Leine Anhydrite, Polish Zechstein
 correlation of the three lithostratigraphical members
 221
 regional distribution 220
 subdivision of 217–20
- Leine Folge, and equivalents 165–6
- Leine halites 166
- Leine-Cycle 166
- Leine-Salze 165
- Lemazinsk Unit 230
- lime muds 77
- limestone 15, 100, 185, 193, 225, 226, 229
 argillaceous 13
 calcitic 149
 dissolution rates 134
 dolomitic 127, 128, 198
 marly, euxinic, laminated 146
 micritic 150, 153, 226, 228, 229, 231
 oolitic 228, 229
 primary 83
 secondary 83
 stromatolitic 231
- Lingulidae 213
- Liniensalz 165
- lithostratigraphy and subdivision of Zechstein sequence
 149
- Littlebeck (Anhydrite) Formation 16
- loams 183
- Lonchodina inflata* 60
- longshore currents 73
- Lower Hampole Dolomite 75
- Lower Permian Yellow Sands 20, 179
- Lower Werra Cycle Carbonate, stratigraphy of 3
- Lower Werra Cycle (Z1), stratigraphy of, W Germany
 149–55
 principles of Zechstein stratigraphy 149
 regional settings 149–53
 stratigraphic results 153
- Lower Werra Cycle (ZI), example areas
 Hartz Mountains 150, 153
 Ibbenbüren and Hüggel areas 149
 Spessart Mountains 153
 Waldeck area 153
- Lower Werra Cycle (ZI), preliminary correlation table
 154
- lycopods 31
- M element 58, 60
- macrofauna of the Polish Zechstein: occurrence and
 stratigraphy, 4, 211–5
- macrofauna in Polish Zechstein Strata 212–3
- Magnesian Limestone, Lower, Middle, and Upper,
 terms discontinued 9
- magnesite 16
- Magnesium, source of 85
- malachite 106, 107
- Mansfield River (Permian) 95
- marcasite 103, 109
- marcasite/goethite 107
- marine clastic sediments 229
- marine fossils 71
- marl 16
- Marl Slate 10, 20, 103, 143, 147
 changes in carbon isotopic composition 26
 downslope slumping 28
 flora of 31
 and mineralization 19
 mineralogical, chemical and stable isotope analyses 1
 sedimentation cycles in VT8 core 22
- Marl Slate core, studies of 19–29
 lithological variation of the VT8 core 20–2
 variation in $\delta^{13}\text{C}$ and organic carbon 22
 variation in Ca and Mg 22–3
 variation in copper, zinc and lead 24–5
 variation in iron, arsenic and selenium 23–4
 variation in $\delta^{18}\text{O}$ and quartz 22
- marls 150, 153, 226, 228, 229, 230, 231
 dolomitic 230
 green 108
 laminated, flaggy 230
 varved 229, 230
- matrix, packstone facies 118, 120
- Members
 Sneaton Potash 16
 Sprotbrough 2, 10, 13, 63, 76, 81, 85, 103, 106, 108,
 109
 diagenesis of carbonate rock 87–101
 sandwave sedimentology 63–73
 Stainton Halite 165
 Wetherby 10–3, 63, 75, 76–7, 78, 85, 103, 106, 109
- Merrillina divergens*, conodonts, English Upper Per-
 mian 2, 55–62
- metal ions, concentration of in seawater 192
- metal sulphides 20, 193
- metalliferous solutions, expulsion of 193
- metalliferous thermal solutions 192
- metals, migration of 174
- Metasequoia* 35
- meteoric diagenesis 79
- meteoric dissolution of unstable grains 100
- meteoric flushing 100
 lack of 100
- meteoric waters 91, 99
- Mg 22–3
- Mg/Ca ratio 80, 93
- micosparite 175
- micrites 77, 120, 121, 172, 176, 177, 178, 179
 argillaceous 178, 179
 fossiliferous 179
 sandy 179
- micritization 117, 123
- microbenthos 176
- microfacies complexes, Foresudetic Monocline 207
- microfacies, Copper Shale 171–2
- microlaminations 226
- microlaminates 173, 175
 clay 177
 organic-rich clay 177
 sparite-clay 175
- microlithofacies, Copper Shales, black shales 173
- microspar 120, 121
- microstylolites 77, 94, 114, 218
- Middle Odra Fault Zone 185
- mineral aggregates 187
- mineral assemblages 108
- mineral assemblages, facies, structural elements
 in the Cadeby Formation, summary of
 relationships 104

- mineralization
 Border Dolomite 200–1
 Cadeby Formation 2, 103–10
 chalcocite 200
 chalcocite-bornite-chalcopyrite 190, 200
 copper-polymetallic 185, 198
 diagenetic 188, 189, 200
 epigenetic 19, 105–10
 Bramham area 107–8
 Edlington area 108
 Farnham area 106–7
 Mansfield area 108–10
 with iron oxides 171
 late diagenetic 174
 no continuity 185
 Palaeozoic 19
 penecontemporaneous 103–5, 110
 calcitized anhydrite nodules 103
 hydraulic brecciation and barite cementation 105
 stratabound galena 105
 polymetallic 171
 related to pre-Permian strata and basement blocks 105–10
 sulphide 172
 synsedimentary 187, 188, 189
 mineralization in Upper Permian carbonates 103–10
 epigenetic 105–10
 penecontemporaneous 103–5
 mixed water dolomitization 79, 80
 mixed-water fluids 99
 montmorillonite 172
 mudrocks 226, 228, 229
 mudstones 10, 15, 16, 75, 78, 128, 129, 135, 166, 207, 225
 Muschelkalk 183
 Mutterflöz 143, 147, 149
- Namurian sandstones, barite mineralization in 107
 nautiloids 14, 19, 122, 214, 226
Neocalamites 51
Neocalamites mansfeldicus 33
 neodigenite 200
 neomorphism 100, 173
Neospathodus 56
Neospathodus cristagalli 56
Neostreptognathodus pequopenensis & *Behnken* 61
Neostreptognathodus sulcopicatus 61
 Nevolinsk Unit 230–1
 New Edlington Clay Pits 9
 nickel 173
 Noeggerathiales 35
 nomenclature for the Upper Permian, revised 1
 North-Sudetic Syncline, 174, 175, 179, 180
- oligotrophism, results of 180
 oncoids 14, 113, 115, 117, 122–3, 145, 150, 153, 160, 179, 227–8
 compound 117–8, 119
 oncolites 146, 178, 179
 ooid grainstones 109
 ooid mobility 97
 ooid shoal complex 2
 ooid textures and porosity types 96
 ooids 64, 91, 93, 95, 99
 dolomitized 88
 textures of 97
 ghost 95
 limestone, preservation of 99
 radial 179
 oolite shoals, Permian 63, 64
 oolites 146, 228
 sandy 179
 ore minerals, typical forms of occurrence 187
 organic carbon 172, 185, 195, 201
 organic carbon content, decrease in 26
 organic laminae 20
 organic matter 174, 175
 sapropelic 189
Ortiseia 48
 ostracods 15, 99, 118, 122, 228, 229, 231
 oxic/anoxic interface 180
 oxide pseudomorphs 177
- Pa element 56, 58, 60, 61
 packstone facies, Trow Point Bed 115–20
 packstones 64, 75, 78, 79, 82, 105, 121, 207
 Trow Point Bed 114
 palaeocurrents 2, 71–2
 and depositional environments 72
 palaeoenvironments, Eichsfeld-Schwelle 150
 palaeogeographical zoning, Polish Zechstein macrofaunas 214–5
 palaeogeography, Copper Shale 177–9
 palaeohighs 143, 145, 150, 153
 palaeokarst 145, 150, 152, 153
 palaeorelief
 pre-Zechstein surface 177
 Zechstein basin floor 179
 palaeotopography, controlling reef distribution 145
 Palaeourals 225
Paracalamites 33
 parallel-bedding 14
Pascichnia (feeding trails) 68, 70
 Passage Beds 13, 20
 patch reefs 10, 13, 75, 79
 bryozoan 153
 Pb element 58, 60
 pelecypods 143
 pellet-wackestones 87
 peletoids 175
 pellets 88, 93, 95
 pelmicrites 179
 pelmouldic porosity 79
 peloid ghosts 80
 peloid grainstone shoals 107
 peloids 64, 79, 113, 115, 117, 118, 122, 123
 Peltaspermales 33
 Peri-Baltic Syncline 211, 215
 Permo-Triassic complex, Foresudetic Monocline 183
 phytoplankton blooms 26
 prisoids 13, 64, 93, 95, 99, 124, 146
Plagiozmites 33, 35
Plagiozmites bellii 35, 42–3, 53–4
 Plattendolomit 153, 215
 'Platy' Dolomite 217
 point bar sequence 68
 pollination 40
 pore fluids
 lagoon bottoms 78

- pore fluids (*cont.*)
 meteoric 78, 81
 supersaturation of 80
 porosity
 lagoon facies 94
 mouldic 99
 oolite shoal/barrier complex facies 98–9
 open marine shelf facies 100
 pelmouldic 79
 secondary 82, 83–4
 Spotbrough Member 100
 porosity and dedolomite, sabkha facies 91, 93
 porosity occlusion 79, 80, 99, 100
 porphyrin compounds 173
 porphyrins 173, 176, 177
 post-magnetic activity, post-Variscan 192
 potash 161
 potash salts 225, 230
 precipitation of 166
 precipitation
 CaSO₄ 157, 162
 primary, dolomite 93
 syndimentary
 copper sulphide 188, 192
 metal sulphides 192–3
 pressure solution 79, 82, 100, 114
 pressure-solution seams 94
 productids 145
 Productus Limestone 143
 Protopinaceae 36
Protosaurus 48
 Provinces
 Angara 33
 Durham 9, 15
 Yorkshire 9, 11, 63
Pseudoctenis 33, 51
Pseudoctenis middridgensis 35, 39
Pseudovoltzia 36–8, 40–1, 48
Pseudovoltzia liebeana 44–5
 pteridophytes 31, 33–5
 pteridosperms 31, 33
 pterophylls, 31, 33–5
 pyrite 23, 171, 185, 195
 framboidal 29
 replacive 115

Quadrocladus 48
Quadrocladus orobiformis 48, 49
Quadrocladus solmsi 48, 49
 quartz 26, 93, 172, 198
 quartz sand 13

 Raisby Formation 13–4, 20, 55, 58
 ratofkite 231
 recrystallization textures, development of in dolomite
 and dedolomite 95
 recrystallization, dolomiticrites 100
 redox boundary 180
 oscillations of 171
 redox interface 180
 redox potential 167
 reducing conditions 188, 189
 enhancing sulphide mobility 193
 reducing environment 185, 198

 reduction/oxidation boundaries 187
 reef talus 14
 reefs 55, 146, 150, 211
 Artinskian 228
 linear shelf-edge, Ford Formation 113
 patch 10, 13, 75, 79
 bryozoan 153
 shelf-edge 123
 Werra Carbonate 145
 Wetherby Member 72
 regressions, Werra Carbonate 145
 regressive cycles 91
 Reines Grensalz 165
 remobilization 200
Repichnia (locomotion trails) 68
 reworking 188
 episodic 179
 white sandstones 195
Rhenania reichelti 48, 51
 rhythmites 176, 180
 rhythms 173, 175
 colour 177
 Riedel potash bed 165
 rim carbonate 153
 Ripon area, post-Devensian subsidence hollows 132
 ripple cross-laminations 75
 ripple lamination 15
 ripple marks 15
 ripples 176
 oscillation 87, 93
 rivers, underground 127
 rock salt 157, 166, 218
 Roker Formation 14–15
 'rosette' texture 220
 Rote Fäule 144, 171, 180
 Roter Salztun 166
 Rotliegendes 171, 177, 183
 depositional setting 143
 Rotliegendes desert basin 19
 Rotliegendes sandstones 195
 Roundhay Fault Zone 107
 Roxby Formation 16, 129, 134
 Russian Platform 225, 228, 230

 Sa element 56, 58, 60
 sabkha deposits 207
 sabkhas 76, 143
 salinites 93
 salinity 124, 228
 cyclical changes in 149
 enhanced 122
 increase in 145, 230, 231
 ZI basin 162
 sands 183
 sandstones 15, 16, 76, 129, 179, 225, 226, 228, 229
 aeolian 15
 carbonate 75
 copper-bearing 191
 dolomitic 231
 white 185
 sandwaves
 migration of 72–3
 origins of 72

- sandwaves, internal structures
 bedform contacts 64, 66
 bioturbation 68, 71
 fan bedding 68
 hummocky cross-stratification 67–8
 lobate bedforms 66–7
 marine fossils 71
- sandwaves, ooid cross-stratified 87, 94–5
- sandwaves, sedimentology of in the Sprotbrough Member 63–73
 internal structures and their origins 64–71
 palaeocurrents 71–2
 petrography 64
- sapropelic units 25
- sapropels 22, 23, 26, 27, 28
- Sb element 58, 60
- Sc element 58, 60
- Scandinavian landmass 166
- Schizodus obscurus* 71
- schwellen and basins, differences between 146
- schwellen *see* palaeohighs
- sea-level
 eustatic changes in 19, 149, 162
 fall in 95, 225
 glacioeustatic changes and Zechstein cyclicity 203
 oscillations in 145
 rise in 180
- Seaham Formation 166–7
- seawater, natural concentrations of metal ions 192
- sedimentary structures 195
- sedimentation cycles, Marl Slate 22
- sediments, pletholitic 158
- seepage reflux 79, 80, 81, 82, 83, 88, 93
- selenium 23–4, 26
- sepiolite inclusions 231
- Shalashninsk evaporites 231
- shales
 argillaceous 198
 argillo-dolomitic 198
 black 179
 Copper Shale 172–4
 euxinic 143
 copper-bearing 185
 grey, Copper Shale 174–6
 red, Copper Shale 176–7
- shallowing-upward sequences 75
- Sherburn (Anhydrite) Formation 15–6, 165
- Sherwood Sandstone Group 16, 129, 131, 134
 brecciated 135
- shoals 179
 ooid grainstone 79, 108
 oolite 63, 64, 87
 peloid grainstone 75, 76, 107
- siltstones 15, 16, 129, 183, 226, 228, 229
- skeletal fragments 95
- skeletal grains 118
- Sleights (Siltstone) Formation 16
- slide plane 113
- sliding 146
 submarine 14, 123
- slumping 146, 160, 161
- smectite 94
- Snape Mires 134–5, 137
- Sneaton (Halite) Formation 15, 16, 165
- Sneaton Potash Member 16
- Solhops Discontinuity 3, 4, 153
- solubilities of rocks 134
- solution pathways 100
- solution residues 128
- solution seams *see* stylolites
- sparite 172, 175, 176
- sparite lenses 175
- Spathognathodus divergens* 55–6, 60
- sphalerite 19, 24, 103
- Sphenobaiera* 51
- Sphenobaiera digitata* 35
- sphenopterids 51
 Upper Permian 33
- Sphenopteris* 33, 51
 distribution of 39
- Sphenopteris dichotoma* 34
- spherulites 115, 117, 217, 218
 origin of 222
- spherulitic texture, Leine Anhydrite 217–8
- spillover lobes 72, 87
- spiriferids 153
- springs
 calcareous 137
 saline 107, 108
 submarine 19
- Sprotbrough Member 2, 10, 13, 63, 76, 81, 85, 103, 106, 108, 109
 diagenesis of carbonate rocks 87–101
 lagoon (facies II) 93–4
 oolite shoal/barrier complex (facies III) 94–5, 97–9
 open marine shelf (facies IV) 99–100
 sabkha (facies I) 88–9, 91, 93
- Stainton Halite Member 165
- Stainton Potash 165
- Staintondale Group 165, 166
- Stassfurt Carbonate 146
- Stassfurt Folge, and equivalents 166–7
- Stassfurt rock salt 157
- Stassfurt sequence 3
- stenohaline fossils 153
- Stepanovites* 56
- Stepanovites inflatus* 60
- Stinkschiefer (Stinking Shale) 146, 157
- storm recharge 79
- stratobolic rocks 160
- Strenoscimatidae 213
- Strobilifer frumentarius* 48
- stromatolite bed 150, 153
- stromatolite bioherm 230
- stromatolites 14, 87, 89, 145, 146, 160, 228
 columnar 113, 120–1, 122, 145
 laterally-linked, hemispherical 120
 other algal 121–2
- stromatolitic crusts 228
- Strophalosidae 213
- stylolites 82, 93, 94, 99, 100, 114
 lagoon facies 93–4
 and pressure-solution 94
- stylolitization 82, 83–4, 113, 120
- submarine springs 19
- subsidence 177
 Flandrian 131
 relationship to joints 134–5

- subsidence (*cont.*)
 and remedial work 137–8
 subsidence depressions 131, 137
 subsidence and foundering of strata from gypsum
 dissolution, N Yorkshire 127–38
 geology 127–9
 mechanisms controlling the subsidence 134–7
 nature of the subsidence 131–4
 prediction of subsidence and remedial work 137–8
 terminology 131
 subsidence hollows 131, 133, 134, 135, 137
 localities and dates (historically recorded), N York-
 shire **128**
 localities, dates and sizes, N Yorkshire (recollected)
 129
 post-Devensian, Ripon area 132
 subsidence ridges, Snape Mires 135, 136
 sucrose dolomites 80–1, 83, 109
 sulphates 91
 replacive 86
 source of 107
 stratobolic 158
 sulphide minerals 19
 sulphide veins 201
 sulphides 188
 diagenetic 29
 mobilization of 191
 sulphur 105
 supratidal (arid and humid) models, dolomitization 79
 sylvinite beds 165
 sylvite 16
 synsedimentary clastic veins 198
 synsedimentary deformation 161
 synsedimentary formation, main ore mass 191
 synsedimentary mineralization 187, 188, 189
 synsedimentary subsidence 162
 synsedimentary sulphides, primary 198
 Syringothyridae 213
 Szprotawa Elevation 177

Taeniopteris 33, 51
Taeniopteris eckhardtii 35
 tectonic activity, Irenian Group 229
 Teesside Group 3, 166–7
 telogenesis 82–3
 tepee structures 87
 tetracorals 228, 231
 thermal solutions, metalliferous 192
 Tonflockensalz 165
 Tonmittel-Salz 165
 topography, seafloor, and control of sandwaves 72
 trace metals 19
 transgressions
 Zechstein 19, 31, 143, 177
 Zechstein, initial 195
 Trepostomata 211
 Trow Point Bed 2–3, 13, 14, 113–24, 145, 153
 comparison with other oncoid-bearing deposits 122–
 3
 depositional environment 123–4
 facies relationship with underlying strata 115
 petrography 114–22
 stratigraphy and distribution 113
 thickness and field relationships 113–4

 Tujsk Unit 231
 turbidity currents 146

 Ufimian uplift 228
Ullmania bronni 41, 43
Ullmania frumentaria 41, 45–8
 Uppgang Formation 15, 165
 Upper Permian strata, revised nomenclature for 9–16
 Upper Permian strata, stratigraphical relationships 11

 vadose effects 122
 vanadium 173
 Variscan movements 183
 varves 157, 158, 160, 162
 see also laminations
 ‘Veggerby’ 166
 VT8 core, lithotypes 20–2
 vug infills 109
 vuggy pores 100
 vughs 128
 vugs 82, 88

 wackestones 75, 78, 82, 103, 105, 207
 bioturbated 76
 lagoonal 109
 primary limestone 77
 Walchiales, Lower Permian 31
 washover lobes 67
 water abstraction, effects on gypsiferous formations 137
 water flow, and amount of subsidence 137
 weathering 91, 93
 weathering, arid 166
 Weissliegendes 179, 183
 Weissliegendes rocks 177, 178
 Weissliegendes sands reworked 195
 Weissliegendes sandstones 171
 Werra Anhydrite 145–6, 153
 Werra Carbonate 145
 Werra cyclothem 171
 Werra-Becken 161
 Werra-Dolomit 150
 Werraanhydrit 3, 160
 rhythmic sub-cycles 160, 161, 162
 stratigraphic anarchy 160–1
 Wetherby Member 10–3, 63, 75, 76–7, 78, 85, 103, 106,
 109
 Wharfe Anticline 107
 Whitwell Anticline 109
 wulfenite 109

 Yolkinsk Unit 231
 Yorkshire Province, stratigraphical relationships of
 Upper Permian strata 11

 Zechstein 1 and 2 anhydrites 157–62
 Basalanhydrit (Z2) 157–60
 facies leaps 160–2
 Werranhydrit (Z1) 160
 Zechstein 1 Sea 123
 Zechstein Basin
 Central European 144
 central, cyclic sea-level changes 155
 English 149
 German 150, 160

- Zechstein cycles 1 and 2 (English), stratigraphy of, NE England 114
- Zechstein land plants, distribution and abundance of 52
- Zechstein Limestone 150, 151, 153, 171, 178–9
 chronostratigraphical correlation W Poland 205
 chronostratigraphical and lithostratigraphical correlation, C Europe 203–8
 correlation of basinal sequences, Foresudetic area 204
 correlation of peripheral basinal sequences, Foresudetic area 205
 cyclic sequence 203
 lithostratigraphic units, W Poland 203, 205
 petrographic units, Foresudetic Monocline 205
 Polish sub-cycles 147
 temporarily emergent areas during deposition 206
- Zechstein Limestone in Poland,
 chronostratigraphical and
 lithostratigraphical correlations 4
- Zechstein macrofauna, low diversity pattern 55
- Zechstein salt correlation: England—Denmark—Germany 165–7
- Zechstein sandstones, white 195
 mineralization of 200
- Zechstein seafloor topography and Copper Shale lithofacies 179
- Zechstein sedimentary environments, SW Poland 195–201
- Zechstein sediments
 basal 195
 lithologies 196
 Lubin area 185
- Zechstein sediments (lowest), Lubin area 195–200
 argillaceous dolomite 198
 Border Dolomite 196, 197
 copper-bearing shales 198
 diagenesis 198, 200
 streaked dolomite 198
 Zechstein sandstones, white 195
- Zechstein sequence
 Cycle 1 87
 marginal 127
- Zechstein stratigraphy, principles of 149
- Zechsteinkalk *see* Zechstein Limestone
- zinc mineralization 190, 191
- zinc (Zn) 24–5, 27
- zonation
 horizontal, copper, lead and zinc minerals 187
 vertical, copper, lead and zinc minerals 187, 188