

Index

- Africa 16–17, 231–245
albite 7, 12, 97, 102–103, 150, 161, 165, 166–167, 168
allanite 6, 10, 26–29, 37, 51, 66, 68, 155–156, 161, 165, 166, 169
Alps (European) 7, 13, 159–171, 250–251, 256
aluminium (Al), in titanites 12, 151, 152, 153, 154
aluminosilicates 3, 9, 133–137, 140
amphiboles 3, 12, 15, 96, 153, 189, 232, 234, 244–245,
 see also hornblende; MARIDs
amphibolitic rocks 11, 26, 69, 76, 104–113, 153,
 161–162, 191
andalusite 125–128, 133–135, 140, 141, 187, 189, 215,
 218, 220
 and onazite isograd 6, 26
andesite (USGS reference material) 176, 177
ankerite 167, 168–169
anorthite 97, 102–103, 123
anorthosites 8–9, 54, 65–78
Antarctica 204
apatites 27, 34, 51, 83, 94, 97, 103, 105, 150, 155–156,
 256
aplite 160
Ar (argon), diffusion/transport/loss 4–5, 14, 15, 16–17,
 99, 231–245, 249–259
Ar/Ar (⁴⁰Ar/³⁹Ar) dating 9, 12, 14–15
 amphiboles 3, 15
 garnet–biotite schist 37
 hornblende 77
 micas 13, 17, 164, 169, 249–259
 phlogopites 16–17, 231–245
 pseudotachylytes 14, 15
aragonite 95, 102, 186
augen gneisses 13, 68, 159–171
Austrian Alps 13, 159–171
- backscatter (BSE) imaging 8, 27–28, 51, 66, 69, 70, 86,
 152, 165–169
baddeleyite 67
basement rocks 13, 159–171
biotites 3, 11, 68, 76, 153, 161, 238
 diffusivity 16, 102–103, 109, 111, 112
 displacement vectors 251, 253
 and garnet P–T–t paths 123, 125, 128–135, 141
 in gneisses 68, 69, 105, 107
 in migmatites 214–228
 oxygen isotope equilibrium 97, 107, 112
 see also garnet–biotite
boron 133
- calcite 13, 97, 102–103, 155, 161, 166, 169, 186, 187, 224
Canada 204
cathodoluminescence (CL) imaging 8, 49, 51, 54, 57, 66,
 69, 70
cerium (Ce) 7, 50, 51, 52, 53, 55, 56, 61, 62
chamockites 68, 69
chemical zonation 4, 5, 12, 15, 17, 30–37, 66
chert 192
China 11, 93, 94, 101–113
chlorite 13, 38, 132, 133, 161
clay minerals 14, 15
cleavage partings in deformed micas 251–253, 255, 258
clinopyroxene 6, 12, 69, 77, 150, 151, 152
clinozoisite 161, 165
closure temperature(s) 4, 37, 66, 98, 99–100, 108, 156,
 164, 231, 238
coesite 101, 105
columbite 155
cordierite 76, 214–225
Cordilleran Coast Plutonic Complex (N America) 11,
 119–142
coronite 101
crenulation 160–161, 168–169, 170
- databases 2, 15, 17
defect-enhanced diffusion 250
deformation 3, 12, 13, 14, 153–154, 156, 157, 159–171,
 184, 249, 251
deformation-induced melt segregation 208
diamonds 17, 101, 232, 241, 243, 245
diatexite 53, 57–62
diatreme ascent rates 16–17, 231–245
diffusion/diffusion rates 4–5, 12, 16, 148, 192,
 195–196
 defect-enhanced diffusion 250
 of O, Sm–Nd and Sr in metamorphic minerals 11,
 98–101
 stacking fault-enhanced Ar diffusion in muscovite 17,
 249–259
diopsides 97, 100, 101, 102–103, 111, 187, 188, *see also*
 MARIDs
diorites 53, 54–57, 125
disequilibrium 4, 12, 13, 15, 65, 93–94, 159, 169, 194
 and melting/recrystallization 16, 50, 62, 203–210, 225,
 228
 see also equilibrium; re-equilibration
dislocations in micas 250, 253–255, 258–259
DMPATH.F program 256
dolomite 187, 188
DRC-ICPMS (dynamic reaction cell - inductively coupled
 plasma mass spectrometry) Rb–Sr dating 13, 14, 18,
 173–180
- eclogite-facies rocks 4, 7, 67, 84, 94, 101–113, 196
electron microprobe analysis (EMPA) 3, 6, 12, 15, 26, 34,
 66, 121, 220, 234
electron microscopy *see* backscatter (BSE) imaging; SEM;
 TEM
enstatite 97, 102
epidote 11, 83, 102, 156, 189
equilibrium 4, 10–11, 13, 15, 93–113, 112, 165, 194, 206
 and melting/crystallization in migmatites 203–210,
 225, 228

equilibrium (*continued*)

see also disequilibrium; re-equilibration

faulting duration and rates 13, 14–15, 17

faults, stacking, and Ar diffusion 17, 249–259

feldspars 14, 70, 76, 152, 159, 218, 224

isotopic equilibrium and disequilibrium 13, 112, 159

oxygen diffusivity 101, 112, 255

see also albite; anorthite; K feldspars; plagioclase

fibrolite 128, 131, 141

Finland 16, 213–228

fluid content, and metamorphic reaction rates 12, 15–16,

108–109, 153, 156, 186–188, 190–191, 194,

195–196

fluorapatite 103

fluorine (F), in titanite 12, 151, 152, 153, 154

flyscht 256

FMPATH2.F numerical model 256

forsterite 97, 102, 187

fractional crystallization 207, 208, 209

fractionation factors, oxygen isotopes 95–97

gabbro 94, 196

garnet 3, 4, 9, 11–12

and diffusion 5, 100, 102–103

growth rate studies 15, 188–191, 192, 204, 213–228

and HREE 3, 5, 6, 16, 50–51, 67, 220–223, 225, 227

in migmatites 16, 204, 210

and Mn 16, 121, 122–123, 133, 135, 137, 220–223,

225, 227

and monazite 27–40, 84, 223–225

Nd content 10

oxygen isotope geothermometry 95, 97, 100, 105–113

P–T/P–T–t paths 3, 11, 119–142, 147

and REE 5, 6, 7, 9, *see also* HREE (*above*) and *specific*

elements

Sm–Nd dating 9–11, 37, 83–90, 119–142

and staurolite 125, 126–135, 140, 141

textural analyses 188–190, 213–228

and titanite 150, 151

and trace elements 16, 17, 220–223, *see also* HREE

and REE (*above*) and *specific elements*

U–Pb dating 9, 11, 84, 156–157

and xenotime 27

and yttrium 5, 6, 16, 39, 138, 220–223, 225, 227

and zircon 7–9, 16, 50–51, 55–56, 62–76, 83, 86, 94,

220–228

garnet–biotite gneiss 86

garnet–biotite schists 34, 38

gedrite 38

Germany 13–14, 147–157, 173–180

Gibbs method 120

glimmerites 232, 236, 241

gneisses 14, 86

China 104–113

Cordilleran Coast (USA) 124–127

European Alps 13, 250

Greenland 50, 52

Norway 67–70, 76, 77

Scotland 8, 54, 57–62

see also augen gneisses; orthogneisses

granitic rocks 6, 14, 26, 57, 68, 69, 160, 173–180

granodioritic rocks 69, 125, 160

granulite-facies coronite 101

granulites 8–9, 12, 65–78, 86, 88, 147–157, 215, 238,

215

graphite 128

Greenland 50, 52, 53

greenschist facies rocks 128, 140, 249

hafnium (Hf) 66, 69, 78, 226, *see also* Lu–Hf dating

heavy rare earth elements *see* HREE

hematite 97

Henry's law 5, 209

High Himalayan Crystalline Series (HHCS) 34, 37

Himalaya 34, 37, 38, 191, 204

homogenization 14, 150, 154, 159

hornblende 68, 69, 77, 97, 100, 102–3, 111, 125, 141,

227

HREE 6, 7, 8, 50–51

and garnet 3, 5, 6, 16, 50–51, 67, 220–223, 225, 227

and monazite 30, 38

and zircon 7, 50–51, 54–56, 226

see also REE; and *specific elements*

hydrochloric acid leaching 86–90, 121, 122, 165

hypersthene 68

ICPMS (inductively coupled plasma mass spectrometry)

13–14, 173, *see also* DRG-ICPMS; LA-ICPMS

ilmenite 67, 97, 103, 128, 151, 153, 156, *see also* MARIDs

in-situ dating 2, 3, 5, 6, 12–15, 18, 65–78, 227, *see also*

specific methods

inheritance 15, 26, 94, 148, 156–157

allanite 156–157

garnet 156–157

monazite 5, 156–157

titanites 12, 148, 152–153, 154–155

xenotime 156–157

zircon 5, 7, 16, 57, 66–67, 71–72, 74, 77, 156–157

ion microprobe techniques 2, 5, 7, 8, 18, 26, 66, 69, *see*

also SHRIMP/SHRIMP II

ion-molecule chemistry, and DRG-ICPMS Rb–Sr dating

13, 173–180

isotope ratio precision, and ICPMS 13–14, 173–180

jadeite 12, 97, 102, 104, 150

jotunite 67

K concentration 14

K interlayer in deformed muscovites 253–255, 257–258,

259

K–Ar dating 3, 12, 14–15, 94, 125, 164, 231, *see also* Ar/

Ar dating

K-feldspars 14, 105, 122, 161, 165–169, 187, 215–217,

220, 238–239, *see also* orthoclase; sanidine

K-richterite 236, 244–245

kaersutite 236, 244, 245

KFMASH 2

kimberlites 14–16, 17, 231–245

kyanite

and garnet geochronometry 29, 38, 123, 125, 126, 128,

134, 140, 141, 147

- and isotope equilibrium 97, 102
and monazite isograd 6, 26
- LA-ICPMS (laser-ablation inductively coupled plasma mass spectrometry) 49, 50, 51, 138, 140, 220
- LA-MC-ICPMS (laser-ablation multicollector inductively coupled plasma source mass spectrometry) 26, 180
- LA-Q-ICPMS (laser ablation quadrupole inductively coupled plasma source mass spectrometry) 26
- laboratory experiments on metamorphic reaction rates 15–16, 183–187
- labradorite 103
- lanthanides 50–56
- laser ablation 2, 12, 14, 15, 18, *see also* LA-ICPMS; LA-MC-ICPMS; UV laser ablation
- laser fluorination 106
- laumontite 186
- leaching protocol using sulphuric acid 10, 83–90
- lead *see* Pb
- Lesotho, phlogopites 231–245
- Lewisian Composite Terrane (NW Scotland) 7–8, 49, 52–62
- LREE 26, 37, 50, 51–52, 226, 227, *see also specific elements*
- Lu (lutetium) 50, 53, 55, 56
- Lu–Hf dating 9, 83, 148
- magma extraction rates 16
- magnetite 95, 97, 103, 156
and zircon 8–9, 65, 66, 70, 74, 76
- marble 67, 186
- MARIDs 232, 236, 244, 245
- mass balance equations 205–206
- Matsuda diagrams 50, 51, 54
- MC-ICPMS (multi-collector inductively coupled plasma mass spectrometry) 2, 9, 14, 52, 83, 84, *see also* Q-ICPMS
- melilite 255
- melt segregation rates in migmatites 16, 203–210, 213–228
- meta-amphibolites 190
- metagranitoids 6, 26
- metamictization 49, 50
- metamorphic reaction rates 4, 15–16, 183–197, 203–210, 213–228
- metapelites *see* pelites and metapelites
- micas 3, 4, 14, 17
hydrothermal alteration 69
and mass transport/diffusivity 17, 100, 101, 112
Rb–Sr microsampling (white mica) 13, 159–171
suitability for isotopic dating 9, 12, 13
UV laser ablation (white mica) 14
see also biotites; MARIDs; muscovite
- microsampling techniques 12–14, 156, 159–171
- migmatites 67, 68, 69, 76, 77
melt segregation studies 16, 203–210, 213–228
terminology 209–210
- mineral end-members 2, 142
- mineral phase equilibria 2, 11, 119–142
- mineral reactions 12, 15, *see also* metamorphic reaction rates
- mineral separation 9–10
- mineral zoning and accessory phases 4, 5, 12, 16, 94, 161, 204, 209, 210, 213–228
- Mn (manganese) 16, 121, 122–123, 133, 135, 137, 220–223, 225, 227
- MnNaCaFMASH 122, 133
- modelling
chemical gradients 15
crustal rheology 213
magma flow regimes in sills 14
melt segregation rates in migmatites 16, 203–210, 213–228
metamorphic reactions and reactive transport 15–16, 183–197
mineral phase equilibria 2, 11, 15, 119–142
orogenesis 2, 25, 147, 157
P–T paths 11
speed of kimberlite ascent 14
stacking fault-enhanced Ar diffusion in muscovite 17, 249–259
testing of numerical models 17
trace element distributions in migmatites 16, 203, 205–210, 223–228
- monazite 3, 5, 6, 25–40
and garnet 27–40, 84, 223–225
and generation of P–T–t paths 6, 25–40
and HREE 30, 38
in-situ dating 6, 78
isograd 6, 26
in migmatites 16, 213–228
P content 27
Pb content/loss 26, 37, 155
and REE 5–6, 26, 27, 37, *see also* HREE (*above*)
Sm–Nd dating 10, 83–90
and staurolite 6, 26, 28, 29, 38
Th content 27, 66
and titanite 26
U content 26, 27
U–Pb dating 6, 8, 10, 26, 68, 156–157, 164, 204
and xenotime 6, 27, 30, 38–40
and yttrium 6, 27, 30–40
and zircon 51, 69, 74
- multi-collector inductively coupled plasma mass spectrometry *see* MC-ICPMS
- muscovite 3, 37, 128–133, 150, 187, 194
and isotope equilibrium 97, 102–103, 194
in migmatites 216, 218, 222, 224
stacking fault-enhanced Ar diffusion 249–259
see also micas
- mylonites and mylonitization 13, 151, 153
- myrmekite 166
- neodymium (Nd) 10, 11, 52, 53, 93–94, 100–101, 111–112, *see also* Sm–Nd dating
- neon (Ne) 177–178
- niobium (Nb) 226
- norites 8–9, 65–78
- Norway 8–9, 65–78
- oligoclase 103
- omphacite 7, 11, 94, 97, 102, 105, 109, 112
- orogenesis 2, 25, 147, 157, *see also* polymetamorphism; *and specific orogenies*

- orthoclase 103
orthogneisses 67–70, 76, 77, 104–113
orthopyroxene 8, 65, 66, 68, 69–70, 72, 74, 76, 77
Ostwald ripening 14, 27
osumilite 68, 69–70, 76
oxygen diffusion/diffusivity 98–101, 250, 255, 258
oxygen isotopes
 equilibrium/disequilibrium 11, 15, 93, 94, 101, 190–191
 fractionation 95–97, 185, 187, 190–191
 geothermometry 11, 93–113
 and inheritance 241
- P–T conditions/paths 3, 9, 11, 14, 65–66, 78, 147–149, 156, 161–164, 220
P–T–t paths 15, 25–40, 62, 119–142, 147, 157, 194
P–T–X parameters 2, 12, 15, 194–195
Pakistan 28–30, 86
paragneiss 104–113
parent/daughter ratios 3, 9, 10, 12, 14, 17, 83, 94, 111, 112, 155
partial melting 37, 207–208, 226
Pb content 12, 26, 37, 155
 zircon 10, 57, 60–62, 66, 69, 77
Pb diffusion 99, 101, 154, 156, 250
Pb *see also* U–Pb dating
pegmatites 8, 14, 58, 69, 160
pelites and metapelites 6, 25–40, 50, 68, 86, 128, 131, 190, 204, 213
peridotites 232, 236
perthite 70, 161
phengite 7, 11, 97, 105, 106, 107, 109, 111, 161
phlogopites 16–17, 97, 102–103
phosphates, REE-rich, sulphuric acid leaching 10, 83–90
phosphorus (P) 27, 69, 74, 78, 225, 226, 227
pigeonite 68, 69, 77
pipe diffusion 250, 255, 259
plagioclase 3, 12
 dating of granulites 12, 68, 69, 150
 and garnet geochronology 123, 128–136
 isotope equilibrium 105, 108
 and metamorphic reaction rates 189, 190, 196, 215–228
 and Rb–Sr dating 11, 161, 166–168
plutonism 11
Poland 86
polymetamorphism 8–9, 12, 13, 66–69, 123–128, 140–142, 151
potassium *see* K
prehnite–pumpellyite 140
psammites 38
psammopelites 215
pseudotachylytes 14, 15
Pyrenees 13
pyrites 13, 128
pyroxene 101, 107, *see also* clinopyroxene; orthopyroxene
 and oxygen isotope geothermometry 11, 97–98, 102, 108
quartz diorite 125
quartz–calcite–chlorite fibres 13
quartzites 104–113
- rare earth elements *see* REE
Rb–Sr dating 3, 9, 11, 12–14, 83, 164
 kimberlite-derived phlogopites 240–241
 microsampling 12–14, 159–171
 and oxygen isotope equilibrium 11, 93–113
 true *in-situ* dating 14, 18
 using DRC-ICPMS 13–14, 173–180
 of white mica 12–14, 159–171
re-equilibration 5, 12, 94, 111, 156–157, 203–210
REE 5–6, 17, 94, 208–209, 226, 228
 and Sm–Nd dating 10, 83–90, 101, 137–138, 140
 and U–Pb dating 156
 and zircon 7–9, 49–62, 66, 67, 78
 see also HREE; LREE; trace elements
ribbon defects 251
Rogaland complex (Norway) 8–9
rubidium *see* Rb–Sr dating
rutile 12, 34, 94, 97, 102–103, 105, 147, 150, 151, 153, 155, 156, *see also* MARIDS
- samarium (Sm) 52, 53, *see also* Sm–Nd dating
sanidine 187
Saxon Granulite Complex (Germany) 12, 147–157
scale, and isotopic information 17–18
schists 34, 38, 50, 104–113, 125–133
Scotland 7–8, 49, 52–62, 190
SEM-EDS (scanning electron microscopy-energy dispersive spectroscopy) 220
shear zone activity 13, 160–161, 168, 170
SHRIMP/SHRIMP II 34, 36, 38, 69, 74, 77, 148–149
Siberian phlogopites 16, 17, 243, 245
silicates
 and diffusion 98, 101, 111
 and sources of Pb 154, 155–156
 sulphuric acid leaching 89–90
 see also aluminosilicates
sillimanite 29, 68, 76, 86, 123–137, 140, 214, 215, 219, 225, 227
sills 14, 190
SIMS (secondary ionization mass spectrometry) 49, 50, 51–52, 54, 58–59, 204
slates 13
Sm–Nd dating 9–11, 37, 57, 83–90, 119–142, 148, 204
 and oxygen isotope equilibrium 11, 93–113
Solomon Islands 16–17, 231–245
South Africa 16–17, 231–245
Spain 50, 204
sphene 161, *see also* titanite
spinel 8, 65, 66, 74, 76, 150, 219
Sr isotopes
 disequilibrium 93–94, 190
 isotope exchange modelling 15
 Sr isotopic ratio precision and ICPMS 13–14, 173–180
 transport/diffusivity 11, 94, 99, 100–101, 111–113, 190
- Q-ICPMS (quadrupole-based ICPMS) 173–180, *see also* LA-Q-ICPMS; MC-ICPMS
quartz 14, 76, 150, 161
 and garnet geochronometry 123, 128–136
 in migmatites 214–228

- in zircon 57
- see also* Rb–Sr dating
- Sri Lanka 204
- stacking fault-enhanced Ar diffusion 17, 249–259
- staurolite 9, 147
 - and garnet 125, 126–135, 140, 141
 - and monazite 6, 26, 28, 29, 38
- stepwise heating, Ar/Ar analysis 14–15, 231, 249
- strain rates, and metamorphic reaction rates 15, 192–193
- strontium *see* Sr
- subsolidus differentiation in migmatites 203, 205, 209, 225
- sulphuric acid leaching protocol 10, 83–90
- Svecofennian orogeny 16, 213–228
- Sveconorwegian orogeny 8, 67–69
- Switzerland 190, 250
- syenites 160
- symplectitization 94, 105, 190

- Tauern Window (Austria) 13, 159–171, 191
- TEM (transmission electron microscopy) 17, 249–250, 251, 259
- terbium (tb) 53
- terrane accretion 11
- textural analyses, garnet 188–190, 213–228
- textural relationships
 - accessory and major minerals 5–9, 11–12
 - monazite 6, 27–37
 - titanite 154, 156
 - zircon 65–66, 67, 69, 70, 76–78
- Th (thorium) 27, 155, 226, 250
 - Th/U content of titanite 154
 - Th/U content of zircon 5, 7, 9, 54, 56, 61, 65, 66, 72, 74–76, 77–78
- Th–Pb dating 35–36, 156, 164, *see also* U–Pb dating
- thermal ionization mass spectrometry *see* TIMS
- THERMOCALC 28–29, 40, 122, 123, 133, 135
- thorite 68
- TIMS (thermal ionization mass spectrometry) 26, 68, 69, 74, 76–77, 88, 138, 140
 - compared with DRC-ICPMS 13–14, 173–180
- titanite
 - and diffusion 12, 100, 102–103
 - and garnet 150, 151
 - and monazite 26
 - oxygen isotope geothermometry 97, 105, 108
 - Th/U content 11, 154
 - U–Pb dating 8, 11–12, 68, 147–157
 - and zircon 69
- titanium (Ti) 123, 150, 154, 155–156, 251
- tonalitic rocks 8, 54, 58, 60, 67, 124, 160
- tourmaline 129, 132, 133
- trace elements 3, 16, 203–210
 - and garnet 16, 17, 220–223
 - and titanite 156
 - transport and diffusivity 4–5, 11, 98–101, 113
 - and zircon 7–9, 49, 65, 66, 69, 74–78
 - see also* HREE; LREE; REE
- transport processes 14, 15–17
 - natural and laboratory modelling compared 15–16, 183–197
 - and trace elements 4–5, 11, 98–101
 - see also* diffusion/diffusion rates
- tremolite 187

- U (uranium) 11, 26, 147–148, 154–155, *see also* Th/U content
- U–Pb dating 3, 6, 9, 35, 49, 83, 100, 147–148, 156–157, 164, 204, 227
 - amphiboles 244–245
 - garnet 9, 11, 84, 156–157
 - monazite 6, 8, 10, 26, 68, 156–157, 164, 204
 - titanite 8, 11, 12, 68, 147–157
 - zircon 6–7, 8, 10, 11, 25, 54, 57–62, 65–79, 141, 148–149, 155, 164, 204
 - see also* Th–Pb dating
- ultrahigh-pressure (UHP) rocks 11, 93–113, 196
- ultrahigh-temperature (UHT) rocks 5, 8–9, 12, 65–78, 147–157, 196
- USA
 - Adirondacks 204
 - Alaska 11, 119–142, 191
 - Christmas Mountains (Texas) 192
 - Cordilleran Coast Plutonic Complex 11, 119–142
 - Geological survey reference materials 176, 177
 - Northern Cascades (Washington) 11, 119–142
 - Townshend Dam, Vermont 190
- UV laser ablation 12, 14, 16, 231, 232, 250–251, *see also* laser ablation

- vesuvianite 147
- Vietnam 86

- water content, and metamorphic reaction rates 12, 15–16, 108–109, 153, 156, 186–188, 190–191, 194, 195–196
- wolframite 95
- wollastonite 187, 189, 192

- X-ray diffraction analysis 14
- X-ray fluorescence spectrometry 122
- X-ray mapping 28–29, 34, 36, 121, 135, 251
- xenotime
 - and garnet 27
 - in migmatites 16, 213–228
 - and monazite 6, 27, 30, 38–40
 - Pb content 155
 - and REE 5, 6
 - Sm–Nd dating 10, 83
 - U–Th–Pb dating 25, 156–157
 - and zircon 7, 74, 224–225

- yttrium (Y) 6, 17
 - and garnet 5, 6, 16, 39, 138, 220–223, 225, 227
 - and monazite 6, 27, 30–40
 - and zircon 7, 9, 65, 66, 69, 74, 77–78

- zircon 3, 5
 - and allanite 51
 - and cordierite 76
 - and diffusion 102–103
 - and garnet 7–9, 16, 50–51, 55–56, 62–76, 83, 86, 94, 220–228
 - Hf content 66, 69, 78
 - and HREE 7, 50–51, 54–56, 226

- zircon (*continued*)
- in-situ* dating 6, 7
 - inheritance 5, 7, 16, 57, 66–67, 71–72, 74, 77, 156–157
 - internal zoning 70–72
 - Lewisian Composite Terrane 7–8, 49, 52–62
 - and magnetite 8–9, 65, 66, 70, 74, 76
 - and metamorphic recrystallization 4
 - metamorphic v. magmatic 66–67
 - in migmatites 16, 213–228
 - and monazite 51, 69, 74
 - and orthopyroxene 8, 65, 66, 68, 69–70, 72, 74, 76, 77
 - and osumilite 68, 69–70, 76
 - oxygen isotope geothermometry 95, 97
 - P content 69, 74, 78
 - Pb content/loss 10, 57, 60–62, 66, 69, 77
 - in phlogopites 244
 - and Pr 51, 52
 - and REE 5, 6, 7–8, 49–62, 66
 - and Sm–Nd dating 84
 - and spinel 8, 65, 66, 74, 76
 - and Sr 57
 - Th/U content 5, 7, 9, 54, 56, 61, 65, 66–67, 69, 72, 74–76, 77–78
 - and titanite 69
 - trace element chemistry 7–9, 49, 65, 66, 69, 74–78
 - U–Pb dating 6–7, 8, 10, 11, 25, 54, 57–62, 65–79, 141, 148–149, 155, 164, 204
 - UHT granulites (Norway) 8–9, 65–78
 - and xenotime 7, 74, 224–225
 - and ytterbium 69
 - and yttrium 7, 9, 65, 66, 69, 74–76, 77–78
 - zoisite 97, 187, *see also* clinozoisite