

Index

Page numbers in *italic* refer to figures. Those in **bold** refer to entries in tables.

- alpine-type peridotite massifs 11–12
 - localized deformation **13**
- Anderson–Byerlee frictional fault mechanics 95
- brittle–ductile shear zone evolution and fault
 - initiation at Monte Cugnone, Italy 353–355, 368–372
 - cross-section 354
 - examples of structures analysed 356–357
 - fluid inclusion petrography and microthermometry 363–366
 - geological setting 354, 355–358
 - kinematics 366–368
 - microstructures 363, 364
 - outcrop data 358–363
 - structural data **360–361**
- conjugate shearing domain (CSD) 219–221, 220
- continental crust, metamorphic signature of
 - subduction in Corsica/northern Apennine orogen 321–322, 329–331
 - structural and metamorphic history of inner Tuscan metamorphic units 329
 - structural and metamorphic history of Tenda Massif
 - deformation history 324–328, 325, 326, 327
 - geological outline 323–324, 324
 - metamorphic history 328–329, **328**, 329
 - tectonic setting 322–323, 322, 323
- crenulation-slip development in NW Ireland 337–338, 350
 - evidence for strike–slip motion in Central Ox Mountains 344
 - extensional crenulation cleavages 344
 - high-strain zones 344
 - evidence for strike–slip motion in Mayo 339–341
 - asymmetrical buckle folds 341, 342
 - crenulation-slip morphologies produced by oblique foliation-slip 341
 - extensional crenulation cleavages 341–342
 - orientation of D3 dextral shear zone 342–344, 343
 - predicted angular relationships 341
 - geological significance of the Fair Head–Clew Bay Line 338–339
- isotopic dating of crenulation-slip surfaces 344–346
 - analytical methods 347
 - ⁴⁰Ar/³⁹Ar spot fusion data **347**
 - constraining dextral shear in NW Mayo 347–348
 - constraining sinistral shear in Central Ox Mountains 348–349
 - intrusion age of Ox Mountains granodiorite 349
 - pre-existing age constraints on foliation-slip fabric 346
 - Rb–Sr geochronology **349**
 - sampling 346
- regional geology 338
- dauphine twinning and misorientation 39, 54, 58–59
 - microstructural evolution 54–55
 - microstructural stability 56–57
 - misorientation angle distributions 57–58
 - study details
 - crystallographic misorientation analysis 43–44, 44
 - grain boundary (mis)orientation analysis 44–45
 - relationship between crystal slip and boundary orientation 45
 - relationships between quartz crystal slip systems **46**
 - relationships between specific quartz crystal slip systems **45**
 - summary of Loch Torridon shear zone data **43**
 - study results and interpretations
 - boundary formation 52–54, 53
 - dauphine twinning and twin boundaries 54
 - microstructure and LPO 47
 - misorientation analysis 47–52
 - petrofabric and misorientation analysis 51
 - SEM/EBSD analysis of dauphine twin microstructures 48–49
- (sub)grain boundary formation 55–56
- deformation in a complex crustal-scale shear zone 229–230, 246–247
 - Archaean granitic gneiss 230–231, 233
 - Errabiddy Shear Zone 230, 231
 - evolution of Capricorn Orogen 232
 - felsic gneiss and Erong Shear Area 234–237, 237, 238, 239
 - kinematic evolution of Errabiddy Shear Zone 244
 - palaeoproterozoic metasedimentary rocks – Camel Hills 239
 - deformation in migmatized pelitic schist and gneiss 241–242, 242
 - deformation in psammitic gneiss 239–241, 240, 241
 - structural geometry within Errabiddy Shear Zone 243–244
 - summary 243
 - temporal and tectonic evolution of Errabiddy Shear Zone 244–246, 245
- ductile shearing 161–162, 173–174
 - basement lithology on Sikinos 163–164, 164
 - basement–cover contact on Sikinos 172
 - geology of cover sequence on Sikinos 162–163
 - maps 162, 163
 - high-pressure metamorphic imprint in Cycladic basement 172–173
 - pressure–temperature conditions of metamorphism on Sikinos 170–172, 171
- feldspar porphyroclast populations, kinematics and strain 265–266
 - application to western Idaho shear zone 277–278, 279

- assumptions 279–281
- feldspar shape preferred orientation data **281**
- field conclusions 284
- implications for shear zone studies 284
- location map 278
- model conclusions 283–284
- quantification of field data 281–282
- study results 282–283, 283
- forward model of clast rotation 266–268
 - construction of fabric ellipsoid 269
 - three-dimensional description of clast orientation 268–270
- model results 270
 - fabric ellipsoid versus finite strain ellipsoid 277
 - orientation of fabric ellipsoid to shear sense 276–277, 277
 - populations of oblate clasts 276
 - populations of prolate clasts 272–276, 273, 274, 275
 - rotation of single clasts 270
 - rotations of populations of clasts 271–272
 - single oblate clasts 270–271
 - single prolate clasts 270, 271
- flattening strain 252–253, 253, **253**
- fluid–rock interactions in West Fissure Zone, Chile 141–142
 - comparison with San Andreas Fault, California 157–158
 - description of fault rocks 143–147, 147
 - sampling profiles **146**
 - fluid sources and fluid composition 156–157
 - geochemistry of fault rocks
 - carbon and oxygen isotope relationships in calcite 148–149, **149**, 150
 - fluid inclusions 147–148, 148, 155–156
 - major elements 150–154, **153**, 156, **156**
 - oxygen versus distance relationships in monzodiorite 154–155, 154, 155
 - trace elements 149–150, 150–154, **151**, 152, **153**, 156, **156**
 - geological setting 142–143
 - regional map 144–145
 - regional overview 142
 - stratigraphy 143
 - sampling and analytical methods 143
 - variations in fluid–rock interaction 157
- Geographic Information Systems (GIS) applied to deformation patterns 73–76
 - aeromagnetic dataset 68–70, 69–70
 - combined and integrated dataset
 - combination of all available datasets 72–73, 73
 - combined directional structural data and shaded total magnetic field map 70–72, 71
 - vertical gradient of total magnetic field, foliation trends and metamorphic data combined 72, 73
 - database 65
 - directional structural dataset 66–68, 67
 - fabric type dataset 68
 - lithological dataset 65
 - metamorphic dataset 65–66
 - proposed indentor model 74, 75
 - west Greenland case study 64–65, 64, 66
- geostatistical analysis
 - kriging interpolation 305
 - variogram computation and interpretation 303–305, 304
- grain-size sensitive (GSS) flow 32, 33, 34, 34
- granulites, instability and deformation localization in the lower crust 25–26, 35–36
 - Clarke Head megabreccia 26–27, 26
 - deformation microstructures
 - cherty ultramylonite 30, 31
 - host mylonite 27, 28
 - ultramylonite 27–29, 29, 30
 - experimental procedures 27
 - interpretation of microstructures and deformation
 - deformation environment 31–32
 - deformation mechanisms 32–33, 33, 34
 - deformation partitioning and localization 34–35
 - mechanism transitions 33–34
- high-pressure metamorphism 161–162, 173–174
 - basement lithology on Sikinos 163–164, 164
 - basement–cover contact on Sikinos 172
 - geology of cover sequence on Sikinos 162–163
 - maps 162, 163
 - high-pressure metamorphic imprint in Cycladic basement 172–173
 - pressure–temperature conditions of metamorphism on Sikinos 170–172, 171
- hydrous fluid channelling 161–162, 173–174
 - basement lithology on Sikinos 163–164, 164
 - basement–cover contact on Sikinos 172
 - geology of cover sequence on Sikinos 162–163
 - maps 162, 163
 - high-pressure metamorphic imprint in Cycladic basement 172–173
 - pressure–temperature conditions of metamorphism on Sikinos 170–172, 171
- indentor tectonics 73–76
 - aeromagnetic dataset 68–70, 69–70
 - case study in west Greenland 64–65, 64, 66
 - combined and integrated dataset
 - combination of all available datasets 72–73, 73
 - combined directional structural data and shaded total magnetic field map 70–72, 71
 - vertical gradient of total magnetic field, foliation trends and metamorphic data combined 72, 73
 - directional structural dataset 66–68, 67
 - fabric type dataset 68
 - lithological dataset 65
 - metamorphic dataset 65–66
 - proposed indentor model 74, 75
- kriging interpolation 305
- lattice preferred orientation (LPO) 39, 54, 58–59
 - dauphine twinning and (sub)grain boundary formation 55–56
 - dauphine twinning and microstructural evolution 54–55
 - dauphine twinning and microstructural stability 56–57
 - misorientation angle distributions 57–58
 - shear zone grain size reduction model 55
 - study details

- crystallographic misorientation analysis 43–44, 44
- grain boundary (mis)orientation analysis 44–45
- relationship between crystal slip and boundary orientation 45
- relationships between quartz crystal slip systems 46
- relationships between specific quartz crystal slip systems 45
- samples 39–41, 40, 42
- SEM/EBSD technique 41–43, 42
- summary of Loch Torridon shear zone data 43
- study results and interpretations
 - boundary formation 52–54, 53
 - dauphine twinning and twin boundaries 54
 - microstructure and LPO 47
 - misorientation analysis 47–52
 - petrofabric and misorientation analysis 51
 - SEM/EBSD analysis of dauphine twin microstructures 48–49
- low angle normal faults (LANFs) 95–97, 105–109
 - active versus exhumed LANFs
 - Altoberrina Fault in Umbria region 97–102, 98
 - Zuccale Fault in Isle of Elba 102–105, 105
 - regional setting of Northern Apennines 97
- lower crust granulites, instability and deformation
 - localization 25–26, 35–36
 - Clarke Head megabreccia 26–27, 26
 - deformation microstructures
 - cherty ultramylonite 30, 31
 - host mylonite 27, 28
 - ultramylonite 27–29, 29, 30
 - experimental procedures 27
 - interpretation of microstructures and deformation
 - deformation environment 31–32
 - deformation mechanisms 32–33, 33, 34
 - deformation partitioning and localization 34–35
 - mechanism transitions 33–34
- microstructure evolution during deformation
 - lower crust granulites 33
 - mylonitic quartz simple shear zone 39
 - study details 39–46
 - study results and interpretation 47–54
- misorientation analysis 39, 54, 58–59
 - crystallographic relationships 43–44
 - crystal slip systems and boundary orientations 45
 - quartz 44, 45, 46
 - dauphine twinning and (sub)grain boundary formation 55–56
 - dauphine twinning and microstructural evolution 54–55
 - dauphine twinning and microstructural stability 56–57
 - grain boundary analysis 44–46
 - microstructure and LPO 47
 - misorientation angle distributions 57–58
 - SEM/EBSD technique 41–43, 42
 - localized dauphine microstructures 48–49
 - shear zone grain size reduction model 55
 - study results 47–50
 - boundary formation 52–54, 53
 - dauphine twinning and twin boundaries 54
 - localized dauphine microstructures 48–49
 - misorientation angle distributions 50
 - misorientation axis/angle pairs 50–52
 - petrofabric and misorientation analysis 51
 - study samples 39–41, 40
- Nabarro–Herring creep 81, 81
- ophiolite-type peridotite massifs 11–12
 - localized deformation 13
- orthorhombic fabrics, development within a simple shear sinistral transpression zone 215–216
- Arronches gneisses, structural analysis
 - conjugate shearing domain (CSD) 219–221, 220
 - grain-size reduction and deformation mechanisms in fabric formation 221
 - intermediate sinistral domain (ISD) 221
 - peralkaline gneisses 216–219
 - sinistral domain (SD) 221
- Arronches Tectonic Unit
 - regional setting 216
 - structure and metamorphism 216
 - study area 217, 218, 219
- conjugate shear band formation 224–226, 225
- dynamic recrystallization and development of fabric and texture 221–224, 224, 225
- relative timing of orthorhombic and monoclinic fabric formation 224
- partially molten rocks (PMR), application of two-phase rheology 79–81, 91
 - experiments 89–90
 - development of instabilities 90–91
 - non-linear effects 90
 - implications for other two-phase systems 87–89
 - importance of shear deformation 89
 - main principles 81–82
 - schematic map of plastic deformation 81
 - stress versus strain diagram 82
 - rheological responses 84–87, 86, 87
 - rheology of two-phase materials 82–84, 83, 84
- pelitic rocks, shear deformation 113, 121–124
 - composition of sheared clays 116, 116
 - smectic/illite transformation 116–117, 117
 - geological framework of Scorcibuoi Fault (SBF) 113–115, 114, 115, 116
 - grain size analysis 118–119, 118
 - shear zone fabric 119, 119
 - fine scale analysis 119–121, 122, 123
 - mesoscale observations 119, 120, 121
- peridotite mylonites 16, 17–19
- plane strain 252–253, 253, 253
- plastic deformation, application of two-phase rheology 79–81, 91
 - experiments 89–90
 - development of instabilities 90–91
 - non-linear effects 90
 - implications for other two-phase systems 87–89
 - importance of shear deformation 89
 - main principles 81–82
 - schematic map of plastic deformation 81
 - stress versus strain diagram 82
 - rheological responses 84–87, 86, 87
 - rheology of two-phase materials 82–84, 83
- plate convergence, shear and fluid flow 127

- comparisons and contrasts between the study sites 135
 - deformation structures with faults 136–137
 - fault thickness 136
 - fault-zone margins 137
 - hydrogeology 137
 - internal geometry of fault zones 137
 - lithological influence of propagation 136
 - summary of features 138
- deformation features
 - Barbados 129–130, 129
 - Costa Rica 130–131, 130
 - Nankai 131, 131
- fluid transport
 - Barbados 131–133, 132, 133, 134
 - Costa Rica 133–134, 135
 - Nankai 134–135, 136
- implications from study sites for other mega-shear zones 137–138
- tectonic settings
 - Barbados 128, 128
 - Costa Rica 128–129, 128
 - Nankai 128, 129
- rheology of two-phase materials 79–81, 91
 - experiments 89–90
 - development of instabilities 90–91
 - non-linear effects 90
 - extrapolating the end-members 83
 - implications for other two-phase systems 87–89
 - importance of shear deformation 89
 - main principles 81–82
 - schematic map of plastic deformation 81
 - stress versus strain diagram 82
 - rheological responses 84–87, 86, 87
 - thermodynamic considerations 83–84, 83, 84
- rigid percolation threshold (RPT) 80
- shear zone folds 177–178, 196–197
 - Caledonian Moine Nappe, Sutherland 179–180, 180, 181
- curvilinear fold patterns and evolution 189
 - fold evolution model 189–194
 - fold inheritance model 194–195, 195, 196
 - hybrid fold model 195–196
- fold types 178
 - sheath folds 178–179
 - synshearing flow folds 179
- Melness folds case study 181–185, 183, 185
 - topological relationships between sheath folds and synshearing folds 186–189, 188, 189, 190–191, 192–193, 194
 - transection relationships between sheath folds and synshearing folds 185–186, 186, 187
- shear zones 1, 8
 - fault controls and shear zone development 4
 - anastomosis around low-strain augen 5
 - grain-scale controls 4
 - lithospheric-scale controls 4
 - network geometry-scale processes 4–5
 - histories 7–8
 - lithosphere deformation and rheology of shear zones 5–6, 5
 - occurrence on different scales 1, 2
 - partitioning processes in shear zones 6–7, 7
 - strength, strain rate histories and fault rocks at depth 1–4
 - deformation regimes and typical fault rocks 3
 - schematic strength profile through crust and upper mantle 4
- strain and deformation history in a syntectonic pluton, Roses granodiorite 307–308, 315–318
- displacement versus width diagram 318
- main lithological units 308
- progressive development of structures in Roses granodiorite 308
 - elongated enclave of quartz diorite 313
 - geological setting 309
 - late brittle fractures 314
 - leucocratic dykes 313
 - magmatic fabric and enclaves 308–313
 - mesoscopic scale structures 311
 - pre-dyke finite strains 312
 - qualitative model and structural history 310
 - shear zones and associated mylonites 313–314
- shear strain analysis 317
- structural map and strain analysis 316
- structure and strain profiles 314
 - deformation postdating dykes 315
 - deformation predating dykes 314–315
- strain removal within Hercynian Shear Belt, methodology and tectonic implications 287, 287, 300
- data processing
 - cleavage trajectory model 292–293, 293
 - domainal distribution of cleavage directions 294–295, 294
 - geostatistical analysis of cleavage directions 291–292, 292
- geological setting 288
 - lithologies 288–289
 - structures 289
- kinematic data
 - cleavage and finite strain ellipsoid 289, 290, 291
 - deformation regime 289–291, 291
 - model validation and regional implications 296
 - at the boundaries 298–299, 298
 - within restored area 296–298, 297
- restoration of eastern Central Brittany 295–296, 296
- strike-slip deformation 250, 251
- tectonites
 - relative softening
 - fine grained 16–17
 - medium-to-coarse grained 16
 - structures and microstructures
 - fine grained 15
 - medium-to-coarse grained 15
- transpression terrane boundaries, geometric and kinematic analysis 201–202, 213
- fault rocks 203
- fault zone deformation mechanisms 211–212
- fault zone kinematics 210–211
- framework of the Minas fault system 202–203
- location of the Minas fault system 202

- strain partitioning and localization 212–213
- structural elements and geometric relationships
 - 204, 206, 207, 208, 209, 210
 - crenulation cleavage 208–209
 - faults 209–210
 - folds 203
 - foliations 203–205
 - lineations 205
 - S–C fabrics 208
 - shear bands 209
 - veins 205–208
- transpressional high-strain zones, strain and vorticity
 - analysis 249–250, 262
- interpretation at study areas
 - Brookneal high-strain zone (BHSZ) 258–259, 259
 - Spotsylvania high-strain zone (SHSZ) 259–260, 259, 260
 - strain compatibility 260–261
 - tectonic significance of Piedmont high-strain zones 261–262
- kinematic deformation models 249
- kinematic vorticity and vorticity analysis 251–253, 252, 253, **253**
- transpression and general shear 250–251, 251
- upper mantle shear zones 11–12, 19–20, 21
 - features 12
 - implications for mantle strength 21
 - possible tectonite and mylonite shear zones 20
 - relative softening mechanisms 16
 - fine grained tectonites 16–17
 - mantle cross-section at Hilti, Oman 17
 - medium-to-coarse grained peridotite tectonites 16
 - olivine deformation mechanism map for Othris, Greece 17
 - peridotite mylonites 17–19
 - P–T* grid 19
 - SEM image of grain boundary alignments for Turon de Técoùère, France 17
 - SEM images of fine grain production 18
- structures and microstructures 12–15
 - fine grained tectonites 15
 - localized deformation **13**
 - medium-to-coarse grained tectonites 15
 - peridotite mylonites 16
 - photomicrographs 14
- variogram computation and interpretation 303–305, 304
- vorticity 251–253, 252