

Index

Page numbers in *italic* refer to figures, in **bold** refer to tables

- Aachen Formation 201–202
- Aalburg Formation 201
- acid-gas
 - dewatering 227
 - injection 2, 11, 137
 - Alberta Basin, Canada 225–234, 226, 227
 - case histories 232–233
 - disposal wells 230
 - choice of location 230
 - environmental issues 230–231, 233
 - formation damage 231
 - phase behaviour 229
 - safety 227, 229, 231–232
 - subsurface issues 230, 231–232
 - surface operations 228–230, 231
 - interaction with subsurface formation 231
 - migration pathways 230
 - properties 227
 - sweetening 228
- Alberta basin
 - acid-gas injection 225–234
 - CO₂ 138, 139, 141, 142
 - CO₂ injection 93, 94
 - CO₂ solubility 90
 - flow rates 132, 134, 135
- Alpine Fold Belt 30
- Anahuac Formation 149, 152, 153
- andesite, Eocene 37
- anhydrite-CO₂ interaction 97, 98
- aquiclude 87, 89, *see also* caprock
- aquifers
 - drinking water 202–203
 - saline
 - CO₂ sequestration 1, 2, 11, 21–26, 134–138
 - Campine Basin 197, **198**
 - reactive transport simulation 109–126
 - screening criteria for CO₂ storage 124–125
 - see also* Saline Aquifer CO₂ Storage project (SACS)
- aquitard 132
- asphaltene precipitation, effect of CO₂ injection 222
- asphyxiation 38
- bacteria, source of CO₂ 62
- Badoit, mineral water 37
- barriers, engineered 235, 236, 242
- basins
 - sedimentary 130
 - characteristics 132–133
 - CO₂ source 129, 131
 - CO₂ storage capacity 131
 - formation 132–133
 - geothermal gradient 138
 - geothermal regime 132–133
- Belgian Coal Measure Group 194
- Belgium, greenhouse gas reduction 193, 207–208
- Black Warrior Basin 207
- bleaching 55
- blow outs, CO₂ 34
- Blue Whale gas field, Vietnam 10
- Blue Whale high CO₂ accumulation 64–65, 66, 67, 78–79, 80
- Bonanza Carboniferous reservoir, CO₂-EOR 219, 220
- borehole completions, reactions with CO₂ 88, 99–102
- Bowen-Gunnedah-Sydney Basin system, CO₂-mineral reactions 96, 119
- Brae Fault, North Sea 66
- Bravo Dome, New Mexico, high CO₂ reservoir 10, 67, 71–73, **74**, 76, 78, 79, 82–83, 95–96
- brine formations, CO₂ storage 147–162
- brine injection experiments 216–222
- Buckley-Leverett theory 140
- buffering 73, 76, 79, 90, 92
- Bunter sandstone 2, 19, 21, 26, 33
 - reservoir properties 24, 25, 26
- Buntsandstein
 - Campine Basin 194, 201
 - Vorderrhön 33
- calcarenite, Campine Basin 202–203
- calcite precipitation 46, 47–48, 88, 119, 120–122, 125, 211
 - scale formation at CO₂-EOR facilities 223
- calcium silicate hydrate (CSH), interaction with CO₂ 101, 102
- Campine Basin, Northern Belgium 2
 - carbonates 197–200
 - CO₂ sequestration 193–209
 - coal reserves 204, 205, **206**
 - coalbed methane reserves 203–206
 - geology 194, 195, 196, 197, 203
 - karstification 194, 197–200
 - reservoir properties **198**
- capacity 151
 - Frio Formation 154, 156–157
 - Utsira Formation 178
- caprock
 - carbonate cementation 123–124
 - optimal performance 124
 - pore space ('membrane') 230
 - porosity-permeability 123–124
 - reaction with CO₂ 96–99
 - Utsira Formation 12–13, 23, 183
- carbon
 - emission trading schemes 13, 193
 - uptake by terrestrial ecosystems 17–18
- carbon dioxide *see* CO₂
- carbonate mineral dissolution 76, 78–79
- carbonate mineral precipitation 47–48, 76, 87–88, 96, 136–138, 211
 - carbonate rind 120–122, 123, 125
 - ray-crystal crusts 47, 48, 52
 - see also* cementation, carbonate
- carbonate rock, addition of CO₂ 80, **81**
- carbonate veins, isotope analysis 51–52, 53

- carbonates
 Campine Basin 197–200
 decarbonation 54
 injection of CO₂ 1, 95
 modelling 91–94
- Castile Formation brine **243, 244**
- CBM *see* coalbed methane
- cement
 carbonation in borehole completions 88, 99–102
 compatibility with acid-gas 231–232
- cementation
 carbonate, in shales 122–124
 dawsonite 119–120
 dolomite, dissolution 217, 220
- Cenozoic, rift system 29, 30, 31, 39
- CFCs (chlorofluorocarbons) 8
- CH₄ *see* methane
- Chaffin Ranch Geyser 55
- chalk, Campine Basin 201–203
- Chaunoy Formation 72–73, 77
- climate change 1, 7
- CO₂
 acid-gas 225–228, 229
 atmospheric 61, **62**
 levels 17–18
 biogenic 32, **62**
 'bubble' 87, 89, 147
 buoyancy 20, 141, 142
 capture 8–10, 18–19, 59
 chemical fixing 21
 chimney 186
 contribution to global warming 8
 crustal 61, **62, 63**
 density 20, 138–141, 139
 dissolution 3, 21, 65, 87–89, 135, 211
 effect on seismic reflectivity 186–188
 effect on subsurface 61
 emission reduction 1, 107
 flow paths 54–55, 88
 fluid properties 138–141, 139
 gas cap 32
 gas pools 30, 31, 34, 36
 gas vents 31, 38
 geochemical fate 3, 21
 injection 20
 ECBM production 206–207
 effect on host rock
 experiments 94–95
 simulation 91–94
 effect on seismic data 181–190
 effect on water-rock interaction
 field evidence 212–216, 217–220
 simulation 216–217, 220
 EOR projects 212–223
 methods 212, 213
see also Utsira Sand Formation, CO₂ injection
 leakage 37–39, 43–56
 mantle 34, 37
 methane production 2–3
 migration 3, 21
 immiscible 108, 111, 114
 natural
 as analogues 3, 29–40, 43–56, 61–63, **63**
 reservoirs 10, 60
 sources 43, 53–54, 61–63, **62, 65, 71**
 northern Europe, point sources 19
 oil and gas recovery 2, 11, 21, 22
 partial pressure 73
 phase change 20, 32, 88, 138
 reactive transport simulation 109–126
 in rock geochemistry 61, 73, 76–83
 solubility 21, 89, 90
 stripping 2, 109, 11
 supercritical 37, 87, 88–90, 97, 99, 138–139, 147
 tuning effect 185, 187, 188
 viscosity 138, 139, 140
 volcanic 32, **62**
- CO₂-brine injection 216–222
- CO₂-EOR programs 2, 11, 212–223
 Colorado, USA **214, 215**
 experimental data 221
 Hungary 213, **214, 215**
 transport 19
 Wyoming, USA **214, 215–216**
- CO₂-water reactions 87–90
- CO₂-water-rock interaction 3, 4, 21, 94, 96–97, 212–223
- CO2ROCK simulator 91
- coal mines, CO₂ storage 206–207
- coal rank-methane relationship 204
- coal seams
 unmineable
 CO₂ storage 1, 11
 methane extraction 2–3
 Westphalian 203–207
 CO₂ storage potential 206–207
 coal reserves 204, 205
 gas content 204
- coalbed methane (CBM) 203–207, 205, **206**
- Colorado Plateau
 geology 43–44
 natural CO₂ reservoirs 43–56
- Colorado, USA, CO₂-EOR programs **214, 215**
- Compliance Monitoring Programme (CMP) 244
- containment 87–88
 acid-gas 231–232, 233
 caprock-CO₂ reaction 96–99
- core flooding experiments 95, 216–222
- corrosion, acid-gas 227, 228, 231
- 'cracks' 230, 233
- Crooks Gap Carboniferous reservoir, CO₂-EOR 218, 220
- Crystal Geyser 44, 46, 47, 48, 54
 water chemistry 50–51, **51, 52, 53**
- Culebra Dolomite **243, 244**
- Da Nang Basin, offshore Vietnam 64–65
- dawsonite 80, 90, 93, 96, 98
 intra-plume cementation 119–120, 125
- decarbonation 54
- decomposition, organic 62
- degassing
 mantle 53, 62
 natural 43–56
- desulphurization 2, 225
- diagenesis **62, 63, 64–65, 66, 67, 71, 78**
- Dilsen Fault System 194, 195

- disequilibrium 108, 109
 dissolution 65
 CO₂ 3, 21, 87–89, 135, 211
 dolomite 217, 220
 K-feldspar 37, 79, 119–120
 Visean 197
 dolostone, CO₂-water-rock interaction **214**, 216
 Dolphin low CO₂ accumulation 64–65, 66, 67, 78–79, 80
 Donderslag Fault Zone 194, 195, 199
 Drax coal-fired power-station 18

 ECBM *see* enhanced coalbed methane
 ecosystems, uptake of CO₂ 17–18
 emission
 anthropogenic 7–8, 8, 17, 19, 193
 trading schemes 13, 193
 energy
 alternative 5, 13, 17
 renewable 8, 13, 142
 enhanced coalbed methane (ECBM)
 production 193, 206–208
 CO₂ injection 206–208
 enhanced oil recovery (EOR) 2, 11, 21, 22, 212–223
 CO₂ injection methods 212, 213
 transport 19
 Entrada Sandstone 50, 55
 environment, accessible 242
 Europe
 natural CO₂ accumulation 30
 underground CO₂ sequestration 17–27
 evaporites
 Crystal Geyser system 51, 52
 Triassic 37

 faults 153
 CO₂ fluid flow 54–55
 ‘low permeability’, CO₂ leakage 43–56
 feldspar, dissolution 37, 79, 80, 119–120
 fingering, viscous 89, 108, 232
 fixing, chemical 21
 Flanders, CO₂ sequestration 193–209
 flaring, gas 225
 Florina CO₂ field 38
 flow
 fluid 20, 54
 down-dip 134, 141
 in sedimentary basins 132–133, 133, 134
 up-dip 3, 55
 folds 153
 forests, CO₂ sequestration 9
 fractures 230
 Montmiral reservoir 37
 Vorderrhön reservoir 31–34
 France, CO₂ accumulations 36
 Frio Formation 149–150, 152–154
 fuel, fossil
 combustion 1, 17
 in sedimentary basins 129

 gas
 accumulations 31
 acid *see* acid-gas
 CO₂ stripping 2, 11, 109
 flaring 225
 greenhouse 8
 anthropogenic 7–8, 8, 13, 107, 193
 reduction 1, 4–5, 7–9, 13, 59, 193
 natural
 sour-gas 225, 228
 storage 10, 198, 199
 non-condensable (NCG) 39
 recovery, CO₂ enhanced 2
 gas cap 32
 gas fields, CO₂ sequestration 21
 gas pools, CO₂-rich 30, 31, 34, 36
 gas vents (moffettes) 31, 38, 39
 Gassmann modelling 183–184, 186
 GEMBOCHS database/software 108, 109
 Genendijk-Hulst structure 195, 199
 geochemistry
 CO₂ 3, 21
 rock 73, 76–83
 geysers 44, 46, 47, 48, 49–51, 55
 Glauconite Sandstone aquifer, CO₂ injection simulation 93, 94
 Glen Ruby 1-X well 44, 54
 global warming 1, 7–8, 18
 Global Warming Potential (GWP) 8
 Gorgon gas field, Australia, CO₂ stripping 2
 gravimetry 34
 Green River 45
 gas seeps 46
 gross pushdown factor 186–188
 Gulf Coast sandstones 148
 Gulpen Formation 202

 Heibaart dome 198–200
 Helchteren Formation 194, 201
 heterogeneity
 effect on sequestration effectiveness 151
 effect on storage capacity 151
 geological 141, 142, 147–162
 modelling 149–150
 Frio Formation 153–161
 stratigraphic 152
 structural 153
 Utsira Sand Formation 175–176
 HFCs (hydrofluorocarbons) 8
 Hoogstraten fault 194, 195
 Hordaland Formation 167, 168, 171
 Houston, Texas
 CO₂ emissions 148
 geological heterogeneity 148–153
 Houthem Formation 202
 H₂S
 in acid-gas 225–228, 229
 storage 2, 137
 Hungary
 CO₂ gas fields 34, 35
 leakage 37–38
 CO₂-EOR programs 213, **214**, 215
 hydrate, formation in acid-gas 228, 229–230, 232
 hydrocarbon
 migration 3
 as source of CO₂ 53–54
 hydrogen sulphide *see* H₂S

- injection *see* CO₂, injection
injectivity 26
International Panel on Climate Change (IPCC) 1, 7
isotope analysis
 Da Nang Basin CO₂ accumulation 64
 travertine 51–52, 53
- K-feldspar, dissolution 119
karstification
 Campine Basin 194, 197–200
 Mátraderecske 37–38
kerogen, decarboxylation 62, 63
Keuper Formation 194, 201
Kupferschiefer 31
Kyoto Protocol 8, 13, 193, 207
- Latera geothermal field 38–39
leakage 37–39, 43–56, 133
 acid gas 229, 230–232, 233
Leut Fault 194, 195
Little Grand Wash fault, Utah
 CO₂ leakage 43, 44–49
 geology 44, 45, 46
 mineral deposits 47–49
- Maastricht Formation 202
magnesite precipitation 98, 119, 120–122, 123
Magnus oil field, North Sea, low CO₂ reservoir 65, 67,
 68, 69, 70, 71, 79, 80
Massif Central 36, 37
Mátraderecske, CO₂ seepage 37–38
Mercia Mudstone Group 97
methane (CH₄)
 in acid-gas 227–228, 229
 effect on density of CO₂ 140
 Latera geothermal field 39
 production 1
 reduction 8
 Westphalian Coal Measures, Campine Basin 203, 204,
 206
 see also coalbed methane
methanogenesis 62
migration
 acid-gas 230
 CO₂ 3, 12–13, 21
 immiscible 108, 114–116
 in natural accumulations 29, 34, 37–39
 Utsira Sand Formation 12–13, 176–178
Mihályi-Répcelak reservoir 34, 35
Miller oil field, North Sea, high CO₂ reservoir 65–66, 67,
 68, 69, 70, 71, 79, 80
minerals, aquifer, reaction with CO₂ 90–96
mines, coal, CO₂ storage 206–207
Moab fault 54
modelling
 CO₂–mineral interaction 91–94
 Gassmann 183–184
 geochemical 39, 141
 CO₂ addition to geological systems 79–83, 91–94
 impact of heterogeneity on sequestration 149, 153–161
 reactive transport 108–109
 hydrological and compositional data 110–112
 thermodynamic and kinetic data 113–114
 Utsira Sand reservoir 176–179, 183–189
- mofetta *see* gas vents
moffettes *see* gas vents
monitoring
 compliance-related 243–244
 drilling, Delaware Basin 244–245
 environmental 244
 geophysical 23–24
 geotechnical 244, 245
 groundwater 244
 injected CO₂ 4, 11–13, 23–24
 nuclear waste disposal 235–239
 operational phase 240–241
 post-closure 238–239, 241, 243, 245
 pre-closure 243, 244
 pre-operational 240
 rock mechanics 245
 seismic 12, 181–190
 subsidence 245
 WIPP 241–245
Montmiral reservoir 34, 36, 37
Montreal Protocol 8
mud edifices, Utsira Sand Formation 167, 168, 169, 170,
 171, 173, 181
Muschelkalk Formation 194, 201
- Natuna gas field, Indonesia 10
Natural Analogues for the Storage of CO₂ in the
 Geological Environment (NASCENT) project
 29, 31
NCG *see* gas, non-condensable
Neeroeteren Formation 200–201, 207
N₂O (nitrous oxide) 8
Nordland Shale 167, 172
North Sea Basin 19
 oil fields, CO₂ content 65–71, 68
 sequestration reservoirs 21–26
Norway, CO₂ emission 2
nuclear power, as alternative to fossil fuel 8
nuclear waste disposal *see* waste disposal, nuclear
NUFT reactive transport simulator 108–109
- oceans, storage of CO₂ 9–10, 13, 19–20
oil fields, CO₂ sequestration 21–22
oil recovery, CO₂ enhanced *see* enhanced oil recovery
 (EOR)
- Pannonian Basin 30, 34, 35
Paradox Basin, Utah
 geology 43–44
 oil and gas deposits 44, 53, 54
Paradox Salt 54
Paris Basin 72–73, 77, 91
Pembina Cardium Formation, CO₂–water–rock
 interaction 214, 217
performance assessment (PA), nuclear repository sites
 237, 243, 244
permeability
 Montmiral reservoir 37
 sedimentary basins 132
 Utsira Sand Formation 175
Perrier, mineral water 37
petroleum, North Sea reservoirs 65–71
PFCs (perfluorocarbons) 8
pH evolution 116–119

- pipelines 13, 19, 208
 plume, immiscible
 interaction with formation water 116–119
 interaction with shale 123–124
 migration 114–122, 124, 138
 monitoring 23–24
 Poederlee antiform 198–199
 pore-water 20
 porosity
 Frio Formation 150
 monitoring 23–24
 Montmiral reservoir 37
 Rotliegend 31
 secondary 37, 39
 Utsira Sand Formation 23, 174–175
 porosity-permeability evolution 122, 123–124
 power plants
 CO₂ capture 1, 18–19, 211
 CO₂ emissions 1, 18, 147, 148
 precipitation
 calcite 46, 47–48, 88, 119, 120–122, 125, 211
 carbonate 3, 76, 87–88, 211
 carbonate rind 120–122, 123, 125
 dawsonite 90, 98, 119–120
 magnesite 98, 119, 120–122, 123
 pressure
 fluid 73
 reservoir 176
 well head 184
 ‘punctures’ 230–233
 ‘pushdown’ effect 181, 186–188, 189
 radon 38
 reactions
 in cement 99–102
 dissolved CO₂-aquifer minerals 90–96
 dissolved CO₂-caprock 97–99
 in rock, CO₂ addition 73, 76–83, 87–103, 89
 supercritical CO₂-borehole completions 99–102
 supercritical CO₂-caprock 97
 supercritical CO₂-formation water 88–90
 within borehole completion 99–102
 within caprock 96–99
 within host formation 88–96
 reef mounds 198–199
 reflectivity, seismic 186–188
 reforestation 9, 17–18
 regulation 4, 13
 Répcelak *see* Mihályi-Répcelak reservoir
 reservoir simulation 13
 reservoirs
 carbonate 64–65
 degassing 43–54
 fractures 31–34, 37
 geochemical models 39
 geological
 barriers to implementation 11–13
 risk assessment 13
 storage of CO₂ 10–11, 13–14, 20–27, 197, 198
 natural CO₂ 31–40
 oil and gas
 CO₂ 1, 2
 CO₂ sequestration 21, 140–141, 197
 quartzose sandstone 65–66, 69, 71
 red-bed sandstone 71–73
 Utsira Formation 18, 22–24, 165–179
 CO₂ injection 182
 geology 165, 167–168, 171
 heterogeneity 175–176
 model 176–179, 183–186, 184
 net/gross ratio 175
 permeability 175
 porosity 23, 174–175
 pressure and temperature 176
 Rhenish Massif 32
 rind, carbonate 120–122, 123, 125
 Rio Grande rift system 72
 risk assessment, geological storage 13
 Roer Valley Graben 194, 197, 201–202, 207
 Rotliegend CO₂ reservoir 31, 33

 SACS *see* Saline Aquifer CO₂ Storage project
 Salado Formation 241, 243
 Saline Aquifer CO₂ Storage project (SACS) 12–13, 165, 181
 salt
 deformation 44, 54
 structures 24, 25, 153, 154
 Salt Norm 51, 52
 Salt Wash faults, Utah
 CO₂ leakage 43–56
 geology 45, 46
 salting-out 89, 117
 San Juan Basin, USA, coal seam storage of CO₂ 11
 sandstone
 bleached 44, 50, 55
 carbonate cemented, CO₂-water-rock interaction 214, 216
 sandstone, addition of CO₂ 80, 81, 82
 laboratory experiments 94–95
 modelling 91–94
 saturation, immiscible 114–116
 scale
 at CO₂-EOR facilities 223
 Florina CO₂ field 38
 screening criteria, storage sites 124–125, 240
 seals
 borehole completions, reaction with CO₂ 99–102
 caprock 23, 96, 124
 sedimentary basins *see* basins, sedimentary
 segregation, gravity 108, 115
 sequestration 17–27, 108, 157–161, 223
 CO₂ 8–9, 13, 17–27
 deep ocean 1, 9–10, 13, 19–20
 effectiveness 151, 157–161
 impact of folding and faulting 153
 impact of heterogeneity, modelling 153–157
 natural analogues 59–83
 Colorado Plateau 55–56
 options 8–9, 13
 underground 20–27
 chemical reactions 87–102
 environmental issues 26–27
 Westphalian Coal Measures 203–207
 serpentine, reaction with CO₂ 138
 SF₆ (sulphur hexafluoride) 8

- shale
 intra-aquifer 114, 115–117, 118, 122
 carbonate cementation 122–124
 Frio Formation 153–154
 Utsira Sand 12, 24, 111, 172–173
 mineral trapping 123–124
 porosity 98
 siderite 119, 137
 simulation *see* modelling
 sinks, natural 9, 13
 Sleen Formation 201
 Sleipner gas field, North Sea 19, 166
 borehole completion 102
 CO₂ injection project 11, 12, 22–24, 25, 165, 182, 182
 reactive transport simulation 108–126, 110, 111, 112
 seismic monitoring 12, 181–190
 CO₂ injection site 174, 182
 CO₂ migration 4, 178
 CO₂ stripping 2, 11
 see also Utsira Sand Formation
 Sleipner-like settings, site screening criteria 124–125
 soil, CO₂ sequestration 9
 sour-gas
 sulphur recovery 225
 sweetening 228
 Southeast Basin, France 34, 36, 37
 Southern Permian Basin 31
 springs
 CO₂-rich 29, 30, 31, 36, 37, 38
 Little Grand Wash fault, Utah 44, 46–47, 52, 55
 Salt Wash faults, Torrey's Spring 50, 52, 55
 steel, corrosion by CO₂ 99–100
 storage
 barriers to implementation 11–13
 Campine Basin 193–209
 capacity, Utsira Sand Formation 178
 in coal seams 206–207
 effect of geological heterogeneity 4, 141, 142, 147–162
 effectiveness 11, 151
 efficiency 138–141
 geological options 10–11
 barriers to implementation 11–13
 monitoring
 CO₂ 240–241
 nuclear waste 235–239
 operation 87–88, 89
 permanence 9
 regulation 4, 13
 requirements 131
 security 133–138, 141, 142, 143
 in sedimentary basins 129–142
 site monitoring 4, 235–246
 site screening criteria 124–125, 240
 subsurface 1–5, 59
 modelling 61
 see also sequestration
 Stuffken relationship 204
 sulphur recovery 225
 survey, seismic, Utsira Sand Formation 166, 169, 170, 173, 177–178
 sweetening, gas 2, 11, 228
 Tenmile Geysir 49–50, 55
 water chemistry 50–51, 51, 52, 53
 Tenmile Graben *see* Salt Wash faults
 Tensleep Formation, CO₂-water-rock interaction 94, 220, 222
 Texas Gulf Coast, stratigraphy 148–149, 149
 tobermorite, interaction with CO₂ 101
 Torrey's Spring 50
 water chemistry 50–51, 51, 52
 TOUGH2 simulator 149, 153
 Tournaisian carbonates 197–200
 trading schemes *see* carbon, emission trading schemes
 trapping
 geochemical 134–138
 hydrodynamic 3, 21, 88, 89, 108, 114–116, 134, 135
 hydrogeological 133
 hydrostratigraphic 134
 ionic 135–137
 mineral 88, 90–91, 108, 119–124, 135, 136–137
 in saline aquifers 114–124
 solubility 108, 116–119, 135
 stratigraphic 3, 4, 39, 133, 134
 structural 108, 133
 traps
 Bunter Sandstone 24
 closed 133, 134, *see also* reservoirs; trapping, stratigraphic
 open 134, *see also* trapping, hydrodynamic
 travertine deposits 38, 44, 46, 47–48, 49–50, 54
 fluid flow 54–55
 isotope analysis 51, 52
 Tri Ton Horst, offshore Vietnam 64
 Tubb Formation 72, 95–96
 Tumbleweed Geysir 55
 tuning effect 185, 187, 188
 United Kingdom, greenhouse gas reduction 4
 Umbrella Point field 152
 underground research laboratory (URL), monitoring 237, 238
 United Nations Framework Convention on Climate Change (UNFCCC) 7–8
 URL *see* underground research laboratory
 United States
 Enhanced Oil Recovery 2
 fossil fuel combustion 1
 Global Climate Change Initiative 4–5
 Utsira Sand Formation 19
 caprock properties 23, 183
 CO₂ injection 11, 12, 21, 22–24, 109–110, 165, 177, 181–182
 injection site 174, 182, 183, 184
 reactive transport simulation 110–126
 CO₂ migration model 4, 12–13, 176–179, 177
 geology 165, 167–168, 181–182
 mineral precipitation simulation 93
 mud edifices 167, 168, 169, 170, 171, 173, 181
 petrography 171, 172
 petrophysical properties 182–183
 reservoir geology 165–179, 181–182
 reservoir model 176–179, 183–189
 reservoir properties 22–23, 174–176
 sedimentation rates 167, 168
 seismic monitoring 23–24, 181–190

- seismic survey 22, 166, 167, 169, 170, 173, 177–178, 181
- seismic velocity 183–189
- shale 172–173, 183
- storage capacity 178
- Vaals Formation 201–202
- Variscan uplift 194
- velocity
 - pushdown effect 24, 181, 186–188, 189
 - seismic, Utsira Sand Formation 183–189
- Vert le Grand, Paris Basin, low CO₂ reservoir 67, 71–73, 74, 75, 78, 79, 82
- Vichy, mineral water 37
- Vietnam, Blue Whale gas field 10, 64–5
- Viking Graben 65, 66, 69
- Viscan carbonates 197–200, 207
- volcanism
 - role of CO₂ 61
 - Tertiary 29, 30, 31, 37, 39
- Vorderrhön CO₂ deposits 30, 31–34, 33
- WAG *see* water-alternating-gas
- warming, global *see* global warming
- waste disposal
 - nuclear
 - monitoring 235–239
 - performance assessment 237
- Waste Isolation Project Plant (WIPP), New Mexico 235, 237, 241–245
 - monitoring 243–245
- water
 - CO₂-rich 29, 31, 39
 - flow 54–55
 - mineral water industry 37
 - drinking, Campine Basin 202–203
 - formation
 - displacement by injected CO₂ 108
 - reaction with acid-gas 231
 - reaction with CO₂ 73, 77–78, 87–90, 116–119
 - in sedimentary basins 132
 - geyser, chemistry 50–51
 - solubility in acid-gas 227, 228, 229
- water-alternating-gas (WAG) 212
- wavelet determination 184–185
- Weber Formation, 220,
 - CO₂-water-rock interaction 214, 217, 220
- Weber Sandstone, CO₂ injection simulation 95
- Werra potash mine 31, 32
- Werra Rock Salt 31, 32, 34
- Westphalian Coal Measures
 - CO₂ sequestration 203–207
 - geology 203
- Weyburn oil field, Canada
 - EOR/CO₂ storage 2, 11
 - Monitoring Project 12, 13
- Woodside Geyser 55
- Wyoming, USA, CO₂-EOR programs 214, 215–216
- Zechstein Limestone 31, 32, 33
- Zechstein Salt 24, 25, 34