

# Index

Page numbers in *italic* refer to figures, page numbers in **bold** refer to tables

- Abo Formation 319  
Abu Dhabi sabkha 35, 45–46, 71, 305–307  
accretionary prism, fluid flow 42, 51  
advection 11, 14  
Aghmacart Formation 369, 374, 375, 376, 378, 381, 382  
    carbon isotope variation **380–382**, 382, 385  
Al Rayyan Field 193, 194  
    reservoir properties 194–229  
        dolomitization 229–230  
        well data 194–229  
algae, red 238, 239, 240, 241, 246  
anhydrite 21, 31, 45, 103, 128, 129  
    Arab Formation 194, 227, 301, 305  
        Arab A 199, 202, 203, 205  
        Arab C 215, 216, 217, 220, 225  
    gypsum–anhydrite transformation 20, 22  
    Irish Midlands 371  
    nodular 215, 216, 217, 220, 229  
    in sabkha 46, 301  
    west Cumbria 339–341  
aquifers, meteoric 112–113  
Arab Formation 94–95, 301–307  
    Arab A 193–213  
        capillary pressure curves 208–210, 209, 228  
        dolomitization 229–230  
        lithofacies 195–208  
        permeability 195, 203, 205, 208, 210, 211, 212, 226–229  
        porosity 203, 205, 206, 208, 210, 211, 212, 226–229  
        reservoir characteristics 199, 210–213, 229  
        reservoir properties 226–229, **227**  
    Arab C 193–194, 195, 213–226  
        capillary pressure curves 221, 222, 228  
        dolomitization 229–230  
        lithofacies 214–221  
        permeability 216–217, 220–221, 223–229  
        porosity 216, 217, 221, 223–229  
        reservoir characteristics 221–226, 229  
        reservoir properties 226–229, **227**  
    Arab D, dolomitization 143, 145, 148, 229  
Arun Limestone **263**, 273  
Asab Formation 94–95  
Asia, SE  
    carbonates 255–274  
    CO<sub>2</sub> reserves 288–291  
    dolomite 274–288  
    palaeoclimate 283  
bacteria *see* sulphate reduction, bacterial  
Bahama platform 47–48, 50, *see also* Grand Bahama Bank; Little Bahama Bank  
Ballysteen Limestone, dolomite 395, 401–404  
Bata Field **290**, 291  
Batu Putih Limestone **265**, 273  
Batu Raja Formation **264**, 273, 274, 286–287  
Beaumont, Elie de 29, 141, 142  
Berai Limestone **261**, 272  
biostratigraphy, Marion Platforms 237–241  
birds-eye structures 201, 205  
bitumen 25, 26  
Bonaire, reflux dolomite 19, 29, 71, 146, 147, 149  
Bonneterre Formation, Missouri 31, 32, 33, 101, 158–159, 164–166, 168–169  
brecciation 166, 168–170  
bridges, cement 185–186  
brine  
    migration  
        hypersaline 385–386, 387  
        regional 93  
    reflux 116–119, 124, 125, 229  
    salinity 108–109  
bryozoans 239, 241  
burial *see* diagenesis, burial; dolomitization, burial  
Cablac Formation **268**, 273  
calcite  
    cementation 142, 241, 244, 246  
    dissolution 13, 29, 30, 31, 43, 125–126, 246  
    mineralization, west Cumbria 339, 341  
    *see also* VHMC  
calcium, seawater concentration 87  
calcium sulphate emplacement 20, 21, 31, 45  
    in sabkha 46  
Canada  
    hydrocarbon industry 9, 101  
    western  
        Pekisko dolomudstone reservoirs 349–364  
        stratigraphy 350  
Cantabria, Spain, high temperature dolomitization 27, 28  
capillary pressure curves 163–164, 165, 208–210, 209, 221, 224  
Capitan Reef 45, 46, 312, 386  
carbon  
    isotope ratios 33, 76, 81–83, 87, 88, 289–290, 354–355, 377–382, 385  
    in organogenic dolomite 67–68  
carbonate  
    Carboniferous 27, 28  
    Lower  
        Irish Midlands 367–388  
        Pekisko Formation 349–364  
    Dinantian 325–347  
    Neogene 255, 256, **263–270**, 273, 281–288  
    Palaeogene 256, **260–262**, 272, 279–281  
    pore size classification 16  
    Pre-Tertiary 256, **257–259**, 271, 274–279  
    Upper Jurassic  
        Arab A 193–213  
        Arab C 193–194, 213–226  
    *see also* platforms, carbonate

- cathodoluminescence 93, 164–166, *167*, 179, *243*, 244, 246, 395
- caves 43, 44
- cementation
- calcite 241, 244, 396–398, 401
  - dolomite 10, 14, 19
    - epigenetic 164–166, *167*, 169
    - in fractures 182, 184–186, 188
- Chaiburi Formation **257**, *271*, 276
- Chaung Magyi **259**, *271*
- Cibulukan Formation **264**
- Clear Fork Formation 188, 319
  - fractures *187*
- Clonmelsh Quarry, dolomitized Ballysteen Limestone 401–403, *402*
- Cloud Hill Dolostone Formation, Leicestershire 326–337, **329**, 331, *332*
- CO<sub>2</sub>, SE Asia 288–291
  - formation 289
- compaction
- burial 49
  - differential 314, 317, *319*
  - fluid flow 104, 109, 119–122
    - Gibson's linear theory 109
- conduction 115
- conductivity, hydraulic 170
- convection
- thermal 42, 48, 49–51, 103, 106–108, 114–116
    - closed 50
    - forced *103*, 107, 115
    - free 50, *103*, 106, 115, 120
    - Kohout 49, 50, 94
    - mixed 50–51, 107
    - open 49, 103
- Cooking Lake platform 27, 36, 49
- Coorong lakes 66–72, *68*, **69**, 304
- coral 238, 241, 282
  - resistance to dolomitization 17, *18*, 19
- Coron Formation **258**, *271*
- crack-seal process 184
- cracks, subcritical crack index 186–188, 189
- Crosspatrick Formation 373, *374*, *381*, 395
- crust, supratidal 39
- crystals
- classification 15
  - size
    - dolomite formation 150, *151*, *152*, 162, 229, 246
    - saddle dolomite 25, 26
  - two dolomite populations 22, 23
- Cumbria, west, Dinantian carbonates, fracture mineralization 327–328, 337–342, 344–346
- Cupido Formation 180–182
- cyanobacteria 66, 71, 194, 201, 227
  - see also* stromatolites
- Damkholer number 128
- Dana, James Dwight, marine alteration theory 47
- Darai Limestone **269**, *273*
- Darcy-Overbeck-Boussinesq equations 108
- Darcy's Law 106, 110
- Daru, limestone **270**, *273*
- Debolt formation 355–356
- dedolomitization 383
- density, fluid flow 102–103, 106–109
- Derbyshire, Dinantian limestone 325–327, 330–337, 342–344, 345–346
- dewatering, shale 92–93
- diagenesis
- burial 37, 38, 48, *152*, 355–356
  - early 160–162, 382
  - fracture mechanics 186, 188
  - Kais Formation 287
  - limestone 370–371, 373
  - Manusela Formation 278
  - Marion platforms 241, 244–246
  - meteoric 146, 149, 282
  - near-surface 39, 44
  - Rajamandala Limestone 280
  - Ratburi Group 277
  - structural 178–188
- dissolution 22, 24, 25
  - bioclast 241, 246
  - calcite 13, 29, 30, 31, 125, 241
  - dolomite 22, 25, 29, 31
  - karst 166, 168–170
- dolograinstone 351
- dolomite
- Arab A 208, 210
  - definition 10–11
  - dissolution 22, 24, 25, 31
  - early diagenetic 11, 382
  - early research 8–9
  - effect of basinal fluids 162–170
  - estimated marine dolomite (EMD) 85
  - formation 10–14
    - chemical conditions 11–14
    - crystal growth 17, 150, 160–164, *160*, 229
    - high-temperature 51–53, 88–91
    - kinetic constraints *12*, 13, 100
    - low-temperature 85–88
    - mass-balance constraints 14
    - matrix replacement 17, *18*, 19
    - simulation 65–66, 68–72
    - thermodynamic constraints 11, *12*
    - VHMC 13
  - geochemistry 33–37
  - hydrothermal alteration 51–52
  - late diagenetic 11
  - Neogene 281–283, 285–288
  - nonplanar *15*, 75–95, *160*, 164
  - Palaeogene 279–881
  - patterned, Arab Formation 302–307
  - pencontemporaneous 10–11, 39, 41–43, 229
  - planar *15*, 75–95, *160*, 163, 373, 385, 387
    - high-temperature formation 88–91
    - low-temperature formation 85–88
  - modelling 91–92
  - porosity-permeability 32
  - pore-filling 142
  - post-depositional 10–11, 47
  - post-sedimentary 11
  - Pre-Tertiary 274–279
  - precipitation 10
    - kinetic inhibition 66, 125
  - primary 10, 11
  - replacement 10, 75–95, 100, 229–230, 373, 375–377
  - saddle 15, 25, 26, 48, 52–53, 53, 282, 371
  - secondary 10

- sedimentary 65–72
- syndepositional 11
- texture 15–27, 160–164, 373, 375, 376, 377
- thermal decomposition 291
- zebra 25
- 'dolomite problem' 9, 66
- dolomitization 10
  - Arab A 199, 229–230
  - Arab C 217, 229–230
  - burial 37, 40, 48–49, 229
  - Central Luconia Platform 283, 284
  - eogenetic 160–162
  - epigenetic 162–164
  - experimental 11, 65, 68–72
  - high temperature 51–53, 88–91
  - induction period 13, 100
  - inhibition 12
    - role of sulphate 13–14, 66–72
  - Irish Midlands 367–388, 394–404
  - Kais Formation 287–288
  - low temperature v. high temperature 16, 27, 29, 84–91
  - Manusela Formation 278, 279
  - Marion platforms 244–246
  - mass balance constraints 14
  - matrix-selective 17–19, 18
  - mechanisms 92–95, 229
  - microbial 41–43, 46
  - modelling
    - geochemical 20
    - reaction path calculations 125–126
    - reactive-transport 126–131
  - models 37–53, 40
    - burial 37, 48
      - compaction 49, 119–122
      - hydrothermal 10, 51–53
      - tectonic (squeegee) 51
      - thermal convection 10, 49–51
      - topography driven 51
    - mathematical 131
    - mixing zone 43–44, 102
      - Dorag 43, 71, 102
    - organogenic 41–43, 46, 66, 67
    - planar replacement dolomite 91–92, 94–95
    - reflux 17, 40, 41, 44–45
    - sabkha 45–46
    - seawater 10, 41, 47–48
  - Permian Basin, United States 311–313
  - Ratburi Group, Thailand 277
  - reflux 17, 22, 40
  - seawater 14, 39, 40, 41, 41, 43–44, 46–48, 311–312, 313, 314
- dolomudstone
  - Pekisko Formation 349–364, 364
    - depositional environment 261–262
    - dolomitization 355–356, 362–363
    - lithology 351
    - petrography 352, 353
    - petrophysics 352, 354
    - stable isotopes 354–355
    - stratigraphy 350, 361–362
- dolostone
  - Bahamas 48, 53–54
  - Carboniferous, Ireland 48
  - Cloud Hill Formation 326–327
  - Cretaceous
    - Cupido Formation 180–182
    - Soreq 48
  - crystal size 150
  - definition 10
  - Devonian, Alberta 48
  - Dinantian carbonates, petrography 332–342
  - formation, conditions 12, 54
  - fractures 177–190
  - Kimmeridgian, Arab Formation 301–307
  - Miocene
    - Marion platforms 244–246
      - porosity and permeability 249–251
  - Ordovician, Knox Group 182, 183
  - Permian Clear Fork Formation 187, 188
  - petrophysical properties 150–151, 163
  - porosity 9, 27, 29–31, 141–154, 147, 164
  - porosity/permeability correlation 31–33, 164
  - as seal for hydrocarbon reservoirs 46
  - secular distribution 53–54
  - two crystal populations 22, 23
  - vuggy 18, 19
- dolowackestone 150, 152, 351
- Dorag model 43, 71, 102
- Dublin Basin 86, 92, 93, 368
- Dunvegan gas field, Canada 35, 37
- Dupuit Assumption 105
- echinoderms 239, 241, 246
- elevation head 51, 101–102, 105–106, 111–114
- Ellenburger reservoirs, Permian Basin, United States 143, 179, 184, 185, 310, 319–321
- Enewetak atoll 27, 111, 116, 117
- evaporation, fluid flow 92, 102, 106
- fabric destruction/preservation 27, 246, 250
- Facet Limestone 259, 271
- Faumai Formation 262, 272
- feedback 129–130
- fluid flow 11, 39, 40, 42, 100
  - analytical models 105–110, 131
  - basinal, effect on dolomite 162–170
  - burial dolomitization 48–49
  - compaction driven 49, 104, 109, 119–122
  - conceptual models 101–105
  - density driven 102–103, 106–109, 114–119
  - direction 34
  - elevation-head driven 51, 101–102, 105–106, 111–114
  - groundwater models 110–123, 131
  - rates 109–110, 122–123, 123
  - saline reflux 108–109
  - tectonically driven (squeegee) 51, 104, 121–122
  - thermal convection 49–51, 106–108, 114–116
  - topography driven 51, 101–102, 105–106, 111–114
- fluid flux 113–116, 124
- fluid interaction pathways, Waulsortian 78–84, 89–91
- fluid mixing 29, 76
- fluid–rock interaction, modelling 75–95
- fluidization, mechanisms 305–306
- foraminifera 238, 239, 241, 246
- fountains, gas-driven 306
- Fourier's Law 110

- fractures  
  dolostone reservoirs 177–190, 345  
  crack-seal process 184  
  emergent threshold 184  
  fill and diagenesis 182, 184–186, 332–346, 334  
  fluid flow modelling 188  
  growth 186  
  intensity 180, 188, 189  
  mechanical rock properties 186–188  
  microstructure 179–180  
  modelling 178  
  morphology 182  
  subcritical crack index 186–188, 189  
free water level (FWL), Arab A 195  
freshwater 43  
  migration 306  
furnace, hydrothermal dolomite 53
- gas *see* CO<sub>2</sub>; hydrocarbons  
geochemistry 33–37, 100  
  modelling 20, 30  
Ghegan Formation **257**, 271  
Ghyben-Herzberg relationship 105  
Glorietta Formation 319  
grainstone 144, 248, 252  
  Arab A 196, 198–199, 201–203, 205, 206, 208, 211–212, 228–229  
  Arab C 213–217, 218, 220–229  
  Marion Platforms 238–241, 248  
  Pekisko Formation 350  
Grand Bahama Bank 143, 147–148  
Grayburg Formation 317–319  
Grosmont Formation, Canada 22, 24, 25, 31, 32, 33, 37  
  dolomitization simulation 118–119, 121  
  porosity/permeability 31  
groundwater  
  contamination 116  
  flow models 110–123, 132  
  reactive transport models 126–131  
  resources, numerical modelling 112–113  
gypsum 31, 45, 103, 117, 306, 307  
  gypsum–anhydrite transformation 20, 22  
  Irish Midlands 371  
  in sabkha 46, 194
- hematite mineralization, west Cumbria 341  
*Halimeda* 238–241, 246, 282  
halite 103, 116, 117  
heat transport 114–5, *see also* conduction; convection, thermal  
Hith Anhydrite Formation 194, 199, 229, 301  
Hope Gap Formation, Jamaica 43  
HTD-furnace *see* furnace, hydrothermal dolomite  
hydrocarbons  
  Al Rayyan Field 193, 213, 225  
  East Nief-1 Well 278, 279  
  Ngimbang Carbonate Formation 281  
  Permian Basin, USA 309, 314–317  
  Rajamandala Limestone 280, 282  
  west Texas oilfields 320–321
- illite mineralization, west Cumbria 342  
Indonesia, dolomites 277–278, 279  
inhibition, kinetic 12–14, 47, 66–67
- Ireland  
  Midlands  
    dolomite 373–377, 394  
    isotope values 377–379, **379–382**, 382, 383, 384  
    isotopic modelling 75–95, 82  
    Regional Dolomite 394–395, 403–404  
  dolomitization 86, 367–388  
  fluid chemistry 383–385  
  limestone diagenesis 370–371, 373  
  mineralization 386–387  
  stratigraphy 368–369, 393–394  
iron sulphide, patterned dolomite 301–305  
islands, carbonate, groundwater resources 105, 112–113  
isotope ratios 33–34  
  CO<sub>2</sub> gas 289–290  
  fluid–rock interaction modelling 76–95  
  Irish Midlands dolomite 377–382, 384
- Kais Limestone **268**, 273, 287–288  
Kaloi Formation **257**, 271  
Karren Limestone **265**  
karst dissolution 166, 168–170  
karstification 101, 238, 239, 277  
  *see also* palaeokarst  
Kasim Utara Field 288, 289  
Khor Odaid, subaqueous gypsum precipitation 306  
Khuff Formation 95  
kinetics, dolomite formation 11–13, 12, 39, 100  
Knox Group, Appalachians, USA 36, 46, 180, 182, 183  
Kozeny equation 250–251  
Kuala Langsa Field 289–291  
Kujung Formation **265**
- lagoons, evaporative 39, 45, 196, 199, 202  
Leicestershire, Dinantian limestone, fracture  
  mineralization 325–327, 330–337, 342–344, 345–346  
Leinster Massif 86, 87, 367, 368, 371, 386–387  
Lenguru Limestone **269**, 273  
Leonardian reservoirs, Permian Basin, United States 319  
Lho Sukon Field **290**, 291  
limestone  
  argillaceous bioclastic (ABL) 86, 87, 94  
  Dinantian 325–346  
  Irish Midlands 370–371, 373, 396–398, 401–404  
  Marion platforms 237, 244–246  
  porosity and permeability 246–248  
  texture 248  
  porosity relative to dolostone 9, 27, 29–31, 141–54  
  precursor, porosity 143–144  
  undolomitized 12  
Little Bahama Bank 246  
Luconia Carbonates **267**, 273, 282–284
- McConnell Thrust, Canadian Rockies 122  
macroporosity, secondary 19  
Madura Formation **265**, 273  
magnesium  
  amount required for dolomitization 123–124  
  in meteoric water 101  
  in seawater 2, 47, 160  
  supply 11, 42, 43, 45, 46, 47, 49, 71

- magnesium pump 71  
 Makale Formation **268**, 273  
 Malacca, Straits, Pre-Tertiary carbonates **263**, 273, 274, 275  
 Malay Basin 291  
 Mang Cau Formation **267**  
 Manusela Formation, Indonesia **258**, 271, 274, 277–278, 279  
   diagenesis 278  
 ‘marine alteration theory’ 47  
 Marion Plateau, Australia 233–252, 234  
   depositional facies 239–241  
   diagenesis 241, 244–246  
   geology 235, 237  
   porosity and permeability 246–251  
   stratigraphy 237–239  
 mass-balance  
   constraints 14  
   techniques 123–125  
 mass-transfer 100  
 matrix, selective replacement 17, 18, 19, 24  
 Maubisse Formation **258**, 271  
 Melinau Limestone **261**, 272  
 mercury injection capillary measurement 31–32  
 methanogenesis 41, 46, 67  
 microbiogeochemistry, simulation 66–72  
 Milldale Limestone Formation 326, 330, 332  
 mineralization  
   Dinantian carbonates  
     Leicestershire and Derbyshire 330–337  
     west Cumbria 337–342  
   hydrothermal 52  
   Irish Midlands 370, 386–387, 393, 394  
   Mississippi Valley type 157–170, 158  
   sulphide 157–170  
     paragenesis 159–160  
 Minilog Formation **258**, 271  
 Mission Canyon Formation 356  
 mixing zones 40, 43–44  
   meteoric–marine 71, 102  
 modelling 10  
   dolomitization 123–131  
     SE Asia 293–295  
   fluid flow 131–133  
     analytical 105–110  
     conceptual 101–105  
     numerical 110–123, 131, 170  
   fluid–rock interaction 75–95  
   fracture systems 178  
     fluid flow 188  
   geochemical 20, 30  
   groundwater 110–123, 132  
 models *see* dolomitization, models  
 Modio Dolomite **259**, 271  
 Mogok Group, Myanmar **259**, 271, 274  
 mole-for-mole replacement *see* replacement, mole-per-mole  
 molluscs 239, 241  
 Moloheim Group **259**, 271  
 moulds 18, 19, 20, 22, 24, 25  
 mudstones, Lower Carboniferous, western Canada 349–350, 351, 362–363  
  
 Natuna L-Alpha Field 288–289  
 neomorphism 160–163, 332, 375, 385  
 Ngimbang Carbonate Formation **260**, 281  
 Nido Limestone **267**, 273, 282  
 Nief Beds, Seram 274, 279  
   East Nief-1 well 278, 279  
 Nirex boreholes 338, 339  
 Nisku Formation, Canada 18, 20, 21, 22, 34, 50  
 North Riley Field 313, 316, 317  
 North Sumatra Basin, CO<sub>2</sub> 289–291, **290**, 292  
  
 Ocean Drilling Program, Marion Plateau 233–252, 234  
 Ogar Formation **269**, 273  
 oil *see* hydrocarbons  
 Onin Formation **269**, 273  
 ‘organic theory’ 41  
 Ostwald ripening 31, 161, 162  
 Ostwald’s step rule 13  
 outcrops, in fractured dolostone characterization 189  
 overdolomitization 19, 30, 130, 142, 147, 148, 153, *see also* cementation, dolomite  
 oxygen, isotope ratios 33, 76, 79–84, 93, 354–355, 377–382, 384–385  
  
 Paciran Formation **265**, 273  
 packstone 238, 239, 248, 252  
 Paglugaban Formation **258**, 271  
 palaeokarst 166, 198, 214, 351  
 Pangyun Formation **259**, 271  
 Parigi Limestone **265**, 273  
 Pekelmeer Lake, Bonaire, reflux 44, 71  
 Pekisko Formation, western Canada  
   dolomitization 355–356, 362–363  
   dolomudstone reservoirs 349–364  
     geometry 356–361  
     Gilby Rundle P Pool 357, 361  
     Medicine River E and B Pools 356–359, 360  
   stratigraphy 361–362  
   Willisdan Green A Pool 357, 359–360  
   lithology 357  
   petrography 352, 353  
   petrophysics 352, 354  
   stable isotopes 354–355  
 permeability 27, 31–33, 115–116, 124, 132, 162, 362  
   measurement 235  
   *see also* Arab A, permeability; Arab C, permeability; ‘poroperm’ generation; porosity-permeability variation  
 Permian Basin, United States 309–322  
   dolomite reservoirs 317–322  
   hydrocarbon production 314–321  
   porosity 313–314, 317–321  
   dolomitization 311–313  
   geology 310–311, **312**, 314  
   petroleum, role in sulphide mineralization 166  
 Peusangan Limestone **263**, 273  
 Peutu Formation, Sumatra 256, **263**, 273, 274, 290–291, 292  
  
 platforms, carbonate 41, 43  
   dolomitization 20, 44–45, 47  
   porosity–permeability variation 233–252  
   geothermal convection 107–108, 110, *III*, 114–116  
   groundwater flow modelling 110, 132  
   saline reflux 108–109

- pore classification 15–16  
 carbonate 16
- pore filling 142, 186, 330–333, 342, 345
- pore space (volume) 142
- pore throats 131, 162–164, 166
- pore water, acidification 29
- pore-size distribution 150
- 'poroperm' generation 30
- porosity 27, 29–31, 101, 130–131, 132  
 definitions 142  
 dolostone 27, 29–31, 144–151, 152  
 eogenetic 162, 169  
 evolution 318  
   Dinantian carbonates 330–346  
     analytical methods 328–330  
 limestone v. dolostone 9, 27, 29–31, 141–154, 278  
 measurement 235  
 mouldic 18, 19, 20, 22, 24, 25  
 precursor limestone 143–144  
 vuggy 19, 141, 208, 333, 344  
 Waulsortian Formation 76  
*see also* Arab A, porosity; Arab C, porosity;  
 Permian Basin, porosity
- porosity–permeability variation  
 Arab A and Arab C 226–229  
 Miocene carbonate platforms 233–252, 250
- precipitation, dolomite 10, 65–66, 68–70, 125
- Presqu'île saddle dolomite aquifer 26, 53
- protodolomite 10, 13, 22, 35, 39, 46
- Prupuh Limestone 273
- pumping  
 evaporative 46, 71, 102, 106  
 ocean current 94  
 tidal 46, 102
- Puragi Formation 262, 272
- Qatar Formation 193–194, 196
- quartzine precipitation 371
- Quinagh, Irish Midlands  
 Ballysteen Limestone 401–403  
 Regional Dolomite 395
- Rajamandala Formation, Java 256, 260, 272, 280, 282
- Rancak Limestone 273
- Ratburi Group 256, 257, 271, 274, 275–277
- diagenesis 277
- Rathdowney Trend 367, 368, 386–388, 394–395
- Rayleigh number 107–108
- reaction path calculation 125–126
- reactive-transport models 126–131
- recrystallization 13, 22, 35–37, 41, 100, 246
- neomorphic 159, 160–162, 169
- Red River Formation 363
- reflux  
 evaporative 17, 40, 41, 44–45, 71, 103, 229  
 groundwater 116–119, 120, 121  
 latent 117–118  
 seawater 93
- Regional Dolomite  
 Irish Midlands 394, 403–404  
 mineralization 394–395
- replacement  
 mole-per-mole 29, 30, 142, 146, 147, 149–150  
 volume-per-volume 30, 31, 142
- reservoirs, dolomudstone 349–364, 364  
 hydrocarbon  
   Arab Formation 307  
     Arab A 193–194, 210–213  
     Arab C 213–226  
 brine migration 386  
 Central Luconia Platform 282–284  
 Dinantian carbonates 342–346  
 fractures 177–190  
 Kais Formation 287–288  
 Manusela Formation 278  
 Permian Basin, USA 309, 313–321  
 porosity–permeability 150, 251–252  
 SE Asia 281, 295
- rhodoliths 238, 241, 246, 249
- Rimbey-Meadowbrook reef trend 36–37, 49, 121
- rock  
 classification 15  
 mechanical properties 186–188  
 rock alteration index (RAI) 127  
 rudstone, Arab A 196, 199, 206, 207–208, 209, 212  
 Rumbati Formation 269, 273  
 Ruta Formation 268
- sabkha 35, 39, 45–46, 196, 199, 229, 301, 305–307, 327
- St George's Land 87, 88
- Salas Formation 278, 279
- salina 39, 305, 306
- salinity 43  
 density-driven flow 102–103, 108–109  
 reflux 116–119
- salinity window 43
- San Andres Formation 317–319
- sandstone, old red (ORS) 86, 87, 94
- Saraburi Group, Thailand 257, 271, 274, 276
- Sarawak Basin 283
- sedimentary exhalative deposits (SEDEX) 158
- sediments, peritidal 39
- Sellafield, west Cumbria, Dinantian limestone 326,  
 327–328, 337–342
- Setul Formation 259, 271, 274
- shale  
 dewatering 92–93  
 permeability 120
- shales, lower limestone 86, 87, 94
- Shan Dolomite Group 259, 271
- Sibumasa Terrane 275–276
- Soreq Formation, Israel 48
- South Cowden Field 311, 313, 315, 317
- squeegee, tectonically driven fluid flow 51, 104
- Standard Mean Ocean Water (SMOW) 80–85, 383,  
 384
- Ste. Genevieve Formation 362
- stoichiometry 14, 29
- stromatolites 305  
 Arab A 196, 198–199, 201, 202, 208, 211  
 Arab C 214, 220–223  
*see also* cyanobacteria
- strontium, isotope ratios 33–34, 76, 78–90, 94, 379,  
 383, 385
- stylolitization 25, 31, 48
- submixing zone flow 113
- subsurface environments *see* dolomitization, burial  
 sulphate, as kinetic inhibitor 13–14, 66

- sulphate reduction  
   bacterial 14, 41, 46, 66–72  
     Arab Formation 301, 304–305  
     Coorong lakes simulation 68–72  
   thermochemical (TSR) 29, 33, 53
- sulphide deposits  
   Irish Midlands 367–368  
   Mississippi Valley-type 25, 26, 32, 157–170, 158  
   paragenesis 159–160  
   sedimentary exhalative deposits (SEDEX) 158
- Taballar Limestone **266**, 273, 280  
 Tacipi Formation **267**  
 Talang Akar Formation 280  
 Tampur Formation 256, **260**, 272, 281, 290–291  
 Tanpakura Formation **261**, 272
- temperature  
   critical roughening 16, 17  
   density-driven flow 102–103  
   effect on texture 16  
   elevation-head driven flow 105  
   low v. high 27, 29
- Terumbu Limestone **267**, 273  
 Teunom Limestone **257**, 271
- Texas, west, oil fields 314, 317–321, 320–321
- texture  
   burial environments 48  
     high temperature and hydrothermal 52  
   dolostone 249–251  
   eogenetic 160–162  
   epigenetic 162–164  
   evolution 16–27  
   limestone 248  
   pore classification 15–16  
   rock classification 15, 160  
   two dolomite populations 22, 23
- Thailand, Permian carbonates 275–277
- thermodynamics, dolomite formation 11, 12, 14, 38
- Thong Formation **267**
- Ticknall Limestone Formation, 326, 327, **329**,  
   331–333
- tides  
   forcing 102, 106  
   pumping 102
- Tigapapan Limestone **266**, 273, 285–286  
 Tomori Formation **268**, 273  
 Tonasa Formation 256, **261**, 272
- topography, fluid flow 51, 101–102, 105–106  
 trace elements 34
- traps, structural 314, 317–320  
 TSR *see* sulphate reduction, thermochemical  
 Tuyl, F. M. van 8–9, 11, 27, 37, 47, 48
- United Arab Emirates, freshwater migration 306
- Vanda Limestone **266**, 273  
 VHMC (very-high-Mg calcite) 13, 35, 100  
 volume, bulk 142, 148  
 volume-for-volume replacement *see* replacement,  
   volume-per-volume  
 vugs 18, 19, 142, 152, 201, 248, 249, 251, 252, 402–404,  
   402
- wackestone 144, 150, 152, 239, 248, 252  
 conversion to dolowackestone 150, 152
- Waripi Formation **262**, 272
- water  
   fresh *see* freshwater  
   meteoric 87–88, 92, 101–102, 111–114, 317,  
     355–356, 385  
   sea 2, 20, 35, 39, 40, 41, 41, 43–44, 46–48, 71  
   calcium sulphate 20, 21, 22  
   Devonian 85  
   evaporated 39, 47  
   Pekisko Formation 355–356  
   Permian Basin dolomites 311–312, 313, 314  
   isotope ratio 78–82  
   Lower Carboniferous 78–87, 92, 362–363,  
     382–383, 384–385  
   reflux 93  
   surface elevation 102, 106, 113  
   volume required for dolomitization 14, 92, 124  
   *see also* groundwater
- water saturation 150  
   Arab A 195, 226–229  
   Arab C 224, 226–229
- water-rock ratio 14
- Waulsortian Formation, replacement dolomite 75–95,  
   367, 373, 374, 396–398, 401
- wells, horizontal 193, 210, 225
- Yalam Limestone **270**, 273  
 Yawee Limestone **269**, 273  
 Yinggehai Basin, limestone 273, 288
- Zaag Limestone **262**, 272  
 zinc-lead deposits 75, 166, 168, 367–368, 370,  
   386–387, 393, 394