

Index

Page numbers in *italic* denote figures. Page numbers in **bold** denote tables

- aggradational–progradational complex (APC) 9, 12, 16, 19
- Ainsa Basin 52, 53–56, 53
- age dating 55
- mass transport systems 56–71, **57**, 67, 69
- type I 57, 58, 59, 61–62, 66
- type II 59–61, 60, 61, 62–63, 66
- type III 61, 62, 63
- palaeoclimate 56
- palaeocurrents 54, 56
- stratigraphy 54
- submarine fans 55, 56, 65–71
- tectonism 54–55, 68
- control on sediment supply 69–71
- water depth 55
- Alborán Sea 142
- geodynamics 142–143
- Algarve Shelf, shelf margin wedges 15
- Almería Canyon 141, 143
- textural analysis 146–147, 148, 149, 150–152
- TOBI sonar imagery 146–150
- Almería Margin 142
- Anardax Canyon *see* Almería Canyon
- Anomalinoidea* 55
- Arenicolites* 31, 32
- Arro sandbody 54, 68
- Asterasoma* 31
- Atlantic continental slope, canyon erosion 133, 134
- avulsion, channel 189, 191
- Aydinlar Road Channel Complex 156, 158, 161, 171–177, 178
- Banaston system 59, 65, 68
- Baronnies carbonate lobe 208–217
- Barranco del Estañuelo 58, 59
- Barremian–Aptian, Baronnies calcareous turbidite lobe 208–217
- basin
- forearc, Nankai Trough 115, 124
- piggyback 69, 115, 125
- bedding, inclined 80, 84
- bioturbation 31, 98, 165, 167, 208
- Boltaña anticline 54,
- mass transport complexes 57, 59, 61, 68, 69
- borehole image analysis, Mt Messenger Formation 76–78
- Bouma sequences 31, 208
- breccia
- Ainsa Basin 63
- calcareous
- Baronnies lobe 207, 208–210, 215–217
- genesis 210, 215–216
- Tithonian 216
- monogenic 208–210, 211
- pseudo-breccia 208, 211, 215, 216
- brecciation 215–217
- build-cut-fill-spill (BCFS) model 105, 106, 107
- bypass, sediment 33, 39, 42, 68, 81–82
- Cádiz, Gulf of
- seismic profiles 9
- shelf-margin wedges 7–8, 8
- fluvial supply 8
- late Quaternary wedge evolution 9
- canyons 3–4, 122
- Almería Margin 141
- quantitative textural analysis 144–146
- erosion
- Atlantic continental slope 131–138
- channel bed erosion model 134–136
- Lower Congo Basin turbidite system 186
- carbonates
- resedimented 208, 209
- slumped 162, 164, 171, 210, 213, 214, 215
- Carboneras Fault 143, 144, 146
- Cenozoic, late, Nankai trench–slope system 113
- Central American Plate 195
- Cerro Cazador, Tres Pasos Formation 30, 34, 43
- Cerro Mirador, Tres Pasos Formation 30, 34, 35, 36, 42, 43, 44, 48, *foldouts* 2 & 3
- Cerro Solitario, distal turbidite sheet sandstone 30, 41, 42
- Cerro Toro Formation 29, 30, 32, 34
- channel bed erosion model 134–136
- channel-fill complexes
- build-cut-fill-spill model 105, 106, 107
- Drooge Kloof 105
- Groot Hangklip 96
- Klein Hangklip 100, 102, 103, 104
- Lower Congo Basin turbidite system 186–192
- Mt Messenger Formation 85, 86, 87
- Tres Pasos Formation
- Cerro Mirador 42, 43, 48
- Sierra de los Baguales 35–36, 37
- vertical stacking 103, 107
- see also* slope channel complex
- Chile 28
- Tres Pasos Formation, 27–49
- Chondrites* 32
- circulation, deep thermohaline 123
- Cocos Plate 195
- confined channel complex *see* slope channel complex
- confinement 66, 68, 69, 104
- Congo Basin, Lower 182
- Costa Rica, seamount subduction 196–204
- Cretaceous, Upper, Tres Pasos Formation, Chile 28, 32
- crevasse-splay 38
- cross-bedding 32
- debrites 63
- Deep Sea Drilling Project 114, 116
- deformation
- soft-sediment 92, 96, 98, 99, 102, 107
- wet-sediment 58
- deltas
- fan 69, 70
- progradational 18

- deposition
 deep-water 52–54, 52, 91
 mass transport complexes 61–65
 sheet turbidite 42–43, 187
 Tres Pasos Formation model 46–48, 49
 turbidity current 31
- dewatering 92, 96, 98–102
- dish structures 92, 96, 98
- Dorotea Formation 29, 30
- downlap 37, 40
- drapes 10, 18
 mudstone 38
- drilling *see* Deep Sea Drilling Project; Ocean Drilling Project
- Drooge Kloof 90, 96, 98–99
 sheet turbidites 97, 102, 105, 107
- El Chingue Bluff, distal turbidite sheet sandstone 30, 41
- Elaziğ Basin
 evolution 159
 geology 156, 157
 mud prone slope channel 156–179
 stratigraphy 158
- entropy 144, 146–147, 148–149, 150–151
- Eocene, Turkey, slope channel complexes 156–179
- Eocene, Middle
 Ainsa Basin mass transport complex 51, 52, 54, 55
 South Pyrenean foreland basin 53–54
- equilibrium profile 188–192, 189, 190
- erosion
 canyons 131–138
 channel bed erosion model 134–136
 channel-fills 42
 river bed 131–134
- evacuation *see* slide evacuation
- failure scarp, listric 36–37, 38
- falling stage systems tract (FSST) 107
- fans, submarine
 Ainsa Basin 55, 56, 57
 evolution 65–71, 70
 Almería Canyon 150–152
 basin floor 69
 Hangklip Fan 91
 intraslope 99, 102
 Lower Congo Basin 182, 186
 Mt Messenger Formation 81–83
see also sandbodies
- fill-spill evolution 39, 41, 42
- Fisher Seamount 196, 200
- flame structures, Hangklip study area 92, 96, 97, 98
- flow
 debris 34, 56, 57, 63, 64, 67, 200, 215
 multiphase granular 57, 63–65, 64
- flow transformation 63
- flute casts 28, 64, 208, 210
- foraminifera, Ainsa Basin 55
- Forcaz Stream 58, 59
- forced regressive wedge systems tract (FRWST) 9, 18–19, 21
- Frontera, Tres Pasos Formation 30, 35–36, 37
- Gir Tepe Channel 169, 170, 178
- Globobulimina* 55
- Gondwanaland, foreland basins 29, 89
- Gordia* 32
- graben, Lower Congo Basin turbidite system 182, 183, 184, 186–187
- grey-level co-occurrence matrices (GLCM) 144, 145, 146
- Groot Hangklip 90, 92, 95, 96
 lithofacies 92, 96
 slope channel complex 95
- Guadiana River 8
 shelf-margin wedges, seismic stratigraphy 9–15
- Guaso system 54, 55, 65
 gully deposits 82
- Hangklip study area, Tanqua depocentre 90, 92–109, 105
 lithofacies 93–94
 palaeogeographic reconstruction 107–108
- Hantkenina alabamensis* 55
- healing phase 18, 20
- highstand systems tracts (HST) 9, 21, 107
- HITS–2001 survey 143–144
- homogeneity 144, 146–147, 148–149, 150–151
- horst, Lower Congo Basin turbidite system 183, 186, 187
- hydrocarbons
 reservoir analogues 27
 Taranaki Basin 75
- interfluvial 102, 105, 107, 134, 135
- Izu-Bonin island arc 114, 121–122, 123, 125
- Jaca Basin 54, 55, 66, 69
- Jaco Scar 196, 197, 199, 200, 200, 201, 203, 204
- Japan
 detrital provenance 121, 122
 Nankai trench–slope system 113, 114, 115
 sediment dispersal 121–125
- jump, hydraulic 190–191
- Karoo Basin
 South Africa 89
 stratigraphy 91
- Kirkgeçit Formation 156, 157, 158, 160
 Aydinlar Road Channel Complex 156, 158, 161, 171–177
 Nohut Channel Complex 161–170
- Klein Hangklip 90, 99–102, 103, 104, 105, 106
 lithofacies 93–94, 100–102
 slope channel complex 100, 103, 104, 106
- knickpoints 133–134, 186
- Kuroshio Current 123, 124, 125
- Laguna Figueroa, Tres Paso Formation 30, 43–44, 45, 46, 47, 48
- lamination
 convoluted 81, 85, 92, 96
 planar 80, 81, 96, 101, 107
see also ripple structures
- landsliding, seamount subduction scars 200–201, 202–203
- levee deposits 38, 47, 63, 67, 82, 83, 184, 187, 189, 191
- load casts 37, 38, 39
- lobe deposits 41, 43, 66, 68, 69
- lowstand 7, 18
- lowstand systems tract (LST) 9, 18–19, 21, 107

- Magallanes Basin 28–29
 Markov analysis 78, 82
 mass transport complexes (MTCs) 56
 Ainsa Basin 56–71, 57, 69
 deposition 61–65
 types 57–61, 67
 Nohut Channel Complex 164
 Tres Pasos Formation 32, 34, 36, 37, 39, 41–43,
 foldouts 1, 2 & 3
 Mediano anticline 52, 54, 55, 68, 69
 Mediterranean Outflow Water (MOW), Gulf of Cadiz 7, 8
 megafaults 98, 99, 105
 microfaults 59
 Middle America Trench 195, 196
 minerals, clay
 Nankai Trough 118–121
 provenance 121
 Miocene, Upper
 Mt Messenger Formation 75–87, 76, 77
 turbidite system, Congo Basin 182
 Morillo fan system 59, 60, 61, 65
 Mt Messenger Formation 75–87, 76
 mudstone
 intraclasts 32, 33
 silty 30–32
 Muroto Transect 115, 116
 Nankai Trough
 accretionary prism 115, 116
 lithostratigraphy 115
 ocean currents 123
 Ocean Drilling Project 113, 114, 115, 116
 clay mineral composition 118–121
 sand composition 116–118
 sediment dispersal
 Miocene–Pliocene 123, 124–125
 Pliocene–Pleistocene 123, 124
 Quaternary 122–123, 123
 trench-slope system 113, 114, 115
 New Zealand, Mt Messenger Formation 75–87
 Nohut Channel Complex 161–170, 171, 177, 178
 Norfolk Canyon, Atlantic Continental Slope 133, 135,
 137–138
Nummulites 162, 164, 167, 169, 170, 171
Nuttallides 55
 Ocean Drilling Project
 Nankai Trough 113, 114, 115, 116
 clay mineral composition 118–121
 sand composition 116–118
 onlap 37, 38, 39, 41
Ophiomorpha 31, 32
 overbank deposits 41, 47, 63, 67, 82, 99, 105, 146
 Pacific ocean, thermohaline circulation 123
 palaeoflow
 Baronnies carbonate lobe 208, 209
 Hangklip study area 92, 96, 98–99, 101, 102, 105,
 107
Palaeophycus 31, 32
 Parrita Scar 196–197, 198, 200, 201
 Peña Montañesa nappe 54
Phycosiphon 32
 Piedras River, shelf-margin wedges 10–14
 pillar structures 92, 96
 pipe structures 92, 98
Planolites 31, 32
 prism, accretionary, Nankai Trough 115, 116
 progradation, upper slope 9, 15, 18–19, 21–23
 provenance
 clay 121
 detrital 121, 122
 tectonic 118
 pseudo-breccia 215–216
 Pukearuhe boreholes 76–78
 Pyrenees
 Ainsa Basin, mass transport systems 51–71
 orogen 54, 65
 South Pyrenean foreland basin 53–54
 Quaternary, late
 Gulf of Cadiz 9
 shelf-margin wedges 7
 Guadiana River 10–15
 regression *see* sea-level change, regression
 Rio Bongo Scar 196, 200, 202
 Rio Zamora Valley 34, 35
 ripple structures 80, 82, 83
 Hangklip study area 92, 96, 97, 98, 99, 101–102,
 107
 indicative of water depth 99
Rosselia 31
 salt intrusion, Lower Congo Basin turbidite system 182,
 186, 188
 sand
 Ainsa Basin 65–68
 Nankai Trough 116–118
 provenance 118
 sandbodies
 Ainsa Basin 53, 54, 55, 57, 63
 evolution 65–71, 70
 see also fans, submarine
 sandstone
 amalgamated
 Hangklip 99–102
 Tres Pasos Formation 32, 39
 basal, Tres Pasos Formation 32–41
 coarse-grained, Tres Pasos Formation 32, 38
 distal turbidite sheet 41
 fine grained
 Hangklip 92, 96, 98, 99, 100, 101
 Tres Pasos Formation 31
 infill, Sierra Contreras 36–39, 40
 Pukearuhe boreholes 77–81
 tabular 42–43, 44
 turbiditic, Tres Pasos Formation 27, 30–34
 scars
 seamount subduction 196–204
 landsliding 200–201, 202–203
 structure 196–197, 200, 201–202
 scour surfaces 35, 36, 37, 38, 42, 80, 85, 87, 92, 96
 draped 35, 36, 37, 38
 Drooge Kloof 97, 98, 105
 sea-level change 7
 Ainsa Basin 51, 69
 lowstand 7, 18

- sea-level change (*cont.*)
 regression
 Gulf of Cadiz 9
 interpretation from shelf-margin wedges 9, 18–19, 20, 22
- seamounts, subduction 125, 195–204
- sediment
 along-slope variation 146–152
 dispersal, Nankai Trough 122–125
 multiphase granular flow 63–65, 64
 redeposition 62–63
 slides 57, 61–62
 subduction 203
 textural measurement 144
 transport processes 57, 61–65
- sedimentation
 deep water 52–56, 99, 207
 shelf-margin 7, 9
 tectonic control 69
 upper slope 7, 16, 17, 18
- seismic profiles, Gulf of Cadiz 9–15
- sheet-turbidite deposition *see* turbidite systems, sheet
- shelf-break migration 12–15, 18, 21, 22
- shelf-margin
 wedges 7, 9–15
 chronostratigraphy 19, 21
 indicative of sea-level fall 18–19
- Shikoku Basin 114, 115, 121, 122, 123, 124
- Sierra Contreras 30, 32, 34, 36–39, 40, 41, *foldout 1*
- Sierra de los Baguales, turbidite channel-fill complexes 35–36, 37
- sinuosity 185, 186, 189–190
- Skolithos* 31, 32
- Skoorsteenberg Formation 91
- slide evacuation 36–39, 40, 41, 42
- slope break deposits 191
- slope channel complex
 Elaziğ Basin 156–179
 types 177–179
 West Africa 155, 187
- slope channels
 Ainsa Basin 69–71
 Groot Hangklip 95, 102
 Klein Hangklip 100, 102, 103, 104
 Mt Messenger Formation 82–83, 85
- slope failure 27, 36–39, 137
 listric 36, 38
- slope gradient, lower Congo Basin turbidite system 186–192
- slope profile 188–192
- slope-basin deposition 69
- slopes
 mass failure 27
 types
 outbuilt 16, 17
 starved-draped 16, 17
 upbuilt-outbuilt
 complex 17, 18
 progradational 16, 17, 18
- slump bodies 210, 213, 215
- smectite 118–121, 125
- sonar imagery, TOBI
 Almería Canyon 143–144, 151–152
 Costa Rica Pacific margin 196, 197, 201
- South Africa, Tanqua depocentre 89
- spill 105, 106, 107
see also fill-spill; build-cut-fill-spill
- splay deposits 187, 190, 191
 overbank 99
- Spongeliomorpha* 32
- subduction
 seamount 195–204
 sediment recycling 203
- subduction zones
 Costa Rica Pacific Margin 195, 196
 Nankai Trough 113–116
- Suruga Trough 122
- systems tracts 9, 107
- Taenidium* 32
- Tanqua depocentre, Karoo Basin 89, 90
 stratigraphy 91
- Taranaki Basin 75, 76
 stratigraphy 77
- Tarcoles Scar 196, 197, 200, 201
- tectonism
 Ainsa Basin 53–55, 65, 68
 Alborán Sea 142
 control of sediment supply 69–71
 Gondwanaland 89
 Nankai Trough 113–116
- Teichichnus* 31
- Tenryu Canyon 122
- TexAn* textural analysis software 146–147, 148, 149, 151, 152
- texture, measurement 144, 146–150
- Thalassinoides* 31, 32
- Tithonian, breccias 207, 216
- TOBI sidescan sonar imagery 143–144
 Almería Canyon 146–150
 Costa Rica Pacific Margin 196, 197, 201
- Tobifera Formation 29
- TOPAS sub-bottom profiler 143, 152
- traction suturing 32
- transgressive systems tracts (TSTs) 9, 18, 21, 107
- Tres Pisos Formation, Chile 27–49, 28
 basal sandstone 32–41
 depositional model 46–48, 49
 lithofacies 30–32, 33
- turbidite systems
 Ainsa Basin 59
 Almería Canyon 143, 146
 calcareous, Baronnies lobe 208
 Lower Congo Basin 182–192
 equilibrium profile 188–192, 189, 190
 Nankai trench-wedge 115, 122
 sheet 41, 42–43, 187
 Hangklip area 96, 97, 99, 102, 105, 107
 Tres Pisos Formation 30–32
 channel-fill complexes 35–36, 37, 38–39, 43–44, 43, 46
- turbidity currents 31–32, 39, 43, 56, 63, 105, 107, 122
 Almería canyon 141
 Baronnies lobe 215
 canyon erosion 134–136, 138
- Turkey, Elaziğ Basin, slope channel complexes 156–179

- Ultima Esperanza 29, 46, 49
- valley incision 21, 23
- veins, calcarenitic 208, 211, 212, 215, 216
- Vocontian Trough 207, 209, 216
- Washington Canyon, Atlantic Continental Slope 133
- water depth
- Ainsa Basin 55
 - Hangklip 99
- Waterfall 90, 98, 99, 102, 105
- wedges
- progradational–aggradational 18–19
 - shelf-margin 7, 9–15
 - systems tracts 9
- Zapata Formation 29
- Zoophycos* 31