

# Index

Page numbers in *italic* refer to figures, page numbers in **bold** refer to tables.

- accretion 1, 6, 76–77
  - APGR 103, 105
  - Delamerian Cambrian forearc 69, 70
  - Famatina Complex 252–253
  - Jurassic, southwestern Gondwana 233–234
  - Mesozoic, episodicity 143–166
  - New England Orogen 61–62
  - Proterozoic–Palaeozoic, South America 307
  - Tabberabberan cycle 51, 54, 74
  - Victoria Land 280, 284, 285, 286–287
- Adavale Basin 53, 57, 58
- Adelaide Fold–Thrust Belt 27
- Adelaide Rift Complex 25, 27, 32, 33, 37, 67, 68
- Albemarle arc 104–105, 104
- Altiplano-Puna, Cenozoic, Central Andes 257, 258, 265–269
- Amazonia block 105, 306, 310, 311, 320, 329, 331, 343
- Ambato, metasedimentary provenance study 397, **398**, 399
- Amundsen Province, Antarctica 205–206
- Anaiwan terrane 52, 59, 62, 64
- Anakie Inlier 26, 29, 30, 31, 38, 44, 47, 59, 60, 62, 67
- Andean Orogen 257, 265–269
- Andes, Central
  - Cenozoic Altiplano-Puna 257, 265–269
  - Palaeozoic Orogen 257–265, 268–269
  - Colombian 332–343
- andesite
  - Delamerian 39, 41, 69
  - New England Orogen 60, 63
- anoxia, Mesozoic 151–152, 159
- Antarctica 10–11, 359, 360–361
  - archaeocyathan limestone 351
  - Gondwana–Pacific margin 113, 114, 115, 117
    - metasediments 117–118
    - Nd–Sr isotope studies **119**, **122–123**, 131
  - Gondwana–Pangaea margin, Triassic–Jurassic deformation 145, 147–148
  - lithospheric magmatism 362–374, **370**
  - lithospheric mantle domains 359–374
  - mafic magmas 359–360, 361
  - Marie Byrd Land, kinematic history 417–436
  - mid-Cretaceous deformation 152–154, 417
  - seismic structure 297, 298, 301
  - source rocks 205–206
  - tectonism 360, 361
  - terranes 10–11, 360–361
  - Victoria Land terranes 275–287, 276, 278
- Antofalla terrane **308**, 316–318, 317, 322
- Appalachian peri-Gondwanan realm (APGR)
  - 97–108, 98
  - reconstruction 97, 106–108
- apparent polar wander path 160, 309, 310, 314, 315
- Ar/Ar ratios
  - Antarctic lithospheric magmatism 362, **363**, **367**
  - Ford Ranges mafic dykes 421–436
  - Proterozoic inliers, Colombian Andes 332, **337**, 339
- arc
  - continental margin 60
    - collision 69, 77
  - island
    - Famatina 245
    - intra-oceanic 38, 39, 43, 51, 54, 60, 65, 46
  - magmatic 230–231, 276, 277, 279, 280, 282, 284, 286
  - Famatina–Eastern Puna 311–312, 321
  - Garzón Complex 341, 342, 343
  - Median Tectonic Zone 183, 184
  - migration, Jurassic, southwestern Gondwana 232–233
  - Neoproterozoic–Cambrian 99, 104–108
  - Puna–Altiplano 258
  - Ross Orogen 276, 283, 284, 286–287
  - see also* terrane, magmatic arc
- archaeocyaths 347, 349, 350–356, 350, 354–355
- Arequipa Massif 316, 322
- Argentina
  - Cenozoic Altiplano-Puna 265–269
  - Famatina complex 241–253, 242
  - Nd–Sr isotope studies **123–124**, 131–132
  - Palaeozoic Orogen 257–265, 268–269
  - Proterozoic–Palaeozoic evolution 305–322
  - Puncoviscana complex 381–410, 382
- Argentine Precordillera *see* Cuyania terrane
- Arthur River Complex 187, 189, 190
- Asia, mid-Cretaceous deformation 155–156
- Aspiring terrane 116, **120**, 126, 129–130
- asthenosphere 359–360, 363
- Auburn arch 58, 60–61
- Australia 9
  - Gondwana margin 113, 114, 115, **119**, **121**, 126
  - mid-Cretaceous deformation 156
  - Tasmanides 25, 67
- Australides 2, 3
- Avalon Zone 97, 98, 98, 103, 105, 107–108
- Avoca Fault 26, 27, 40
- back-arc system
  - Benambran cycle 47, 70–71
  - Las Termas belt 245–250, 252–253
    - geodynamics of closure 250
  - late Devonian, Drummond Basin 58, 59, 60
  - models 75
  - Tabberabberan cycle 51, 52–54
- back-docking, island-arc 252–253
- Bancannia Trough 25, 28, 32, 39
- Barnard Province 31, 38, 44
- basalt
  - Mesozoic LIPs 150–151, 157–158
  - mid-ocean ridge (MORB) 28, 39, 45, 46, 53, 63, 64, 71, 316, 359, 363–364
  - ocean island (OIB) 359, 363–364

- see also* magma, mafic  
basin filling, Triassic 65–66  
basin formation  
  back-arc  
    Benambran cycle 47, 70–71  
    Bowen Basin 205  
    Las Termas belt 245, 247–250  
  forearc, New England Orogen 27, 60, 61, 69  
  foreland  
    Bowen–Gunnedah–Sydney 65, 69  
    Melbourne Trough 53  
    Puncoviscana 408–410  
    Torrens Hinge Zone 43  
  late Devonian 58, 60, 61  
  rift, early Permian 63  
  Tabberabbera cycle 51, 52–53, 73  
basin inversion, Lachlan Orogen 55–56, 58  
Batholith of Central Patagonia 218, 219  
batholiths 54, 56, 74, 155, 158, 183  
  Patagonia 218, 219–221  
Beenleigh Block 58, 61  
Bega terrane 42, 71, 72, 73, 77  
Benambran cycle 41, 45–47, 49, 51, 70–71, 73  
Benambran Orogeny 28, 41, 49  
Bendigo terrane 42, 71, 72, 74  
Bendigo Zone 29, 40, 49  
Bindi Orogeny 28, 56  
biotite 338–340  
blueschist  
  Benambran cycle 47, 69  
  mid-Cretaceous deformation 155, 156  
Bounty Trough 180, 181  
Bowen Basin 26, 29, 30–31, 59, 63, 64, 65–66, 205, *see also* Hunter–Bowen supercycle  
Bowers terrane 276, 277, 278, 279–280, 281, 282, 283–287, 360, 361  
Broken River subprovince 31, 38, 53, 54, 56–57  
Brook Street terrane 115, 116, 117, 120, 126, 128–129, 191–192  
Bucaramanga Gneiss 339–340, 342  
Buller terrane 115, 116, 119, 125, 126, 127, 184, 185, 187, 188, 199  
Cambrian  
  Delamerian convergent phase 38–39, 41, 44  
  Gondwanan palaeogeography 103  
  Piedmont zone, tectonothermal event 102  
  Puncoviscana Complex 381–410, 382, 383  
  Takaka terrane 187  
Campbell Plateau 180, 181  
  Campbell Magnetic Anomaly System 203  
Cape River Metamorphics 38, 44  
Cape York Peninsula Batholith 53, 54  
Caples terrane 115, 116, 117, 120, 126, 127, 129, 131, 193, 195  
carbonate deposition 53  
Caribbean, mid-Cretaceous deformation 154–155  
Carolina Zone 97–99, 103, 104–106, 108  
Cenozoic, Altiplano–Puna of Central Andes 257, 265–269  
Central America  
  Gondwana–Pangaea margin, Triassic–Jurassic deformation 149  
  mid-Cretaceous deformation 154–155  
Central Atlantic Magmatic Province 150, 152  
  Central Gondwana block 310, 311  
  Challenger Plateau 180, 181  
  Charlotte terrane 99, 104, 104  
  Charters Towers Metamorphics 38  
  Chatham Rise 180, 181  
  metasedimentary rocks 118  
  Chile, Nd–Sr isotope studies 122, 123, 132  
  Chilena terrane 316, 322  
  Chon Aike Province 219, 231, 232  
  clasts  
    archaeocyathan limestone 347–356  
    conglomerate 196–197, 199, 201, 204, 205  
  coal measures, Sydney Basin 65  
  Cobb Igneous Complex 188  
  collision 1, 31  
    Benambran cycle 49  
    Delamerian cycle 37, 43–44, 69, 77  
    post-collisional phase 44–45  
    Tabberabberan cycle 54–57  
    Triassic, New England Orogen 66  
    *see also* deformation  
  conglomerates, clast geochronology 196–197, 199, 204, 205  
  Congo–Sao Francisco craton 307, 309, 310  
  Connors arch 60–61  
  conodont identification 46, 51, 286  
  convergence 31  
    Benambran cycle 45–47, 48, 49  
    Delamerian cycle 38–39, 41, 43  
    Hunter–Bowen supercycle 58, 60–62  
    New England Orogen 65–66  
    Tabberabberan cycle 51–54, 73  
Cordillera 2, 3  
Cordillera Oriental, metasedimentary provenance study 397, 398  
Cretaceous, mid  
  Gondwana–Pangaea margin deformation 143, 146–147, 152–159  
  magmatism 157  
Curnamona craton 25, 27, 28, 32, 39, 68  
Cuyania terrane 306, 308, 311, 312–316, 319–320  
  Laurentian origin 313–314, 321–322  
cycles, tectonic, Tasmanides 31–66  
D’Aguilar Blocks 58, 61, 62  
Darran Suite plutons 184, 187, 189, 190, 197, 199  
deformation 31  
  Cambrian, Delamerian cycle 43, 69  
  Carboniferous, New England Orogen 62, 77  
  Cretaceous, palaeo-Pacific Ocean 143, 146–147, 152–159, 160  
  Devonian, Lachlan Orogen 28, 75  
    Benambran 73  
    Kanimblan 57–58  
    Tabberabberan 55–56  
  Triassic, New England Orogen 66, 77  
  Triassic–Jurassic, Gondwana–Pangaea margin 143–152, 144–145, 159–160  
  Victoria Land terranes 281–282, 282, 286  
  *see also* collision  
Delamerian cycle 32–45  
  collisional phase 37, 43–44, 69  
  convergent phase 37, 38–39, 41, 43  
  post-collisional phase 37, 44–45, 69  
  rift phase 32–33, 33, 37–38, 67–69

- Delamerian Orogen 26, 27–28, 34, 35, 43–44, 103, 188  
 Benambran cycle 47, 51  
 Kanimblan cycle 57, 58  
 stratigraphy 34  
 Tabberabberan cycle 51, 53
- deposition  
 glacial, Delamerian cycle 32, 33  
 turbidite, Delamerian cycle 38
- Deseado Monzonite Suite 218, 219
- Devil River Volcanics Group 188
- Diamantina River Lineament 25, 26, 49, 68
- diamictite, glacial, Palaeozoic 348
- Dibulla Gneiss 339, 342
- Dimboola Igneous Complex 37, 39
- Djungati terrane 51, 52, 59
- docking *see* accretion
- Dronning Maud Land, magmatism 368–369, **370**, 373
- Drummond Basin 55, 58, 58, 60, 66
- Dun Mountain-Maitai terrane 115, 116, 117, **120**, 126, 129, 131, 192
- Dundas Trough 43, 44
- Dwyka Tillite, archaeocyathan limestone 351
- dykes  
 Gairdner Dyke Swarm 32, 68  
 Las Termas Belt 245  
 mafic, Antarctica **363**, 366–368, 371  
 Ford Ranges 417–436, 419
- earthquakes, seismic data 295, 301
- Eastern Province, New Zealand 181, 182, 185, 186, 191–195  
 metasediments 114, 115, 116, 117, 181, 182  
 Nd–Sr isotope studies 118, **120–121**, 126, 127–131
- eclogite  
 Charlotte Arc 104, 105  
 Peel–Manning fault system 41
- Electric Granite 184, 199
- Ellsworth Mountains  
 magmatism 366, **370**  
 metasediments 131, 135
- episodicity 143
- erosion, crustal 294
- Eurasia, Gondwana–Pangaea margin,  
 Triassic–Jurassic deformation 149–150
- extension  
 Cretaceous, West Antarctica 417  
 Jurassic–Cretaceous, New Zealand 201–202  
 Permian, New England Orogen 62–65  
 post-compressional, mid-Cretaceous 158–159  
*see also* rifting
- extinction, mass, Mesozoic 152, 159
- Falkland Islands 347, 348, 349  
 archaeocyathan limestone 347–356  
 magmatism 361, 362, 366–367, **370**
- Famatina complex 241–253, 242, 244, 245, 246  
 Famatina–Eastern Puna magmatic arc 306, **308**, 311–312, 321  
 metasedimentary provenance study **398**, 399
- faults  
 extensional 62, 74  
 New England Orogen 62, 66  
 Tabberabberan collision phase 56  
 terrane boundaries 4
- Fiordland, New Zealand 185, 189, 190
- Fitzroy Tillite Formation 348–353
- Fleurieu structural arc 37, 43, 69
- fold–thrust belt  
 Delamerian Orogen 43  
 New England Orogen 30, 62, 66
- folds, orogen-scale *see* orocline formation
- Ford Ranges mafic dykes 417–436, 419
- Fosdick Mountains gneiss dome 420, 424, 427, 430
- fossils  
 Cambrian 41, 104, 105, 108, 279  
 archaeocyaths 347–356  
 Ordovician 281  
 Silurian–Devonian 51
- gabbro, Benambran cycle 47
- Gairdner Dyke Swarm 32, 68
- Gander Zone 98
- garnet 250, 253, 332, 338–339
- Garzón Complex 338–339, 341–343
- Gaussberg, Antarctica, magmatism 369, **370**, 371
- Gawler Craton 25, 43, 69
- geochemistry  
 Mesozoic granites, Patagonia 224–228, **225**  
 Puncoviscana complex 384, **386–396**, 400–407, 409–410
- geochronology  
 Antarctic lithospheric magmatism 362–372  
 conglomerate clasts 196–197, 199, 204  
 Grenvillian inliers 330–332, 333, **334–337**, 338–341, 343  
 Mesozoic granite, Patagonia 222, **223–224**  
 Palaeozoic Central Andes 261–262, 263–264  
 Puncoviscana complex 384  
 south Pacific margin metasedimentary rocks 113–136  
 Victoria Land terranes 279, 281, 284–286
- geomagnetism, Mesozoic 151, 159
- glaciation, Gondwana, Late Carboniferous 352
- gneiss, Proterozoic inliers, Colombian Andes 333, **334–337**, 338–340
- Gondwana  
 APGR 98, 102, 103  
 apparent polar wander path 309–310, 309  
 assembly, Proterozoic 307–322, 361  
 breakup, Mesozoic 231  
 Cambrian 103  
 Jurassic, magmatic arc migration 232–233  
 Large Igneous Province 150, 152  
 Laurentia collision 11, 313–314  
 Pacific margin 114, 179, 180  
 isotopic signatures 113, 118–136  
 Mesozoic terrane accretion 143–166  
 mid-Cretaceous deformation **146–147**, 152–159, 153, 160, 417  
 plate boundary 38, 51, 66, 68, 70, 73, 75, 77  
 back-docking v. terrane accretion 252–253  
 magmatism 217–235  
 Ross Orogen 275  
 tectonic reconstruction 418
- palaeogeographic reconstruction 198, 199–208, 232, 233–234, 349, 352, 362, 418, 436
- Pangaea margin, Triassic–Jurassic, deformation 143–152, **144–145**
- Panthalassan margin 181  
 palaeogeographical reconstruction 199–208

- Proterozoic–Palaeozoic  
 evolution 307–322, 312, 321  
 Puncoviscana Complex 381–410  
 Governor Fault zone 39, 40, 44, 57  
 granite  
 Carboniferous, New England Orogen 60–62  
 Delamerian cycle 39, 43  
 Kanimblan cycle 57, 58  
 Mesozoic, Patagonia 219–222  
 geochemistry 224, 225, 226, 227–228  
 geochronology 222, 223–224  
 isotope data 228–230  
 Permian–Triassic, New England Orogen 65  
 Tabberabberan cycle 51, 53, 54, 56, 73, 74  
 Granite Harbour magmatic arc 282–285  
 granitoids  
 Famatina Complex 245, 246, 248, 249  
 northern Victoria Land terrane 281, 282, 284  
 Palaeozoic Orogen, Central Andes 261  
 granodiorite, Ford Ranges mafic dykes 418–436  
 gravity anomaly 318  
 Greenland Group 115, 187, 199  
 Grenvillian orogen 329, 361  
 inliers  
 Colombian Andes 329, 330, 343  
 Queensland 38  
 Guapoton–Moncagua Gneiss 338–339, 342  
 Gunnedah Basin 26, 30–31, 59, 69, 64, 65, 66, 70  
 Gympie terrane 58, 65, 66
- Haast Schist 195  
 Heathcote Fault zone 39, 40, 44  
 Hikurangi Plateau 180, 181  
 Hodgkinson Formation 53–54  
 Hodgkinson subprovince 31, 49, 53–54, 56  
 Hunter–Bowen Orogeny 66  
 Hunter–Bowen supercycle 52, 55, 58, 60–66, 63  
 Carboniferous convergence 60–62  
 late Devonian convergence 58, 60  
 hydrocarbons, Mesozoic 152, 159
- Iapetus Ocean 103, 314, 319, 321, 330, 343  
 Ida Fault, seismic structure 299, 300  
 inliers, Proterozoic  
 Andes 329–344, 331  
 Queensland 31–38  
*see also* Anakie Inlier  
 island arcs *see* arc, island  
 isotope data  
 conglomerate clasts 197, 199, 201  
 Cuyanian terrane 313  
 Mesozoic granite, Patagonia 228–230  
 Pacific margin metasediments 119–124, 124–136  
 Palaeozoic central Andes 261–262, 263–264
- Japan, mid-Cretaceous deformation 155–156  
 Jojoncito Gneiss 340, 342  
 Jurassic, Early  
 magmatism, Patagonia 219–221, 230–233  
 palaeogeography, Patagonia 233–234  
*see also* Triassic–Jurassic
- K–Ar dating 125  
 Kalahari craton 307, 310, 311, 319  
 Kanimblan cycle 54, 57–58  
 deformation 57–58  
 post-collisional phase 58  
 rifting phase 57  
 Kanimblan Orogeny 28  
 Kanmantoo Fold Belt 27  
 Kanmantoo Trough 25, 27, 28, 32, 37–38, 43, 69  
 Karoo mantle plume 231, 234  
 Koonenberry Belt 32, 33, 39, 41, 43, 45, 51, 53, 57
- Lachlan Fold Belt, metasediments 115, 119, 121, 125, 126, 127  
 Lachlan Orogen 26, 27, 28–29, 30, 38, 39, 40, 69, 75–78  
 Benambran cycle 40, 41  
 deformation 28, 44, 55–56  
 Delamerian cycle 38, 39, 40, 44  
 Devonian 55–56  
 Kanimblan cycle 40, 57–58  
 Lambie facies 55, 57  
 Ordovician, tectonism 29, 49  
 Ordovician terranes 42  
 stratigraphy 34, 35  
 Tabberabberan granites 40, 51, 54, 56, 73, 74  
 Lachlan supercycle 45–47, 49, 51–58, 70–76  
 Lambie facies 55, 57–58  
 lamproite 360, 368, 370–371, 372  
 lamprophyre 360, 364, 366–367, 369  
 large igneous provinces (LIPs) 157–158  
 Las Margaritas Gneiss 338–339, 341  
 Las Termas belt 243  
 back-arc basin 245–250  
 Laurentia 11, 319–320, 321  
 Grenville belt 329–330, 343  
 origin of Cuyania terrane 312–315, 321–322  
 separation 67, 68, 310, 313  
 Laurentia–APGR interaction 98–99, 101, 102, 103, 105–108
- limestone  
 archaeocyathan 349, 350–352  
 Benambran cycle 47  
 lithosphere, break-up  
 continental 164–165  
 oceanic 162–163  
 deep structure 294–302  
 evolution 294  
 magmatism 362–374  
 sub-continental, composition 360  
 Lolworth–Ravenswood Block 31, 38, 47, 53, 54  
 Lord Howe Rise 117, 180, 181
- Macquarie Arc 29, 42, 46, 49, 70, 71, 74  
 magma 7  
 asthenospheric 359–360, 363, 371–372  
 mafic, Antarctica 359–374  
 sub-continental lithospheric 360  
 magmatism  
 Cenozoic Andean 266–269  
 Early Jurassic, Patagonia 217–235, 218  
 hot spot 160–165  
 Late Triassic–Early Jurassic 150–151  
 lithospheric, Antarctica 362–374, 370  
 mid-Cretaceous 152, 153, 157–158  
 Neoproterozoic–Palaeozoic, APGR 104–105  
 Palaeozoic Central Andes 257, 260, 261, 268–269  
 post-Cambrian, New Zealand 188–189  
*see also* superplumes; arc, magmatic

- magnetic anomaly 203, 301  
Maitai terrane 192  
*see also* Dun Mountain–Maitai terrane  
mantle 74, 293, 301–302  
lithospheric, Antarctica 359–374  
Marie Byrd Land  
Ford Ranges mafic dykes 419, 420–436  
geology 417–418, 418, 419, 420  
magmatism 158, 365, **370**, 373  
metasediments 117, **119**, 131  
Martinsville Intrusive Suite 101, 102  
Median Batholith 116, 117, 179, 183, 184  
Median Tectonic Zone (MTZ) 116, 117, 179, 181–184, 187  
Meguma Zone 98, 108  
mélange zone 7, 8, 100  
Melbourne Trough 39, 52–53  
Melbourne Zone 40, 49, 56  
Mesozoic  
anoxia 151–152  
geomagnetism 151  
Gondwana–proto-Pacific plate rift 66  
terrane accretion, Gondwana–Pacific margin 143, **144–145**  
volcano-sedimentary units 190–191  
metamorphism  
APGR 100  
Cenozoic, Andean 266–269  
Palaeozoic, Central Andes 258–261, 260  
Proterozoic inliers, Colombian Andes 329–344  
Puncoviscana complex 381  
schist 195, 282–284, 286  
superimposed, Famatina complex 243–245  
Victoria Land terranes 275–278, 282, 283, 284  
metasediment  
Las Termas belt 250  
northern Victoria Land 277–278, 281  
Pampean Ranges 243  
Pampia 311  
Puncoviscana, provenance studies 381–410  
South Pacific margin 113–136  
Moho discontinuity 294, 295–297  
monzonite  
APGR 102, 103  
Deseado Massif 219  
Subcordilleran belt 221  
Moyston Fault 26, 27, 39, 40, 44  
Mt Wellington Fault zone 39, 69, 70  
Murihiku terrane 115, 116, 117, **120**, 126, 129, 131, 192, 204  
mylonite zones 243, 250, 252, 282, 306, 311, 421, 423  
Narooma terrane 42, 44, 47  
Nd isotope signatures  
Antarctic lithospheric magmatism 362–372  
Gondwana Pacific margin 113, 118–136, 184  
igneous clasts 197, 199  
Mesozoic granites, Patagonia 228–229  
Palaeozoic Central Andes 261, 262, 263  
Proterozoic inliers, Colombian Andes 332, **336**, 338–341  
Nebine ridge 29–30  
Nelson, New Zealand 183, 184, 188–190  
Neoproterozoic–early Palaeozoic  
metasediments, Puncoviscana 381–410  
palaeogeography, APGR 97, 104  
proto-Pacific ocean 38  
rifting 67  
New England Batholith 65  
New England Fold Belt 204–205  
New England Orogen 25, 26, **28**, 30, 58, 69, 78  
Benambran cycle 41, 47, 51, 71  
Carboniferous convergence 60–62  
Carboniferous deformation 62, 77  
Delamerian cycle 38, 41  
Early Permian extension 62–65  
Hunter–Bowen cycle 52  
late Devonian convergence 59, 60  
metasediment Nd–Sr isotope data **121**, 126  
orocline formation 64  
Permian–Triassic convergence 65–66  
stratigraphy 36  
strike-slip model 71, 72, 73, 75  
Tabberabberan cycle 51, 52, 54–55, 73  
Triassic collision 66  
New Zealand 9, 179  
continental crust 181  
East Gondwana margin 113–117  
Nd and Sr isotope studies 118–136, **119–121**  
Gondwana–Pangaea margin, deformation 150  
Gondwana–Panthalassan margin 181  
Median Tectonic Zone 179, 181–184, 187  
mid-Cretaceous deformation 156–157  
palaeogeographic reconstruction 199–208  
southwest Pacific margin 180  
tectonostratigraphy 186, 187–195  
Norfolk ridge 180, 181  
North America  
Late Triassic–early Jurassic deformation 149  
mid-Cretaceous deformation 155  
North Patagonian Massif 218, 219  
North Queensland Orogen 25, 26, **28**, 31, 38, 48, 77, 78  
Benambran cycle 41, 47  
Lambie facies 57  
late Devonian arc 60  
stratigraphy 36  
Tabberabberan cycle 51, 53, 56  
granites 54, 73  
north Victoria Land *see* Victoria Land, Antarctica  
obduction 43  
ophiolite 143, 154, 310  
oceans, Mesozoic 151–152, 159–160  
oil *see* hydrocarbons  
Olepoloko Fault System 26, 27  
ophiolites 7, 38, 160, 161, 162, 192  
Cambrian, New England Orogen 71  
Neoproterozoic, Pampia 310  
Ordovician, Chilenia 316  
Ordovician  
black shale 71  
Lachlan Orogen 42  
tectonism 49  
orocline formation, New England Orogen 59, 64  
orogenesis 1–2  
accretionary 77  
orthogneiss 190  
Otago Schist 150  
Ouachita Embayment 314, 315

- Pacific Ocean *see* palaeo-Pacific Ocean; Gondwana, Pacific margin
- Pahau terrane 115, *116*, **121**, *126*, 130, 131, 194  
conglomerate clasts 196–197
- palaeo-Pacific Ocean *103*  
mid-Cretaceous, deformation 143, 152–160
- palaeo-Tethys Ocean *148*, 149, 159, 160
- palaeogeography, reconstruction  
APGR 97–108  
Patagonia 233–234, 318–319
- Proterozoic–Palaeozoic, South America 265, 305, 319–322
- palaeomagnetism, Proterozoic–Palaeozoic  
APGR 108  
Cuyania terrane 314–315  
Famatina–Eastern Puna magmatic arc 311–312  
Patagonia 319, *320*  
Puna 316–318  
Río de la Plata craton *306*, 307, 308–310, *309*  
South America 305, 307, **308**
- Palaeozoic  
Gondwanan active margin 102–103  
Orogen of Central Andes 257–265, *267*, 268–269  
Ross Orogen 275–286
- Palmer Land event 143, 152
- Palmerville Fault System *24*, 25, 26, 31, 68
- Pampean complex *244*
- Pampean cycle 241, 243–245
- Pampean Orogen 102–103, *103*, 243, 252
- Pampia *306*, 310–311, 319, 320
- Pan-African Orogeny 361, 368, 372
- Pangaea *148*, 159–160  
Gondwana margin, Triassic–Jurassic deformation 143–152, **144–145**, *148*, 159–160
- Panthalassan Ocean *148*, 160
- Panthalassan plate margin 181
- Papua New Guinea, Tasmanides 25
- Patagonia  
evolution 318–319  
palaeomagnetism **308**, 319  
Subcordilleran belt, Mesozoic magmatism 217–235, *218*
- Patagonian Batholith 219, 220, 231
- Peel–Manning Fault System 30, 41, 47, 51, 59, 60, 62, 63, 64, 69, 71
- pellites 383, 384
- Peninsula Orogeny 143, 145
- Peninsular Ranges batholith 155, 158
- peri-Gondwana, Appalachian (APGR) 97–108
- Permian, New England Orogen 62–65
- Permian–Triassic boundary 66
- petrography, Puncoviscana **385**, 399–400, 407
- Piedmont Zone 98, 99, 106  
Cambrian tectonothermal event 102  
central Piedmont shear zone 99, 105
- plate tectonics  
boundary forces 157  
models 75–76  
superplume events 160–164
- plumes 158  
mantle 217, 231, 359, 373  
*see also* superplumes
- plutonism  
APGR 99, 104  
Mesozoic 151, 153, 158, 181, 183, *183*, 190, 217–235  
New Zealand 183–184, 187–188  
Palaeozoic, Antarctica 284  
polar wander path, apparent 160, 309, 310, 314, 315  
post-collision  
Delamerian cycle 44–45, 69  
Kanimblan cycle 58  
Prince Charles Mountains, magmatism 369, **370**, 371  
prism, accretionary 1, 54, 62, 71, 75  
Proterozoic  
inliers  
Colombian Andes 329–344  
Queensland 31  
palaeogeographical reconstruction 305  
palaeomagnetism 305–322  
proto-Pacific plate boundary  
magmatism 38, 217–235  
rollback 70, 73, 76, 77  
tectonic models 75–76  
provenance studies, Puncoviscana 399–410  
Puna plateau 257–269, 258  
metasediments **123–124**  
provenance study 397, **398**  
Puncoviscana complex 258, 381–410, 382  
foreland basin model 408–410  
geochemistry 384, **386–396**, 400–407, 409–410  
geology 383–384  
petrography **385**, 399–400, 407
- Queensland  
New England Orogen 30, 36  
Tasmanides 25, 24, 36  
Thomson Orogen 29  
*see also* North Queensland Orogen
- radiolaria 51
- Rakaia terrane 115, *116*, **121**, *126*, 130, 131, 194  
conglomerate clasts 196, 203–205  
recycling 202–203  
source 205–206
- Rangitata Orogeny 143, 150, 156
- rare earth elements 362, 401, 402–403, *404*, 405, 407–408, 410
- Ravenswood Batholith 54
- Rayner Province, Antarctica, seismic structure 297, 298
- Rb–Sr isochron studies  
Famatina Complex 250, 252  
Gondwana Pacific margin 118, 125  
Palaeozoic Central Andes 261, 262  
reconstruction, palaeogeographical  
APGR 97  
Gondwana *198*, *200*, 307–322  
Gondwana–Laurentia 68  
New Zealand *198*, 199, *200*, 201–208  
Patagonia 233–234  
Proterozoic–Palaeozoic, South America 265, 305–322  
Rodinia 67–68
- residence age, crustal 132–135
- rhyolite magmatism 150, 151, 219, 231
- rifting 31  
APGR 103–104, 105  
Delamerian cycle 32–33, 33, 37–38, 67–69  
Hunter–Bowen cycle 63–64  
Kanimblan cycle 57

- Mesozoic 66  
 Tabberabberan cycle 52, 73–74  
*see also* extension
- Río de la Plata craton 306, 307, **308**, 309–310  
 Robertson Bay terrane 276, 277, 278, 280–287, 360, 361
- Rodinia 67–68, 76, 305, 307, 309, 310, 329, 343  
 rollback, proto-Pacific plate boundary 69, 70, 73, 76, 77, 157
- Ross Orogen 38, 46, 103, 188, 275–277, 276, 284–285, 286–287, 360, 361, 368, 373
- Ross Province, Antarctica 206, 365, 418  
 rotation, late Carboniferous, New England Orogen 62, 64
- Russia, Mid-Cretaceous deformation 155
- sandstone, turbiditic, Benambran cycle 45  
 San Rafael, remagnetization 314  
 Schirmacher Oasis, magmatism 369, **370**, 372
- schist  
 Haast schist 195  
 north Victoria Land terranes 282–284, 286  
 Otago schist 150
- seismic velocity studies  
 earthquake data 295  
 lithospheric characteristics of terranes 294  
 seismic receiver functions 295, 301
- Separation Point Suite 181, 189, 190  
 serpentinite, New England Orogen 62–63  
 Shackleton Range, magmatism 367–368, **370**
- shale, black  
 Benambran cycle 45–46, 49, 71  
 Victoria 115
- shear, TIPA shear zone 243, 250, 251, 252
- Shoalwater terrane 59, 61, 117
- shoshonite 29, 46, 57, 151
- Sierra de Famatina 241, 245, 246  
 volcano-sedimentation 247, 248
- Sierras Pampeanas 245, 312, 384
- Sm–Nd isotope studies 124, 132–133, 332, **336**, 338–340
- Smith River allochthon 97, 98, 99, 100–104, 106  
 accretion to Laurentia 103  
 palaeogeographical model 106, 107  
 rifting from Gondwana 103–104  
 source 102–103
- South America 10  
 Gondwana Pacific margin  
 metasediments 118  
 Nd–Sr isotope studies **122–123**, 131–132  
 Gondwana–Pangaea margin, Triassic–Jurassic deformation 149  
 mid-Cretaceous deformation 154  
 palaeogeographical evolution 319–322  
 palaeomagnetism 305–322
- South Shetland Islands, **122**, 132
- Southern Cross terrane 297, 300
- Southwest terrane 296–297, 298
- Sr isotope signatures  
 Antarctic lithospheric magmatism 362–372  
 Gondwana–Pacific margin 113, 118–136, 184  
 igneous clasts 197, 199  
 Mesozoic granites, Patagonia 228–229  
 Palaeozoic Central Andes 261, 263
- staurolite ages 102, 103
- Stavely Volcanic Complex 39, 44, 45, 69  
 Stawell Zone 26, 27, 28, 39, 40, 44  
 Stewart Island 185, 187, 189, 190, 191  
 strike-slip model 75, 76  
 APGR 105  
 New England Orogen 62, 64, 71, 72, 73  
 sub-continental lithospheric mantle 293, 301–302, 360
- Subcordilleran belt, Patagonia, Mesozoic magmatism 217, 218, 219–221, 220, 230–231
- subduction  
 Cambrian, Delamerian cycle 38, 41, 69  
 Cambrian–Ordovician  
 Benambran cycle 47, 49, 73  
 Famatina Complex 252  
 late Devonian 60  
 Mesozoic 195  
 New England Orogen 61–62  
 North Queensland Orogen 48  
 northern Victoria Land terrane 283–285, 286  
 plate tectonic models 75–76  
 Silurian–Devonian, Tabberabberan cycle 51, 73
- Sunsás belt 329, 343
- superplumes 143, 160, 161, 162–165, 163, 164
- sutures 6  
 Lachlan Orogen 28  
 Ross Orogen 278, 283, 285
- Suwanee terrane 98, 108
- Sydney Basin 26, 30–31, 58, 63, 64, 65–66
- Tabberabbera zone 40
- Tabberabberan cycle 50, 51–57, 73–75  
 collisional phase 54–57  
 convergent phase 51–54  
 granites 51, 54, 56, 73, 74
- Tabberabberan Orogeny 28, 56, 74, 77
- Takaka terrane 115, 116, **119**, 125, 126, 127, 183, 184, 185, 187–188
- Tamworth Trough 51, 60, 61, 62, 64
- Tapley Hill Shale 68
- Tasman Line 24, 25, 68–69
- Tasmania 32  
 Delamerian cycle 44, 69  
 forearc collision 43, 69  
 post-collision 44  
 rifting from Australia 67  
 seismic structure 297, 299  
 Tabberabberan cycle 53, 56
- Tasmanides 9, 23, 24, 26, 76–78  
 boundaries 24, 25  
 rifting 67–69, 76  
 subdivisions 27–31  
 tectonic cycles 31–66, 67  
 tectonic models 75–76
- tectonism  
 Antarctica 360, 361, 418  
 APGR 100, 102, 103, 106  
 Jurassic, Gondwana–Patagonia 233–234  
 New Zealand 181–206, 183, 184
- Ordovician  
 Lachlan Orogen 49  
 North Queensland Orogen 48
- Proterozoic, Colombian Andes 341–344  
 TIPA shear zone 250, 251  
*see also* plate tectonics
- Terra-Australis orogen 2, 3

## terrane

- allochthonous *see* terrane, exotic
- analysis 8–9, 11
- autochthonous 284–285
- collages 8
- definition 2, 4, 277, 293
- exotic 179, 275, 277, 284, 285, 287, 293, 313
  - palaeogeography 100–108
- magmatic arc 7, 99
- northern Victoria Land 275–287, 276, 278
- Ordovician, Lachlan Orogen 42
- processes 6
- rock types 6–8
- sedimentary 7–8
- seismic structure 296–302
- sub-crustal lithospheric mantle 293
- terrane boundaries 4
  - northern Victoria Land 282–284, 285
  - seismic structure 294, 297, 299–300, 301
- Tethys Ocean *see* palaeo-Tethys Ocean
- Texas terrane 59, 62, 64
- Thomson Orogen 25, 26, **28**, 29–30, 78
  - Benambran cycle 47, 51
  - Delamerian cycle 38, 39, 41, 44
  - Kanimblan cycle 57, 58
  - Tabberabberan cycle 53
- thrust systems
  - mid-Cretaceous 155, 156
  - Wilson terrane 282
- Thurston Island, magmatism 158, 365, **370**
- tillite *see* diamictite; Fitzroy Tillite Formation; Dwyka Tillite
- Tinogasta–Pituiñal–Antinaco shear zone *see* TIPA shear zone
- TIPA shear zone 243, 250, 251, 252
- tomography, seismic 294
- Torlesse composite terrane 115, 116, 117, 118, 130, 179, 191, 193–194, 205
- Torrens Hinge Zone 25, 43, 67, 68
- Transantarctic Mountains 131, 206, 276, 284, 351, 352, 360, 361, 373, 418
- Triassic, collision, New England Orogen 66
- Triassic–Jurassic
  - Gondwana–Pangaea margin deformation 143, **144–145**, 148
    - Americas 148–149
    - Antarctica 145, 147–148
    - Eurasia 149–150
    - New Zealand 150
  - magmatism, Patagonia 219
- turbidites 6–7
  - Benambran cycle 45–46, 49, 71
  - Delamerian cycle 38
  - post-collisional 45
  - Robertson Bay terrane 280–281
  - Tabberabberan cycle 53–54, 74
- Tutoko Complex 183, 184, 185, 187, 189–191, 199
- Tyennan Orogen *see* Delamerian Orogen
- U–Pb geochronology 125, 187, 188
  - APGR 102, 103

- Palaeozoic Central Andes 261, 262, 264
- Proterozoic inliers, Colombian Andes 332, 333, **334–335**, 338–340, 342, 343
  - Subcordilleran belt 222, **223–224**, 224, 230
- uplift, crustal 294
- velocity, seismic *see* seismic velocity studies
- Vergel Granulites 338–339, 341
- Vestfjella, Antarctica, magmatism 368–369, **370**
- Victoria, Australia
  - Delamerian Orogen 26, 27, 53, 69
  - Lachlan Orogen 28, 29
  - seismic structure 297, 299
- Victoria Land, Antarctica
  - magmatism 365–366, **370**
  - terranes 275–287, 276, 278
- volcanics, calc-alkaline 7, 39, 45, 61, 69, 184, 190
- volcanism 7
  - APGR 98–99
  - Benambran cycle 71
  - Bowers terrane 279
  - Central Andes 266
  - Delamerian cycle 32–33, 37, 39, 41, 44, 45, 67, 69, 70
  - Early Permian 63, 64, 65
  - Famatina Complex 245, 246, 247–250
  - Kanimblan cycle 57
  - Lachlan Orogen 29
  - New England Orogen 60, 61, 63, 64, 65, 66
  - Tabberabbera cycle 51–54, 55, 73
  - see also* magmatism
- Wagga Basin 70–71
- Waipapa terrane 115, 116, 117, **121**, 126, 130, 131, 194–195
- Wandilla terrane 59, 61, 117
- West African block 310, 311
- West Tamar Fault Zone 26, 27
- Western Province, New Zealand 181, 182, 184, 185, 186, 187–191, 206
  - magmatism 187–190
  - metasediments 113, 114, 115
  - Nd–Sr isotope studies 118, **119–120**, 125, 126, 127
  - Tutoko Complex 183, 184, 185, 189
- Wilson Cycle 1–2, 143
- Wilson ‘terrane’ 277–279, 278, 282, 283–287, 360, 361
- Yarrol Fault System 30, 59, 61
- Yarrol Trough 51, 59, 60, 61
- zircon dating 11, 125
  - Cambrian turbidites 38, 188
  - Las Termas belt 248
  - Ordovician turbidites 46, 187
  - Proterozoic inliers
    - Colombian Andes 332, 333, **334–335**, 338–340, 342, 343
    - Queensland 38
  - Puncoviscana complex 384
  - Rakaia sandstones 204–205, 206
  - Tabberabberan granite 54