

Index

Page numbers in *italic* denote figures, page numbers in **bold** denote tables.

- accretionary complexes *122*, *123*
- Africa
 - mineral deposits 65–68
 - south Atlantic coast 234–236
 - diamond mega-placers 231, 236–241
- Altaid orogenic collage 153
- Amazonia Craton, minerals 59, *61*, **61**, **62**, *64*
- America, drainage networks 228–229, *229*
- Ames impact structure, USA, hydrocarbons **7**, 20
- anatexis 121
- antimony, Archaean cratons *62*, *64*, 65–69
- Appalachians, Eastern Canada, granitoid-related mineralization 146, **147**
- Arbuckle dolomite 20
- arc, magmatic *122*, *123*, *124*, 125, **126**
 - Urals 154, 158–164
- Archaean
 - biological signatures 195–209
 - carbon isotope signatures 195–209
 - cratons 59–69, 220–224
 - greenschist facies 31
 - juvenile crust formation 73
 - plate tectonics 60, 73, 76, *91*
 - sulphur isotope signatures 167–176, 195–209
- Ashanti gold belt 103–116
 - geological model *108–109*, 110–111
 - geology 104, *105*, 106
 - thermal model 111–112
 - thermal properties 106–108
- Athabasca Basin 9–10, 86
- atmosphere
 - evolution 85–86, 167, 171, 174–175
 - mineral distribution 86–88
- Australia, mineral deposits 65–68
- autometasomatism 12
- Avak impact structure, Alaska **7**, 21
- bacteria, sulphate reducing 180, 181, 196, 204–209
- Bajo de la Alumbra copper–gold deposit 248, *250*, 251, 256
- Baltic Sea, iron enriched sediment 189, 191
- Barberton Greenstone belt 108
- barite
 - Archaean 171, 172
 - MVT deposits 88–89
- barium *62*, *64*, 65–69, 145
- basins
 - deep-sea
 - iron enrichment 179–191
 - shelf-basin ratio 188–191
 - drainage 226, 227, 228
 - intra-cratonic 214, 216–217, 223–224
 - sedimentary 34, 88–89
- bauxite, Urals 153
- beaches, diamond-bearing 234–237
- Belingwe Greenstone Belt 202–207
- Beltau-Kurama arc 154, 158, *161*
- Bingham copper–gold deposit 256, *257*, 258
- biosphere, evolution 85–86
- Black Sea, iron enriched sediment 179, 181, 185, 187–189, 190–191
- Boltys impact structure, Ukraine **7**, 22
- Bouma sequence 198, 199, **200**, 202
- breccia, in impact structures 2, 9, 12, 13, 20, 21–22, 35
- buoyancy, SCLM 77, 80, 84, 163, 222
- Bushveld Igneous Complex 35, 50, 84
 - Kaapvaal Craton 60, 65
- Caledonian Orogeny 133, *134*
- Calonda Formation 216, *217*
- Calvin impact structure, USA **7**, 22
- Campeche Bank, Gulf of Mexico 21, 23
- Canada, Appalachians, granitoid-related mineralization 146, **147**
- Canadian Shield
 - drainage basin 229
 - kimberlite *221*, *224*
- Carawine dolomite 171–173
- carbon, polymorphs 5, 12–13
- carbon cycle 208–209
- carbon isotope analysis, Archaean mineralization 195–209
- Carbon Leader reef 37, **38**, 39, 41, 42, 43, *44–45*, 50, 52
- carbonate 88–89, 196, 201, 215
- Cariaco Basin, iron enriched sediment 179, 188, 189, 191
- Carswell impact structure 8–10, 8, 9
 - uranium **7**, 9–10
- Central Asian fold belt 153
- Central Rand Group 31, 32, 33, 34, *34*, 35
 - gold
 - chemistry 39–54
 - mineralization 82–83
 - paragenesis 33, 37, **38–39**, 39, 49–50
- Cheshire Formation, Belingwe Greenstone Belt **200**, 203, 203, 205, 207, 209
- Chicxulub impact structure 2, 4, **7**, 21–22, 23
- chlorite, association with gold 33, 37, **38**, 39, 46–47, 49–50
- chromium, Archaean cratons *62*, *64*, 65–69
- coesite 5, 10
- Congo Craton, mineral deposits *61*, **61**, **62**, 63, *64*, 65
- Congo River drainage basin 226, 227, 228, 230
- copper
 - Archaean cratons *62*, *64*, 65–69
 - porphyry **74**, 78, 79, 90, 247–260
 - Urals 153, 159, 160
 - see also* iron oxide copper–gold deposits
- copper sulphide, Sudbury 14–19, **74**
- crater, impact *see* impact structures, craters
- cratons
 - Archaean
 - geology 222–224, 227

- glaciation 238
- mineral deposits 59–69, *61*, **61**, **62**, 77
 - diamonds 213–214, 220–224, 225
 - fingerprinting 60–70
 - SCLM 77
- Cretaceous–Tertiary (K/T) boundary 21–22
- crust
 - Archaean, mineral deposits 62–65, 68–69
 - continental 76–77
 - as source of gold 121
 - juvenile, formation 73, 76, 77
- deformation, brittle
 - Central Rand Group 48, 49–50, 52–53
 - Sudbury Basin 14–15
- deformation structures, planar 5, *10*, 21
- deposits, mineral
 - contact 19
 - epigenetic 2, **6**, 7, 7, 19–22, 23, 78–81
 - footwall 19
 - Frood-Stobie 19
 - heterogeneous 71–92
 - hydrothermal 2, 6, 8, 198, 200–201
 - offset 19
 - porphyry-style ore 247–250
 - progenetic 2, 6, **6**, 7–12, 7, 23
 - related to environmental change 86–88
 - secular variation 78–85
 - in sedimentary rocks 88–90
 - Sudbury 19
 - syngenetic 2, 6, **6**, 7, 12–19, 23
 - tectonic control 91
 - temporal distribution 71–92, 72, 86
 - unconformity related 86–87
- diagenesis, iron recycling 179, 182–188, 190
- diamond 5, **75**
 - cratons 220–224
 - impact 12–14
 - mega-placers 213–241, **214**, *215*
 - drainage network 224, 226, 227, 228–230
 - Kaapvaal craton 215
 - in karst 214–215
 - Namaqualand 235, 238–240
 - Namibia 233, 236–238
 - primary 84–85, *91*, 213, **214**, 222, 224, 226
 - sulphide inclusions 173
- domains
 - classification 123, *124*, **125**, **126**, *127*
 - gold prospectivity 126–128, **129–130**
- drainage, diamond mega-placers 224, 226, 227, 228–230
- Dwyka sedimentary formation 233, 237–238, 239, 240
- earth, evolution 72, 73, 76–78, 85–86, 171
- East Driefontein mine 41, 42–43, *44–45*, 46, 50
- East European craton 153–155, 159, 160–163
- East Uralian megazone 154, *155*, 156–158, 163
- Eburnian orogeny 104, 106
- electron probe microanalysis 37
- Elsburg reef 39, 40, 41, 50, 52
- enrichment
 - in impact-melt rock 4
 - magmatic-hydrothermal fluid 247
 - reactive iron 179–191, *181*
- Evander goldfield 31, 34, 37, **38**, 39, 41, 42, 43, 50, 52
- evolution
 - atmosphere–hydrosphere–biosphere 85–86
 - earth 72, 73, 76–78, 85–86, 171
 - SCLM 76–77
 - sulphur cycle 167–176
 - tectonic 73
- Farallón Negro Volcanic Complex 250–254, *250*
 - see also* Bajo de la Alumbrera
- fingerprints
 - metallogenetic, Archaean cratons 60–69
 - microbial 195
- fluids
 - gold-carrying 121–122
 - in porphyry deposits 247–260
- fluorite, MVT deposits 88–89
- flux, benthic 182–190
- fractionation, isotopic 168–170, 196
- fractures, planar 5–6
- Frood-Stobie deposit 19
- galena 37, **38**, 89
- gas *see* hydrocarbons
- geochemistry, Kaapvaal Craton 60
- geophysics, impact structures 6
 - Sudbury 18–19
- Ghana, Ashanti gold belt 103–116, *105*
- glass 4, 5
- gold
 - Archaean cratons 59, 62, 64, 65–69
 - Ashanti belt 103–116
 - carrying fluids 121–122
 - chemistry 33, 39–46, 50–54
 - detrital *see* gold, placer/palaeoplacer
 - electron probe microanalysis 37
 - epigenetic 78–81
 - epithermal **74**, 78, 90, *91*
 - giant deposits 119–131, *120*, **129–130**
 - hydrothermal 11, 39
 - intrusion-related **74**, 80, *91*
 - iron oxide copper–gold deposits **74**, 83–84, *91*
 - mineralization
 - Witwatersrand Basin 31–54
 - electron probe analysis 37
 - gold fields 32
 - models 32, 50–54
 - orogenic **74**, 79–80, 103–104, 160–161, *161*
 - paragenesis 33, 37, **38–39**, 39
 - placer model 32–33
 - placer/palaeoplacer **74**, 81–83, *91*
 - porphyry copper **74**, 78, 90, 247, 248, 251
 - remobilization 11, 12, 32–33
 - sources
 - crustal 121
 - mantle 119, 121
 - Urals 153, 160–161, *161*
 - Vredefort impact structure 10–12
 - Gondwana, mineral deposits 60–61, 65
 - Grampian terrane 134, *135*, 138
 - sulphur isotope analysis **137**, 139–141, 142, *143*, *144*
 - granitoid-hosted mineralization 134, *135*, 136, **137**, 138, 140–142, *144*, 145–146

- graphite
 Isua Greenstone belt 198
 polymorphs 5, 12–13
- Great Britain
 Caledonian terranes 133–148
 geology 134, 135, 136, 138
- greenschist facies 31, 35, 80, 112, 114, 121, 122, 138
- greenstone, Archaean
 Ashanti belt 104, 105, 112, 114
 Barberton Greenstone belt 207, 208, 209
 Belingwe Greenstone belt 202–207
 Isua Greenstone belt 87, 196–202, 197
 Kaapvaal Craton 60
- Grenvillian Orogeny 80, 223
- hydrocarbons 20–22
 hydrosphere, evolution 85–86
 hydrothermal activity 9, 12, 19, 32–33
 hydrothermal mineral deposits 2, 6, 8, 10, 11, 39, 87, 247
 hydrothermal/biological signatures 195–209
- Iapetus Suture 133, 134, 136, 144, 145
- impact structures 1–23
 craters, morphology 2–3
 economic resource deposits 1, 6, 7, 22–23
 characteristics 6–22
 geology 3–6
 geophysics 6
 multi-ring 2–3
 shock-metamorphism 3–6
- inclusion
 fluid 248, 250–253
 mafic 16, 17–18
- iron
 banded iron formation 75, 87, 171, 172
 Isua Greenstone Belt 197–202
 benthic flux 182–189
 diagenetic recycling 182–188, 190
 Mn-rich formation 75
 reactive, enrichment 179–191, 181
- Iron Mountain, Isua Greenstone Belt 198, 200, 201
- iron ore
 Ternovka 8
 Urals 153, 159
- iron oxide copper–gold deposits 74, 83–84, 91
- iron sulphide 180, 181
- ironstone, minette-type 75
- isotope analysis 73
 carbon 195–209
 sulphur 195–209
 British Caledonian terranes 133–148, 137
 earth's environmental evolution 167–176
 fractionations 168–170
- Isua Greenstone Belt, Archaean isotopes 171, 172, 196–202, 197
- Jet Rock, iron enriched sediment 189–190, 191
- K/T boundary *see* Cretaceous–Tertiary boundary
- Kaapvaal Craton 34
 drainage network 227, 228, 229–230
 gold 59, 60, 61, 61, 62, 64, 79
 placer diamonds 215, 216, 222, 223, 224, 227, 238
 platinum group elements 59, 60, 61, 61, 62, 64, 65
 Kalahari, manganese deposits 87–88
 Kalahari basin, diamond production 216, 216, 217
 Kalahari Craton
 diamond production 213, 214, 221
 kimberlite 225, 226, 238
- Kara impact structure, impact diamonds 7, 13
- Karoo Basin 223, 225, 230, 234
- Karoo River 238–240
- karst, placer diamonds 214–215
- Kartaly reflection zone 157, 158
- Kazakh–Tien Shan structures 154, 158, 162, 163
- Kimberley reef 37, 38, 39, 41, 42, 43, 45, 52
- kimberlite 84, 213, 214, 215, 216, 217, 219, 220–224, 221, 225
 erosion 225, 226, 230, 238
 sulphide inclusions 173
- Kinross mine 32, 42, 43, 45
- Klerksdorp goldfield 31, 32, 41
- komatiites 76, 78
- Lakesman–Leinster terrane 135, 136
 sulphur isotope analysis 137, 141–142, 143, 144
- lamproite 84, 220, 221
- Laurentia 89, 134, 134
- lead
 Archaean cratons 62, 64, 65–69
 MVT deposits 88–89
 SEDEX deposits 89–90
- Lena River drainage basin 226, 227
- Leo-Man Craton, mineral deposits 61, 61, 62, 64
- Limpopo Craton, mineral deposits 61, 61, 62, 64
- lithosphere
 sub-continental 73, 76–77
see also mantle, sub-continental lithosphere
- lonsdaleite 12–13
- magma, formation of ore metals 247–260
- magma chamber evolution 248, 250–254
- magmatism
 arc, Uralides 154, 158–164
 granitic, uranium deposits 86
- magnetite
 banded iron formations 87
 'skarn' deposits, Urals 160, 161
- Magnitogorsk zone, Urals 154, 155–156, 158
 mineralization 159–160, 163
- manganese deposits 75, 87–88
- Manicouagan impact structure 1, 4, 4
- Manjeri Formation, Belingwe Greenstone Belt 200, 202–205, 203, 206–207, 208
- mantle
 heat flow, Ashanti gold belt 103–104, 112, 113, 114–116
 as source of gold 119, 121, 247
 sub-continental lithospheric 74, 90, 91
 buoyancy 77, 80, 83, 84, 222
 evolution 76–77
 upwelling 73, 76
see also plumes, mantle; superplume events
- Mbuji Mayi, diamond deposit 213, 214, 218
- mega-placers, diamond 213–241, 214, 215
 definition 213
 drainage 224, 226, 227, 228–230

- formation 240–241, 2
 retained 214–217, 215
 terminal 214, 215, 219–220, 231–241
 transient 215, 217–219, 226, 236, 238
 melting, impact 4, 10, 13, 14, 52
 melts, magmatic 247–260
 mercury, in gold 39–46
 metallogenesis, Archaean 60–69
 Urals 158–164
 metamorphism
 post-impact 11–12, 15
 regional 19, 35, 121
 shock 1, 3–6, 14, 15, 21, 52
 microstructures, planar 5–6
 mineralization
 Archaean, organic 195–209
 gold, Witwatersrand, models 32–33
 sulphide, British Caledonian terranes 134–148
 Uralides 153–164
 uranium 10, 86–87
 mining, gold, Witwatersrand 31, 32
 Mississippi Valley type deposits 75, 88–89, 91
 molybdenum 145, 247, 248
 Morokweng impact structure, South Africa 7, 22
 Mugodzhazhar massif 155, 157, 163

 Namaqualand, diamond mega-placer 214, 231, 235, 238–240
 Namibia, diamond mega-placer 214, 231, 233, 236–238
 Newporte impact structure, USA 20, 22
 nickel
 Archaean cratons 62, 64, 66, 67, 68, 74
 Urals 153
 nickel–copper sulphide
 impact structures 22
 Sudbury 14–19
 Northern Highland terrane 134, 135, 138
 sulphur isotope analysis 137, 138–139, 142, 143, 144

 Obolon impact structure, Ukraine 7, 22
 oil *see* hydrocarbons
 Oil Creek shale 20
 Olifants River 231, 238, 239, 240
 ophiolites 121, 141, 158
 Orange River
 drainage basin 226, 227, 228, 229, 230, 232–238, 239
 terminal diamond placers 231–241
 transient diamond placers 217–219, 218, 219, 236
 Orange-Vaal drainage basin *see* Orange River, drainage basin
 ore
 distribution 73, 74, 75, 78–92
 porphyry-style 247–260
 grade 254–255, 258
 sulphide and platinum group, Sudbury 14–19
 see also deposits, mineral
 orogens, types 123, 124, 125, *see also* domains, classification
 oxidation 85
 oxygen, Archaean atmosphere 167, 174–175

 palaeoplacers 81–83, 86
 Pangea 73, 89
 paragenesis, gold 33, 37, 38–39, 39, 49–50
 Penokean Orogeny 14, 19

 photolysis, sulphur dioxide 169, 174–175
 phyllosilicate mineralization 33, 49
 Pilbara Craton, mineral deposits 61, 61, 62, 63, 64, 65, 79
 placer deposits
 diamond *see* mega-placers, diamond
 gold 32–33, 81–83
 uraninite 32, 86
 Placer Dome mine 32, 50
 plate tectonic processes
 Archaean 60, 73, 76, 91
 evolution 72, 73, 76–78, 79, 80
 modern 76
 as source of gold 119, 121, 122–123
 platinum, Urals 153
 platinum group elements
 Archaean cratons 65–69, 74, 84, 91
 Kaaopvaal Craton 59, 60
 Sudbury 14–19
 Urals 153, 154, 158, 159
 plumes, mantle 73, 76, 77, 79
 see also superplume events
 plutonism, Ghana 104, 105
 polymorphs
 diamond/graphite 5, 12–13
 high-pressure 5
 Popigai impact structure, Russia 4
 impact diamonds 7, 12–14, 13, 14
 porphyry copper–gold 72, 74, 78, 79, 90, 91, 159, 160, 161, 163
 formation 247–260
 metal ratio 258–259
 Posidoniaeschiefer, iron enrichment 189–190
 pyrite 32, 33, 35, 37, 38, 39, 49–50, 52, 171, 172
 formation 180, 181
 pyrrhotite 33, 37, 38, 39, 49, 52

 quartz
 association with gold 37, 38, 39, 49–50
 polymorphs 5, 10

 rare earth elements 16, 18
 Archaean cratons 62, 64, 65–69
 Red Wing Creek impact structure, USA 7, 20–21
 redox
 iron recycling 182–187
 sulphur recycling 167, 175
 redox-sensitivity 85, 86–88, 92
 remobilization
 gold 11–12, 32–33
 hydrothermal 19, 32–33
 Reuibath Craton, mineral deposits 61, 61, 62, 64
 Ries, Germany, impact diamonds 7, 12, 13, 14
 rock-buffering 53
 Rodinia 65, 80, 89
 Rotmistrovka impact structure, Ukraine 7, 22

 Sakmara zone
 Urals 154, 155
 mineralization 158, 163
 São Francisco Craton, minerals 59, 61, 61, 62, 64, 65
 SCLM *see* mantle, sub-continental lithospheric
 SEDEX deposits 75, 88, 89–90, 91
 sediment
 diamond-bearing, African coast 234–241

- euxinic, iron enrichment 179–191
- sediment load, African rivers 230
- shale
 - black 88, 189–190, 191
 - oil 20, 22
- shatter cones 5, 6, 10, 14, 15, 21, 52
- shock-metamorphism 1, 3–6, 21, 52
 - diamond formation 12–14
- silver
 - epithermal **74**, 78, 91
 - in gold 39–46
- skarn magnetite, Urals 160, 161
- snowball events 80
- South Africa, gold mineralization 31–54
- South America, mineral deposits 65–68
- Southern Uplands–Longford Down terrane 135, 136
 - sulphur isotope analysis **137**, 141, 142, 143, 144
- sphalerite 89
- Steen River impact structure, Canada **7**, 22
- stishovite 5, 10
- subduction
 - Archaean 76
 - as source of gold 119, 121, 122
 - Urals 163
- Sudbury Basin 14, 15
- Sudbury Breccia 19
- Sudbury Igneous Complex 4, 14–19, 15, 18
- Sudbury impact structure, Canada
 - geology 15–16, 17
 - Ni–Cu sulphide and platinum group ore **7**, 14–19, 15, 23
- suevite 13, 14
- sulphate
 - oceanic 172, 173, 174, 175
 - reduction 172
 - microbial 180, 181, 196, 204–209
- sulphide
 - iron 179, 180, 181
 - mineralization 33, **74**, 78
 - British Caledonian terranes 138–142, 143, 145, 146, **147**, 148
 - Canadian Appalachian terranes 146, **147**
 - Isua Greenstone Belt 198–200
 - Sudbury 14, 16–19, 78
 - precipitation 255–260
 - volcanic hosted massive (VHMS) **72**, **74**, 81, 89–90, 91, 171, 172
 - Uralides 153–154, 158, 159, 163
- sulphur
 - in porphyry copper formation 254
 - redox recycling 167
- sulphur cycle, terrestrial 167–176, 196, 207–208
- sulphur isotope analysis 138, 142
 - Archaean mineralization 195–209
 - British Caledonian terranes 133–148, **137**, 143
 - earth's environmental evolution 167–176
- Superior Craton, mineral deposits 61, **61**, **62**, 64
- superplume events 87, 103, 164
- Tagil zone
 - Urals 154, 154–155, 155
 - mineralization 159, 163
- Tanzania Craton, mineral deposits 61, **61**, **62**, 63, 64
- Target goldfield 31, 32, 39, 41, 50, 52
- Ternovka impact structure, iron and uranium **7**, 8
- terranes
 - Caledonian
 - Canadian Appalachians 146, **147**
 - Great Britain 133–148
 - in domain classification 123, 125, **125**, **126**
 - thorium, Archaean cratons **62**, 64, 65, **66**, **67**, **68**
 - tin, Archaean cratons **62**, 64, 65, **66**, **67**, **68**
 - titanium, Archaean cratons **62**, 64, **66**, **68**
 - Trans-Uralian zone 154, 155, 157–158, 163
 - Transvaal Basin 35
 - trap, structural 20, 21
 - tungsten
 - Archaean cratons 62, 64, 65–69
 - Zimbabwe Craton 63
- Uralides
 - evolution 161–164, 162
 - orogen 153
- Urals
 - magmatic arcs 154, 158–164
 - metallogenesis 158–164
 - tectonic zonation 153–164, 155, 156
- uraninite 8, 33, 35, 37, **38**, 39, 49, 86
- uranium
 - Archaean cratons 62, 64, 65–69
 - Carswell 9–10
 - distribution 86–87
 - placer/palaeoplacer 86–87
 - remobilization 11, 12
 - sandstone-type **75**
 - Ternovka 8
 - unconformity-related **75**, 86–87
 - Vredefort 11
- Valerianovka zone, Urals 154, 155, 158
 - mineralization 160, 161, 163
- Ventersdorp Contact Reef 31, 33, 35, 37, **38**, 39, 42, 44, 50, 51–52
- VHMS/VMS *see* sulphide, volcanic hosted massive
- Viewfield impact structure, Canada **7**, 22
- Vredefort Dome 10, 11, 32, 35, 50
- Vredefort impact structure 2, 35
 - gold **7**, 10–12, 23, 34, 52, 53
- weathering 85, 175
- Welkom goldfield 31, 32, 34, 40
- West Wits goldfield 31, 32, 34, 37, **38**, 39, 41, 42–43, 50, 52
- Witwatersrand Basin 10–12, 11, 32, 34–35, 37
 - gold mineralization 10–12, 31–54, 82–83
 - Kaapvaal Craton 60
 - uraninite deposits 86
- Yilgarn Craton, minerals 59, 61, **61**, **62**, 64, 121
- Zapadnaya, Ukraine, impact diamonds **7**, 13
- Zimbabwe Craton
 - minerals 59, 61, **61**, **62**, 64
 - tungsten 63
- zinc
 - Archaean cratons 62, 64, 65–69
 - MVT deposits **75**, 88–89
 - SEDEX deposits **75**, 89–90
 - Urals 153, 159