

Index

Page numbers in *italic*, e.g. 45, refer to figures. Page numbers in **bold**, e.g. 35, signify entries in tables.

- Abaqus/Standard numerical modelling code
32, 35, **35**, 36–38, 45, **45**, 46, 46, 48,
49, 50–53, **58**, 107
- accretionary prisms 169–177, 173, 174,
175–176, 178–179, 179–182, **177**
- ADEL3D numerical modelling code 430–431,
433
- Alice Springs Orogen 274, 316
- Alpine Orogeny 136, 140
- Amadeus Basin 275, 276, 277
- analogue benchmarks 2–25, 21, 22, 23, 24, **24**
- analogue materials *see* corundum sand; glass
powder; microbeads;
polydimethylsiloxane (PDMS); quartz
sand; silica powder; Z-light microspheres
- Anatolia 99–100, 397–412
- angle of internal friction 4, 5, **31**, 68, **83**, 84,
120, 141, 172, 217, 255, 279, 280, 419
- ANSYS numerical modelling code 417, 418,
423–425
- Apennines, Northern 65–66, 66, 75, 76
- Appalachians, Newfoundland 99
- ⁴⁰Ar/³⁹Ar thermochronology 281–282, 317
- Arabian plate 100, 170
- arbitrary Lagrangian–Eulerian (ALE) finite
element method 33, 34, **35**, 38, **49**,
86, 256
- Archean orogen 97–100, 98
- Argand number (Ar) **83**, 86, 87–89, 88, 154, 160
- Argand Ratio (AR) 154, 155, 160, 162, 163, 163,
164, 165
- argillaceous smearing 187–188
- Australia, geological map 274
- Barbados Plate 170–171, 180
- Barbastro Front 118, 119, 129
- basal friction 38–40, 46, 166, **169**, 179–182,
254–261, 266–269
- basin inversion models 253–270, 271–284
- basin modelling 253–269, 254, **255**, 256,
257, 258–263, 265–266
- benchmarks 1–24, 244–247
- Beuda Front 118, 119, 132
- Biot constant 359
- Blackberry Fault (Gulf of Mexico) 298, 301
- body forces 153–166
- Brazos Fault (Gulf of Mexico) 286, 298–310,
302
- brittle–ductile transition (BDT) 100, 238–240,
239
- boundary element method 405
- buoyancy force **83**, 87, 88, 419
- cap rock integrity and leakage 371–372
- capillary pressure 372, 419
- Cardona anticline 118, 119, 128
- Cardona Front 118, 119, 129, 132
- Carpathians 415–426, 416, 418, **419**,
420–421, 423–425
- carrying capacity of rivers 312
- Casagrande shear box 3, 5
- Cascadia 170, 180
- cement volume 360
- chemical compaction 365–366, 366
- chemical weathering 314
- Chilimanzi granites 99
- Cinderhill Fault 393
- clay, properties and characteristics **4**, 278
- cohesion **3–5**, 31–32, **31**, 38–39, 47, 68, 83,
84, 120, 141, **141**, 238, 255, **419**
- continental geotherm 107, 154, 156–157, 158,
277
- continuity equation 311–312
- Corinth, Gulf of (Greece) 213–231, 215,
233–251, 234, 239, **242**
- corundum sand, properties and characteristics
3, **4–5**, 6, 217, 254–255
isotopes 319
- Coulomb (failure) criterion 3, 31, 256, 418
- Coulomb stress change 403
- creep flow 159, 236
- Darcy equation 367
- Darcy flow geocellular-based models 188–189
- décollement 169–171, 179
- defending fluids 193, 194
- deformation transfer 117–132
- density **4**, **31**, 68, **69**, 82, **83**, **85**, 120, **141**,
156, **157**, **172**, **177**, **217**, 236–238, **238**,
250, **255**, 277, 279, **280**, **345**, 359–366,
374–375, **419**
- denudation 331–337, **333**, 341–342, 347–350
- denudation law parameters **348**
- depth-dependent soil transport 313
- Dharwar craton 98–99, 165

- diffusion–advection equation 156
diffusive surface processes 257, 279, 280, 308
digital elevation models (DEMs) 329–331, 331
dilation *see* dilatation
dilatation 30–35, 38, 41, 60–61, 238, **250**, 268
distinct element method (DEM) 33, 170, 173–177
Dorn flow law **151**, 159, 278
Drucker–Prager failure criterion 279, 344–345, 431
dynamic relaxation (DR) method 345–346
- ease of invasion 193, 195
East African–Antarctic Orogen 99
East Anatolia high plateau 100
El Guix anticline 128, 128
elastic dislocation modelling 397–412, 402, 403, 406, 410
erodability 353–355
erosion 291–292, 291, 301, 308–310, 313–314, 327–337, 343–357
erosion box **328**, 329, 331, 333, 336
Eurasian plate 170
extension 1, 29, 214, 233, 285
extensional fault-bend folds 285, 286, 301–304
- faults and fluid flow 359–376, 361, 363, 365, 368, 370
fault-seal prediction 187–188
finite difference modelling 33, **35**, **49**, 160, 346
finite element modelling 30–34, **35**, **49**, 86, 106, 187–188, 254–256, 278, 344–345, 417–425, 418, **419**, 423, 424, 425
FLAC-based numerical modelling codes 33, 236, 237
flanking structure 381–382, 390, 391–392, 394
fluid flow 185–209, 190, 191, 192, 194, 197, 199
fluid flow simulation 198, 208
fluvial incision 347, 348, 349
fluvial shear stress 347
frictional resistivity force 419
- Garfagnana–Lunigiana Fault System 66, 75, 76
geometric balancing 415, 417, 420
glacial erosion 313–314, 315
glass powder 217
gravitational flow 164–165
gravitational potential energy 154
Gulf of Corinth (Greece) 213–231, 215, 233–251, 234, 239, **242**
- heat flow 156–157, 236, 275–277, 279
heat transfer equation 236, 279
Hellenides 214
- hillslope processes 312
Himalayas 310, 341–357, 342, 343
Hooke’s law 344
Hubbert-type shear box 3
hydraulic head 419
hydrocarbon migration 185–209, 190, 191, 192, 194, 197, 199
- I2ELVIS numerical modelling code 32–33, 35, **35**, 36–49, **45**, **49**, 50–60, **58**
Iberian Range 136–138, 137, 138
ICE-CASCADE landform evolution model 315
ice sliding velocity 313
integrated strength 159
interferogram 400, 402, 404
invading fluids 193, 194
invasion percolation (IP) 186, 193–195, 194
inversion *see* basin inversion models
Izmit earthquake (1999) 397–412, 399, **403**, 404, **404**, **405**, 406, **408**
- ‘jelly sandwich’ rheological model 271–272, 272, 278, 280, 281
Juan de Fuca plate 170
- landform evolution model (LEM) 314–317, 316, 320
landscape denudation 341–342, 347–356
landscape modelling 310–314, 327–337
LAPEX-2D numerical modelling code 33, 35, 35, 36–46, **45**, 46, 48–49, **49**, 50–59, **50**, **58**
Limpopo belt 99, 164
Lithoprobe 97–98, 98
low-T thermochronology 317–319, 318
- Macizo de Nevera 136, 137, 138, 139–140, 150
Macizo del Tremedal 136, 137, 138, 139–140, 150
macroscale dynamics of experimental landscapes 327–337, 328, 330, 331, 332, 333, 334
Marmara Sea 397–400, 399, 406, **407**, **409**, 410–412, **411**
Martana Fault System 66, 76
material properties *see* corundum sand; glass powder; microbeads; polydimethylsiloxane (PDMS); quartz sand; silica powder; Z-light microspheres
Maxwell visco-elastic body behaviour 236
mechanical compaction 362–365, 363
Mediterranean plate 214
microbeads, properties and characteristics **4–5**, **31**, **172**, **255**

- Microfem numerical modelling code 33–46,
35, 36, 37, 38, **45**, 45, 46, 49–59, **49**,
50, **58**, 59
- mixed 3D analogue/2D numerical modelling
 233–251, 237, 239, 241, 242, 244,
 245
- Moab Fault (USA) 198–205, 200, 202, 203,
 204, 206, 208
- model scaling *see* scaling
- Moho temperature 156, 157, 276–278, 277, 281
 Monte Carlo simulation 278
- Molina–Teruel–Espadan Fault 136, 137, 140
- Muroto Point 171
- Nankai Trough 170–171, 170, 171, 180–181
- Newfoundland Appalachians 99
- NISA II/Static numerical modelling code 33,
 35, **35**, 36–38, 45, **45**, 46
- North American Plate 170
- Northern Apennines 65–66, 66, 75, 76
- North Sea 140, **141**, 198, 201, 205, 207, 208,
 359–375, 364
- Norway 286, 359–376, 364, 370
- Ocean Drilling Project (ODP) 170
- Oliana anticline 118, 119, 131, 132
- orogen parallel extension 81, 93–94, 96
- Paravoz numerical modelling code 236–238
- particle image velocimetry (PIV) analysis
 172–173, 175–176
- PDMS *see* polydimethylsiloxane
- Peierls stress 159
- Peloponnese 214, 233
- percolation-based models 189
- permeability 195, 198
- Petermann Orogen 274
- PFC2D numerical modelling code 33, 35,
 35, 36–37, 39, 41, 43, 45, 46, **45**,
 173–177
- Phanerozoic vice orogens 99–100
- Philippine Sea Plate 170
- Phyllades nappe 214, 229, 233, 235, 251
- PIV analysis *see* particle image velocimetry
 analysis
- plastic potential 279
- Poisson ratio **35**, **49**, 107, 250, 278, 345, 419
- POLY3D boundary element code 405
- polydimethylsiloxane (PDMS), properties and
 characteristics 3, 7, 20, **24**, **31**–**34**, 34,
58, 82–84, 217, 233, 237, 240, 243
- pore fluid pressure 419
- porosity 170, 177, 187, 193–194, 280, 359–379
- power-law creep 236
- precipitation 365–366
- Proterozoic vice orogens 99
- Pyrenees 118, 119
- quartz sand, properties and characteristics **4**–**5**,
 68, **83**, 84, **172**, 217, **255**, 287
- rainfall rate 327–337, **330**, 332, 333
- rainfall simulator 328, 329, 333
- ramp-flat-ramp faults 289, 290, 291–292, 292
- ray-path modelling 188
- relaxation of tectonic stresses by compaction
 372–375, 374
- relief dynamics 336–337, 328–331, 336
- Riedel shears 136, **141**, 142, **143**, 144, 145,
 146–148, 147, 148, 150
- ripping through heterogeneous crust 213–214,
 226–228, 229
- ring-shear tester 3, **5**, 68, 255, 261
- San Andreas Fault 429–435, 430, 431, **432**, 433
- Sanaüja anticline 118, 119, 130, 130, 131
- sand, properties **4**–**5**, 68, 84, **141**, **172**, 217, 255,
 287
see also quartz sand; corundum sand
- scaling 3, 6, 32, 68, **69**, 82, 120, 122, 217, 218,
 241, 304, 335
- secondary migration pathways 198–205, 200,
 202, 203, 204, 206
- sedimentary basin architecture 185–209,
 190–192, 196–197, 199–204,
 206–207
- Serranía de Cuenca Fault 136, 137, 140
- shale gouge ratio (SGR) 188, 189, 193, **199**,
 201
- sidewall friction 1–8, 14, 14–25, 30, **31**, 32, 41,
 46, 169, 172, 218, 261
- Sierra de Albarracín (Spain) 135–150, 137, 138,
 144–146
- Sierra Nevada (USA) 318–319, 318
- silica powder 328–329
- silicon, properties 3, 20, **31**, 32, 68, 82–84, 119,
 120, 217
see also polydimethylsiloxane (PDMS)
- Skempton's coefficient 404–405
- SloMo numerical modelling code 33–34, 47, **49**,
 50–59, **58**
- soil flux 312–313
- soil production function 313
- Sopale numerical modelling code 34, 35, **35**,
 36–49, **45**, 47, **49**, 50–60, **58**, 256–258
- South Pyrenean Main Thrust (SPMT) 118
- South Pyrenean Triangle Zone (SPTZ) 117–129,
 118
- strain hardening 254–255, 262, 367–368, 371

- strain softening 3, **5**, 25, 29–34, 59, 92, 172, 217, **255**, 262, **262**, 267, 370
 stream-power law 311–312
 strength envelope 81, 155, 158, 239
 subduction 105–116
 Superior Province (Canada) 97–98, 98, 165
 surface processes and tectonics 307–321, 308, 310–311, 315–316, 349
 Suria anticline 118, 119, 128
 Svecofennian orogen 99
- tectonic force **83**, 87, 88
 thermo-mechanical modelling 235–243, 239, 241, 242, 278–280, 308
 thin-sheet approximation 160, 315, 316
 Tibet 99, 154, 164, 307–309
 Tibetan Plateau 87, 100, 310, 341–356, 343, 344, 351, 353, 354
 Tornquist–Teisseyre zone (TTZ) 273
 Toyoura sand 171
 transfer zone 131
 Trans-Hudson orogen 99
 transport-limited incision 312
 Trizonia fault 229
 Turkey 397–412
- uplift rate 109–111, 328–327, 328, 332, 333
- Variscan orogeny 99, 136, 139, 140, 150
 velocity discontinuity (VD) 7, 20, 21, 21, 22, **24**, 24, 34, 42, 46–48, 50, 51, **58**, 59, 60, 68, 69, 71, 72–74
 vice models 79–100, 80, 88, 90, 92, 93
 Vicksburg Fault (USA) 300–301, 302, 303
 viscosity 3, 6, 31–35, 35, 46, **49**, 54, 57, 58, 68–69, **69**, 82–87, 92, 105–106, 120–122, 125–128, 217–218, 236–240, **250**, **430–432**
 viscous detachments 117–132
- Weald Basin 273
 West Carpathians 415–426, 416, 420
 wetting fluid 193
- Yilgarn craton 98–99, 165
 Young's modulus **35**, **49**, 106, 238, 278, **345**, 373–374, 419, 431
- Zimbabwe craton 98–99
 Z-light microspheres **83**, 84, 87