

Index

Page numbers in *italic* denote figures. Page numbers in **bold** denote tables

- Abra longicallus* 31
Accordiella conica 182, 184
Acmaea virginea 31
Aeolisaccus kotori 182, 185
Agios Antonios transect 159, 160, 164–168, **175**
Agios Thomas transect 159, 160, 164, 165, 166, 168, 171, **174–175**
Agua Amarga Basin 128, 130
algae, coralline red
 Bays of Naples and Pozzuoli 85–93
 Cutro marine terrace 11–21
 Isili Limestone 38, 41, 44–47, 48
 growth forms 45–46, 47–50
 Pontian Islands 23–33
 Sicily 140
Ambelouzou Formation 159, 160, 164, 168
Amphiroa 12, 13
Amphiroa cryptarthrodia 14, 18
Amphistegina 97, 131, 220, 226, 271, 274, 276, 278
Amphistegina limestone 114
amygdalas 187, 188, 189
Andros Island, Bahamas 80
Anomalina 276
Anomia 101
Aporrhais 101
Apricardia aff. *pachiniana* 182, 184
aragonite 80, 125, 323, 330
aragonite-sea 323, 324, 326–332
Arca tetragona 30
Arctica islandica 114, 145, 149, 150, 151
Argyrotheca 14
Argyrotheca cordata 31
Argyrotheca cuneata 31
aridification 169–170
Australia
 Miocene
 Murray Basin 218–220
 climate change 231–234, 237
 stratigraphic packaging 222–230, 232
 Pliocene, Southern Marion Platform 269–281
 shelf sand bodies 114
Bahama Banks 80, 269
Bahía de Los Angeles, Gulf of California 198, 200
 bryomol carbonate 205–213
 environmental parameters 208, 210–211
 currents and water depth 211
 nutrients and light 208, 210–211
 temperature 201–202, 208
Balearic Platform
 modern carbonates 71–82, 72
 benthic biota 74–77
 climate and oceanography 73–74
 comparison with Neogene Betic basins 131–132
 geology 72–73
 geomorphology 74
 lithofacies 77–80
 sediment production 77
Balearic Sea 73
Barbatia scabra 31
basin facies, hanging-wall 170, 171
Bathyarca grenophia 31
Bathyarca philippiana 31
bathymorphology, Bays of Naples and Pozzuoli 85
beach facies 125–126, **127**, 128
beach-barrier island facies 78
bedsets, Mt Capodarso calcarenite wedges 101, 103, 106
Belice Basin 114
Betic Cordillera 72, 74, 123, 124
Betic intermontane basins
 Neogene 123
 temperate carbonate deposition 121–132, **122**
 climatic conditions 131
 comparison with modern Balearic Platform 131–132
 composition 125
 models 125–126, 126, **127**, 128–130
 sea-surface temperature 124–125
 sedimentary dynamics 130–131
biocalcarene
 Mediterranean Sea 14, 95–117
 see also Mt Capodarso, biocalcarene wedges
bioclasts
 Cutro marine terrace 14–16, 18–19, 20
 Hyblean Plateau 138
biocoenosis
 Algues Photophiles 31
 Coralligène 31
 Détritique Côtier 29, 31
 Détritique du Large 31
 Vases Profondes 31
biostromes 254, 256, 258, 261, 262
Biradiolites angulosissimus 182, 184
Biradiolites angulosus 182
Bittium reticulatum 31
Bolma rugosa 14, 16, 17, 31
Borelis 170
Bournonia excavata 182, 184
Bournonia fascicularis 182
Bournonia wiontzeki 182, 184
boxwork 17, 25, 26, **27**, 28, 30, 33
bryomol carbonate 197
 distribution 198–199
 environmental controls 199, 208, 210–211
 Gulf of California 198, 199–213
 acoustic mapping 200, 202, 211–213
 currents and water depth 211
 nutrients and light 208, 210–211
 oceanography 200–202
 salinity 202

- sedimentology 200, 202–208
 temperature 201, 208
 bryozoans 26, 27, 197, 202–204, 206
 Betic Basin 126
 coralline-coated 33
 Balearic Platform 74, 75
 Isili Limestone 41, 42, 43, 47, 48
 Sicily 140
 environmental indicators 208, 210–211
 growth forms 204–205, 207, 209
 nutrients 210
 build-up, algal, Cutro marine terrace 14, 15, 16,
 18–19, 20

 calcarenite *see* biocalcarenite
Calcarina 220
Calcarina verriculata 230
 calcite
 epitaxial 323–332, 325
 aragonite-sea times 323, 324, 326–331
 aragonite-sea vs. calcite-sea formation 331–332
 calcite-sea times 323, 324, 326
 diagenetic environment 325–326, 327, 329–332
 origin 324–325
 sparry 275, 278
 calcite-sea 323, 324, 326, 331–332
 Caltanissetta Basin 96, 97, 114
 Campanian Plain 85–86
 Campeche Bank, Yucatan Peninsula 80–82
 Canal de Ballenas, Gulf of California 198, 200, 210, 211
 Capanne Nuragiche, crustose coralline algal pavement
 45
 Cape Arkhangelos calcarenite wedge 114
 carbon isotopes 308, 311, 312, 313, 314–315
 carbonate factory 3–5
 bryomol, Gulf of California 198–213
 efficiency 115–116
 facies 126, 127, 129, 130
 Ischia Bank 89, 91, 92, 93
 Mt Capodarso 103, 108
 Quaternary, Mediterranean 139
 rhodalgal, Isili 36, 37–39, 37, 41, 47
 significance of sea-level 269, 279, 280, 281
 tropical-temperate transition zone 157–172
 carbonates
 heterozoan
 Miocene 307–308
 Oligo-Miocene 323–332
 temperate 2–3, 121
 climatic conditions 131
 depositional models 125–126, 126, 127, 128–130
 Carboneras Basin 114
 distally steepened ramp 129, 130
Caryophylla 151
 Case Frangello 142, 143–144, 145, 152
 Castellarquato Basin 114
 caves, *Rivularia* mounds 57, 58, 59, 60, 65–66
Celleporaria 223, 225, 227, 228, 230, 236
 cement
 blocky 275, 278
 calcite, Pliocene
 Hawke's Bay, New Zealand 337–363
 petrography 342–343, 345, 347, 349
 suites 343–356, 358, 359–363
 epitaxial calcite 323–332
 origin 324–325
 fibrous syntaxial 274, 278
 fringe 147, 153
 micritic internal sediment 275, 278
 micropeloid 274–275, 276, 278
 vadose 147–148, 153
 cementation 323, 325
 channels
 Isili Limestone 36, 37, 41, 42, 43, 44, 45
 submarine 127, 130
 chemostratigraphy, Miocene heterozoan carbonates
 307–319
Chione californiensis 203
Chione fructifraga 203
Chione gnidia 203
Chlamys glabra 14
Chlamys multistriata 14
 Chlorozoan Association 1, 131
Cibicidae 74
 Cilento, southern Italy
 Upper Cretaceous
 geology 180–181
 rudist lithosomes 179–193
Cladocora 4, 138, 140, 145, 149
Cladocora caespitosa 60, 66
 climate, and carbonate productivity 217
 climate change, Miocene
 proxies 308
 southern hemisphere 231
 Murray Basin 237
 clinofolds, Mt Capodarso calcarenite wedges 96–101,
 103, 105–108
Clypeaster 164, 166
 coastal belt facies 125–129
 Colle della Croce, palaeosol 145, 146, 148–149
 completeness, stratigraphic, Murray Basin epeiric ramp
 235–236
Conus 149
 coral, hermatypic 4
coralligène de plateau 11–21
 development 19–21
 ecological characterization 18
 sequence-stratigraphic model 19
 coralline, pendent *see* dripstone, pendent coralline
Corbula 151
 corona, solution 325
Crassostrea 164
 Cretaceous, Upper, Cilento, southern Italy 179–193
 Crete, Neogene basins 158–160, 159
 cross-bed cycle 254, 255, 261, 262
 cross-bedding
 Cutro marine terrace 16, 17, 19
 Te Kuiti limestone 249, 250–253, 259–263
 Crotona peninsula, Calabria, Italy 12, 13
 crustose framework 41, 42
 coralline pavements 45
Cuneolina pavonia parva 182
 cements
 bryomol carbonates 211
 seaway sedimentation 247–248, 252, 263, 263
 sediment transport 179
 Cutro marine terrace 12–21, 13
 development 20–21

- hard bottom 18
 sequence-stratigraphic model 19
 soft bottom 17–18
 Telegrafo section 12, 14, 15, 16, 17, 18, 19, 20
 Vrica section 12, 13, 14, 18
 Cutro Marly Clay 12, 14
 cyanobacteria
 mounds 53–68, 56
 caves 57, 58, 59, 60, 62, 65–66
 development 61–62
 marine model 62–65
 non-marine model 63, 65–66
 structure 56–61
- Dendrophyllia* 151
 diagenesis 278
 burial and uplift 259
 epitaxial cements 324, 325, 326–332
 Kairakau Limestone 342–343, 344, 345–352
 sequence stratigraphic approach 356–359, 360
 Dicti Mountains, Crete 158, 159
Dicyclina 184
 discontinuities, diagenetic 342–343, 344, 345
Discorbidae 74
Ditrupe 103, 225, 230
 dolomitization 274, 278
 Dosso Tamburaro 142
 shelf-perched sandbody 148
 dripstone, pendent coralline 56, 59, 60, 62, 65–66
 Dryas, Younger, Pontian Islands gravity cores 31
Durania cornupastoris 182
- echinoderms
 Balearic Platform 74, 76, 77
 epitaxial cement nucleation 323, 325, 326, 327
Elphidium 129
Emarginula punctulum 31
Emarginula rosea 31
 Emilian glacio-eustatic cycle 137, 138–139, 149–154
 lithostratigraphy 140–144
 Enna-Caltanissetta piggy-back basin 96, 97
 epitaxy *see* calcite, epitaxial
 erosion, marine, regressive surface 105, 109
 eustasy 31, 137–154, 217, 222, 233, 235–236, 237–240
 see also glacio-eustasy; sea-level change
Euvola vogdesi 203
- factory facies *see* carbonate factory, facies
 falling stage systems tracts 19, 109
 fans, break-of-slope 147
 fault-blocks, Iraklion Basin 160–161, 168, 170
 festoon stratification 16, 17
 foraminifera
 Miocene, Murray Basin epeiric ramp 220
 Mt Capodarso 97
 Neogene, Betic Basin 124
 Pliocene, Southern Marion Platform 276–277, 278
 Upper Cretaceous, Cilento 182, 184, 185, 186, 187
 foramol associations 3
 fossil systems 35
 Upper Cretaceous, southern Italy 179, 182, 184, 185, 187, 191
- Geracello Formation 96, 105
 glaciation, Northern Hemisphere 115
 glacio-eustasy
 Pleistocene, Crotone peninsula 12
 Quaternary, Sicily 137–154
 carbonate responses 144
 microtidal cool-water ramps 152
 pace of change 149–151
 sequence bounding surfaces 151–152
Globigerina(?) connecta 226
Globigerina quinqueloba 103
Globigerinelloides 276
Globigerinoides trilobus 226
Globoquadrina altispira 276, 277
Globorotalia crassaformis 276
Globorotalia menardii 276
Globorotalia tumida tumida 276, 277
Glossifungites 98, 103
Glycymeris 14, 98, 99, 101, 103
Gorjanovicia costata 182, 184
 Gozo *see* Maltese Islands, Miocene heterozoan carbonates
 'Gravina Calcarente' 114
 Great Bahama Bank 80
 Greece, cyanobacterial mounds 53–68
 growth forms, fruticose 13, 18, 41, 42, 47
 Gryphus vitreus 31
 Gulf of California 198, 199
 bryomol carbonate factory 199–213
 Gulf of Corinth, geology 54, 63, 64
 Gulf of Taranto, submerged deposition terrace 110, 113
- Halimeda* 163, 272, 274, 277, 278
Haliotis tuberculata lamellosa 14
 Hawkes Bay, Pliocene limestone, cement suites 352–356
 Heraion, Greece
 cyanobacterial mounds 56–68
 geology 54, 55
 tectonic behaviour 66–67
 Heraion Marl 53, 56, 61, 65
Heterolepa victoriensis 230
Heterostegina 131, 170, 274, 278
 Heterozoan Association 11, 121, 129, 131, 221, 222, 220
 heterozoan carbonates
 epitaxial cement 323–332
 Miocene 307–320
 highstand systems tracts
 Cutro marine terrace 19
 Matemateonga Formation 284, 285, 286, 287, 293, 298–301
 Mt Capodarso 105, 106, 107
 shell bed taphofacies 291, 293, 294, 296, 298–301
Hippuritella sp. 184
 Holocene, rhodolith facies evolution, Pontian Islands 23–33
Homalopoma sanguineum 31
 Hyblean Plateau, Sicily 138, 139, 149
 Miocene heterozoan carbonates 309, 310, 312, 313–314
 isotope data 313
- Ida Mountains, Crete 158, 159
 inner-ramp facies 78
 Iraklion Basin, Crete

- Late Miocene
 tropical-temperate transition 158, 159, 168
 climate change 169–170
 facies and stratigraphy 160–172, 168, 172–175
- Ischia Bank, rhodalgal factory 89, 91, 92, 93
- Isili Basin, Sardinia 35–36
- Isili Channel 36, 37, 41, 42, 43, 44, 45
- Isili Limestone 37–47
 carbonate factory 36, 37–39, 41, 47
 channel sectors 41, 42, 43, 44
 coralline algal beds 38, 44–47
 palaeoenvironment 47–48, 50
 rhodalgal assemblages 36
 shelf-margin sectors 41–42
- Isili Trough 36, 37, 38
- Isognomon* 126, 127, 128
- Italy
 Cilento, rudist lithosomes 179–193
 Crotona peninsula, *coralligène de plateau* 12–21, 13
 Isili Channel 36, 37, 41, 42, 43, 44, 45
 Isili Limestone 37–47
- Jujubinus exasperatus* 31
- Kairakau diagenetic motif 344, 345, 352, 353, 357, 358
- Kairakau Limestone 339, 341
 cement suites 343–356
- Kato Asites *see* Kroussonas roadcut
- Keramosphaerina tergestina* 184
- Kroussonas roadcut 159, 163, 165, 169, 174
- lagoonal mud facies 78
- Lake Corinth 54, 66, 67
- Last Glacial Maximum 23, 86
- Lentini Graben 145, 150, 151
- Lepidocyclina* 220, 225, 231, 274, 278
- Lepidocyclina howchini* 220, 226, 230
- Lima lima* 14
- Limatula subauriculata* 31
- Limea crassa* 31
 limestone, Pliocene, New Zealand
 calcite cement 337–363
 sedimentology 341–342
see also Isili Limestone
- Lithophyllum cf. incrustans* 28
- Lithophyllum frondosum* 75
- Lithophyllum pustulatum* 58, 60, 61, 62, 65–66
- Lithophyllum racemus* 90, 91
- Lithophyllum stictaeforme* 14, 18, 26, 27, 28, 28, 30
- Lithoporella melobesoides* 26, 27, 28
- lithosomes *see* rudist lithosomes
- Lithothamnion* 274
- Lithothamnion cf. philippi* 26, 27
- Lithothamnion coralloides* 77, 79, 89, 91, 92
- Lithothamnion minervae* 26, 27, 28, 28, 30, 91, 92
- Lithothamnion valens* 92
- lobes, submarine 127, 130
- Lovenia* 223, 225
- lowstand systems tracts 105
- Madrepora* 151
- maerl facies
 Isili Limestone 38, 47, 48
- Miseno Bank 92
- Maiella Platform
 Miocene heterozoan carbonates 309, 310, 312, 314–315
 isotope data 314–315
- Maltese Islands
 Miocene heterozoan carbonates 309, 310–311, 310, 312
 isotope data 313
 Oligo-Miocene, epitaxial cements 326–329, 330–331
- Manutahi-1 well core 286–295
- mapping, accoustic, bryomol carbonate, Gulf of California 202, 211–213
- Marginopora* 220, 225, 228, 230
- Marion Plateau, northeast Australia
 geology 269–271
 Miocene heterozoan carbonates 309, 310, 315–316, 318
 isotope data 316–317, 317
see also Southern Marion Platform
- mastophoroidea 14, 41, 44, 46, 48
- Matemateonga Formation 284
 shell beds 283, 285, 286–301
- Mediterranean Sea
 biocalcarene 95–117
coralligène de plateau 11, 18
 hard bottom 18
 Late Miocene 158
 Quaternary, sea-level change 137–154
 soft bottom, rhodoliths 11, 17–18
 subduction 158
 submerged depositional terraces 109, 110, 111, 112, 113–114
 western, climate and oceanography 73
- Megerlia truncata* 30, 31
- Melobesia* 26, 27
- melobesioidea 41, 44, 46, 48
- Mesophyllum* 12, 274
- Mesophyllum alternans* 14, 20, 26, 27, 28, 29, 75
- Mesophyllum lichenoides* 14, 18, 20, 26, 27, 28
- Messara Basin, Crete 158, 159
- micrite 58, 60
- Microcodium* 274
- middle-ramp facies 79
- Militello 145, 150
- Milovanovicia martelli* 182
- Miocene
 climate change 231
 proxies 308–309
 Early, Isili Basin 35, 37
 heterozoan carbonates 307–308
- Late
 Betic basins, temperate carbonate deposition 122, 124
 Crete 158–172
 Lower-Middle, Murray Basin 217–240
 southern hemisphere climate change 231
 Australia 231–234
 sea-level change 237–240
- Miocene-Pliocene, New Zealand, shell beds 283–303
- Miseno Bank, rhodalgal facies 89, 91, 92
- Modiolula phaseoline* 30
- molluscs
 Balearic Platform 74

- Cutro marine terrace 14
 Gulf of California 203–204, 205, 206
 Isili Limestone 38
 Pontian Islands 31, 32
 Moni Gorgolaini transect 159, 160, 162–163, 164, 168, 169, 173–174
Montcharmontia apenninica 182
 Monterey Carbon Isotope Excursion 308, 317, 318, 319
 Monti Climiti quarries 145
 Monti Nebrodi 114
 Mt Capodarso
 biocalcarenite wedges 96–108, 97, 98, 100, 111
 bedsets 101, 103, 106
 clinoformed unit 96–101, 103, 105–108
 depositional setting 103–105
 sequence stratigraphy 105–109
 siliciclastic mudstone unit 103, 106
 tectonic vs. eustatic factors 107–108
 Mt Capodarso Formation 96, 105
 mud
 lagoonal 78
 lime 137, 146, 153, 153, 325
 mudstone, siliciclastic, Mt Capodarso 103, 106
Murgella lata 182, 184
 Muravian Gulf 218, 219, 220
 Murray Basin, South Australia
 epeiric ramp
 climate change 237
 rock record 231–234
 sea-level change 237–240
 water depth and trophic resources 220–221, 221, 222, 223, 237
 geology 218–220
 Murray Supergroup
 stratigraphic packaging 222–230, 232
 completeness 235–236, 238, 239
 global correlation 230, 233
Myoforceps aristata 14
 Naples, Bay of, rhodalgal facies 85–93
Nassarius 101
 Neogene
 basins, Crete 158–160
 Spain, temperate carbonate deposition 121–131
 ?*Neogoniolithon* 14
Neomeris (Drimella) drimi 182, 184
Neopycnodonte 101, 103, 126, 129, 130
 New Zealand
 Neogene, shell beds 283–303
 Pliocene, calcite cements 337–363
 Te Kuiti carbonate seaway 245–265
 Nisida-Posillipo, Bay of Naples, rhodalgal facies 87–88, 90, 92
 nutrients, and carbonate productivity 169, 208, 210, 210–211, 217
 Ocean Drilling Program 271–281, 315
 oceanography
 change, Miocene, Murray Basin 237
 Gulf of California 200–202
 Oligo-Miocene
 epitaxial calcite cements 326–330
 Isili Basin, Sardinia 35–36, 37
 open platform facies 127, 129–130
Operculina 220, 225
Operculina victoriensis 220, 224, 225, 226
Ophiomorpha 79, 101, 103, 106
 Orahiri limestone 247, 249, 250–251, 252, 254, 256, 258, 259, 260
Orbulina suturalis 230
Orbulina universa 103, 276
 oxygen isotope values 124, 131
Ostrea 101
 Otorohanga limestone 247, 249, 250–251, 252–256, 258, 259, 260
 outer-ramp facies 80
 oxygen isotopes 124, 308, 311, 312, 313, 314–315, 319
 oyster banks, Isili Limestone 38, 42, 44, 47
 oysters 98, 103
 temperate carbonate deposition 126, 127, 129
 Padthaway Ridge 218, 219, 223, 226, 228
 palaeobathymetry, Pontian Islands 31–32
 palaeoclimate
 Late Miocene, Iraklion Basin 169–170
 Neogene, Betic Basin 131
 Plio-Pleistocene 115
 Mediterranean 107–108
 palaeoenvironment
 bryozoan growth forms 197
 Isili Limestone 47–48, 50
 Sicilian ramp 139
Palaeophycus 250, 253
 palaeosols 148–149
 Palazzelli 145
 palimpsest deposits, Miseno Bank 89, 91, 92
Palliolium imcomparabile 31
 Palmarola Island, submerged depositional terrace 112, 114
Panopea 98
Paradoxechinus novus 226
 Patéla transect 159, 160, 161–162, 168, 172–173
 pectinids 129, 130
 peloids 146
 Perachora Peninsula, Greece
 cyanobacterial mounds 53–68
 geology 54–56
 uplift 63, 64, 66, 67
Petitis substrats solidus 29
 pss-related fauna 31
 petrography, cathodoluminescent 338, 342–343
Peyssonnelia 76, 77, 78, 79, 80
Peyssonnelia rosa-marina 79
 Phlegrean Fields 85–86
 Photozoan Association 221, 222, 270
Phragmites 74, 78
Phymatolithon calcareum 27, 77, 79, 91, 92
 Piano della Paglia 140, 141, 142, 150
 Pianometa 140, 143, 145, 150
 Pirgos Member 159, 160, 164, 168
Pitar rudis mediterranea 31
Planolites 250, 253
 platform, carbonate, isolated 269
 Pleistocene
 biocalcarenite, Mediterranean Sea 95–117
 cyanobacterial mounds 53–68

- mid, *coralligène de plateau* 12–21
 submerged depositional terraces 12–21, 109–114
- Plio-Pleistocene
 biocalcarene, Mediterranean Sea 95–117
 climate change 115
- Pliocene
 Early
 Betic basins, temperate carbonate deposition **122**, 124
 Southern Marion Platform 269–281
 limestones 337–338, 339, 341
 calcite cements 337–363
- Pododesmus squamula* 30, 31
- Pontian Islands 24
 Holocene, palaeoenvironment 31–33
 rhodolith facies 23–33
 coralline algae 23–33, 27
 macrofaunal associations 29–31
- Ponza Island, submerged depositional terrace 112
- Porites* 163, 164, 166, 166, 168, 170, 274
Porites panamensis 204
- Posidonia* 74, 77, 78
Posidonia oceanica 74, 76, 89, 91
- Pozzuoli, Bay of, rhodalgal facies 85–93
- Praeorbulina glomerata* 230
Praeorbulina sicana 230
- prâline 17, 26, 30, 32–33, 48
- progradation
 Mt Capodarso calcarenite wedges 99–101, 103–106
 submerged deposition terrace 113, 114
 Tyrrhenian Sea 116
- Propeamussium fenestratum* 31
- proxies, geochemical, Miocene heterozoan carbonates 307–320
- Psammobia costulata* 31
- Pseudocyclammina sphaeroidea* 182, 184
Pseudorhapydionia mediterranea 182
- Pulleniatina* 276
- Punta Trempu, rhodalgal carbonate factory 36, 37, 38–39, 38, 41
- Quaternary, Sicily
 eustatic change 137–154
 ramp model 139–144
- Quinqueloculina* 129
- radiocarbon dating 31, 32
- Radiolites trigeri* 182
- ramp
 epeiric, Murray Basin 218–240
 facies
 dip-slope 170
 distally steepened 82, 126, **127**, 129–130
 homoclinal 126, **127**, 129
 homoclinal epeiric
 Murray Basin 218–220
 stratigraphic packaging 222–230
 inner 78, 139–140, 143–144
 middle 79–80, 140–141
 outer 80, 140
 Quaternary, Sicily 139–140, 141, 142, 143
 microtidal cool-water 1–7, 4
 and glacio-eustacy 152
- ravinement surface 19, 20, 109, 287, 288
- reefs, coral, Miocene, Mediterranean Sea 158
- regression, forced 105, 109, 239
- regressive facies *see* transgressive-regressive facies
- regressive systems tracts 105, 137
 forced 105
 fabrics 147–149
 shell bed taphofacies 293, 294, 295–296, 298–301
 Matemateaonga 284, 285, 286, 293
- resedimentation 35, 137
- rhodalgal facies, Bays of Naples and Pozzuoli 85–93
- rhodolites 75
- rhodoliths 4
 boxwork 17, 25, 26, **27**, 28, 30, 33
 Cutro marine terrace 12–18, 14, 16, 20
 distally steepened ramp, Neogene Betic basins 126, 129, 130
 ecological characterization 17–18
 free living 17
 fruticose 18, 38, 41, 42, 47
 Holocene, Pontian Islands 23–33
 Isili Limestone 39, 40, 41, 42, 45–48
 prâlines 17, 26, 30, 32–33, 48
 Southern Marion Platform 273–274, 277–278
- Rio sill, Gulf of Corinth 63, 66, 67
- Riu Currigas canyon 36, 42, 43, 44
- Rivularia corinthiana* 58, 65
Rivularia haematites 53, 54, 56, 57, 60, 61, 62–68
- rocky shore facies 126, **127**, 128
- Rotalidae* 74
- Rotorbinella scarsellai* 182, 184
- rudist lithosomes
 Upper Cretaceous
 Cilento, southern Italy 179–193
 depositional model 191–192
 hydraulic shell concentrations 185, 186
 hydrodynamic control 191
 lithofacies 181–185
 spatial arrangement 185, 186, 187, 191
 primary shell concentrations 185, 186, 187
 taphonomy 185, 186
- Ruppia* 74, 78
- Salina Island, submerged deposition terrace 112
- sandbodies, shelf-perched 147, 148, 151, 152
- Sarcidano, Sardinia, temperate carbonate system 35–50
- Sardinia, geology 36
- Sardinia rift 35
- Sauvagesia tenuicostata* 182, 184
- Scandonea samnitica* 182
- Scolicia* 16, 19, 98, 99, 101, 103, 125, 129, 249, **250**
- sea-level change
 and carbonate factories 170, 269, 279, 280, 281
 Holocene, Pontian Islands 23, 31–33
 Miocene, Murray Basin 222, 233, 235–236, 237–240
 Plio-Pleistocene, Mt Capodarso wedges 107–108
 Quaternary, Sicily 137–154
Rivularia mound development 62–64, 67
- sea-surface temperature, and carbonate formation 124
- seagrass meadows 74, 77, 79, 89, 129
see also Posidonia
- seaways
 carbonate sedimentation 245, 247–248
 general model 264
- sediment

- carbonate
 Balearic Platform 74–82
 Murray Basin 223
 current transport 179
 Pontian Islands, rhodolith facies 25, 26
- sedimentation
 Cutro marine terrace 18–19, 20
 seaways 245, 247–248
- sequence boundaries 151–152, 153
- shell beds
 Neogene, New Zealand 283, 285, 286–303, 287
 Upper Cretaceous, rudist lithosomes 185
- Sherbornina atkinsoni* 226
- Sherbornina cuneimarginata* 226
- shoal facies 126, 127, 128
- Sicilian Stage, transgression 151
- Sicily
 Oligo-Miocene, epitaxial cements 327, 328, 329, 330–331
 Quaternary, eustatic change 137–154
- signatures, marine 318
- silt, crystal 148
- Sorbas Basin 130
- Southern Marion Plateau 269–281
 age 278–279
 biostratigraphy 275–277
 cements 274–275, 278
 demise 279
 depositional environment 277–278, 280
 geology 271–273
 lithofacies 273–274
 reddish interval 272, 274, 278
- Spain, Neogene, temperate carbonate deposition 121–131
- Spatangus purpureus* 76, 77
- speleothem 58, 59, 60, 61, 62
- Sphaeroidinella* 277
- spit-platform facies 126, 127, 128
- Spondylus* 149
- Spondylus gaederopus* 14
- Spongites fruticulosus* 14, 26, 27
- Sporolithon* 274
- storm processes 299–300
- storm-wave
 abrasion depth 157
 base 3, 4, 104, 109, 139, 170, 191
- stratigraphy, sequence, cool-water carbonates 108–109
- Striarca lactea* 14, 31
- stromatolites 53–68
- subduction, Hellenic 158, 161
- submarine cliff facies 126, 127, 128
- systems tracts *see* falling stage; highstand; lowstand; regressive; transgressive
- taphofacies, shell bed
 Neogene
 New Zealand 283–303
- taphonomy, rudist 185, 186
- Tarbellastrea* 163, 166, 168, 169, 170
- Te Kuiti Group, New Zealand
 carbonate seaway 245–265
 evolution 261, 263–264
 geology 246, 248–249
 lithofacies 249, 250–251, 251–258
 lithofacies associations 258–261
 Telegrafo section, Cutro terrace 12, 14, 15, 16, 17, 18, 19, 20
 tempestite 289, 293, 297, 299, 300
 Terebratula 4, 103
- terraces
 marine, Cutro 12
 submerged, Pleistocene
 Mediterranean 109–114, 110
 see also Mt Capodarso, biocalcarene wedges
- Tertiary, mid, carbonate seaway, Te Kuiti Group 245–265
- Textularia* 220
- Thalassinoides* 127, 130, 250, 253
- Thaumatoporella* 182, 184, 187, 191
- Thaumatoporella parvovesiculifera* 182
- Titanoderma* 17, 18
- Titanoderma pustulatum* 12, 13, 14, 18, 20, 26, 27, 28
- toe of slope and basin 127, 130
- transgressive systems tracts
 fabrics 146–147, 153
 Matemateaonga 284, 285, 286, 287, 288, 293, 296–298
 Mt Capodarso 105, 106
 shell bed taphofacies 293, 294, 295–298, 299
- transgressive-regressive cycle, Cutro marine terrace 19
- transgressive-regressive facies, Murray Supergroup 222–230, 232, 235
- transition zone, tropical-temperate 157–172
- Trentinara succession
 lithofacies and palaeoenvironment 181–185
 stratigraphy 186
- Triloculina* 129
- trophic resources, Murray Basin epeiric ramp 221, 222, 223, 237
- Turbona cimicoides* 31
- Turritella* 98, 101, 103
- Turritella turbona* 30, 31
- Tyrrhenian Sea, Pleistocene, submerged deposition
 terraces 109–114, 111, 112
- Vaccinites cf. sulcatus* 182, 184
- Valle dei Templi calcarenite 114
- Varvara Formation 159, 160, 168
- Venus casina* 31
- Vera Basin 130
- Villasmundo Quarry 142, 151
- Vrica section, Cutro marine terrace 12, 13, 14, 18
- Waimai limestone 247, 249, 250–251, 251, 252, 256, 257, 258–259, 260, 263
- Walther, Johannes (1860–1937) Bays of Naples and Pozzuoli 85, 87
- Wanganui Basin, New Zealand 283, 284, 286, 287
- water depth, Murray basin epeiric ramp 220–221, 222, 236
- Yoldiella philippiana* 31
- Yucatán Peninsula, Campeche Bank 80–82