

Tectonic Development of the Eastern Mediterranean Region

The Geological Society of London
Books Editorial Committee

Chief Editor

BOB PANKHURST (UK)

Society Books Editors

JOHN GREGORY (UK)

JOHN HOWE (UK)

NICK ROBINS (UK)

JIM GRIFFITHS (UK)

PHIL LEAT (UK)

JONATHAN TURNER (UK)

Society Books Advisors

MIKE BROWN (USA)

JON GLUYAS (UK)

RANDELL STEPHENSON (NETHERLANDS)

RETO GIERÉ (GERMANY)

DOUG STEAD (CANADA)

SIMON TURNER (AUSTRALIA)

Geological Society books refereeing procedures

The Society makes every effort to ensure that the scientific and production quality of its books matches that of its journals. Since 1997, all book proposals have been refereed by specialist reviewers as well as by the Society's Books Editorial Committee. If the referees identify weaknesses in the proposal, these must be addressed before the proposal is accepted.

Once the book is accepted, the Society Book Editors ensure that the volume editors follow strict guidelines on refereeing and quality control. We insist that individual papers can only be accepted after satisfactory review by two independent referees. The questions on the review forms are similar to those for *Journal of the Geological Society*. The referees' forms and comments must be available to the Society's Book Editors on request.

Although many of the books result from meetings, the editors are expected to commission papers that were not presented at the meeting to ensure that the book provides a balanced coverage of the subject. Being accepted for presentation at the meeting does not guarantee inclusion in the book.

More information about submitting a proposal and producing a book for the Society can be found on its web site: www.geolsoc.org.uk.

It is recommended that reference to all or part of this book should be made in one of the following ways:

ROBERTSON, A. H. F. & MOUNTRAKIS, D. (eds) 2006. *Tectonic Development of the Eastern Mediterranean Region*. Geological Society, London, Special Publications, **260**.

MUCEKU, B., MASCLE, G. H. & TASHKO, A. 2006. First results of fission-track thermochronology in the Albanides. In: ROBERTSON, A. H. F. & MOUNTRAKIS, D. (eds) *Tectonic Development of the Eastern Mediterranean Region*. Geological Society, London, Special Publications, **260**, 539–556.

GEOLOGICAL SOCIETY SPECIAL PUBLICATION NO. 260

Tectonic Development of the Eastern Mediterranean Region

EDITED BY

A. H F. ROBERTSON
University of Edinburgh, UK

and

D. MOUNTRAKIS
Aristotle University, Thessaloniki, Greece

2006
Published by
The Geological Society
London

THE GEOLOGICAL SOCIETY

The Geological Society of London (GSL) was founded in 1807. It is the oldest national geological society in the world and the largest in Europe. It was incorporated under Royal Charter in 1825 and is Registered Charity 210161.

The Society is the UK national learned and professional society for geology with a worldwide Fellowship (FGS) of 9000. The Society has the power to confer Chartered status on suitably qualified Fellows, and about 2000 of the Fellowship carry the title (CGeol). Chartered Geologists may also obtain the equivalent European title, European Geologist (EurGeol). One fifth of the Society's fellowship resides outside the UK. To find out more about the Society, log on to www.geolsoc.org.uk.

The Geological Society Publishing House (Bath, UK) produces the Society's international journals and books, and acts as European distributor for selected publications of the American Association of Petroleum Geologists (AAPG), the American Geological Institute (AGI), the Indonesian Petroleum Association (IPA), the Geological Society of America (GSA), the Society for Sedimentary Geology (SEPM) and the Geologists' Association (GA). Joint marketing agreements ensure that GSL Fellows may purchase these societies' publications at a discount. The Society's online bookshop (accessible from www.geolsoc.org.uk) offers secure book purchasing with your credit or debit card.

To find out about joining the Society and benefiting from substantial discounts on publications of GSL and other societies worldwide, consult www.geolsoc.org.uk, or contact the Fellowship Department at: The Geological Society, Burlington House, Piccadilly, London W1J 0BG: Tel. +44 (0)20 7434 9944; Fax +44 (0)20 7439 8975; E-mail: enquiries@geolsoc.org.uk.

For information about the Society's meetings, consult *Events* on www.geolsoc.org.uk. To find out more about the Society's Corporate Affiliates Scheme, write to enquiries@geolsoc.org.uk.

Published by The Geological Society from:

The Geological Society Publishing House Unit 7, Brassmill Enterprise Centre Brassmill Lane Bath BA1 3JN, UK

Orders: Tel. +44 (0)1225 445046

Fax +44 (0)1225 442836

Online bookshop: www.geolsoc.org.uk/bookshop

The publishers make no representation, express or implied, with regard to the accuracy of the information contained in this book and cannot accept any legal responsibility for any errors or omissions that may be made.

© The Geological Society of London 2006. All rights reserved. No reproduction, copy or transmission of this publication may be made without written permission. No paragraph of this publication may be reproduced, copied or transmitted save with the provisions of the Copyright Licensing Agency, 90 Tottenham Court Road, London W1P 9HE. Users registered with the Copyright Clearance Center, 27 Congress Street, Salem, MA 01970, USA: the item-fee code for this publication is 0305-8719/06/\$15.00.

British Library Cataloguing in Publication Data

A catalogue record for this book is available from the British Library.

ISBN 10 1-86239-198-X

ISBN 13 978-1-86239-198-7

Typeset by The Charlesworth Group Ltd, Wakefield, UK

Printed by Cromwell Press, Trowbridge, UK

Distributors

USA

AAPG Bookstore, PO Box 979, Tulsa, OK 74101-0979, USA

Orders: Tel. +1 918 584-2555

Fax +1 918 560-2652

E-mail bookstore@aapg.org

India

Affiliated East-West Press Private Ltd, Marketing Division, G-1/16 Ansari Road, Darya Ganj, New Delhi 110 002, India

Orders: Tel. +91 11 2327-9113/2326-4180

Fax +91 11 2326-0538

E-mail affiliat@vsnl.com

Japan

Kanda Book Trading Company, Cityhouse Tama 204, Tsurumaki 1-3-10, Tama-shi, Tokyo 206-0034, Japan

Orders: Tel. +81 (0)423 57-7650

Fax +81 (0)423 57-7651

Email geokanda@ma.kcom.ne.jp

Contents

ROBERTSON, A. H. F. & MOUNTRAKIS, D. Tectonic development of the Eastern Mediterranean region: an introduction	1
SMITH, A. G. Tethyan ophiolite emplacement, Africa to Europe motions, and Atlantic spreading	11
HIMMERKUS, F., REISCHMANN, T. & KOSTOPOULOS, D. Late Proterozoic and Silurian basement units within the Serbo-Macedonian Massif, northern Greece: the significance of terrane accretion in the Hellenides	35
YANEV, S., GÖNCÜOĞLU, M. C., GEDIK, I., LAKOVA, I., BONCHEVA, I., SACHANSKI, V., OKUYUCU, C., ÖZGÜL, N., TIMUR, E., MALIAKOV, Y. & SAYDAM, G. Stratigraphy, correlations and palaeogeography of Palaeozoic terranes of Bulgaria and NW Turkey: a review of recent data	51
ROMANO, S. S., BRIX, M. R., DÖRR, W., FIALA, J., KRENN, E. & ZULAUF, G. The Carboniferous to Jurassic evolution of the pre-Alpine basement of Crete: constraints from U–Pb and U–(Th)–Pb dating of orthogneiss, fission-track dating of zircon, structural and petrological data	69
ROBERTSON, A. H. F. Sedimentary evidence from the south Mediterranean region (Sicily, Crete, Peloponnese, Evia) used to test alternative models for the regional tectonic setting of Tethys during Late Palaeozoic–Early Mesozoic time	91
KARAMATA, S. The geological development of the Balkan Peninsula related to the approach, collision and compression of Gondwanan and Eurasian units	155
KAZMIN, V. G. & TIKHONOVA, N. F. Evolution of Early Mesozoic back-arc basins in the Black Sea–Caucasus segment of a Tethyan active margin	179
GARDOSH, M. A. & DRUCKMAN, Y. Seismic stratigraphy, structure and tectonic evolution of the Levantine Basin, offshore Israel	201
DANELIAN, T., ROBERTSON, A. H. F., COLLINS, A. S. & POISSON, A. Biochronology of Jurassic and Early Cretaceous radiolarites from the Lycian Mélange (SW Turkey) and implications for the evolution of the Northern Neotethyan ocean	229
RASSIOS, A. H. E. & MOORES, E. M. Heterogeneous mantle complex, crustal processes, and obduction kinematics in a unified Pindos–Vourinos ophiolitic slab (northern Greece)	237
KOLLER, F., HOECK, V., MEISEL, T., IONESCU, C., ONUZI, K. & GHEGA, D. Cumulates and gabbros in southern Albanian ophiolites: their bearing on regional tectonic setting	267
GARFUNKEL, Z. Neotethyan ophiolites: formation and obduction within the life cycle of the host basins	301
RIZAOĞLU, T., PARLAK, O., HOECK, V. & İŞLER, F. Nature and significance of Late Cretaceous ophiolitic rocks and their relation to the Baskil granitic intrusions of the Elazığ region, SE Turkey	327
MORRIS, A., ANDERSON, M. W., INWOOD, J. & ROBERTSON, A. H. F. Palaeomagnetic insights into the evolution of Neotethyan oceanic crust in the eastern Mediterranean	351
SHARP, I. R. & ROBERTSON, A. H. F. Tectonic–sedimentary evolution of the western margin of the Mesozoic Vardar Ocean: evidence from the Pelagonian and Almopias zones, northern Greece	373
RICE, S., ROBERTSON, A. H. F. & USTAÖMER, T. Late Cretaceous–Early Cenozoic tectonic evolution of the Eurasian active margin in the Central and Eastern Pontides, northern Turkey	413
RIMMELÉ, G., OBERHÄNSLI, R., CANDAN, O., GOFFÉ, B. & JOLIVET, L. The wide distribution of HP–LT rocks in the Lycian Belt (Western Turkey): implications for accretionary wedge geometry	447
DEGNAN, P. J. & ROBERTSON, A. H. F. Synthesis of the tectonic–sedimentary evolution of the Mesozoic–Early Cenozoic Pindos ocean: evidence from the NW Peloponnese, Greece	467

PIPER, D. J. W. Sedimentology and tectonic setting of the Pindos Flysch of the Peloponnese, Greece	493
DOUSOS, T., KOUKOUVELAS, I. K. & XYPOLIAS, P. A new orogenic model for the External Hellenides	507
VAMVAKA, A., KILIAS, A., MOUNTRAKIS, D. & PAPAIOIKONOMOU, J. Geometry and structural evolution of the Mesohellenic Trough (Greece): a new approach	521
MUCEKU, B., MASCLE, G. H. & TASHKO, A. First results of fission-track thermochronology in the Albanides	539
WESTAWAY, R. Late Cenozoic extension in SW Bulgaria: a synthesis	557
ALÇIÇEK, M. C., TEN VEEN, J. H. & ÖZKUL, M. Neotectonic development of the Çameli Basin, southwestern Anatolia, Turkey	591
BOULTON, S. J., ROBERTSON, A. H. F. & ÜNLÜGENÇ, U. C. Tectonic and sedimentary evolution of the Cenozoic Hatay Graben, Southern Turkey: a two-phase model for graben formation	613
PAVLIDES, S. B., CHATZIPETROS, A., TUTKUN, Z. S., ÖZAKSOY, V. & DOĞAN, B. Evidence for late Holocene activity along the seismogenic fault of the 1999 Izmit earthquake, NW Turkey	635
MOUNTRAKIS, D., TRANOS, M., PAPAACHOS, C., THOMAIDOU, E., KARAGIANNI, E. & VAMVAKARIS, D. Neotectonic and seismological data concerning major active faults, and the stress regimes of Northern Greece	649
TRANOS, M. D., KARAKOSTAS, V. G., PAPADIMITRIOU, E. E., KACHEV, V. N., RANGUELOV, B. K. & GOSPODINOV, D. K. Major active faults of SW Bulgaria: implications of their geometry, kinematics and the regional active stress regime	671
PAPAZACHOS, B. C., KARAKAISIS, G. F., PAPAACHOS, C. B. & SCORDILIS, E. M. Perspectives for earthquake prediction in the Mediterranean and contribution of geological observations	689
Index	709