

Index

Note: Page numbers in *italics* refer to figures while those in **bold** refer to entries in tables.

- accretion system 43
- acid-base reactions 187
- active margin 43, 50, 53
- additive log-ratio 3–5, 8, 8, 82, 157–8
 - drawbacks 81
 - transformed 20, 79, 80–1, 87, 106
- additive replacement 194–7, **196**, **197**
- adsorption 187
- Afrobolivina afra* foraminifera 59
- Aitchison composition 120–1
- Aitchison distance 4, 5, 6–7, 119, 121,
 - 122–3, *124*, 130, 137, 150–1, 153, 156–7,
 - 192, 197, 205, 206
- Aitchison geometry 7, 120, 121, 145, 161
- Aitchison inner product 6–7
- Aitchison norm 6–7, 151, 152
- alkalis-total Fe-Mg (AFM) plot 19, 22
- alteration processes 178, 179
- alternative hypothesis 37
- amino-acid analysis 60, **63**
- analysis of variance (ANOVA) 67, 70, 119
- andesite 18
- Appin Group 26, 35–6, 35
- aquifers 178, 179, 187
- aragonite 30
- Argyll Group 26
- Arsen'evskoe* deposit, Russia 45, **47**, 55

- balances 4–5, 52, 52, 145, 154–7, **155**, 158
- Ballachulish Subgroup 33, 38
- barplot 121
- barycentre 7, *149*, 162
- basalt 18, **156**, 166–72
 - alkaline 11, 13, *14–17*, 101, 103, 106,
 - 198, *198*, *199*, 200
- bases 148–9
- Basic Compositional Data Analysis functions
 - from S+/R 130
- Be/V ratio 52, 53
- between-groups matrix 60–1, **62**
- Bhattacharyya distance 130
- bimodality 188
- binary logistic discriminant analysis 47–9, 50
- biplot 4, 13, *14*, 30, 32, 35, 43, 119, 123, 161, 170, *198*
 - analysis 168
 - CoDaPack 103, *104*, 114
 - coincident vertices 165
 - collinear vertices 165
 - construction of 163–4
 - cosines of angles 164
 - interpretation of 164–5
 - links and rays 164
 - major oxides **169**
 - subcompositional analysis 164–5
- Blair Atholl Dark Schist & Limestone
 - Formation 35–6, 36
- Blair Atholl Subgroup 28, 33, 37–8
- box plot 70, 71, 119, 121, 123, *187*
- Box-Muller algorithm 88

- brachiopods 60, 61–4, **63**
- British Geological Survey 27

- calc-alkaline series 11, 13, *14–17*, 18, 19, 101,
 - 103, 106, 198, *198*, *199*
- calc-silicate phases 30
- calcite 30, 178, 179, 187
- carbon, isotopes 39
- carbon dioxide 178, 181, 187
- carbonates 181
- Carpatho-Pannonian Region 11, *12*, 198
- casserite 43–55, *49*, *51*
- cation-exchange equilibria 178
- Cenozoic vulcanites, Hungary 11–23, *12*, 101,
 - 191, 194, 198
- centered data 7–8, 8, *15–17*, 104, 111, 116, 130,
 - 131, *135*, 161–3, *163*, 166, **167**, *169*, **170**,
 - 199*, *199*
- centered log-ratio 3–5, 8, 103, 112–15, 157–8,
 - 167**, **170**
 - coefficients 45–7, 148, 152, 156, 157
 - covariance matrix 60, 64, 72, 162–3, 166
 - transformed 19–20, 106, 148, 162, 163, *198*, 199
- chemo-stratigraphical study 61
- chloride 178–9
- classification 1, 13
 - probability 87–8
 - sediment 80, 82–4, 83
- clay minerals 166–72, 178–9
- clear replacement 196–7
- closed data 1, 32, 79, 146
- closed geometric mean 7
- closed simplex 203, 205
- closure constant 146, 147, 161
- cluster analysis 43, 119, 122–3, 198
 - see also* Ward cluster analysis
- CoDaPack 101–18, 129–30, 133
 - ALN confidence region 114, *116*
 - ALN predictive region 114, *115*
 - ALR plot 112, *114*
 - amalgamation 111
 - analysis 107, *108*, 117
 - atypicality indices 117, *117*
 - biplot 103, *104*, 114
 - centering 111
 - centre 116
 - CLR plot 112–14
 - CLR variance 114–15
 - descriptive statistics 102–3, *103*, 107, *108*,
 - 114–17*, *116*, *117*
 - graphs *103–7*, 107, *108*, 112–14, *113–16*
 - logistic normality test 117
 - menu features 107–18
 - operations *102*, 107, 110–12
 - perturbation 110, *111*
 - power transformation 110, *112*
 - preferences 107, *108*, 117
 - principal components 114, *115*
 - raw ALR 109, *110*

- CoDaPack (*Continued*)
 raw CLR 109
 raw ILR 110
 real data example 101–7
 rounded zero replacement 101–2, 102, 111–12
 standardisation 111
 subcomposition/closure 111
 sum constraint 117, 118
 summary 102–3, 103, 114–16, 116
 ternary diagram 105–6, 112, 113
 total variance 116
 transformations 107–10, 108
 unconstrain/bias 107–9, 109
 variation array 114, 116–17
 websites 101, 130
- coefficients 3, 8–9, 45–7, 60, 148–9, 152, 155–7, **156**, 157
- collision margin 68
- composition 11, 18
 exploratory methodology 161–73
 non-negativity 80
 principal component analysis 2, 72, 74, 104–6, 106–7, 119, 165–6
 software 101–18
 three part 80–1, 82, 205, 206
see also subcomposition
- compositional fields 87, 162
- compositional lines 6, 6, 9, 13, 104, 149–50, 149
 principle axis 166, 166
- compositions software package 119–27, 131
 four classes 131, 143
 websites 119
- confidence region 81–2, 82, 87, 88, 93–6
 additive logistic normal 114
- constant ratios 136, 137
- constant sum 2, 25, 38, 61, 67, 80, 94–5, 117, 118, 135, 145, 194
- continental block margin 79, 84
- coordinates *see* coefficients
Coptothyris grayi, brachiopod 60
- correlation matrix 1, 4, 25
- covariance structure 1, 2, 3, 4, 25–6, 61, 79, 81, 97, 151, 162–3, 165, 170, 192, 193–4, 197
see also variance
- Dalradian limestone 25–39, 27, **29**
 FMC subcomposition 34–9
 lithological characteristics **31**
- data 30, 32
 3D visualisation 138, 142
 detection limit 191–2
 errors 3, 161
 full-space data 59
 glacial dataset 129, **130**
 missing data techniques 191–200
 NMAR missing values 196
 number of zeros 197
 properties 1–2
 random sampling 179
Researcher's daily activities 129, **130**
 residual 130
 sampling error 176
 visualisation 13, 18, 46, 162
see also centered data; closed data; open data; transformed data
- decay, rates of 150
- deciles values 136
- deformation 25, 67
- degrees of freedom 87, 146
- dendrogram 2, 124, 137, 138, 141, 142
- depositional process 5
- descriptive statistics 102–3, 103, 107, 108, 114–17, 116, 117, 161, **194**
- diagenetic fluid 30
- Dickinson model 79–98
 database 84–7, 86, 94
 discriminatory power 80
 as exploration tool 97–8
 methods 87–8
 spatial resolution 96
 temporal resolution 96
- differentiation 19
 mixing operators 176
- dilution 185, 187, 188
- dimensional real space 204–5, 205, 206
- dimensionality reduction 13
- discriminant analysis 1, 2, 50, 61, 79–80, 125–6, 175, 198
- discriminant coordinates 59–65
- discriminant power 59, 61, 64, 65, 94
 Dickinson model 80
- dispersion *see* variance
- distance 4, 6, 145, 150–1, 155, 205
see also Aitchison distance; Bhattacharyya distance; Euclidean distance
- dolomite 28
- Dufftown Limestone Formation 33–9
- earthquake 67, 75
- eigenvalue 163, 166
- eigenvector 163–4, 166
- EM algorithm 193, 200
- equilibrium constant 70–3
- erosional process 5, 175
- essential zero *see* structural zero
- Euclidean distance 5, 130, 157, 191, 192, 193, 194
- Euclidean geometry 161
- Euclidean metric 203
- Euclidean space 3, 7, 145, 151, 192, 198, 203, 205, 206
- Euclidean statistical methods, assumptions 191–2
- factor analysis 2, 175
- feldspar 170, 172
 plagioclase 30, 167, 169
- Festiva'noe* deposit, Russia 45, **47**, 54
- fixed percentage line 82, 84
- fluid source 43, 44, 53
- fluorine 187
- fractal distribution 176
- frequency distribution 19, 175–88
 positively skewed 177
 shape of 36, 175, 179, 181, 185, 185–6, 187
 theoretical 176–8
 uni & multivariate 175, 177–85, 186–8

- fumarole field 67–75
 inner and outer 68
- fumarolic gases 67–75, 71, 178, 187
 fluid circulation 74
 spatial variation 67, 68, 70, 72–5
 subcompositional analysis 70–3
 temperature 68, 69–70, 69, 72–5
 temporal variation 67, 68, 69, 70, 71, 72–5
- gabbro 166–72
- gas phase equilibria 178
- Gaussian distribution 69, 70, 175–7, 180–3, 193
- Gaussian model 179, 181
- geochemistry, natural laws 175–88
- geometric mean 131, 133, 134, 161–2, 197
- glacial till 129
- goodness of fit 179, 181, 186
- grain size 28
- Grampian Group 26
- Grampian Orogeny 26
- Hilbert space 151
- histogram 18, 19, 183, 186
- Hungarian Geological Survey 101
- Hungary 11–23, 191, 194
- hydromagmatic deposits 178, 183
- immunoassay 60
- imputation strategies 193–4
 non-parametric 194–7
- imputation value 196, 197
- Inchrory Limestone Formation 33–9
- inferential modelling 176
- inferential success ratio 93–4
- inner product 4, 145, 151, 152, 157
see also Aitchison inner product
- iron 11–12, 167
- iso-density partitioning 87, 88–93, 94–6, 97
- iso-density point 87, 88
- isometric log-ratio 3–5, 8, 20, 81, 82, 157–8
 coefficients 166
 transformed 106, 125, 185–7
- isotopes 11, 53, 54, 149–50
- Italy 67–75, 161, 172, 175, 178, 184
 soil dataset 166–7
- Kavalerovo* region, Russia 45, 47, 48, 54–5
- Khingan-Okhotsk metallogenic belt, Russia 45
- kin file 137
- Kinraig and Ord Ban limestone 28, 35–6, 36, 37
- kinemage 138
- KiNG viewer 129, 137, 138, 142
- Kinlochlaggan limestones 36, 37–8
- Kinlochlaggan Syncline 28
- Kolmogorov-Smirnov test 69, 70, 179
- Komsomol'sk* region, Russia 45, 47, 48, 53–4
- Kullback-Leibler divergence 130
- Laqueus rubellus*, brachiopod 60
- latent root 60–1, 63, 65
- lattice of hypotheses 33, 34
- Law of Mass Action 74–5
- Law of Proportionate Effects 177
- leaching 178, 187
- Leny Limestone 26
- Levene statistic 70
- likelihood ratio test 181, 186
- limestone 25, 27–30
- linear dependence 148
- linear discriminant analysis (LDA) 19–21, 51, 52, 106, 199
- linear discriminant function (LDF) 19, 20, 198, 199–200, 199
see also misclassification rate
- linear regression 49, 198
- lithophile elements 43, 45, 53
- lithostratigraphy 25, 26–8, 29, 39
- Lithuania, Silurian sediments 59–60, 61, 62
- Lochaber Subgroup 38
- log-contrasts 33, 70–3, 72, 73, 74–5
- log-likelihood function 181
- log-normal model 177–8, 179, 184
- log-ratio 1, 2–9, 11, 13–18, 25, 26, 35, 38, 45–7, 67, 70, 81–4, 82, 101, 155, 157–8, 162, 176, 177, 178–87, 186–7, 192, 193, 198, 203
 covariance matrix 60, 62, 63
 linear discriminant analysis 21
 space 83, 84, 87
 time independent 70, 70, 71
 transformation 59, 64, 131, 145, 176, 200
see also additive log-ratio; centered log-ratio; isometric log-ratio
- logskew-normal model 176, 177, 181, 184, 188
- loss on ignition 12, 30, 34
- MAGE viewer 129, 137
- magma 11, 21, 167
 chamber system 43–5, 44
 differentiation 170
- magmatic arc 79, 84, 94–5, 178
- magnesium 179
- Mahalanobis distances 186–7
- Mann-Whitney *U*-test 25, 37–8, 37
- marker horizon 28
- Markov Chain Monte Carlo (MCMC) simulation
 algorithms 193, 200
- MATLAB version software library 179
- matrices *see* between groups matrix;
 correlation matrix; covariance matrix;
 variance matrix; within-groups matrix
- metamorphism 25, 53
- metasomatic alteration 18
- metric space 203, 205
- Mg/Ca ratio 179
- mica 30
- mineral paragenesis 25, 45
- misclassification rate 49, 50, 52, 88, 198, 199, 199
- MixeR 129–43
Activity researchers dataset 138
 data file format 129, 141
 data input 131
 glacial dataset 142
 library 131
 routines 131–2
 websites 129, 131, 143

- Moine Supergroup 28
 monitoring tools 67, 75, 98
 monograph 2
 multi element variation *see* spider diagram
 multimodal model 184, 186, 188
 multiplicative replacement 140–1, 194–7,
 196, 197, 198, 200
 multivariate analysis 81, 192, 198
 distribution 188
 incomplete data 192
 Multivariate Analysis of Variance (manova) 125
 redundant information 59
 statistical modelling 185–7
 multivariate normal model 186–7
 multivariate skew-normal model 186–7, 188, 188
- natural replacement 195–6
 non-parametric techniques 36–7, 192–3, 194–200
see also parametric techniques
 norm 5, 145, 155, 157
see also Aitchison norm
 normal distribution *see* Gaussian distribution
 null hypothesis 37
 null value 191, 192, 195
- OCR software 84
 olivine 170, 172
 open data 25, 26
 ophiolite 161, 166–72
 orogen, recycled 79, 84
 orthogonal system 4–5, 60, 151–7, 179
 orthonormal basis 145, 149, 152–3, 153, 155–6,
 157, 164
 oxides
 hydrous 166, 168, 173
 major 11–23, 101, 167, 167, 168, 169, 171, 191
 oxyhydroxides 166, 168, 173
- P-P plot 187, 188
Pagetides trilobite 26
 palaeontology 59
 Panarea, Italy 67, 75
 parametric techniques 192–3, 200
see also non-parametric techniques
 percentiles 18, 82, 84, 131, 133
 border lines 133, 134–6, 134, 135
Pereval'noe deposit, Russia 45, 47, 54
 peridotite 167
 permeability variations 178, 179
 perturbation 5–6, 7, 110, 111, 123, 130, 145,
 147–9, 151, 156, 157, 158, 162, 163, 194,
 197, 205
 pH conditions 167–8, 173
Pictathyrispicta, brachiopod 60
 pie-chart 121
 Pitlurg limestones 35, 36, 37–8
 plagioclase *see* feldspar
 Port Arisaig Formation (PAF) 26
 positive vectors 146
 potassium 178
 power transformation 5–6, 110, 112, 123–4, 130,
 145, 147–9, 151, 157, 158, 197, 205
 power-perturbation equation 8–9
 precipitation reactions 175, 178
 predictive distribution 81, 82, 87, 88, 89–96
 additive logistic normal 114
 principal component analysis 2, 72, 74, 104–6,
 106–7, 119, 165–6
 probability 33, 36, 87–8, 125, 175
 classification 87–8
 density 2, 87, 88, 157, 176
 plot 69, 72, 73, 179, 180–3
 ternary sandstone 97
 provenance association 79, 87, 88, 89–96, 97
 provenance field 79, 84, 85, 87, 88, 94
 pyroxene 167, 170, 172
- Q-Q plot 187, 188
 QFL diagram 84, 85, 88, 89, 93
 QmFLt diagram 84, 85, 88, 90
 QmPK diagram 88, 91, 95
 QpLvLs diagram 88, 92, 96
 Quadrays formulas 137
 Quartz 30, 84–96
 Quick Basic 130
- R statistical package 119–27, 129–143
 Aitchison geometry 120
 classification routines 143
 closure constant 121
 composition visualization 129–43
 compositional computation 123–4
 compositional data analysis 120–2
 data command 120
 data subsets 125
 defining a vector 132
 discrimination analysis 125–6
 download and installation 120, 126
 Fahrmeir package 131
 GNU S 130
 grouped data 124–6
 help window 120, 121
 importing data 126
 library command 120
 mixture procedures 131–2
 Mixtures with *see* MixeR
 multiple parts 122, 123, 124
 Multivariate Analysis of Variance (manova) 125
 percentile lines 133, 134–6, 134
 plot command 121
 principle component analysis 121–2
 programming interface 126
 ratio lines 136–7
 specifying components 122
 starting up 119
 statistical sub-routines 126
 subcomposition 132–3
 technical help 126–7
 ternary diagram 121, 123, 133–4
 tetrahedron 137–9
 variance 121–2, 121
 version number 120
 websites 119, 126
 zero replacement value 120, 139–41
 rare earth element diagram 32
 ratio lines 131, 136–7

- redox reactions 167–8, 187
 replacement formulae 194–7, **195–6**
 replacement strategy 193–4, 205
 see also additive replacement; clear replacement;
 multiplicative replacement; natural
 replacement; simple replacement;
 zero replacement value
 representations *see* transformed data
 rhyolite 18
 ridge-type constant 59, 60–1
 rounded zero 101–2, 102, 111–12, 191–200
 Russia 43–55, 44
- sample space 175, 176–7, 203
 sandstone 79–98, **80**, 95–8, 97
 scatter plot 52
 Scotland, Dalradian limestone 25–39
 scrubbing 73, 74, 75
 sediment 1, 59, 79
 classification 4, **80**, **80**, 82–4, 83
 sedimentary basin 79
 seismic data 67
 sequential binary partition 152–3, **153**, 154, **154**,
 155–6, **155**, **156**
 order of partition 155, **155**
 serpentinite 166–72
 set
 boundary and frontier 203–4
 interior 204
 open and closed 203–4, 205
 set *R* 203–6, 204, 205, 205, 206
 set *S* 203–6, 204, 205, 205, 206
 shear zone 28
 shrinkage 59, 60–1, **62**, **63**, 64–5
 siderophile elements 43, 45, 53
Sikhote'Alin, Russia 43–55, 45
 silicates 18, 34, 166, 181
 Silurian sediments, Lithuania 59–60, 61, **62**
 simple replacement 139–40, 194–7, **196**, **197**
 simplex 26, 32, 38, 68–9, 107, 119, 162, 175,
 176, 179, 203–6
 Aitchison 123
 closed 203–5
 D-part 3, 6, 145–58
 open 203, 205
 as subset 204–5
 vector space 147–50
 skewness index, estimated 185–6
 skew-normal model 177, 181, 183–5, 188
 slab-window zone 43
 sodium 178, 187
 software tools 129–31
 soil 166–72
 chemistry and land use 166
 dataset 166–7
 interstitial water 172
 solution-precipitation processes 175, 187
 Southern Highland Group 26
 spatial averaging 96
 spectral analysis, quantitative 45
 spider diagram 28, 30, 34
 standard correlation analysis 175
 standard deviation *see* variance
 Stromboli, Italy 67, 75
- strontium 39
 structural zero 191–2
 Student *t*-test 69
 subcomposition 15–17, 21, 147, 153, **154**, 165,
 194, 197
 coherence 2, 25–6
 covariance 2
 discrimination 25, 32–4, 34
 fumarolic gases 70–3
 projection of 153, 153, 154
 ternary sandstone 85
 three part 13, 129–43, 134–7, 161,
 169, 169
 subduction margin 43, 54, 178
 substitution constant 102
- t*-test *see* Student *t*-test
 tectogenetic switch hypothesis 43–6, 54
 tectonics 11, 25, 45, 79
Terebratalia coreanica, brachiopod 60
 ternary diagram 6, 8, 15–17, 104, 119, 129,
 130–1, 146, 146, 149, 161, 162, 169,
 199, 205–6, 206
 CoDaPack 105–6, 112, 113
 Dickinson model 79
 statistical analysis 80–1, 82
 visualisation in R 133–4, 135, 136
 tetrahedral diagram 129, 131, 141, 142, 146
 visualisation in R 137–9
 Theory of Successive Random Dilutions 177
 thin section point count 79, 85
 tholeiitic series 19
 tin deposits 43–55, **50**
 Tindari-Letojanni lithospheric fault 68
 Torulian Limestone 28, 35, 36, 38
 total alkali-silica (TAS) plot 18, 21
 total variance 161–3, **167**, **170**, 197
 tourmaline 53
 trace elements 11, 30, 45, 169–70, **170**, 171,
 171, 173, *see also* casserite
 transform margin 43, 50, 53, 54
 transformed data 19, 20, 25, 30, 38, 45–7, 81,
 107–19, 108, 119, 157
 Tyrrhenian Sea 67, 68, 178
- U-Pb zircon ages 26
 univariate normal model 177–85
 univariate skew-normal model 176, 177–85
- variance 59–65, 70, 103–4, 164, 165, **167**, 168,
 170, 176, 177, 192, 198
 matrix 161–3, 167, **168**, **171**, 197
 see also covariance structure; total variance
 vectors **63**, 205
 collinear 168
 column markers 164
 row markers 164
 stability analysis 59–65
 Visualbasic routines 101
 volcanic arc *see* magmatic arc
 volcanoes, space-time monitoring 179
 Vulcano Island, Italy 67–75, 175, 178, 184
Vysokogorskoe deposit, Russia 45, **47**, 54–5

Wald-Wolfowitz Runs Test 69

Ward cluster analysis 46–9, 50, **50**, 51

water chemistry 39, 175–88, 180, 182, 183,
184, 185

weathering 166, 170, 172, 175, 178, 181,
183, 187

weight percentage 3, 129

weighted method 87

within-groups matrix 60–1, **62**

X-Ray Fluorescence 30

zero component 3, 84, 161, 191–200,
203, 205

see also rounded zero; structural zero

zero replacement value 86

in R 139–41

rounded 101–2, 102, 111–12

zircon, U-Pb ages 26