

# Index

Page numbers in *italic* denote figures. Page numbers in **bold** denote tables.

- Aira Caldera (Japan) 74  
Alaska 125, 130  
Alicudi (Aeolian Islands) 130  
Altiplano–Puna Volcanic Complex (APVC)  
  eruption mechanisms 55–56  
  geochemistry/petrology 51  
  initiation of activity 49–51  
  recent activity 48, 51  
  setting 47–48, 48–49  
  substructure 51–55  
  summary of ignimbrite flare-up mechanism 57–59  
  thermo-mechanical model 56–57  
Andes 121  
  *see also* Altiplano–Puna Volcanic Complex  
Argentina *see* Altiplano–Puna Volcanic Complex  
Askja Caldera (Iceland) 85, 87  
Augustine volcano (Alaska) 122, 125, 130
- Backbone Range (Japan) 69, 72  
Bandai-san (Japan) **122**, **128**, 129  
Bardarbunga (Iceland) 87, 88  
Bezymianny (Russia) **128**  
Bingham flow 165  
Bishop Tuff 3, 4, 173  
Bolivia *see* Altiplano–Puna Volcanic Complex  
Bolsena Caldera (Italy) 74  
Bouguer anomalies  
  Campi Flegrei 30  
  Mt Epomeo 184  
boundary-element method 93  
bradyseisms 27  
bulk strengths of volcanic edifices 126–127
- Caldera Taburiente (Canary Islands) 121, 122  
California *see* Long Valley Caldera  
Campanian Ignimbrite 25, 141, 159  
Campi Flegrei Caldera (Italy) 25, 69, 74  
  eruptions  
    history 141–143  
    potential 154–155  
  explosive events 159–160  
  geological setting 25, 145, 159  
  ground motion 26–29  
    historic 144–145  
    prehistoric 144  
  hazard mapping 38–40  
  methods 166  
  results 167, 168  
  results discussed 169–170  
  magma chamber  
    intrusive activity 152–153  
    reservoir modelling 153, 154  
    seismic evidence 29–33  
  map 26  
  model outputs  
    hazard estimation 38–40  
    pyroclastic fallout 40  
    modelling behaviour  
      impact of gravity changes 33–37  
      impact of ring faults 37  
      pyroclastic density currents 165–166  
      pyroclastic fallout 40, 160–165  
      uplift 114–116  
      use of models in hazard forecasts 38  
  Serapis studies 143, 147  
    geological setting 145  
    ground motion 144, 148–150, 151, 152  
    reference horizons 146, 148  
Canary Islands 124, 129  
  Cumbre Vieja 124–125  
    tsunamigenic potential 132–137  
  El Hierro 126, 130, 133, 135  
  Roque Nublo **128**  
  Taburiente, Caldera 121, 122  
Cape Verde Islands 122  
Casita (Nicaragua) **122**, 127, **128**  
Chile **128**  
  *see also* Altiplano–Puna Volcanic Complex  
Chon–Aike Province 47  
Citara Formation 181  
CO<sub>2</sub> emissions, Mammoth Mt 9  
cohesive strengths  
  lavas 127  
  pyroclastics 127  
Colima (Mexico) 126, 127, **128**  
collapse calderas 84  
  Iceland 87–90  
  mode of formation 70–72  
  modelling  
    analogue 90–92  
    analytical 92–93  
    numerical 93–94  
  pluton emplacement effects 74–76  
  magma emplacement 66–69  
  magma reservoir depth 74  
  magma reservoir shape 72–74  
  magma upwelling 66  
  precursory doming 69  
ring faults 84  
  associated stress fields 94  
  dips 85–86  
  formation 94–96  
  formation modelling  
    layered 101–102  
    non-layered 96–101  
  model testing 103–105  
  structures 102–103  
  shapes 84  
  structural styles 69, 70  
  volumes 86–87  
Colle Jetto Formation 181  
composite volcanoes  
  collapse calderas 84  
    Iceland 87–90  
  modelling  
    analogue 90–92  
    analytical 92–93  
    numerical 93–94

- ring faults 84
  - associated stress fields 94
  - dips 85–86
  - formation 94–96
  - formation modelling 96–102
  - model testing 103–105
  - structures 102–103
- shapes 84
- structural styles 69, 70
- volumes 86–87
- defined 83
- lateral collapse on marine volcanoes
  - events through time 121
  - factors affecting 125
  - large volume events 125–127
  - marine environment 129–131
  - triggers 127–129
  - tsunamigenic potential 131–132
    - Cumbre Vieja 132–137
- Coulomb stress changes, Campi Flegrei 30
- crustal structure modelling for Mt Epomeo 184–185
- Cumbre Vieja (Canary Islands) 124–125, 132–137
- deformation
  - modelling for Mt Epomeo 185–186
  - record for Campi Flegrei 34–37
- Devil's Postpile flows 3, 4
- diapirism 66
- doming *see* uplift
- downsag structure 69, 70
- dyking 66
- earthquakes and seismicity
  - Altiplano-Puna Volcanic Complex
    - mapping with seismic waves 51–55
  - Campi Flegrei intensity record 28, 29
  - Long Valley Caldera 9, 13, 173
    - (1978–1983) 5–7
    - (1984–1988) 7
    - (1989) 7–9
    - (1990–1995) 9–11
    - (1996) 11–12
    - (1997–1998) 12–16
    - (1998–1999) 16
    - summary 21–22
  - Mt Epomeo 185
  - Eastern California Shear Zone 1, 2
  - Ecuador *see* Sierra Negra Caldera
  - El Hierro (Canary Islands) 126, 131, 133, 135
  - epicentres, Long Valley Caldera 8, 15
  - Epomeo, Mount
    - activity phases 182
    - map 182, 183
    - formation 181
    - modelling resurgence 182–183
      - bending model 183–184
        - crustal structure 184–185
        - deformation 185–186
      - bending-lifting model 186–190
      - summary of model output 190–191
- Etna (Italy) 126, 128, 131
- Eureka Valley (USA) 8
- faults
  - role in caldera collapse 187
  - role in caldera uplift
    - model application
      - Campi Flegrei 114–116
      - Sierra Negra 116–117
    - model framework 111–114
- finite element method 93
- Fish Lake Valley (USA) 8
- Fuji (Japan) 126
- funnel structure 69, 70
- Galapagos Islands 87, 122, 129
  - see also* Sierra Negra Caldera
- Gamkandra (Indonesia) 124
- Geitafell Caldera (Iceland) 87, 90, 95
- geochemistry
  - Altiplano-Puna ignimbrites 51
- geotechnical properties and lateral collapse 126–127
- Glass Mt Complex (USA) 3, 4, 8, 173
- gravity changes
  - Campi Flegrei 34
    - see also* Bouguer anomalies
  - Great Basin (USA) 47
  - Greece *see* Santorini
  - Grimsvötn (Iceland) 87, 88
  - Grizzly Peak Caldera (USA) 69
- ground inflation
  - causes 109
  - model framework 111–114
    - application of model
      - Campi Flegrei 114–116
      - Sierra Negra 116–117
- Hafnarfjall Caldera (Iceland) 87, 90, 91
- Hawaiian Islands 87
  - lateral collapse 121, 126, 129, 130–131
  - tsunamis 132
  - volcanic landslides 122, 123, 125
- hazard assessment
  - importance of ground inflation 109
  - mapping at Campi Flegrei
    - methods 166
    - results 167, 168
    - results discussed 169–170
  - modelling
    - hazard estimation 38–40
    - pyroclastic fallout 40
- Henry Mt (USA) 69
- Hofsjökull (Iceland) 88
- Honshu Arc (Japan) 72
- Iceland
  - collapse calderas 87
    - outwith volcanic zones 89–90
    - within volcanoc zones 87–89
- ignimbrite flare-ups 47
  - mechanism of 57–59
- ignimbrite provinces *see* Altiplano-Puna Volcanic Complex
- ignimbrite shields 48, 55
- Iliwerung (Indonesia) 124
- Indonesia 122, 124

- inflation *see* ground inflation  
 Inyo Domes 3, 4, 8  
 Ischia Island (Italy) 181  
   activity phases 182  
   map 182, 183  
   modelling resurgence 182–183  
   bending model 183–184  
     crustal structure 184–185  
     deformation 185–186  
   bending-lifting model 186–190  
   summary of model output 190–191  
 Ishizuchi cauldron (Japan) 74  
 isotope characteristics, Altiplano–Puna Volcanic Complex (APVC) 52  
 isotropic and homogeneous half-space models (IHM) 110, 111–114  
 Italy *see* Campi Flegrei Caldera; Etna; Ischia Island; Stromboli; Vesuvio
- Japan 69, 72, 74  
   lateral collapse events 121, 122, 124, 126, 128, 129, 131–132
- Makeya Caldera (Japan) 69  
 Kamchatka (Russia) 128  
 Kilauea (Hawaii) 74, 126, 130  
 Komaga-Take (Japan) 122, 124  
 Krafla Caldera (Iceland) 89  
 Krakatau (Indonesia) 124
- laccolith models for caldera collapse 67–69, 74–76  
   Mt Epomeo  
   bending 183–186  
   bending-lifting 187–190
- Lachlan Fold Belt 47  
 Latera caldera (Italy) 74  
 lateral collapse  
   events through time 121  
   factors affecting 125  
   large volume events 125–127  
   in marine environment 129–131  
   triggers 127–129  
   tsunamigenic potential 131–132  
   Cumbre Vieja 132–137
- Lithodomus lithophagus* 26  
 Long Island (Papua New Guinea) 124  
 Long Valley Caldera (USA)  
   formation 173  
   geodetic monitoring 174–175  
   geography 1  
   history 3  
   magma–tectonic interactions 16–18  
   magma source modelling 173–174  
     distributed source 177  
     single source 175–177  
     summary of model outputs 177–179  
   magmagenesis 19–21  
   seismogenesis 18–19  
   map 2, 4, 6, 174  
   tectonic setting 1, 3  
   unrest events 3–5  
   (1978–1983) 5–7  
   (1984–1988) 7  
   (1989) 7–9  
   (1990–1995) 9–11  
   (1996) 11–12  
   (1997–1998) 12–16  
   (1998–1999) 16  
   summary 21–22
- magmatic processes and caldera formation 65  
   pluton emplacement effects 74–76  
   magma emplacement 66–69  
   magma reservoir depth 74  
   magma reservoir shape 72–74  
   magma underpressure 94–96  
   magma upwelling 66
- Mammoth Mt (USA) 3, 4  
   earthquakes 7, 8, 21–22
- Martinique 129  
 Mauna Loa (Hawaii) 74, 126, 130, 131, 132  
 mega-tsunami defined 123  
 Mexico 126, 127, 128  
 Mina Deflection (USA) 2, 3  
 modelling methods applied  
   Altiplano–Puna Volcanic Complex  
   thermo-mechanical model 56–57  
   Campi Flegrei behaviour  
   hazard estimation 38–40  
   impact of gravity changes 33–37  
   impact of ring faults 37  
   magma reservoir 153, 154  
   pyroclastic density currents 165–166  
   pyroclastic fallout 40, 160–165  
   uplift 114–116  
   use of models in hazard forecasts 38
- collapse calderas and ring faults formation  
   analogue 90–92  
   analytical 92–93  
   layered 101–102  
   non-layered 96–101  
   numerical 93–94  
   testing models 103–105
- Epomeo, Mount resurgence 182–183  
   bending model 183–186  
   bending-lifting model 186–190  
   summary of model output 190–191
- Long Valley Caldera magma–tectonic interactions 16–18  
   magma source modelling 173–174  
   distributed source 177  
   single source 175–177  
   summary of model outputs 177–179  
   Sierra Negra uplift 116–117
- Mogi model 92, 109, 111–112, 173  
 Mono Domes (USA) 3, 4, 8  
 Mono Lake (USA) 3, 4, 8  
 Mono-Inyo Craters (USA) 173  
 Mount Epomeo Green Tuff 181, 189
- Naples, Bay of *see* Ischia Island  
 Neapolitan Yellow Tuff 25–26, 141, 145, 159  
 New Zealand 47  
 Nicaragua 122, 127, 128  
 Norikura volcanic chain (Japan) 72  
 nucleus of strain model 92

- Öskuvátn Caldera (Iceland) 85  
 Okueyama cauldron (Japan) 74  
 Onikobe caldera (Japan) 72  
 Oshima-Oshima (Japan) **122**  
 overburden failure and caldera collapse 187–190  
 Owens Valley Graben (USA) 2, 3, 8
- Pantelleria (Italy) 74  
 Papandayan (Indonesia) **122**  
 Papua New Guinea **122**, 132, 134, 135–136  
 petrology  
   Altiplano–Puna ignimbrites 51  
 Philippines **124**  
 Phlegraean Volcanic District *see* Campi Flegrei Caldera  
 piecemeal structure 69, 70  
 piston structure 69, 70  
 pit craters 95  
 Piton de la Fournaise 122, 126, 129, 131  
 Piton des Neiges 122, 126, 129  
 Piton du Carbet 129  
 plate structure 69, 70  
 pluton formation 65  
   tabular style 69, 74, 76  
 pluton-caldera link 65–66  
 pozzolana 145  
 Pozzuoli (Italy) 142  
   geological setting 145  
   subsidence and uplift 144–145  
 Pozzuoli, Gulf of (Italy) 25, 26  
   subsidence 26–28  
   wave velocities 32  
 pyroclastic density currents (PDC)  
   Campi Flegrei  
     hazard mapping 166–170  
     modelling 38–40, 165–166  
     factors affecting 159  
 pyroclastic fallout  
   modelling at Campi Flegrei 40, 160–165
- Rabaul (Papua New Guinea) 74  
 Rainier, Mt (USA) 126, 127, **128**  
 rare earth elements  
   Altiplano–Puna ignimbrites 51  
 Red Cones cinder cone (USA) 3, 4  
 resurgence modelling, Mount Epomeo 182–183  
   bending model 183–186  
   bending-lifting model 186–190  
   summary of model output 190–191  
 Réunion Island 122, 126, 129  
 Reykjadalur Caldera (Iceland) 87, 90  
 ring dykes 85–86  
 ring faults 84–85  
   dips 85–86  
   formation by magmatic underpressure 94–96  
   formation modelling  
     layered 101–102  
     non-layered 96–101  
   model outputs 103–105  
   structures 102–103  
 Ritter Island (Papua New Guinea) **122**, **124**, 132, 134, 135–136  
 Roque Nublo volcano (Canary Islands) **128**  
 Ruang (Indonesia) **124**  
 Russia 121, **128**
- St Helens, Mt (USA) 121, **122**, 125, **128**, 134  
 San Juan Mts (USA) 47  
 Santorini (Greece) **124**  
 Sciara del Fuoco (Stromboli) 121–122, 131, 132  
 seismic imaging  
   Altiplano–Puna Volcanic Complex (APVC) 51–52  
   reservoir shape 72–74  
   *see also* earthquakes and seismicity  
 seismic wave velocity 31  
 Serapis Temple (Italy) 143, 147  
   geological setting 145  
   history of ground movement 27, 144, 148–150, 151, 152  
   reference horizons 146, 148  
 shear failure 126  
 sheeted intrusions 67  
 Sierra Madré Occidental (Mexico) 47  
 Sierra Negra Caldera (Galapagos) 116–117  
 sinkholes 95  
 Socompa (Chile) **128**  
 stratovolcanoes  
   defined 83  
   *see also* composite volcanoes  
 Stromboli (Italy) 121–122, 127, **128**, 130, 131, 132
- Ta'al (Philippines) **124**  
 tabular plutons 69, 74, 76  
 Taburiente, Caldera (Canary Islands) 121, 122  
 Tambora (Indonesia) **124**  
 Taupo Volcanic Zone (New Zealand) 47  
 Tavua (Fiji) 74  
 tephra  
   factors affecting distribution 159  
   modelling fallout 40, 160–165  
 Torfajökull (Iceland) 87, 89, 90  
 trace elements  
   Altiplano–Puna ignimbrites 51  
 trapdoor structure 69, 70  
 Tristan da Cunha 122, 129  
 tsunami generation 121–122, 123, **124**  
   by lateral collapse 131–132  
   Cumbre Vieja case study 132–137
- underpressure and ring formation 94–96  
 Unzen, Mt (Japan) **122**, **124**, **129**, 131–132  
 uplift and doming 69, 109  
   caldera formation 69–72  
   modelling behaviour 111–114  
     application of model  
       Campi Flegrei 114–116, 153  
       Sierra Negra 116–117  
   patterns at Campi Flegrei 27–29  
   reservoir factors  
     depth 74  
     shape, geophysical evidence 72–74  
   summary of features 74–76
- Vatnajökull (Iceland) 87, 88  
 Vesuvio (Italy) 73, 74  
 volcanic field, defined 85  
 volcanoes  
   *see* composite volcanoes *also* stratovolcanoes  
 volcano-tectonic depressions (VTD) 48, 55
- Yellowstone Caldera (USA) 69