

Index

Page numbers in *italics* denote Figures, while those in **bold** refer to Tables.

- Aalenian limestones, chevron fold, 167, 168
acoustic emission (AE) measurements, 93–9
AE. *See* acoustic emission
Al Khlata glacial deposits, 245–6, 249
Alpine orogeny, 229
Amin clastic formation, 245–6, 249
angular misfit, observed/predicted fault strikes, 146, 147
anisotropy
 comparison, 126, 133, 134
 fracture-induced, 117–37
 permeability, 118
 realistic fracture networks, 126–9
 regular fracture networks, 123–4, 126
anticlines
 Asmari Formation, Iran, 1–21
 Khaviz anticline, Iran, 23–42
 Kuh-e Asmari anticline, Iran, 3–4
 Kuh-e Mish anticline, Iran, 3, 4, 17–18
 Kuh-e Pahn anticline, Iran, 3–4, 3, 5, 8
 Madmar anticline, Oman, 227–44
 Swift anticline, Montana, 269–70, 272–3
Arches National Park, Utah, 55–71, 56
Asmari Formation, Iran, 1–21
 anticlines, 3–5
 Khaviz Anticline analogue, 23–42
 sedimentology, 8–14, 17
 stratigraphy, 26–7
azimuthal seismic conditioning, 216

basement faults
 Oman, 246
 Zagros Mountains, 3–5, 24
bed thickness. *See* layer thickness
BEM. *See* boundary element method
borehole image logs
 Clair Field, 208–10
 clastic reservoir, Oman, 245–63
 fractures, 247, 248–52, 261
boundary element method (BEM), 140
box folds
 geometry, 3
 Kuh-e Pahn anticline, 18–19, 20
 Madmar anticline, Oman, 228–9
breccias. *See* dilatation breccias
Brent Group, 146
brittle failure
 dilatation breccias, 46–8
 paraffin wax multilayers, 157–69
BSW. *See* dynamic data
buckle folding, 157–69

Canada, Waterton tight gas fields, 265–79
carbonate reservoirs
 Asmari Formation, Iran, 1–21, 23–42
 dilatation breccias, 43–53
 vertical seismic profiling, 83–91
cataclastic bands. *See* deformation bands
cementation
 Clair Field, 208–10
 clastic reservoir, Oman, 253, 254
 fracture apertures, 101–16
 fracture opening rates, 112–14, 112
Chalk Group reservoirs
 Machar field, 171–91
 Valhall field, 193–204
chevron fold, Aalenian limestones, 167, 168
Clair oilfield, Shetland, 205–25
 fracture modelling, 216–21
 natural fractures, 207–13
 onshore analogues, 212–13
 seismic imaging of fractures, 216
clastic reservoir, Oman, 245–63
 fluid-conductive fractures, 252–5
 fracture corridors, 249–50, 253, 254, 261
 fracture orientation, 246, 251–3, 258
 fractures from borehole image
 logs, 248–52
compliance, fracture scaling, 73–82
conductive fractures
 clastic reservoir, Oman, 251, 254, 261
 Clair oil field, 208
 Waterton Complex reservoir,
 Canada, 271, 273
Coulomb shear stress, 144–5
crack-seal structures, 102
Cretaceous carbonates
 Northern Oman, 227–44
 Tor Formation, 171–91
curvature
 Kuh-e Pahn anticline, Iran, 14–16
 Clair reservoir, 216
damage zones
 fault overlap structure, 63
 fluid flow restriction, 64–8
 North Sea reservoirs, 68–9
decollement zones, 2–3, 24
deformation bands, 55–71
 Delicate Arch relay ramp, 56–63, 60–1
 fluid flow restriction, 64–6, 67
 frequency, 64–5, 65
 granulation seams, Clair reservoir, 208
 North Sea reservoirs, 68–9
 ramp-diagonal, 62
 ramp-parallel, 61–2, 63, 64–5
Delicate Arch relay ramp, Utah, 58–63, 59
Dent Fault zone, NW England, 43–53
detachment folds, 2–3
Devonian carbonate thrust sheets, 265–79
Devonian–Carboniferous reservoir, 205–25
Dezful Embayment, Iran
 location, 23–4
 oil fields, 37–8
DFN. *See* discrete fracture network
diagenesis, effect on fractures, 101–16
dilatation breccias, 43–53
 brittle fracture theory, 46–8
 Dent Fault footwall, 44
 earthquake cycle, 48–9

- dilatation breccias (*Continued*)
 reseat hardening, 49–50, 51
 transient permeability, 50–1
- dip-domain boundaries (DDBs), 157–69
 mechanisms, 164
 tensile cracks, 163–4
- dip maps, Kuh-e Pahn anticline, 15, 16
- disaggregation bands, 56, 68–9
- discrete fracture network (DFN) models
 Asmari Formation, 38
 Clair oilfield, 213–15
 construction, 196–7
 Machar Chalk reservoir, 183
 Madmar anticline, Oman, 237–9, 239, 243
 Valhall Chalk reservoir, 194–7
 well test simulations, 117–37, 198–202, 200
 West Carbondale gas field, Canada, 275
- dual-porosity, dual-permeability model, 221–3
- dynamic data
 bulk soluble solids and water (BSW) 248, 255,
 257–60, 258, 259–60
 clastic reservoir, Oman, 255–6
 Machar Oil Field, 174, 181–5
- earthquake faulting
 dilatation breccias, 48–9
 transient permeability, 43–53
- effective permeability
 Clair oilfield, 220
 deformation bands effect, 66, 67
 Machar Chalk reservoir, 185, 186
See also permeability
- elastic dislocation (ED) theory, 139–55
 Gullfaks extensional fault, 146–51
 methodology, 140–2
 Miskar extensional fault, 151–3
 Venezuelan fold/thrust structure, 142–6
- evaporites, Asmari Formation, 26
- experiments, buckle folding, 157–69
- extensional faults
 Gullfaks field, North Sea, 146–51
 Miskar oilfield, Tunisia, 151–3
 Oman, 246
- fault growth
 North Sea, 68–9, 68
 relay ramp, 63
- faults
 Clair oilfield, 214, 216, 217–219
 Delicate Arch relay ramp, 58–9, 59
 Khaviz Anticline, Iran, 28–9, 35
 Gullfaks field, North Sea, 146–51
 Machar Chalk reservoir, 175–8
 Madmar, Oman, 230
 Miskar oilfield, Tunisia, 151–3
 VSP survey, 90–1
 Zagros Mountains, Iran, 3–5
See also thrust faults
- fault strikes, angular misfit, 146, 147
- fault tip damage zone, 58–9
- fault zone permeability, 43–53
- flexural slip folding, 37, 157
- flow potential, fracture corridors, 245–63
- flow systems, Valhall Chalk reservoir, 202–3
- fluid flow
 fracture aperture, 108–10
 Khaviz Anticline, Iran, 38–9
 relay ramps, 55–71
See also permeability estimation
- fold-related fracturing, Zagros Mountains, 1–21
- folds
 box folds, 3, 18–19, 20, 228–9
 buckle folding, 157–69
 chevron fold, 167, 168
 flexural slip, 37, 157
 geometry, 27
- Fontainebleau sandstone, 95–6
- footwall breccias, 44
- fracture apertures
 distribution, 101–16
 fluid flow, 108–10
 permeability estimation, 110–11
- fracture characterization
 Kuh-e Mish anticline, 17–18
 Kuh-e Pahn anticline, Iran, 8–14
 Madmar anticline, 237–9, 240–1
 Waterton Complex reservoir, Canada,
 267–9
- fracture compliance scaling, 73–82
- fracture corridors
 clastic reservoir, Oman, 249–50
 flow potential, 245–63
 Kuh-e Pahn anticline, 9–10
 Madmar anticline, Oman, 230, 240
 permeability, 253, 254, 261
- fracture density, 73, 252
- fracture–depth relationships, 211–12
- fracture distribution, 35, 40
- fracture growth rates, cementation, 112–14, 112
- fracture heterogeneities, folded thrust sheets, 265–79
- fracture-induced anisotropy, 117–37
- fracture, layer-bound, 118, 250
- fracture length, 34
- fracture lineaments
 Asmari Formation, 2–5
 Kuh-e Pahn anticline, Iran, 5–8
 Madmar, 230–3, 237
- fracture–matrix relationships, 211–12
- fracture models. *See* models
- fracture networks
 flow model, 118–22
 geometrical anisotropy, 124–5
 prediction, 139–55
 simulation, 117–37
 transient flow behaviour, 123–33
 validation, 122–3
- fracture orientations
 Cache Valley, Utah, 57–8
 Clair oilfield, 210–11
 clastic reservoir, Oman, 246, 251–3, 258
 Kuh-e Pahn anticline, 5–8, 10
- fracture patterns
 aperture distribution, 109
 buckled folds, 157–69
 geometry, 106–8
 permeability, 101–16
 Waterton Complex reservoir, Canada,
 271–2, 273

- fracture sets
 - Amari Formation, 40
 - Khaviz Anticline, Iran, 30–1, 32
 - Madmar anticline, Oman, 230, 237
 - Waterton Complex reservoir, Canada, 270–1
- fracture size relationship, 79–81
- fracture spacing/intensity
 - clastic reservoir, Oman, 250
 - Khaviz Anticline, Iran, 31–2, 33, 34
- fracture stiffness, 79–80
- friction, multilayered models, 161–3, 165–6
- gas fields, Alberta, Canada, 265–79
- gas lift, 188
- geometrical anisotropy, 124–5, 129–34
- geophones, 84–5, 86
- granulation seams, Clair field, 208
- Gullfaks extensional fault, North Sea, 146–51
- hydraulic fracture model, 122–3
- Image Point Transform (IPT) methodology, 86–8
- imbricate thrust sheets, 265, 266, 269
- interlayer friction, 161–3, 165–6
- IPT methodology. *See* Image Point Transform methodology
- Iran
 - Asmari Formation, 1–21
 - Khaviz Anticline, 23–42
 - Kuh-e Asmari anticline, 3–4
 - Kuh-e Mish anticline, 3, 4, 17–18
 - Kuh-e Pahn anticline, 3–4, 3, 5, 8
 - Tang-e Basht gorge, 8–11, 9, 10
- joints
 - systematic joint models, 214–15, 220–1
- Khaviz Anticline, Iran, 23–42
 - discrete fracture network (DFN) 38
 - map, 25
 - stratigraphy, 26–7
 - structure, 27–9, 39
- Kuh-e Asmari anticline, Iran, 3–4
- Kuh-e Dil anticline, Iran, 4, 5
- Kuh-e Mish anticline, Iran, 3, 4, 17–18
- Kuh-e Pahn anticline, Iran, 3–4, 3, 5
 - bedding-parallel slip, 11–13, 12
 - box fold evolution, 18–19, 20
 - curvature calculations, 14–16
 - fracture corridors, 9–10, 11
 - sedimentology, 8–14
- layer-bound fracturing, 118, 250
- layer thickness, multilayered models, 161, 162
- LEFM. *See* linear elastic fracture mechanics
- limestones
 - folds, 167, 168
 - fracture compliance scaling, 75–6, 76
 - stylolites, 166
 - See also* carbonate reservoirs; Chalk Group reservoirs
- lineaments. *See* fracture lineaments
- linear elastic fracture mechanics (LEFM) 103–4
- low-angle planes, VSP survey, 90–1
- Machar Chalk reservoir, 171–91
 - depletion plan options, 187–8
 - early field development (1998–200), 172–4
 - new reservoir model, 185–7
 - post-2000 development, 175–80
 - waterflood recovery scheme, 172–80
- Madmar anticline, Oman, 227–44
 - fracture template, 237–41
 - improved reservoir characterization, 239–43
 - mechanical stratigraphy, 233–6
 - structure and evolution, 228–37
- matrix characterization, 211–12, 266
- mechanical stratigraphy
 - Khaviz Anticline, Iran, 32–4, 40–1
 - Madmar anticline, Oman, 233–6
- Miskar extensional fault, Gulf of Gabes, 151–3
- Mississippian carbonate thrust sheets, 265–79
- models
 - dual-porosity, dual-permeability model, 221–3
 - fracture flow model, 118–22
 - full-field modelling
 - Clair oilfield, 222–3
 - Waterton gas reservoir, Canada, 274–7
 - See also* discrete fracture network models
- Mohr diagram, 46–8, 47
- Montana, Swift anticline analogue, 269–70, 272–3
- Natih Formation, Jebel Madmar, Oman, 227–44
- North Sea
 - fault growth, 68–9, 68
 - Gullfaks extensional fault, 146–51
 - Machar oil field, 171–91
 - Valhall oil field, 193–204
- oilfields
 - Clair oilfield, Shetland, 205–25
 - Dezful Embayment, 37–8
 - Gullfaks, North Sea, 146–51
 - Iran, 23–4
 - Machar, North Sea, 171–91
 - Miskar Field, offshore Tunisia, 151–3
 - south Oman Salt basin, 245–63
 - Valhall, North Sea, 193–204
 - Venezuela, 142
- Oman
 - Madmar anticline, 227–44
 - south Oman Salt basin, 245–63
- orientations. *See* fracture orientations
- paraffin wax multilayers, 157–69
- PBU tests. *See* pressure build-up tests
- permeability
 - clastic reservoir, Oman, 253–5
 - deformation bands effect, 64–8
 - estimation, fracture aperture, 110–14
 - fault zones, 245
 - fracture flow model, 118
 - sedimentary and structural heterogeneity, 57
 - See also* effective permeability; fluid flow
- permeability anisotropy, 118
 - geometrical parameters **128**
 - realistic fracture networks, 133
 - regular fracture networks, 125–6

- phyllosilicate bands, 56, 63, 68–9
 PLT data, 181–2, 221–2
 polyaxial stress-loading system, 93–5
 porosity, Clair reservoir, 252–3, 262
 pressure
 - changes with time, 117
 - decay, 122
 - diffusion, 117
 - transient data, 273–4
 - transient synthesis, 198
 pressure build-up (PBU) tests, 182–3
 production flow-meter logs (PLT) 181–2

 quartz cementation, 101–4
 quartz monzonite, 76

 reflectors, vertical seismic profiling, 84, 88–90
 relay ramps, 55–71
 - Delicate Arch ramp, 58–63
 - fluid flow, 64–9
 - North Sea, 68–9
 reseal hardening, dilatation breccias, 49–50, 51
 reservoirs. *See* carbonate reservoirs; clastic reservoir;
 oilfields; sandstone reservoirs
 reservoir-scale fracture heterogeneities, 227–44

 salt basin, Oman, 245–63
 salt dissolution, Oman, 246
 salt dome, Machar oilfield, 171–91
 sandstone reservoirs, 93–9
 - acoustic emission measurements, 96–8
 - Clair oilfield, 205–25
 - polyaxial stress-loading system, 93–5
 - velocity measurements on aligned fractures, 95–6
 sandstones
 - deformation, 55–7
 - fracture diagenesis, 101–16
 satellite imagery
 - Kuh-e Pahn, Zagros, 3–5
 - Madmar, 228, 230, 231, 232–3, 238, 239
 scaling, fracture compliance, 73–82
 Scotland, outcrop analogues, 212–13
 sedimentology
 - Asmari Formation, 8–14, 17
 - Kuh-e Pahn anticline, Iran, 8–14
 - logging, 8
 seismic velocity
 - measurements, 95–6
 - P-wave, 85
 - shear-wave velocities, 93, 96
 - velocity anisotropy, 73–4
 shear fabrics, Kuh-e Pahn anticline, 11–13, 12
 signal-to-noise ratio, vertical seismic profiling, 86
 simple shear model, Zagros Mountains, 6
 small-scale faults
 - elastic dislocation modelling, 139–55
 - Machar Chalk reservoir, 177–8
 - predicted to observed comparison, 146, 147, 150–4, 152
 sonic logs
 - fracture compliance scaling, 76–7
 - vertical seismic profiling, 86
 Springwell sandstone, 96–7
 stochastic subsurface fault models, 217–19

 strain ellipse, 5–6, 7
 stratigraphy, Khaviz Anticline, Iran, 26–7, 40–1
 stress data, 178–81
 stress fields, 2, 5–8, 6–7
 stress-loading system, polyaxial, 93–5
 stress tensors, 141–2
 stylolites, Oxfordian limestone, 166
 sub-seismic scale faults
 - Machar Chalk reservoir, 177–8
 - models, 214, 217–20
 - Valhall Chalk reservoir, 197, 202–3
 Swift anticline, Montana, 269–70, 272–3
 synkinematic cement, 102, 103

 tensile fractures, 18, 163–4
 thrust faults
 - Venezuela, 142–6
 - Waterton tight gas fields, Canada, 265–79
 Top Rannoch Formation, 146–8, 149
 tracer recovery data, 184–5
 transient flow behaviour, 123–33
 transient permeability, 43–53
 transient pressure data, 133–4
 turtle back structure, 245

 ultrasonic measurements, 98–9
 uncertainties, reservoir model, 185, 186
 United Kingdom
 - Clair oil field, 205–25
 - Dent Fault zone, 43–53
 - Machar oil field, 171–91
 Valhall Chalk reservoir, 193–204
 - conceptual model development, 195–7
 - discrete network fracture model, 194–7
 - pressure transient synthesis, 198
 - sub-seismic scale faults, 197, 202–3
 - water injection recovery, 194
 - well test simulation, 198–202
 Variscan structures, 43–4
 velocity models, 85, 86
 Venezuelan fold/thrust structure, 142–6
 vertical seismic profiling (VSP), 83–91
 - integration of data, 88–90
 - interpretive processing, 86–8
 - IPT methodology, 86–8
 - pre-processing, 85–6
 - reflectors, 84, 88–9
 VSP. *See* vertical seismic profiling

 water breakthrough, 246–7
 water cut
 - rise, 257–9, 262
 - risk map, 259–60
 waterflooding, Machar Chalk reservoir, 171–91
 Waterton Complex reservoir, Canada, 265–79
 - full-field simulation, 274–7
 - in-situ* stress analysis, 269
 - matrix characterization, 266
 - Montana outcrop analogue, 269–72
 - pressure transient data, 273–4
 - seismic fault analysis, 267
 - sequence stratigraphy, 268

- wave velocities
 - aligned fractures, 95–6
 - fractured sandstones, 93–9
- well performance, natural fractures, 207–8
- well tests
 - drawdown, 201
 - fracture network simulation, 117–37
 - PLT modelling, Clair oilfield, 221–2
 - Valhall Chalk reservoir, 198–202
- West Carbondale gas field, Canada, 267–9
- Zagros Mountains, Iran, 1–21
 - Dezful Embayment, 23–4
 - fold structure and style, 2–3, 2
 - regional basement faults, 3–5
 - structural development, 23–6
 - Tang-e Basht gorge, 8–11, 9, 10
- Zagros Orogeny, 37