

Index

Page numbers in *italic*, e.g. 118, refer to figures. Page numbers in **bold**, e.g. 151, signify entries in tables

- Aegean Sea 204
African salt basins 347–348
Algeciras Fault 304–306, 305
Andes, Colombian 303, 316–317
 Algeciras Fault system 304–306, 305
 Central Cordillera and Middle Magdalena Valley
 307–311, 308, 309, 310
 Eastern Cordillera 311–312
 GPS data 315
 implications for mineral exploration 316
 Middle Magdalena Valley 473, 474, 497
 chronostratigraphy 484
 petroleum system modelling 492–497
 Rio Horta 480–483
 Rio Horta, model-1 483–488
 Rio Horta, model-2 488–491
 thermal history and hydrocarbon generation 477–480
 Thrustpack methodology 476–477
 regional setting 303–304, 304
 timing and relationship between structures 315–316
 Upper Magdalena Valley 306–307
Andes
 deformation 321–323, 322, 338–339
 GPS velocities 325, 326
 stress 323–325, 324
 fault maps 325–326
 Late Cretaceous 330, 333
 Mid-Cretaceous 331, 333
 Neogene 326–332, 328
 Palaeogene 329, 332
 palaeomagnetic data 325, 327
 physical models 334
 experiment-1 334–337, 335
 experiment-2 336, 337–338
 plate tectonics 323
Angola 348
anisotropic materials, ductile deformation 60, 60, 71
Apennines, Calabria 143–144, 152
 geological setting 144, 145
 strain analysis 146, 149
 structural observations 147–148, 148, 149, 150
 microstructures 151
 three-dimensional strain and viscosity ratio analysis
 146–14
- Apennine tectonics 443–444
Arabian Foreland 240, 263–264
Arabian Plate 419
Arc-parallel extension 180
arcuate orogen 272
Arnaboll thrust sheet 128
Aruma Group 188
axial-planar intersection method (AIM) 98, 97
- Babusar Pass 175–178
back-arc spreading 272, 293
Bala Rud Fault Zone 424–429, 428
Balgy inlier
 Inverian structure 40
 Laxfordian structure 39–40
- Banna Shear 168–171
basin inversion
 by transpression 397–398, 414–416
 analogue models
 experimental set-up and procedure 398–400, 399, 400
 materials and scaling 400–401
 model interpretation 410–414, 411
 model results 401
 transpression within horst-and-graben 401–410
 transpression within undisturbed brittle–ductile layer
 401
- Baskil Unit 248
Batal Fault Zone 173
Beinn Eighe 108
Beinn Liath Mhor 107
belt-oblique fault zones 422–429
belt-parallel fault zones 421–422
Benbecula 15
Besham Group gneisses 161–168
Bitlis Massif 238, 239–240, 241
 interpretation 240
blueschist-facies metamorphism 208–210
boudinage 208–210, 209, 443
Brazil, salt basins 345, 357–358
 Campos–Santos–Espírito Santo Basin
 faulting controls on deposition 348–349
 frontal edge of the salt 350
 salt basin geometry 349–350, 349, 350–357
 Jequitinhonha and Camamu basins (South Bahia)
 350–357
 South Atlantic salt deposition
 appearance and nature of evaporite sequences
 346–347
 distribution of salt basins 345, 346, 347
breaching 104
brittle failure and shear zones 63–65, 63, 64
 formation of second-order structures 65
Bruachaig window 111–112, 111
Bucaramanga Fault 311
- Cairn Hill 33, 34, 35
Calabria 143–153
Camamu Basin, Brazil 350–357
Campos–Santos–Espírito Santo Basin
 faulting controls on deposition 348–349
 frontal edge of the salt 350
 salt basin geometry 349–350, 349, 350–357
Canaloni duplex 441–442
 restoration 442–443, 443
Canisp Shear Zone 43
Carlin-type gold deposits in Nevada 571–573
 evidence of Palaeozoic normal faults 573–577, 573, 574,
 575–577
 Garden Pass 577–578, 578, 579
 Getchell 580–582, 582
 Northern Carlin trend 578–580, 580, 581
 relationship with Palaeozoic normal faults 582–584
 relief map 572

- Carpathian accretionary wedge 272–278, 273–277, 293–297
 dynamic data 279–281
 kinematic data 281–287
 palaeomagnetic data 291–293
 principal stress orientation
 extensional veins 287–289
 faults 289–291
 folds 287–289
- Central Cordillera 307–311
- Central Graben 372–376, 373–374
 diapirs 380, 381
 inversion tectonics 387, 388
- Chalk of SE England,
 fracture swarms 499–500, 504–508, 507, 510–515
 Alpine collision joints 508, 509
 conjugate veins 504, 506
 uplift and exhumation 508
 numerical simulation results 508, 510, 511, 513
 tectonic history 500–502
- channel flow 180
- co-axial horizontal stretching 203–204
- coesite eclogites 156
- conjugate faults 193
- constrictional strain 197
- continental elastic-plastic deformation 303
- Coulomb model 180
- crustal scale deformation 32–36
- crustal-scale shear zone models 1
- crustal-scale thrusting models 2
- culmination 77–80, 105, 189
- Cyclades 208–213
- décollement 288–289
- deep water fold belt 351–357
- deformation
 anisotropic materials 60, 60
 shear zones 66–68, 67
- deformed limestones 143–153
- Delfini, Syros 207, 208–210, 209
- detachment faulting 191
- Diabaig inlier 31, 32, 33, 43
- diapirs 380, 381
 collapsed anticline diapirs 380–382, 382
 fault patterns associated with passive diapirs 376–377, 377, 378, 379
 structural domains of passive diapirs 378–380
- Diapori, Syros 210–213, 210, 211
- ductile shear zones 143–153
- duplex model 103–104, 104, 116–119
- duplex structures 437, 441–442
- earthquake focal mechanism solutions 316
- earthquakes 21
- Eastern Cordillera 311–312
- eclogite 189, 198–199, 204–208
- exhumation 156, 180–181
 high pressure metamorphic rocks 188, 199
- extension 156, 204, 565
 differential 208
 extensional faulting 552
 stratal 193
 within orogenic belts 187
- extensional basins 18
- extensional brittle failure and shear zones 63–65, 63, 64
 ductile deformation 66–68, 67
 formation of second-order structures 65
- extensional S-C fabrics 169–170
- extensional veins 278, 281, 288
- eye-shaped closures 80–81
- fabric
 control on dyke emplacement 32
 reorientation 49–50
 topology plots 82
- Faraid Head 137–139, 138
- Farma River 439–440, 440
- fault reactivation 303
- fault rocks 22–23
- fault-striae data 281, 283, 284, 285, 286
- finite strain 143–153
- floor thrust 103
- flow perturbation folds 75–77, 89, 92, 98–99
 flow direction calculation 95
 fold patterns about flow perturbations 89
 axial-planar patterns 91–92
 fold facing patterns 91–92
 fold hinge patterns 89
 fold vergence patterns 89–91
- fold and thrust belts, structural style and hydrocarbon
 prospectivity 447–448
 analysis of reserves
 age of deformation 454, 455
 age of source rocks 455, 456
 deformation style 455–463, 456, 457, 458, 459, 460, 461, 462
 gas- and oil-prone thrust belts 463
 exploring petroleum systems 463–465, 465
 future potential 465–466
 hydrocarbon provinces 448–449, 448
- fold belts 449–466
- fold transection 95
- folds, syn-shearing 77
- foreland basins 17
- forward modelling 476
- Freisgill thrust sheet 128–131
- Gabon-Congo Basin 348
- Garry-a-Siar, Benbecula 15
- Glas Cnoc 113–114, 114
- gold-quartz mineralization 519–520, 529–530
 continental seismogenic zone 520–521, 521
 as an upper crustal stress guide 522–523, 523
 overpressured fluids 521–522
- fluid containment below carapace 524
 conditions for activation of fault–fracture meshes 525–526
 permeability in relation to seismic cycle 524–525
 tectonic settings favouring high-flux flow 526–527
- mesozonal Au–quartz lodes 523–524
- seismic–aseismic transition topography 527–529, 528
- GPS data 315
- gravitational tectonics 349
- gravity spreading 272, 293
- Griffith brittle failure 64–65, 64
- Guleman Ophiolite 237, 245–246
- Gulf of Oman Basin 189

- Hajar Supergroup 189
Hawasina Nappes 188
Himalaya, Pakistan 155–156, 182
 deformation and metamorphism west of Nanga Parbat
 syntaxis 156–159, 157, 158
 early Miocene upper crustal stretching 161
 Banna Shear traverses 168–171, 170
 Besham Group traverses 161–168, 162, 163
 Upper Kaghan Valley 171–178, 172, 175
 exhumation, causes and mechanisms 180–181
 fabrics 165
 geological map 164
 late Eocene exhumation 159–161, 160
 principal stretching direction 179–180
 structural and thermal evolution 178–180, 180
Himalaya–Tibet orogen 2–3
Hormuz Salt 421
hydrocarbon generation, expulsion, migration 477–480
hydrocarbon maturation 477–480
hydrocarbon provinces 447–449, 448
- Ibagué Fault 306
imbricate thrust 104
indentation 296
India–Asia collision 156–159
Indian Plate 161
Inverian 29
Inverian structures
 Balgy inlier 40
 identifying 36
 Loch Roag 37–38
 other inliers 41
inversion tectonics 387, 388, 437
Irumide Belt, Zambia 223–225, 228–229
 age of Irumide Orogeny 225–228, 228
 tectonic framework 225
 Foreland Fold Belt 225–226
 granites 226
 Internal Zone 226, 227
 Luongo Fold Belt 225
 tectonic map 224
İspendere Ophiolite 237, 243–244
Izeh Fault Zone 424, 427
- Jebel Akhdar 190
Jebel Nakhl 190
Jequitinhonha Basin, Brazil 350–357, 355–356
- Kambos–Lia Bay, Syros 213–215, 214
Karakoram Highway 161–162
Kazerun Fault Zone 423–424, 425, 426
Keban Platform 235–237, 240–243
Killan Imbricate Unit 258–259
Killan Ophiolite 260–261
Kinlochewe Thrust 107
Kishorn Thrust 107, 113–114, 113
Kohistan island arc 159
Kömürhan Ophiolite 237, 244–245, 246
Kyle of Tongue 80, 82
- lattice preferred orientations (LPOs) 43
Laxford, Laxfordian 9–13, 17–18, 28, 54
Laxfordian structures
 Balgy inlier 39–40
 identifying 36
 Loch Roag 36–38, 37
 other inliers 41
layer normal shearing 76, 83, 86
 layer parallel shearing 76, 83–87, 86
Lewisian 9–24
Outer Isles Thrust and Eastern Gneisses 18–21
Scourie–Laxford and Scottish mainland 17–18
terraces 23–24
Lewisian Complex (NW Scotland) 27–29, 28, 41–43
 Balgy inlier 39–40
 deformation model 41, 42
 Loch Roag line 36–38, 37
 Loch Torridon area 29–36, 30, 31, 33
 Loch Torridon area, other inliers 40–41
 Upper Badcall shear zone 47, 54
 field data 48–52
 varying finite stretching direction 52–54
Lewisian gneiss complex 47
lineations (linear fabrics) 159
listric normal faults 552–553, 555, 560–561
Loch Maree Fault 116
Lochan Riabhach thrust sheet 124–128
lower crust 13–17, 54
- Maden Group 253–257
Magdalena Valley
 Middle 307–311, 308, 309, 310, 473, 474, 497
 chronostratigraphy 484
 mountain fronts 473–476, 475
 petroleum system modelling 491–497
 Rio Horta 480–483
 Rio Horta, model-1 483–488
 Rio Horta, model-2 488–491
 thermal history and hydrocarbon generation 477–480
 Thrustpack methodology 476–477
 Upper 306–307
Main Mantle Thrust (MMT), Pakistan 156, 161–168, 162
Masirah Fault 198
mass rotation 291, 293
mean axis method (MAM) 95, 97
Mengharak Fault Zone 429, 429
meso-scale folds 176, 178, 278, 289
mesoscopic duplex, Tuscany 437, 444–445
 Canaloni duplex 441–442
 geological setting 437–439, 438, 439
 implications for Apennine tectonics 443–444
 structural features 439–440, 440
Mesozoic rifting 443–444
micro-folds, section orientation 72–74, 73
minibasin evolution, North Sea 361–363
 exhumation and reburial of minibasin system 368
 Permian marginal facies 363–364
 regional model for CNS Triassic salt tectonics 367–368
 Triassic minibasins and rafts 364–367, 365, 366
Moine Thrust 81
Moine Thrust Belt 104–105, 104
 Achnashellach Culmination, structural evolution
 103–104, 116–119, 116
 background and setting 104–105, 104
 geological map 106, 108

- Bruachaig window 111–112, 111, 114
 Glas Cnoc 113–114, 114
 lateral terminations 114–116, 115
 Loch Maree Fault 106, 111, 112, 116
 lateral variation 109–110
 roof thrust geometry 110–111
 sections 108–109, 110, 111, 112
 structural style 107–108
 Torr na h-Iolaire 112
 stratigraphy 105
 tectonic stratigraphy 121, 123, 139–140
 imbricates 131
 Loch Hope–Whiten Head area 124–128, 125, 126, 127, 129, 130
 microstructures and syntectonic temperatures 131–133, 132, 134
 regional setting 121–124, 122
 regional structure and deformation patterns 135–137, 136
 structural history at Faraid Head 137–139, 148
 Moine Nappe
 folding patterns 81
 Loch Hope–Whiten Head area 124–128, 125, 126, 127, 129, 130
 tectonic stratigraphy 121, 123, 139–140
 microstructures and syntectonic temperatures 131–133, 132, 134
 regional structure and deformation patterns 121–124, 122, 135–137, 136
 Sutherland 77–81
 controls on folding patterns 88
 structural heterogeneity 88
 structural inheritance 88
 folding patterns 81
 geological map 79
 mountain fronts 473–476, 475

 Nanga Parbat syntaxis 156–159
 Navier–Coulomb brittle failure 64, 64
 Nazca Plate 314–315
 Nazca subduction zone 314–315
 Neogene mountain building 443–444
 Neo-Tethys 421
 Nevada, Carlin-type gold deposits 571–573
 evidence of Palaeozoic normal faults 573–577, 573, 574, 575–577
 Garden Pass 577–578, 578, 579
 Getchell 580–582, 582
 Northern Carlin trend 578–580, 580, 581
 relationship with Palaeozoic normal faults 582–584
 relief map 572
 North Sea Basin, salt tectonics 361, 362, 363
 Central peripheral fault system 369, 370, 371
 gravity sliding 368–369
 initiating and driving mechanisms 390
 inversion tectonics 387, 388
 minibasin evolution 361–363
 exhumation and reburial of minibasin system 368
 Permian marginal facies 363–364
 regional model for CNS Triassic salt tectonics 367–368
 Triassic minibasins and rafts 364–367, 365, 366
 rift geometry 372–376, 373–374
 salt intrusion sills, Southern North Sea 382–383
 collapsed anticlines 384
 overprint inversion 384, 385–386
 ramp-flat systems 383–384
 salt intrusions 376
 Central Graben diapirs 380, 381
 collapsed anticline diapirs 380–382, 382
 fault patterns associated with passive diapirs 376–377, 377, 378, 379
 structural domains of passive diapirs 378–380
 Southern peripheral fault system 369–372
 structural classification 387–392
 North Uist 14
 Northern Apennines 437–439

 oblique convergence 316–317
 oblique ramp 117
 Oman mountains, constrictional extensional tectonics 187–189, 188, 199–200
 geological setting 188–190, 189
 models for synchronous folding 198–199, 198
 structural kinematics 190
 deformation around the massif 194, 195
 faulting (folding?) and the massifs 196
 Jebel Akhdar culmination 190–191, 191, 192
 Jebel Nakhil, 191–193, 194
 kinematic comparisons with Saih Hatat 195–196
 Semai allochthon 196–197, 197
 synkinematically rotated minor faults 195
 oroclinal bending 272, 293
 orogenic hinterland 296–297
 orogenic salient 296
 orogenic systems, Himalaya–Tibet system 2–3
 Outer Hebrides 14
 flat-lying structures 18
 Outer Isles Thrust 18–21
 ‘Oystershell Rock’ 123

 Paipa geothermal field 316
 Pakistan 155–156
 Palaeomagnetic data 291–293
 palaeostress analysis 272–278, 273, 274–277, 293–297
 applied methods 278–279
 dynamic data 279–281
 kinematic data 281–287
 palaeomagnetic data 291–293
 principal stress orientation
 extensional veins 287–289
 faults 289–291
 folds 289
 study area 278
 Palaeozoic normal faults, reactivated 571–573
 evidence in Nevada 573–577, 577, 574, 575–577
 Garden Pass 577–578, 578, 579
 Getchell 580–582, 582
 Northern Carlin trend 578–580, 580, 581
 relationship with Carlin-type deposits 582–584
 Palestina Fault 307–308
 petroleum systems 477–480
 planar normal faults 552–553, 559–560
 Poshidonia 215, 216
 power-law materials 71
 pre-orogenic extension 437

- principal stretching directions 179–180
 progressive deformation 81
 pseudotachylite 20
 Pumpelly's rule 13
 pure shear 17, 27, 49–52
 push from the rear 272, 295
 Pütürge Massif 238, 240, 241
- Quartz c-axis fabrics 163
- remnant Carpathian Flysch basin 296
 restoration 52–54
 retrocharrriage 190
 Rio Horta 480–483
 alternative evolution 488–491
 seismic line 485
 sub-thrust anticlines 483–488
 Roag, Loch 38
 Inverian structures 37–38
 Laxfordian structures 36–37, 37
 roof thrust 103, 110, 114
- S folds 82
 Saih Hatat Massif 189
 salt basins 345, 357–358
 Campos–Santos–Espírito Santo Basin
 faulting controls on deposition 348–349
 frontal edge of the salt 350
 salt basin geometry 349–350, 349, 350–357
 Jequitinhonha and Camamu basins (South Bahia)
 350–357
 South Atlantic salt deposition
 African salt basins 347–348,
 African salt basins, ages of 348
 appearance and nature of evaporite sequences
 346–347
 distribution of salt basins 345, 346, 347
 salt glaciers 92
 salt tectonics 348–357
 Santos Basin 345
 Scotland, North-west 12, 17–28
 Lewisian Complex 27–29, 28
 Balgy inlier 39–40
 Loch Roag line 36–38, 37
 Loch Torridon area 29–36, 30, 31, 33
 Loch Torridon area, other inliers 40–41
 Scourian 27
 Scourian–Laxfordian evolution 9–17, 10, 11, 17–18
 Scourie dyke 37, 47, 53–54
 Scourie dyke swarm 28–29
 Scourie, Scourian 9–13, 17–18
 section orientation of micro-folds 72–74, 73
 Semail Ophiolite 188
 separation arc method (SAM) 97, 97
 shear criteria 133
 shear sense inference 36–40, 41–43
 shear strain, determination 52–53, 52, 55–56, 55
 shear zones 17, 27–28, 49–54, 75–77
 shear zones, flow perturbation folding 98–99
 controls on folding patterns 88–89
 structural heterogeneity 88–89
 structural inheritance 88
- flow direction calculation 95
 axial-planar intersection method (AIM) 98, 97
 mean axis method (MAM) 95–97, 97
 separation arc method (SAM) 97, 97
 geometric fold patterns about flow perturbations 89
 axial-planar patterns 91–92
 fold facing patterns 91
 fold hinge patterns 89
 fold vergence patterns 89–91
 Moine Nappe folding patterns 81
 F₂ and F₃ topological relationships 82–83
 F₂ folding 81
 F₃ folding 81–82
 study region 77–81
 geological map 79
 synshearing flow folds 77
 fabric geometries 78
 types 83, 87–89
 layer-normal shearing 83, 86
 layer-parallel shearing 83–87, 86
 shear zones, use as kinematic indicators 59–60, 72–74
 brittle failure and extensional brittle failure 63–65, 63,
 64
 brittle failure inside a shear zone 65–66, 65
 ductile deformation 66–68, 67
 formation of second-order structures 65
 multiple shear zones 68
 ductile deformation of anisotropic materials 60, 60
 isotropic materials 69–71, 69
 mechanical causes of localized structures 61–63, 62
 scale observation of symmetry of deformation pattern
 68–69, 69
 section orientation of micro-folds 72–74, 73
 stress orientation 61, 61
 shearing modes 76, 76
 sheath folds 87, 189, 195
 simple shear 17, 27–28, 49–52
 slab delamination (break-off) 156
 slackening flow 77, 78
 soft-sediment slumps 92
 South America 321–323
 fault maps 328–331
 South American Plate 315
 South Tethyan Ocean, tectonic evolution 231–234
 Arabian foreland 261–262
 Jurassic–Cretaceous 263
 Late Cretaceous 263–265
 Middle Eocene 265
 Miocene–Recent 265–266
 Oligocene 265
 Palaeogene 265
 Triassic 263
 Keban Platform 240–243
 metamorphic massifs 239–240
 Bitlis Massif 239–240, 241
 Pütürge Massif 240, 241
 Middle Eocene Maden Group 253–257, 254, 255, 256
 palaeo-tectonic maps 233
 regional tectonostratigraphy 235–239, 236, 237
 tectonic map 232
 Upper Cretaceous arc-related rocks 248
 intrusive Baskil Unit 248
 volcanic–sedimentary Elazığ Unit 248–249

- Upper Cretaceous ophiolites 243
 Guleman Ophiolite 245–246
 İspendere Ophiolite 243–244
 Kömürhan Ophiolite 244–245, 246
 uppermost Cretaceous–Cenozoic cover sequence 249
 Lower Palaeocene coarse clastic sediments 250–251
 Maastrichtian slope carbonates 249–250
 Middle–Upper Eocene clastic rocks 251
 Oligocene–Lower Miocene neritic carbonates 252
 tectonic implications 252
 Upper Palaeocene–Lower Eocene shelf limestones 251
 uppermost Cretaceous–Lower Cenozoic frontal slice complex 258–259
 interpretation of frontal imbricates 260–261, 260
 laterally equivalent units 259–260
- South Uist 13, 20, 24
- Southern Apennines 143–153
- Southern Neotethys 234, 235, 263
- strain compatibility 51–52
- strain measurement 52–53
- strain partitioning 314–317
- stratigraphic separation diagram 116
- stress deflection 296
- stress field data 278, 279, 280, 281, 289, 291, 293, 295, 296
- stress orientation 61, 61
- stress transfer 296–297
- stress–strain curves 71
- strike-slip deformation 303, 316–317
 Algeciras Fault system 304–306, 305
 Central Cordillera and Middle Magdalena Valley 307–311, 308, 309, 310
 Eastern Cordillera 311–312
 GPS data 315
 partitioning of Colombian Andes 314–315
 regional setting 303–304, 304
 timing and relationship between structures 315–316
 Upper Magdalena Valley 306–307
- strike-slip faults 198, 315–317
- structural facing 88
- structural inheritance 439–440
- structural restoration 473
- structural style 447
- sub-Cambrian unconformity 105
- subduction roll-back 293
- subduction–accretion–collision sequence 22
- surging flow 77, 79, 92
- syn-shearing folds 77
- Syros, Cyclades 202–203, 219–221
 geological map 205, 207
 geology 204–207
 metamorphic and structural features 206
 metamorphic history of exhumation and deformation 217, 219, 220
P–T diagram 218
 regional map 204
 structure studies 212
 Delfini 208–210, 209
 Diapori 210–213, 210, 211
 Poshidonia and Nites 215
 serpentinite belt 213–215, 214
- Taurus Mountains 231–234
- terranes 23–24
- Tethyan Ocean 234
- thrust belts 1–2, 449–466
- thrust flat 117
- thrust ramp 286, 287
- thrust systems 103, 437
- thrust wedge, tapering of 180
- thrusting 121–140, 449–466, 561–563
 and folding 547–552, 548, 549, 550
- Thrustpack methodology 476–477
- tip-line folds 116
- Torr na h-Iolaire 112
- Torridon Group 105
- Torridon, Loch 29–36, 30, 31, 33
 deformation model 41, 42
 Inverian structures 37–38
 Laxfordian structures 36
 other inliers 40–41
- transport directions 159–161
- transpression 317
- transtension 188, 198–199
- Turkey, Southeast
 Eastern Taurus Mountains 232–234
 alternative tectonic models 235
 Arabian foreland 261–266
 Elazığ region 231–234, 232, 234
 Elazığ–Baskil Magmatic Complex 248–249
 Keban Platform 240–243
 metamorphic massifs 239
 Bitlis Massif 239–240, 241
 Pütürge Massif 240, 241
 Middle Eocene Maden Group 253–257, 254, 255, 256
 tectonostratigraphy 235–239, 236, 237
 Upper Cretaceous arc-related rocks 248
 intrusive Baskil Unit 248
 volcanic–sedimentary Elazığ Unit 248–249
- Upper Cretaceous ophiolites 243
 Guleman Ophiolite 245–248
 İspendere Ophiolite 243–244
 Kömürhan Ophiolite 244–245, 246
- Tuscany, mesoscopic duplex 437, 444–445
 Canaloni duplex 441–442
 restoration 442–443, 443
 geological setting 437–439, 438, 439
 implications for Apennine tectonics 443–444
 structural features 439–440, 440
- ultra-high pressure (UHP) metamorphism 198
- ultra-high pressure (UHP) rock, exhumation of 156, 159–161
- Upper Badcall shear zone 47, 54
 field data
 discussion 49–52, 51
 gneissic banding 48, 49, 50
 mineral lineations 48, 49
 outcrop geometry 48–49, 50
 varying finite stretching direction 52–54
 restoration of dyke 53–54
 shear strain determination 52–53, 52, 53
- Upper Kaghan Valley 171–178
- Viking Graben 372–376, 373–374
- West Carpathians 272, 273, 278, 279, 293, 295, 296, 297
- West Central Shelf, North Sea
 inversion tectonics 387, 388

- Western Gneiss Region 198
- Witwatersrand Basin, South Africa 533–536, 540–542
- evolution of thrusting to extension 543–544, 566
 - extension 563
 - extensional faulting 552
 - fault scale frequency distribution 557–558
 - fault throw:length ratios 556–557
 - forethrusts and backthrusts 558–559
 - late inversion 552
 - listric normal faults 552–553, 555, 560–561
 - planar normal faults 552, 559–560
 - progressive kinematic evolution and partitioning 564–565
 - reactivation, fault growth and abandonment 565–566
 - selective reactivation 566
 - small fault reactivation 553–558
 - small seismic-scale faulting 553–555
 - sub-seismic-scale faulting 555–556
 - synkinematic gold mineralization 563–564
 - thrusting 561–563
 - thrusting and folding 547–552, 548, 549, 550
 - location map 534
 - stratigraphic sequence 535
 - structural sections 536–540, 537, 538
 - system overview 544–547, 545
 - tectonic style 536
 - tectonostratigraphy 544
- Zagros Fold–Thrust Belt 419–421, 420, 434
- major fault zones 421
 - belt-oblique fault zones 422–429
 - belt-parallel fault zones 421–422
 - structural evolution 433–434
 - tectonic setting 421
 - transfer faults 429–433