

Index

Page numbers in *italic* denote figures; page numbers in **bold** denote tables

- acoustic backscatter
 - in longshore sediment transport measurement 40
 - seabed mobility 136
 - sediment flux measurement 25–34
 - suspended sand concentration 7–14
 - effect of sediment size 8, 9–13, 27
 - form-function 8, 9, 10, 12
 - uncertainties 8–9, 14
- acoustic doppler current profiler 7, 14, 129
 - Helwick Passage 54
- acoustic doppler velocimeter 7
- Advection–Diffusion Model 99
- Afon Taf–Afon Tywi, sediment trend lines 123, 124
- amphidromes 47
- anthroturbation 66, 73
 - see also* dredging
- ASMITA (Aggregated Scale Morphological Interaction between a Tidal basin and the Adjacent coast) 93

- backscatter *see* acoustic backscatter; optical backscatter
- backwash 38
- ballotini 8, 10
- basin, tidal 93
- bathymetry
 - chart-differencing 131–132
 - cross-shore profiles, Holland coast 96, 97, 98
 - Malin Sea 105
 - in sediment dynamic studies 129, 130, 131
 - swathe, Helwick Sandbank 53, 55, 56
- beaches, morphodynamics 93, 94
- bedforms
 - flow parallel 132, 133
 - flow transverse 132, 133
 - Helwick Sandbank 53–63, 118
 - as indicators of seabed mobility 131, 132–133
 - Malin Sea 105, 107, 111, 113–115
 - role in longshore sediment transport 38
- bedload transport
 - analytical approach 45–51
 - bedload formulae 45–46
 - net tidal flux 46–47
- bedrock, Malin Sea 107
- bentonite, lanthanum sorption/desorption 18, 19, 20, 20, 21, 22, 23
- boulders, surficial, Malin Sea 107
- breakers *see* waves, breaking
- Bristol Channel
 - Carmarthen Bay, sediment trend analysis 117–125
 - Helwick Sandbank 53–54, 54, 118
 - marine aggregate dredging 117, 118
- burial processes, SandTrack simulation 66–67
- Burry Inlet 118, 124

- Carmarthen Bay 117, 118
 - grain-size distribution 120–121
 - sediment trend analysis 117–125
- cation exchange capacity, and lanthanum sorption/desorption 18–23

- CERC equation 37
- channels, navigation, filling 39
- Christchurch Bay 133, 136
- clay minerals, lanthanum tracers 17–23
- climate change, coastal management 94
- closure 96, 97, 99
- coastal management
 - and climate change 94
 - and fine sediment transport 17
 - and longshore sediment transport 37, 42
 - and seabed morphodynamics 127
- Coastal Tract Cascade 93, 100
- compartments, coastal 93
- continental shelf seas 147
 - Malin Sea 103
- currents
 - acoustic doppler current profiler 7
 - bottom 113, 114
 - continental shelf seas 147
 - ebb 142
 - rip, Malin Sea 114
 - wave/current interaction 4, 65–66
 - and bed shear-stress 67–68
 - longshore sediment transport 38

- delta, ebb-tidal 93
 - Marsdiep 94
- density, sediment 77
- depth change, shoreface 96
- depth of closure 96
- desorption, lanthanum, freshwater 18
- Devensian glaciation
 - Bristol Channel 54
 - Malin Sea 103
- diffusion, turbulent, SandTrack simulation 68–69
- Dolphin Bank 133, 135, 135, 139, 141, 142
- dredging 17
 - Helwick Swatch 118
 - North Sea 26
 - see also* anthroturbation
- dunes
 - cat-back 60, 133
 - Helwick Sandbank 53, 56–63
 - Malin Sea 111
 - mobile dune layer 60, 61
 - morphology 132–133
- dynamics
 - coastal 93
 - sediment 127–143
 - geology and geomorphology 129
 - hydrodynamics 129, 135–137

- ebb caps 133
- English Channel, seabed mobility studies 128–143
- ‘English River’ 148, 153
- episodicity 4
- erosion, as source of suspended sediment 26, 27
- estuaries, lanthanum tracers, sorption/desorption 18–23

- Europe, NW, shelf seas, suspended particulate matter, modelling 147–157
- extreme events *see* storm events
- Fair Sheets 131–132
- Flandrian transgression, Helwick Sandbank 54
- flocculation, fine sediment 31
- flow
 - cytometry, environmental 83, 85
 - development of bedforms 132
 - hydrodynamic observations 135–137
 - tidal 132
- fluorescence *see* tracers, fluorescent
- flux, sediment
 - tidal bedload 46–47, 50
 - Wash 27–34
 - concentration errors 30–33
- freshwater, lanthanum desorption 18, 20, 21
- geology, in sediment dynamic studies 129
- geomorphology, in sediment dynamic studies 129
- glaciation, Devensian 54, 103
- grain-size *see* sediment, grain-size distribution
- gravel
 - Malin Sea 107
 - ribbons 111, 112, 113–115
- gravel waves 133
- groynes, sediment accumulation 39–40
- Helwick Sandbank 53–54, 54, 118
 - dune geometry 53, 56–59
 - dune migration 60–63
 - grain-size distribution 120
 - Helwick Swatch 54, 118
 - sediment trend analysis 121, 123, 124
 - swathe bathymetry 55, 56
- Holderness Cliffs, Yorkshire, erosion 27, 153
- Holland, shoreface morphodynamics 94–100, 95
- Humber, sediment plume 26, 153
- hydrodynamics 93
 - in sediment dynamic studies 129, 135–137
- Ijmuiden harbour moles 95, 98, 99–100
- illite, lanthanum sorption/desorption 18, 20, 21, 21, 23
- inlet, tidal 93
 - Marsdiep 94, 95
- Ireland, north coast, sediment dynamics 103–115
- iridium tracers 18
- Isle of Portland, bathymetry 130
- JARKUS (JAaRlijkse KUSTlodigen) data set 95, 96, 99
- jetties, sediment accumulation 39–40
- Jura Formation 103
- kaolinite, lanthanum sorption/desorption 18, 20, 20, 21, 23
- lanthanides
 - sorption/desorption 19–23
 - as tracers 18
- lanthanum tracers
 - clay minerals 18–23
 - sorption/desorption 18, 19–23
- Lincolnshire, sediment flux 26
- longshore sediment transport 37
 - CERC equation 37
 - and coastal management 37, 42
 - Holland coast 94
 - measurement 37, 39–42
 - modelling 41
 - processes 38
 - variability 38–39, 41
 - volume 37, 38
- macroscale phenomena 1–3, 2
- Malin Sea 104
 - bedforms 105, 107, 111, 113–115
 - Devensian glaciation 103
 - sediment 103
 - transport 107, 111
 - substrate 105–111
 - tides 103, 105
 - water circulation 113–115
- Marsdiep tidal inlet 94, 95
- Medway Estuary, Kent, estuarine sediment, La sorption 18–23
- megascale phenomena 2–3, 2
- mesoscale phenomena 1–3, 2
- microscale phenomena 1–3, 2
- Minipod 26
- mobility
 - particle, SandTrack simulation 67–68
- seabed
 - English Channel 128–143
 - levels of confidence 137–142
 - tools 129, 131–135
- modelling
 - sediment transport 65–71, 137, 143
 - longshore 41
 - suspended particulate matter, NW European shelf seas 147–157
- montmorillonite, lanthanum sorption/desorption 18, 21
- Morecambe Bay, SandTrack simulation 70–71
- morphodynamics 93–94, 127
 - Holland coast 94–100
- morphology 93
 - seabed 129, 131
 - evolution 131–132
- mud
 - flux estimation, the Wash 25–34
 - optical backscatter 12, 25, 27
- navigation channels, filling 39
- nearshore zone, role in longshore sediment transport 38
- Noord-Holland, shoreface characteristics 97–99
- North Sea
 - dredging 26
 - sediment transport 147–148
 - shoreface morphodynamics, Holland coast 94–100, 95
 - suspended particulate matter, modelling 148, 149, 150, 151–152, 153, 154–156, 157
- Norwegian Trench, suspended particulate matter 148, 153
- offshore 93
- optical backscatter 12
 - in longshore sediment transport measurement 40
 - in seabed mobility studies 136

- in sediment flux measurement 25, 26, 27
- and sediment size 27
- particle-tracking 73–86
 - advantages 84–85
 - generalized methodology 76–79
 - history 74–75
 - limitations 86
 - modelling 65–71
 - sampling 79–80, 85
 - Eulerian 83
 - sand tracking 77, 80–82
 - silt tracking 75, 76–78, 82–84
 - time integration method 83
 - tracer
 - analysis 81–82
 - budget 82
 - burial 82
 - density 77
 - grain-size 76–77
 - injection 78–79
 - properties 76–78
 - separation 85
 - settling velocity 77
 - types 75–76
- particulate matter, suspended 7
 - NW European shelf seas, modelling 147–157
 - see also* sand, suspended
- phlogopite, lanthanum sorption/desorption 18, 20, 20, 23
- POLCOMS *see* Proudman Oceanographic Laboratory Coastal Ocean Modelling System
- Poole Bay 133, 136
- Port Eynon Bay 54, 118, 55, 120
- Port Eynon Bay Gyre, sediment trend lines 122, 123
- Portstewart, Ireland, sand bedforms 104, 113, 114
- Prediction of Aggregated-scale Coastal Evolution project (EU MAST-III PACE) 94
- progradation, Holland coast 94
- Proudman Oceanographic Laboratory Coastal Ocean Modelling System (POLCOMS) 147, 148
- radionuclides, as tracers 17
- rare earth elements *see* lanthanides
- Rathlin Island 103, 104
- re-opening point 97
- re-opening zone 97
- resuspension 136, 137
- Rhossili Bay Gyre, sediment trend lines 122, 123, 124
- ribbons
 - gravel, Malin Sea 111, 112, 113–115
 - sand 132, 133
- Rijks Strand Palen lijn (RPS) 95
- Rotterdam Waterway 94, 95
- Saint Govan's Head Gyre, sediment trend lines 123, 124
- sand
 - bedforms
 - Malin Sea 111, 113, 114
 - see also* bedforms
 - fluorescent 17
 - flux estimation, the Wash 25–34
 - particle-tracking 77, 80–82
 - SandTrack simulation 67–71
 - substrate types, Malin Sea 105–111
 - suspended, acoustic backscatter measurement 7–14
 - sand exchange, cross-shore 99
 - sand megaripples 133
 - sand ribbons 132, 133
 - sand waves 132, 133
 - sandbanks
 - banner 53
 - Helwick Sandbank 53–63
 - SandTrack model 65–71
 - Morecambe Bay simulation 70–71
 - Saundersfoot Bay, sediment trend lines 123, 124
 - scale 1–3, 2
 - sea-level, relative 103
 - seabed mobility *see* mobility, seabed
 - seabed morphology *see* morphology, seabed
 - sediment
 - accumulation, groynes and jetties 39–40
 - density 77
 - fine 17
 - floculation 31
 - flux estimation 25–34
 - optical backscatter 25
 - see also* clay; mud; silt
 - grain-size distribution
 - Carmarthen Bay 119–125
 - English Channel 133–135
 - longshore transport
 - measurement 37, 39–42
 - processes 38
 - variability 38–39, 41
 - mixed
 - flux estimation 27–34
 - concentration errors 30–33
 - resuspension 136
 - potential 137
 - submarine, north coast of Ireland 103–115
 - tracing 17
 - see also* particle-tracking, tracer; tracers
 - transport 93
 - Dolphin Bank 139, 141, 142
 - dune migration 56–63
 - hydrodynamics 135–137
 - Malin Sea 107, 111, 113, 114–115
 - modelling 65, 137, 143
 - North Sea 147–148
 - particle tracking 73–86
 - pathways 121–125, 132, 133–135
 - Shambles Bank 137, 138, 139, 140
 - see also* sediment, trend analysis
 - transport volume 37
 - traps 26, 27, 40, 41, 136
 - trend analysis 17, 117, 119
 - Carmarthen Bay 117, 120–125
 - English Channel 133–135
 - limitations 124
 - sediment budget 39
 - sediment size
 - effect on acoustic backscatter signal 8, 9–13, 27, 30–33
 - effect on longshore sediment transport 38
 - effect on optical backscatter signal 27, 30–33
 - and flux measurement 25–34
 - concentration errors 30–33

- SEDPLUME-RW model 65, 69
 settling tube, timed 7, 11, 12, 12, 13, 14
 settling velocity 77
 Shambles Bank
 bathymetry 130
 sediment transport 137, 138, 139, 140
 shear stress, bed 67, 68, 147
 shelf
 inner 93
 paraglacial, evolution 103
 shelf seas *see* continental shelf seas
 Shields parameter 45, 67
 Shingles Bank 139
 shoreface 93
 fully-active 97, 98
 inactive 97, 98
 morphodynamics, Holland Coast 94–100
 seaward partially-active 97, 98
 shoreward partially-active 97, 98
 silt
 optical backscatter 12
 particle-tracking 75, 76–78, 82–84
 time integration method 83
 smectite, lanthanum sorption/desorption 18, 20, 21, 23
 Solent
 sediment distribution 131
 sediment trend analysis 134–135, 135
 sonar survey
 side-scan
 English Channel 133
 north coast of Ireland 104, 105, 106, 107, 108–110, 111, 112
 swathe, Helwick Sandbank 55, 56
 sorption, lanthanum 18
 sound attenuation 8, 10, 25
 speed, relative particle, SandTrack simulation 68
 storm events 4
 effect on longshore sediment transport 38, 39, 41
 effect on suspended sediment concentration 27, 29
 stress *see* shear stress, bed
 surf zone
 role in longshore sediment transport 38, 39
 tracers 40
 suspended particulate matter *see* particulate matter, suspended
 swash zone, role in longshore sediment transport 38, 41

 Taf river, sediment trend lines 123, 124
 TELEMAC model 65, 69, 130
 tides
 asymmetry 113
 bedload transport, analytical approach 44–51
 and development of bedforms 132
 Malin Sea 103, 105, 113
 timed settling tube *see* settling tube, timed
 tracers 17–23, 74
 coloured 75–76, 77, 81
 fluorescent 17, 74, 75, 76, 81, 82
 flow cytometry 83
 injection 78–79
 iridium 18
 lanthanum, clay minerals 18
 in longshore sediment transport 40
 match with sediment 76–79
 natural 75–76
 para-magnetic 76, 85–86
 properties 76–78
 radioactive 74, 75
 in sand tracking 81–82
 synthetic 76
 thermal magnetic enhancement 76, 86
 types 75–76
 see also particle-tracking, tracer
 transport
 bedload 45–51
 Dolphin Bank 139, 141, 142
 dune migration 56–63
 longshore
 measurement 37, 39–42
 processes 38
 variability 38–39, 41
 Malin Sea 107, 111, 113, 114–115
 modelling 65, 65–71, 137, 143
 morphodynamic systems 93
 particle-tracking 73–86
 history 74–75
 simulation 65–71
 tracer types 75–76
 pathways 121–125, 132, 133–135
 Carmarthen Bay 121–125
 sediment trend analysis 117, 119–125
 Shambles Bank 137, 138, 139, 140
 volume 37
 traps, sediment 26, 27, 40, 41, 136
 trenches
 backfilling 40
 bottom current recirculation 107, 113, 114–115
 trend analysis *see* sediment, trend analysis
 trend lines, Carmarthen Bay 121–125
 Tywi river, sediment trend lines 123, 124

 velocity, settling 77

 Wash, southern North Sea
 flux estimation 25–34
 sediment concentration 27
 waves
 breaking 38
 effect on suspended sediment concentration 27
 gravel 133
 infragravity 38, 39, 41
 Kelvin, and amphidromic systems 47
 Malin Sea bedforms 113
 sand 132, 133
 types 38
 wave/current interaction 4, 65–66
 and bed shear-stress 67–68
 longshore sediment transport 38

 Yorkshire, erosion, Holderness Cliffs 27, 153

 Zuid-Holland, shoreface characteristics 97–99