

Index

- acid mine drainage discharge, 107–116
- Advanced Spaceborne Thermal Emission and Reflection Radiometer *see* ASTER
- aerial photography, 1, 2
 - coastal and riverine environments, 93–94, 97, 100–101, 103
 - landslide monitoring, 54–56, 61, 66, 69–73
 - landslide susceptibility, 78, 80, 90
 - linear infrastructure projects, 135, 136, 138, 139–140
 - mine waste dispersion, 110
 - see also* digital aerial photography
- Africa, disaster management, 150–161
- airborne digital sensors, 55
- airborne digital videography, 101
- Airborne Thematic Mapper *see* ATM
- Airborne Visible Infrared Imaging Spectroradiometer *see* AVIRIS
- AirSAR (Airborne InSAR), 13
- Alaska, 13
- Aleutians, 13
- ALOS, 27, 28, 46
- Alps, Swiss, 60
- Anianchak volcano, 11
- Andes, 8
- aquatic weed infestation, 97
- Arc Info, 82
- ArcGIS, 34, 80, 82–85, 110
- archive datasets, 136, 139–140, 142
- ArcMap, 19, 34, 36
- ARGON, 9
- ASAR, 27
- asphalt surfaces, 126, 130
- ASTER, 1, 2, 8, 95, 99, 102, 136, 138, 150, 153, 160, 161
 - DEMs, 14, 17–23, 95, 143–147, 150
 - shrink-swell clay detection and mapping, 117–124
 - volcanic terrain mapping and monitoring, 6, 8–9, 14–23, 27
- ATM (Airborne Thematic Mapper)
 - acid mine drainage discharge, 109
 - coastal and riverine environments, 94, 101, 102
 - Daedalus 1268 AZ-16 ATM, 32
 - thermal imagery of subglacial volcano, 31–43
- atmospheric attenuation, 39, 42
- atmospheric effects, and PSI, 49
- Autocad, 80
- automatic extraction of displaced vectors, 60–61
- AVHRR, 152, 161
- AVIRIS, 109, 110, 115
- AVNIR-2, 27
- AZGCORR software, 32

- backscatter intensity, 11, 45
- bacterial oxidation of hydrocarbons, 126
- Banda Aceh (Indonesia), 1

- Bárðarbunga volcanic system (Iceland), 32
- ‘bare-soil image’, 117
- bathymetric mapping, 95, 101
- Bayesian probability modelling, 85–90
- beach morphology, 101
- bituminous surfaces, 126, 128, 130
- Black Ven (Dorset, UK), 99
- botanical anomalies, hydrocarbon seepage, 126, 128
- brightness index, 71
- British Geological Survey, 1
- Bukavu (R.D. Congo), 65–75
- buried structures, 99
 - see also* pipelines
- butane, 126

- C-band SAR, 7, 11, 13–14, 46–47
- CAD drawings, 140
- California (USA), 127, 128, 130, 143
- calorimetry, 32, 41
- carbon dioxide, 128
- carbonate rocks, 160
- CartoSAT, 28
- CASI (Compact Airborne Spectrographic Images), 94, 97, 102, 103, 109, 110, 115
- Catania (Sicily), 14
- CATs (Compact Active Transponders), 50–51
- Centre for Observing and Modelling Earthquakes and Tectonics (COMET), 143
- Chile, 9
- chlorite, 121, 123, 160
- civil engineering projects, terrain analysis, 3, 135–142
- clays
 - slope failure, and disaster management, 2, 153
 - see also* shrink-swell clays
- cliffs, coastal, 93, 97–99
- CLIMVIS, 152
- cloud cover, 95–96, 97, 123, 135, 139, 144
 - volcanic terrain mapping, 5, 9, 11, 13, 14, 17, 27
- coastal environments, 3, 93–106
- Colorado (USA), 60
- ‘colour balance’, 146
- COMET (UK Centre for Observing and Modelling Earthquakes and Tectonics), 143
- Compact Active Transponders (CATs), 50–51
- Compact Airborne Spectrographic Imager *see* CASI
- cone morphometry, 20–23
- Congo, R.D., 65–75
- contour models, 135
- Corner Reflectors (CRs), 25–26, 50–51
- Corniglio landslide (Italy), 60
- CORONA spy-satellite data, 2, 6, 7, 9–11, 14, 136, 139
 - DEMs, 9–11, 14
- cost considerations, 102, 150, 161
- cross-corelogram technique, 109
- crosstalk problem, 17
- cyanide, 107, 108, 110, 113–114

- DAIS 7195, 128–129
 Darfur (Sudan), 157
 declassified satellite imagery, 9–11, 139
 DEMs, 9–11
 ‘DEM-of-difference’, 59
 DEMs, 1, 6, 94, 102, 103, 135, 138, 140–142, 161
 landslide mapping and monitoring, 56–59, 82, 99
 mine waste dispersion, Spain, 110
 NextMap UK, 94, 97, 102, 103
 ‘off-the-shelf’ datasets, 137
 quality controls, 57, 58–59
 urbanization, Bukavu (R.D. Congo), 71, 73
 see also ASTER; CORONA; DSMs; DTMs;
 InSAR; Landsat; SPOT; SRTM; TOPSAR
- deposition *see* sedimentation
 Derbyshire (UK), 54–61
 desertification, 159
 differential GPS, 14, 36, 55
 DifSAR (differential synthetic radar interferometry),
 2, 13, 47–49
 digital aerial photography, 94, 101
 Digital Airborne Imaging Spectrometer (DAIS),
 128–129
 Digital Elevation Models *see* DEMs
 digital photogrammetry, 6, 17
 coastal and riverine environments, 94, 97, 101
 for landslide monitoring, 56–61
 see also photogrammetry
- Digital Surface Models *see* DSMs
 Digital Terrain Models *see* DTMs
 digital videography, 101
 DigitalGlobe, 7
 disaster management, 1, 149–164
 Disaster Monitoring Constellation (DMC), 28
 displaced vectors, automatic extraction of, 60–61
 drought, and disaster management, 153, 157, 159
 DSMs (Digital Surface Models), 95, 102, 137
 DTMs (Digital Terrain Models), 95, 102, 135,
 136, 137, 138
- Earth Observation (EO), 7, 46–47, 137–138
 earthquakes
 disaster management, 1, 159, 161
 ground deformation mapping, 48, 49
- Ebro platinum thermometer probe, 36
 education, and disaster management, 160–161
 electromagnetic spectrum, 93, 128
 emissivity, 34
 Enhanced Thematic Mapper *see* ETM and ETM +
 ENVI software, 34, 117, 122
 environmental impact, acid mine drainage
 discharge, 107–116
- ENVISAT, 11, 12, 27, 46, 49, 50
 EOWEB, 7
 epidote, 160
 ERDAS Imagine, 34
 Eritrea, 149, 153, 159, 160
 EROS Data Center, 152, 161
 erosion, 2, 93, 100–102, 108
 ERS imaging radar, 2, 96, 102
 ERS InSAR, 102
 ERS SAR, 9–50, 23–26
 ERS-1, 6, 7, 11, 46, 49
 ERS-2, 6, 7, 11, 46, 49
- estuaries, 102
 ethane, 126
 Ethiopia, 153, 157
 ETM + (Enhanced Thematic Mapper Plus), 7, 8,
 150, 153, 161
 Etna, Mt., 14
 Eurimage, 7
 European Space Agency, 47, 96
 see also ERS
 evaporites, 125
- famine, 159
 faulting
 and disaster management, 2, 153, 157
 Jamaica (St Thomas), 82
 R.D. Congo (Bukavu), 67–68
- feldspar-rich sediments, 160
 Fernandina, Volcán (Galápagos), 15
 ferrihydrite, 108, 110, 113–115
 field surveying
 and landslide susceptibility, 80
 tailings dump, 109
- FLIR systems ThermoCAM, 39
 flood defences, 93, 96, 97
 flooding, 2, 93, 95, 96–97
 disaster management, 153, 157, 161
 forest fires, 157
 fracture zone mapping, 160, 161
 France, 117–124
- Galápagos volcanoes, 9, 11, 15
 GAMBIT system, 9
 gas seepages, 125, 126, 127, 130–132
 Geo-Tiffs, 34
 geodetic datum, 32–34
 geohazards, 136, 139–142
 and disaster management, 149–164
 geological maps and mapping, 81–82, 138
 geology, urban, 65–68, 70–73
 geomorphological anomalies, and
 hydrocarbon seepage, 126
 geomorphological applications, 95, 97,
 98–99, 138–139
 geomorphological mapping, and
 aerial photograph interpretation, 56,
 65–73, 80
- Geophysical and Environmental Research
 Corporation (GER), 109
 geothermal activity, Iceland, 32
 German Aerospace Agency, 7
 Gers (France), 117–124
 GIS, 1, 2, 6, 71–74
 and digital aerial photography, 94
 for LiDAR-CASI data, 97
 for terrain analysis, 135, 138, 140, 142
 see also ArcGIS; ArcMap
- glacier motion mapping, 49
 Global Land Cover Facility, 7, 8, 17, 157
 global warming, 93, 97, 125
 GMES (Global Monitoring for Environment
 and Security), 47
 goethite, 108, 110
 gold mines, abandoned, 107–116
 Google Earth, 150, 152

- GPS, 49, 50
 datum, 32–34
see also differential GPS
- Grimsvötn volcanic system (Iceland), 31–43
 ground displacement mapping and monitoring, 1, 47–48, 136
see also landslides
- ground instability, 93, 97–100
 ‘ground truth’, 140
- Hawai‘i, 6, 13, 14–23
 heavy metals, mine waste dispersion, 107, 108, 112–115
- Heimaey (Iceland), 14
 hematite, 108, 110, 114
- HEXAGON system, 9, 11
- High Resolution Stereoscopic (HRS) instrument, 7, 9
- historical archives, 136, 139–140, 142
- Hough transforms, 130
- humidity, 39, 42
- Hungary, 127, 129, 130
- hydrocarbon seepage, 125–133
- hydrogeological planning, and disaster management, 159–160
- hydrological applications, 95, 97
- HyMap, 94, 128
- hyperspectral imagery, 1, 2, 94, 103, 107–116, 117–124, 125–133, 136, 137
see also CASI; HyMap
- ice cauldrons, 31–32, 41–42
- ice motion mapping, 49
- Iceland, 14, 31–43
- IFSAR DEMs, 102
- IGOS (Integrated Global Observing Strategy), 161
- IKONOS, 2, 6, 7, 11, 66, 70–74, 95, 102, 136, 138, 139, 141, 153
- illite, 120–121, 122–123
- IMAGINE OrthoBASE Pro 8.6 software, 54
- Indian Ocean tsunami disaster, 1, 153–157
- Indonesia, 1, 11
- infrastructure planning, and disaster management, 157–159
- infrastructure projects, terrain analysis, 3, 135–142
- InSAR, 1, 2, 94, 136
 coastal and riverine environments, 96, 100, 102, 103
 DEMs, 12–14, 94, 96
 for volcanic terrain mapping and monitoring, 5, 6, 12–14, 23–26, 27–28
see also AirSAR; DifSAR
- Integrated Global Observing Strategy (IGOS), 161
- interferometry *see* InSAR
- Intermap Technologies Inc., 94, 102
- Internal Average Relative Reflectance algorithm, 117
- International Committee of the Red Cross (ICRC), 160
- Iran, 143–147
- iron, secondary, 107, 108, 110, 113–115
- IRS, 95
- Italy, 60
- ITC system of geomorphological mapping, 56
- Izmit (Turkey), 49
- Jamaica, 77–91
 jarosite, 107, 108, 110
- JERS SAR, 7, 11, 12
- Jet Propulsion Laboratory (NASA), 13, 143, 149
- Kamchatka, 11
- kaolinite, 121, 123
- KH satellite sensors, 9–11
- Kiejo volcano (Tanzania), 23, 24
- kriging, 36
- KVR-100, 136
- L-band SAR, 7, 11, 26, 27–28
- Land Process Distributed Active Archive Center, 7, 8, 17
- land use patterns, St. Thomas (Jamaica), 83
- Landsat, 1, 2, 7, 97, 102, 128, 136, 137, 138, 140
 and disaster management, 149, 150, 152, 160, 161
 volcanic terrain mapping, 6, 8, 15, 17–26, 27
- landscape evolution, 139–140, 142
- landscape recognition, and disaster management, 153
- landslides, 2, 3
 disaster management, 153, 157, 161
 monitoring, 53–63, 65–75
 susceptibility assessment, 77–91
see also slope instability
- laser altimetry *see* LiDAR
- lava flows, 5, 6, 8, 11, 14–23, 67
 and disaster management, 157
- Lee, river (N of London, UK), 97
- Leica 300, 14
- LiDAR (Light Direction And Ranging), 1, 2, 95, 97, 99, 101, 102, 103, 135–137, 142
 LiDAR-CASI data, 97, 102, 103
- linear projects, terrain analysis, 135–142
- Linear Spectral Unmixing technique, 109, 110
- lithological mapping, St. Thomas (Jamaica), 81–82
- London, 99–100
- Mam Tor (Derbyshire, UK), 54–61
 mapping, 2
see also specific types of mapping
- Matched Filtering techniques, 109, 110, 122–123
- Mauna Kea volcano (Hawai‘i), 6, 14–23
- Mersey estuary (UK), 102
- methane, 126, 128
- Mexico City, 14
- micas, 160
- micro-graben, Bukavu (R.D. Congo), 65, 68, 69
- mineralogical anomalies, and hydrocarbon seepage, 126, 128
- mineralogy
 mine waste, 107–116
 shrink-swell clays, 120–121, 122, 123–124
- ‘minimum distance to class means’ algorithm, 128–130, 131–132
- Minimum Noise Fraction (MNF) algorithm, 109
- mining
 subsidence measurement, 49
 waste discharge, 107–116
- Mississippi river (USA), 95
- Mixture Tuned Matched Filtering (MTMF) algorithm, 122–123
- modelling of slope instability, 85–90
- MODIS, 1, 152, 161
- moisture level mapping, 117, 135, 140

- Mojave Desert (USA), 149
 molasse deposits, mapping, 117–124
 montmorillonite, 121, 123
 mosaicing, 143–147
 multi-temporal DEMs, 59
 multi-temporal geomorphological maps, 56
 multispectral imagery, 2, 136, 138
 coastal and riverine environments, 94, 95, 99, 102, 103
 volcanic terrain mapping and monitoring, 6–11,
 23–26, 27–28
 see also hyperspectral imagery
- NASA, 138, 143, 149, 152, 161
 NASA Space Shuttle, 1, 138
 see also Shuttle Imaging Radar; SRTM
- New Zealand, 13
 NextMap UK, 94, 97, 102, 103
 Ngozi volcano (Tanzania), 23, 24
 Nicobar Islands, 157
 NOAA, 152, 161
 Norfolk, 101
 Normalized Difference Vegetation
 Index (NDVI), 71, 117
- oil seepages, 125, 126–127, 128, 130–132
 OrbView, 138
 OrbView-3, 136, 138
 OrbViews-5, 27
 Orthoengine (PCI), 144, 146, 147
 orthophotos, 60–61, 135
- PALSAR, 27, 46
 Parádürdo (Hungary), 127, 129, 130
 pattern recognition, 130–131, 132
 PCI Orthoengine, 144, 146, 147
 pentane, 126
 persistent scatterers interferometry *see* PS-InSAR; PSI
 photogrammetry, 55, 98–99, 100–101, 102
 software, 135
 see also digital photogrammetry
- PIMA portable spectrometer, 123
 Pinatubo, Mt., 6
 pipelines
 detection, 97
 leakage detection and monitoring, 130–131, 137
 routing, 140
- Planck's law, 34
 pollution
 disaster management, 2, 153
 see also acid mine drainage discharge;
 hydrocarbon seepage
- PRISM, 28
 propane, 126
 Protected Area Archive, 149
 PS-InSAR, 100, 102, 103
 PSI (Persistent Scatterers Interferometry), 13,
 25–26, 49–50, 96, 102
 pyrite, 108, 109, 113
- quartz-rich sediments, 160
 Quickbird, 2, 6, 7, 95, 102, 136, 138, 139, 142, 153
- radar, 138–139
 radar *see* ASTER; ERS; SAR
- RADARSAT, 7, 11, 12
 RADARSAT-1, 46, 49, 50
 RADARSAT-2, 27, 46
 Radarsat International, 7
 radiance, converting to temperature, 34–36
 radon, 125
 rainfall
 effects on mine waste, 107–108
 hazard, St Thomas (Jamaica), 77, 78, 83–84
- RapidEye constellation, 28
 Red Cross (ICRC), 160
 redox environment, 126
 refugees, 2, 157
 relief models, 137
 RGB images, 150, 160
 Rhine river, 95, 102
 Rhône river, 95
 riverine environments, 3, 93–106
 Rodalquilar (Spain), 107–116
 Rungwe Volcanic Province (Tanzania), 6, 23–26
 Russia, 49
 Rwanda, 69
- Sabancaya volcano (Chile), 9
 St Peterburg (Russia), 49
 St Thomas (Jamaica), 77–91
 SAM (spectral angle mapper), 109, 121–122, 123,
 128–130, 131–132
- SAR (Synthetic Aperture Radar), 2, 45, 46–47,
 95–96, 97, 143
 interferometry *see* InSAR
 volcanic terrain mapping, 6, 11, 24–25,
 26, 27, 28
 C-band, 7, 11, 13–14, 46–47
 L-band, 7, 11, 26, 27–28
 X-band, 7, 11, 13–14, 94
 see also AirSAR; DifSAR; ENVISAT;
 ERS SAR; JERS SAR;
 RADARSAT; SRTM
- Satellite Pour l'Observation de la Terre *see* SPOT
- scoria cone morphometry, 20–23
 sea-level rise, 93, 97
 Seamless Data Distribution System, 7, 17
 sedimentation, 2, 93, 100–102, 108
 seepage haloes, 129, 130–132
 seismic applications, 1, 2
 see also faulting; fracture zone mapping
- Severn estuary (UK), 102
 shrink-swell clays, 99–100, 117–124
 Shuttle Radar Topography Mission *see* SRTM
 Shuttle-Imaging Radar (SIR), 143
 Shuttle-Imaging Radar-C (SIR-C), 11
 slope instability, 153
 and human settlement, 65–75
 modelling, 85–90
 see also cliffs; landslides
- Slumgullion landslide (USA), 60
 snow cover, 123, 144
 soil erosion, Bukavu (R.D. Congo), 65
 soil moisture content, 117, 135, 140
 Solid Terrain Modelling, 153
 Space Imaging, 7
 Space Shuttle *see* NASA
 Spain, 107–116

- spectral analysis techniques, 109–111, 121–122, 123, 128–132
- spectral angle mapper technique *see* SAM
- spectrometry
- mine waste dispersion, 110
 - shrink-swell clays, 99, 123
- SPOT, 2, 95, 97, 102, 136, 137, 138, 144
- DEMs, 9, 95
 - SPOT HRS, 7
 - SPOT-5, 7, 9, 136
 - volcanic terrain mapping, 6, 8, 9, 15
- Spotimage, 7
- spy-satellite data *see* CORONA
- SRTM (Shuttle Radar Topography Mission), 2, 6, 7, 12–14, 136, 138, 150, 152
- DEMs, 2, 17–26, 102, 143–147, 150, 161
- stereo orientation, 144–147
- stereo photography, 56–57, 69–73, 102
- stereoscopic viewing, 1, 53, 55, 100, 135, 140, 161
- storms and storminess, 1, 93, 97, 151
- subsidence measurement and monitoring, 49, 51
- Sudan, 157
- Sumatra, 1
- susceptibility-hazard mapping, 77–91
- Swiss Alps, 60
- Synthetic Aperture Radar *see* SAR
- Tanzania, 6, 23–26, 150
- Tay river (Scotland), 101
- tectonics, Bukavu (R.D. Congo), 65–68
- temperatures, ground-based data compared with airborne thermal imagery, 31–43
- TERRA Satellite, 8
- TerraFirma Project, 47
- terrain analysis, 135–142
- terrain modelling, 153
- see also* DTMs
- TerraLook, 149, 152
- TerraSAR, 27
- TerraSar-X, 46
- TerraWeb, 152
- Thames floodplain (London, UK), 97
- thermal imagery, 1, 31–43, 102, 125, 136, 137
- tidal conditions, 95, 102
- tilt and offset, 144–147
- TM (Thematic Mapper), 8
- topographic maps and mapping, 14, 22–23, 70, 135, 138
- TOPSAR-derived DEM, 15
- toxic mine drainage discharge, 107–116
- Trannon river (Wales), 101
- TRIMBLE Pathfinder, 36
- TRIMBLE Pathfinder Pro XRS, 14
- tsunamis, 1, 97, 153–157, 161
- Turkey, 49
- UK Centre for Observing and Modelling Earthquakes and Tectonics, 143
- UK Environment Agency, 97
- UK Natural Environmental Research Council (NERC), 32
- UK Overseas Development Agency, 150
- UN Development Programme, 161
- UN Office for Outer Space Affairs (UNOOSA), 161
- University of Maryland *see* Global Land Cover Facility
- urban geology, 65–68, 70–73
- US Department for International Affairs, 161
- US Geological Survey, 7, 9, 11, 161
- USA, 13, 60, 95, 101, 127, 128, 130, 143, 149
- USAID, 150, 161
- variograms, 36
- Vatnajökull (Iceland), 31–43
- Vegetation Index, 71, 117
- vegetative cover, 70, 71, 83, 135, 137, 153, 157
- coastal and riverine environments, 94, 95, 96, 102
 - shrink-swell clay detection and mapping, 117, 123
 - volcanic terrain mapping, 13, 17, 18, 22, 27–28
- videography, 101
- Virtuozo digital photogrammetry software, 17
- volcanic terrain, mapping and monitoring, 2, 5–30, 48
- volcanoes
- disaster management, 153, 157, 159, 161
 - subglacial, 31–43
- Wales, South, landslide evolution, 61
- walk-over surveys, 140
- waste *see* acid mine drainage discharge
- water supplies, 149, 157, 159–160, 161
- wetland mapping, 94, 140
- WGS 1984 geodetic datum, 32–34
- World Bank, 27, 161
- World-View, 138
- X-band InSAR, 94
- X-band SAR, 7, 11, 13–14, 94
- X-ray diffraction analysis, 109
- X-ray fluorescence analysis, 109
- X-ray spectrometry, 110
- Zagros Mountains (Iran), 143–147