

Index

Page numbers in *italics* refer to Figures; page numbers in **bold** refer to Tables.

- acoustic emission 7
 - technique 90, 91–92
- amplitude variation with offset anisotropy (AVOA) 193
- Ankoh (Japan) 145–147
 - see also* Median Tectonic Line
- arenite *see* sandstone
- axial splitting 61
- axisymmetric triaxial compression in sandstone 90, 95
 - experimental testing
 - lab methods 90
 - lab results
 - acoustic emission 91–92
 - macroscopic observations 92
 - stress/strain behaviour 90–91
 - microscopic methods 92–93
 - microscopic results
 - deformed 94–97
 - pristine 93–94
 - stereology 97–100
 - results discussed 100–101
- axisymmetric triaxial testing 49, 54, 57, 60, 61, 65–69

- Base Cretaceous Unconformity, North Sea 106
- Bassin du Sud-Est (France) 20, 21
 - deformation bands
 - distribution 20, 22, 23–24
 - and fault evolution 30
 - growth 29–30
 - faults
 - distribution 24–25, 29
 - orientation 27–28, 29
 - thickness 25–27
 - modelling of fluid pressure rise and deformation
 - Coulomb plasticity softening 36–37
 - mechanical context 33–36
 - model description 40–43
 - model evolution 31–33
 - model results 37–39
- Beaucaire Marl 48
 - strain testing 62–64
- bending *see* poro-plastic deformation
- Berea Sandstone, deformation 165, 167
- biaxial testing 50, 52–54, 62
- bifurcation theory 12, 13–15, 16
- boundary values, and faulting 162
- boundary-element method 163
- brittle failure regime 10
 - damage v. localization 15–16
- brittle fracture, types 61
- brittle materials 47, 59–61
- brittle/ductile
 - controls on transition 115
 - terminology 3
- bulk density, effect in fault zones 83

- Carboniferous Limestone, jointing 140
- Castlegate Formation (analogue reservoir) 90, 95
 - experimental testing
 - lab methods 90
 - lab results
 - acoustic emission 91–92
 - macroscopic observations 92
 - stress/strain behaviour 90–91
 - microscopic methods 92–93
 - microscopic results
 - deformed 94–97
 - pristine 93–94
 - stereology 97–100
 - results discussed 100–101
- cataclasis 3
- cataclastic fault zones 19
- cataclastic flow 61
- cavitation 55
- cement bridges 229
- cementation
 - effect on faulting 110–111
 - modelling sandstone behaviour
 - method 111–114
 - results 114–115
- clays
 - effect in compaction experiments 93–94, 97
 - in gouge 82
 - see also* montmorillonite
- coefficient of friction, and displacement 81, 82
- cohesive bodies and strain testing
 - ductile v. brittle 59–61
 - lab tests 61–62
 - Beaucaire Marl 62–64
 - Red Vosges sandstone 65–69
 - siltite 64–65
 - micro to macro cracking 61
- compaction, v. dilation 166
- compaction bands 12, 15, 49, 61, 89–90
- compaction studies in reservoir sandstone 90, 95
 - experimental testing
 - lab methods 90
 - lab results
 - acoustic emission 91–92
 - macroscopic observations 92
 - stress/strain behaviour 90–91
 - microscopic methods 92–93
 - microscopic results
 - deformed 94–97
 - pristine 93–94
 - stereology 97–100
 - results discussed 100–101
- conductivity
 - in fractures 229
 - sensitivity to stress 229, 232
- contractancy 59

- crack
 - interactions 9–10
 - non-interacting 10
 - propagation modes 12–13
- crack tip 12–13
- creep 3
- Cretaceous sands of Provence deformation band
 - fault network evolution 30
 - growth and propagation 29–30
 - modelling
 - Coulomb plasticity softening 36–37
 - mechanical context 33–36
 - model description 40–43
 - model evolution 31–33
 - model results 37–39
 - pore fluid pressure and compaction 30–33
 - single v. multiple strand
 - interpretation
 - distribution 29
 - orientation 29
 - observations
 - distribution 24–25
 - orientation 27–28
 - thickness 25–27
- critical point
 - and criticality
 - characterized 227
 - relation to failure 228
 - self-organized criticality (SOC) 227–228
 - self-organized sub-criticality (SOSC) 228
 - lithosphere studies
 - 1/ k scaling 231
 - directionality 232
 - induced seismicity 229–230
 - permeability and production rate 232–235
 - shear wave splitting 231
 - stress state 231
- cross-joint development
 - early studies 124
 - exposures 125
 - modelling
 - methods 124–129
 - results 130
 - results discussed 138–139
 - summary 139–140
- crystal plastic mechanisms 3

- damage
 - defined 1, 2
 - localization compared 3, 15–16
 - macroscopic variables 8–9
 - microscopic concepts 9–11
 - parameter (D) 8–9
 - strain organization 7
- deformation
 - impact on geomaterials 4
 - style 2
- deformation bands *see* shear bands *also*
 - compaction bands
- deformation bands, and strain hardening 20
- deformation bands, in Provence
 - fault network evolution 30
 - growth and propagation 29–30
- modelling
 - Coulomb plasticity softening 36–37
 - mechanical context 33–36
 - model description 40–43
 - model evolution 31–33
 - model results 37–39
- pore fluid pressure and compaction 30–33
- single v. multiple strand
 - interpretation
 - distribution 29
 - orientation 29
 - observations
 - distribution 24–25
 - orientation 27–28
 - thickness 25–27
- deformation in sandstones
 - experiments 111
 - modelling 111–112
 - methods 112–114
 - results 114–115
 - modelling and experiments compared 115–117
 - fluid flow effects 117–119
 - grain size effects 117
 - summary 119–120
- North Sea reservoirs
 - cementation effects 110–111
 - deep 107–108
 - porosity collapse 108–110
 - shallow 107
 - see also* compaction studies
- density, effect on strain localization 52, 59
- diagenesis, relation to conductivity 229
- dilatancy, effect in strain testing 50, 55
- dilation, v. compaction 166
- distributed grain-scale deformation 89
- dolostone
 - deformation experiments 170
 - model deformation 171–172
- drained testing 49–50, 56, 57
- ductile deformation, damage
 - parameter (D) 7, 8–9
- ductile materials 47, 59–61
- ductile/brittle
 - controls on transition 115
 - terminology 3

- earthquakes *see* seismicity
- effective elastic modulus 8
- effective field 9
- effective matrix 9
- effective media theory (EMT) 9
- effective stress, impact on modelling
 - fracture-related flow 219–220
- Ekofisk field (North Sea) 231
- elastic models, and faulting 162–163
- elastic v. inelastic behaviour 90
- elastic wave, velocity change 7
- electrical conductivity 7
- en echelon* cracks 12
- energy theory 12
- extension bands 15
- extension fracture 61
- extensive-dilatancy anisotropy 231

- 1/f noise 227, 231
 - failure
 - frictional 231
 - in relation to critical point 228
 - false relief stereophotogrammetry (FRS) 48
 - fault zones
 - displacement accommodation 78–79
 - experimental studies
 - monomineralic zones 78–79
 - polyminerallc zones 80–83
 - field observations 77
 - fracture arrays 75–77
 - fracture development sequence 77
 - fracture halo 84
 - mechanics of localization 83–84
 - permeability structure model 143
 - see also* gouge
 - faulting
 - and boundary values 162
 - and boundary-element method 163
 - and elastic models 162–163
 - and localization 163–164
 - and plasticity 163
 - and poro-plastic deformation
 - calibration of properties 166–168
 - introduction 164–166
 - numerical representation 180–184
 - simulation methods 169–170
 - simulation results 170–177
 - simulation results discussed 177–179
 - theory 179–180
 - and stress state 161–162
 - faults
 - bifurcation theory applied 13–15
 - and fluid flow, effects of rheology and stress 106, 117–119
 - and fractures
 - damage zones 187, 188
 - detection by seismic methods
 - approaches 190–191
 - attributes 191–194
 - introduction 189–190
 - theory 190
 - initiation of 7
 - flicker 227
 - flow *see* fracture-related flow
 - fluid flow
 - directionality 232
 - and faults, effects of rheology and stress 106, 117–119
 - in fractures 229
 - impact of faults 19
 - see also* reservoir modelling
 - fluid transport, across faults,
 - modelling 143
 - fold–fault systems 164
 - forced folding 169
 - fracture, and seismic anisotropy 189
 - fracture arrays, and faults, Nash Point 188
 - fracture geometry 75–76
 - associated shear zones 76
 - displacement accommodation 78–79
 - with increasing displacement 76–77
 - fracture halo 84
 - fracture mechanics 12–13
 - fracture sequence, non-clay fault zone 77
 - fracture-related flow
 - simulation
 - HYDRO-DDA system
 - DDA tool 212–213
 - HYDRO tool 211–212
 - model behaviour 213–216
 - model discussed 222–223
 - upscaling sensitivities 216–219
 - effective stress 219–220
 - friction 221–222
 - hydraulic gradient 220–221
 - introduction 209
 - upscaling 210
- fractures 11–12
 - attributes 123
 - aperture 123
 - length 123–124
 - modelling 137, 138, 139
 - orientation and stress 123
 - planarity 123
 - modelling 137
 - spacing 123
 - modelling 130, 132
 - conductivity of 229
 - mechanics of localization 83–84
 - modelling tools 235
 - multiple orientations 124
 - numerical modelling
 - methods 124–129
 - results
 - aperture 137
 - geometry 130–137
 - length 138
 - results discussed 138–139
 - summary 139–140
 - reservoir engineering approach to 227
- France *see* Bassin du Sud-Est; Beaucaire Marl; Hostun RF sand; Red Vosges Sandstone
- friction
 - and displacement 81, 82
 - impact on modelling fracture-related flow 221–222
- frictional failure 231
- frictional surfaces in modelling 166–167
- geomechanical models
 - HYDRO-DDA system
 - DDA tool 212–213
 - HYDRO tool 211–212
 - model behaviour 213–216
 - model discussed 222–223
 - upscaling sensitivities 216–219
 - effective stress 219–220
 - friction 221–222
 - hydraulic gradient 220–221
 - linked to seismic anisotropy
 - model equations 205–206
 - model method 199–201
 - model results 201–204
 - model set-up 197–199
 - summary 204

- gouge in faults 84
 - experimental studies
 - monomineralic zones 78–79
 - polymineralic zones 80–83
- grain contact dissolution 111–112
- grain crushing 61
- grain size, relation to deformation 117
- granular bodies and strain testing
 - equipment 50–51
 - Hostun sand test 51, 52
 - density 52
 - mean stress level 52–56
 - patterns of localization 56–58
 - slenderness ratio 52
 - summary 59
 - volumetric strains 58–59
- Hostun RF Sand (France) 48
 - localization patterns 56, 60
 - strain testing 51
- hydraulic gradient, impact on modelling
 - fracture-related flow 220–221
- hydrocarbon reservoirs *see* reservoir rocks
- HYDRO-DDA system
 - DDA tool 212–213
 - HYDRO tool 211–212
 - model behaviour 213–216
 - model discussed 222–223
 - upscaling sensitivities 216–219
 - effective stress 219–220
 - friction 221–222
 - hydraulic gradient 220–221
- Japan *see* Median Tectonic Line
- Jurassic, reservoirs of North Sea 107
- 1/k
 - in modelling 236
 - noise 231
- Kitagawa (Japan) 145, 146, 147
 - see also* Median Tectonic Line
- limestone
 - deformation experiments 169–170
 - model deformation 171–172
 - model results 174
- lithosphere
 - at criticality 228
 - critical point studies
 - historical researches 229–231
 - new data 232–235
- localization (strain localization) 2, 3, 48
 - application of bifurcation
 - theory 13–15, 16
 - cohesive body studies 48–49
 - ductile v. brittle 59–61
 - lab tests 48–49
 - Beucaire marl 62–64
 - micro to macro cracking 61
 - Red Vosges sandstone 65–69
 - siltite 64–65
 - experiments on Berea Sandstone 168
 - and faulting 163–164
 - granular body studies 48–49
 - equipment 50–51
 - Hostun sand test 51, 52
 - density 52
 - mean stress level 52–56
 - patterns of localization 56–58
 - slenderness ratio 52
 - summary 59
 - volumetric strains 58–59
 - mechanics of 83–84
 - phenomena
 - fractures 11–12
 - localization bands 12
 - shear band evolution 49–50
 - strain organization 7
 - techniques used 48–49
 - test types 49
- Median Tectonic Line 144–145
 - internal structure
 - field observations 145–147
 - modelling 148
 - permeability studies 143
 - laboratory set-up 151
 - methods 148–149
 - results 150, 151–152
 - structure 152–154
 - along-fault variation 157–158
 - data limitations 158
 - deformation mechanisms 158–159
 - upscaling 158
 - zones 154–157
 - upscaling 158
 - deformation mechanisms 158–159
- microcracks and microcracking 10, 16, 231
- microscopy *see* SEM
- Miocene, strike slip events 20
- modelling cementation
 - sandstone behaviour
 - method 111–114
 - results 114–115
- modelling cross joints
 - methods 124–129
 - results 130
 - results discussed 138–139
 - summary 139–140
- modelling deformation band evolution
 - Coulomb plasticity softening 36–37
 - mechanical context 33–36
 - model evolution 31–33
 - model results 37–39
 - model description 40–43
- modelling faults and poro-plastic deformation
 - calibration of properties 166–168
 - introduction 164–166
 - numerical representation 180–184
 - simulation methods 169–170
 - simulation results 170–177
 - plastic strain plots 172, 173
 - stress plots 172, 173, 174, 176
 - simulation results discussed 177–179
 - theory 179–180
- modelling fractures
 - numerical modelling
 - methods 124–129

- results
 - aperture 137
 - geometry 130–137
 - length 138
- results discussed 138–139
- summary 139–140
- modelling fracture-related flow
 - HYDRO-DDA system
 - DDA tool 212–213
 - HYDRO tool 211–212
 - model behaviour 213–216
 - model discussed 222–223
 - upscaling sensitivities 216–219
 - effective stress 219–220
 - friction 221–222
 - hydraulic gradient 220–221
- modelling seismic properties
 - equations 205–206
 - method 199–201
 - results 201–204
 - set-up 197–199
 - summary 204
- montmorillonite, effect in gouge of 80, 81, 82
- Nagano (Japan) *see* Median Tectonic Line
- Nash Point, fracture arrays 188
- noise in systems 227, 231
- normal-move-out anisotropy (NMOA) 191
- North Sea reservoir sandstones
 - fault timing 106
 - deep burial 107–108
 - shallow burial 107
 - modelling fracture arrays and seismic signatures
 - model description 205–206
 - model method 199–201
 - model results 201–204
 - model set-up 197–199
 - summary 204
- oilfields *see* reservoir rocks
- Oligocene, rifting events 20
- orthogonal fractures 124
 - modelling 130
- Oughtibridge gannister 105–106
- overconsolidation ratio 59, 61
- P fractures 77, 78, 79, 80, 81, 82, 83
- P shears 76, 85
- permeability 7
 - calculation from HYDRO-DDA 211–212
 - modelling 143
 - and production rate 232–235
 - reduction at faults 19, 20
 - relation to frictional failure 231
- permeability structure studies
 - laboratory set-up 151
 - methods 148–149
 - results 150, 151–152
 - Median Tectonic Line 152–154
 - along-fault variation 157–158
 - data limitations 158
 - deformation mechanisms 158–159
 - upscaling 158
 - zones 154–157
- petroleum reservoirs *see* reservoir rocks
- pink noise 227
- plane strain
 - biaxial testing 49, 50, 51, 52–54, 62
 - simulation 172, 173
- plasticity, and faulting 163
- polygonal fractures 124
 - modelling 130–138
- poro-plastic deformation
 - calibration of properties 166–168
 - introduction 164–166
 - numerical representation 180–184
 - simulation methods 169–170
 - simulation results 170–177
 - plastic strain plots 172, 173
 - stress plots 172, 173, 174, 176
 - simulation results discussed 177–179
 - theory 179–180
- porosity
 - collapse in North Sea reservoirs 108–110
 - fracture 231
 - reduction at faults 19, 20
- pressure cycling tests for permeability structure
 - laboratory set-up 151
 - methods 148–149
 - results 150, 151–152
 - Median Tectonic Line studies 152–154
 - along-fault variation 157–158
 - data limitations 158
 - zones 154–157
- pressure solution 3
- Provence (France) *see* Bassin du Sud-Est
- quartz cement
 - effect on faulting 110–111
 - modelling sandstone behaviour
 - method 111–114
 - results 114–115
- R fractures 77, 78, 79, 80, 81, 82, 83
- R shears 76, 85
- Red Vosges Sandstone 48
 - strain testing 65–69
- reservoir modelling
 - 1/*k* scaling 236
 - data acquisition 236
 - fracture modelling tools 235–236
 - future work 236–237
- reservoir rocks
 - analogue rock *see* Castlegate Formation
 - approach to fractures 227
 - critical point studies
 - 1/*k* scaling 231
 - directionality 232
 - induced seismicity 229–230
 - permeability and production rate 232–235
 - shear wave splitting 230–231
 - stress state 231
 - extraction and effective stress 89
 - fault timing 106
 - deep burial 107–108
 - shallow burial 107
 - metastability 228

- reservoir rocks (*Continued*)
- modelling fracture arrays and seismic signatures
 - model description 205–206
 - model method 199–201
 - model results 201–204
 - model set-up 197–199
 - summary 204
 - rheology and stress, implications for faulting and fluid flow 105–106
 - Riedel fractures 77, 85
 - experimental study
 - monomineralic zones 78–79
 - polymineralic zones 80–83
 - Riedel shears 75, 76, 85
 - Rotliegendes, south North Sea 106, 107–108
- sands in experimental studies
- Creaceous of Provence *see* deformation band study
 - Hostun RF Sand (France) 48
 - localization patterns 56, 60
 - strain testing 51
- sandstone
- deformation behaviour in North Sea reservoirs
 - cementation effects 110–111
 - deep 107–108
 - porosity collapse 108–110
 - shallow 107
 - deformation experiments 111
 - deformation modelling 111–112
 - methods 112–114
 - results 114–115
 - deformation modelling and experiments compared 115–117
 - fluid flow effects 117–119
 - grain size effects 117
 - summary 119–120
 - effects of rheology and stress, implications for fluid flow 105–106
 - strain testing in Red Vosges Sandstone 48, 65–69
 - see also* reservoir rocks
- sealing, on fault zones 19
- seismic anisotropy
- defined 194
 - factors causing 194–195
 - linked to geomechanical models
 - model equations 205–206
 - model method 199–201
 - model results 201–204
 - model set-up 197–199
 - summary 204
 - methods of fracture study
 - approaches 190–191
 - attributes
 - reflectivity 193–194
 - travel time 191–193
 - introduction 189–190
 - theory 190
 - modelling
 - approaches 195
 - basis 195–196
- seismicity in reservoirs
- induced 229–230
 - shear wave splitting 230–231
- SEM microscopy
- in compaction analysis, methods 92–93
 - results
 - deformed 97–100
 - pristine 93–94
 - stereology 97–100
 - results discussed 100–101
- shear bands 12
- evolution 49–50
 - experimental testing
 - Beucaire Marl 48, 62–64
 - Hostun Sand 48, 51, 56, 60
 - Red Vosges Sandstone 48, 65–69
 - factors affecting formation 47–48
 - strain rate 13
 - under compression 15
- shear fracture 61
- shear localization, compressive stress 89
- shear zones
- in Berea Sandstone 165
 - displacement experiments 76–77
 - and fractures 76
- shear-wave splitting (SWS) 191, 230–231
- siltite, strain testing 64–65, 67, 68
- slenderness ratio, effect on strain localization 52
- slip lines and planes 163
- stereology, quantitative 97–98
- method 98–99
 - results 99–100
- stereophotogrammetry 48, 52, 53, 64, 65, 68
- strain in geomaterials 47–48
- cohesive body studies
 - ductile v. brittle 59–61
 - lab tests
 - Beucaire marl 62–64
 - Red Vosges sandstone 65–69
 - siltite 64–65
 - micro to macro cracking 61
 - granular body studies
 - equipment 50–51
 - Hostun sand test 51, 52
 - factors affecting results
 - density 52
 - mean stress level 52–56
 - slenderness ratio 52
 - patterns of localization 56–58
 - summary 59
 - volumetric strains 58–59
 - materials studies 48
 - shear bands evolution 49–50
 - techniques 48–49
 - test types 49
- strain hardening 20, 166
- stress
- compressive 89
 - effective, and hydrocarbon extraction 89
 - simulation 172, 173, 174, 176
- stress field and fractures 123, 124
- stress intensity factor 12
- stress and rheology, implications for faulting and fluid flow 105–106
- stress state
- calculation by boundary-element method 163
 - and faulting 161–162
- stress/strain behaviour 90–91

- stylolites 236
- subcritical index and effect on fractures
 - modelling
 - methods 129–130
 - results 130, 132, 134
- temperature, effect on cementation 111–112
- thickness of layers and effect on fractures
 - modelling
 - methods 129–130
 - results 130, 131, 134, 135, 136
- tomodensitometry 48–49
- triaxial compression experiments
 - experimental testing with Castlegate Formation 90, 95
 - lab methods 90
 - lab results
 - acoustic emission 91–92
 - macroscopic observations 92
 - stress/strain behaviour 90–91
 - microscopic methods 92–93
 - microscopic results
 - deformed 94–97
 - pristine 93–94
 - stereology 97–100
 - results discussed 100–101
 - introduction 76–77
 - monomineralic zones 78–79
 - polymineralic zones 80–83
 - triaxial strain testing 49, 54, 57, 60, 61
 - undrained strain testing 49–50, 55–56
 - upscaling in modelling 210
 - HYDRO-DDA system 216–219
 - sensitivities
 - effective stress 219–220
 - friction 221–222
 - hydraulic gradient 220–221
 - Valhall field (North Sea) 231
 - volumetric strain variations 7
 - X-ray computed tomography 48–49
 - Y fractures 77, 78, 79, 80, 81, 82, 83
 - yield point 165
 - post-yield strain 167, 168
 - Young's modulus 8