

# Index

*Note:* Page numbers for figures are denoted in *italics* and page numbers for tables in **bold**.

- accretionary complex 17, 184, 187, *100, 185, 188, 262*
- accretionary prism 17
- Adriatic Sea, palaeosubduction 143
- Aegean 1, 6, 7–8, *44, 90, 99, 129, 144–145, 160, 160, 188*
  - active fault zones 172
  - earthquakes 269
  - geodynamics 1–16
  - heat flow 175
  - inversion results 169–172
  - mantle wedge 175, 195
  - Moho *173, 174, 189, 190, 193*
  - palaeogeography 35, 35
  - rotation 91–94, 155
  - sea level changes 236
  - sense of shear *114*
  - structural setting 42–43
  - velocity structure 8, 159–181, *170*
  - see also* North Aegean; South Aegean; South East Aegean
- Aegean Arc *see* Hellenic arc
- Aegean lithosphere
  - crust mantle discontinuity 189
  - crustal thickness 159, 166, 172–174, 175, 176, *177*
  - heterogeneity 189, 191, 195
  - low velocity slices 176, 183
  - microseismically quiet 183
  - motion 159, 184
  - segmentation 195
- African Moho 188, *190, 195*
- African plate 1, 6, 99, 144, 159
  - lithospheric heterogeneity 187
  - subduction 183, 188
- Agia 32
- Akrotiri Volcanic Series 99, 101, 106–107, 109
- Alakeçi shear zone 127–131, *129, 130*
- Almus Fault Zone 262
- Alpine orogen, geodynamic evolution 1, 17–40, 120
- alternating field demagnetization 292–293, 295, 296, *296*
- Ambelos 75, 78, 80
  - chemical analysis **86**
  - rhyolite 84
  - trachyte 80–81, 82, 84
- amphibolite facies 115
- Anatolia 1, 6, 9, 77, 90, 99, 144–145, 262, *264*
  - geodynamics 1–16
  - GPS observations 285–286
  - graben faulting 90
  - historical earthquakes **302**
  - internal deformation 259–290
  - neotectonic framework 262–269, 265
  - palaeomagnetic survey 285–286, 286
  - rotation 90, 150, 155, 184, 259, 285–286
  - strike slip faulting 9–10, 90
  - tectonic map 265
- andesite–dacite 75
- Andros 41–73, *45*
  - blueschist to greenschist facies 46–48, *47, 49, 50*
  - boudinage *50–51, 52–53, 53*
  - brittle features 53–60, *61*
  - cross section 66, *68*
  - deformation 46–48, 65–66
  - detachment *45, 46–60, 47, 64, 66*
  - ductile features 48–53, 60
  - greenschist facies 43, 46, 48–53, **50, 51, 65**
  - Lower-Upper Unit 46, *47, 66*
  - Makrotantalón Unit 43, 46, *49*
  - megafolds 43, *44–45*
  - metamorphic core complex 43–46
  - P–T conditions 43, 48, 66–67
  - semi brittle structures 53, 60–65
  - serpentinite 48
  - shear bands 55, 60–65
  - stress regimes 53–60
  - stress tensors 60, **62**
  - tectonic units *45*
  - thrust contact 48
  - and Tinos 66–70
  - topography *44*
- Ankara Orogenic Phase 262
- Ar/Ar dating 32
- Arabian plate 1, 144
- ArcView GIS 283
- Attico Cycladic complex 101
- AVI-NAMI 212
- Axios basin 159, 166
- back arc 8, 42, 75
  - crustal thickness 161
  - extension 18, 113, 137
  - heat flow 175
  - spreading 135, 136–137
  - volcanics 83, 89
- Bartington Bridge 292
- basalt 75, 78, 80, 81–83, 94
  - chemical analysis 88, **91**
  - source 86–87, 88
- basins
  - inversion 103, 109
  - subsidence 89–90
- bathymetry 217
- GEBCO 212
- Benioff zone 159, 185, 186, *186*
  - depth 185, *186, 191*
  - dip 185, 191
- Biga Peninsula 113–142, *115, 124–132*
  - correlation 116
  - deformation 127, *133, 137*
  - finite strain 127
  - geochronology 126, 137

- Biga Peninsula (*Continued*)  
 geological context 124–126  
 kinematic frame 132, 137  
 magmatic events 133  
 metamorphic events 126, 133  
 plutons 125, 125, 126  
 sedimentation 133  
 stretching lineations 137
- Black Sea 161, 236
- blueschist 1, 17, 25–26, 33–34, 46–48, 49, **50**  
*see also* Cycladic Blueschist Unit
- Bodrum Volcanic Complex 77
- boudinage 8, 41, 42, 48–50, **50**, 51–53, 54–59, 60, 64,  
 65–66, 70, 127, 128  
 coefficients of extension 67, 69  
 crustal scale 43, 66, 70  
 crystallization 48–50, 52–54  
 finite strain 67, 68
- brittle deformation 41, 58–59  
 localization 65  
 reactivation 64, 65  
 tilting 60, 63, 66, 67–70
- brittle–ductile transition 41, 42, 46, 67, 70, 121
- Bulgaria 8, 113–142, 154  
 active faults 8, 154, **155**  
 block velocities 153, 154  
 geodetic constraints 143–157  
 geological background 145  
 GPS 8, 145–146, 154–155  
 graben and horst blocks 145  
 levelling lines 149, 154–155  
 seismicity 143  
 tectonic structures 146  
 uplift 150–151, 151
- Byala reka–Kechros dome 116–118, 118, 120, 121,  
 132, 133
- Çamlıca metamorphics 125, 125, 126, 132–133
- Çanakkale Underwater Valley *see* Şarköy Canyon
- Çankırı Basın 262–264, 263
- carbon *see* radiocarbon ages
- carbon dioxide, partial pressure 292, 301
- Central basin 231
- Central Eclogite Axis 18–20, 26–27, **26**, 34, 34
- Çeşme, TCG 236
- Çetmi mélangé 125–127
- Çınarcık basin 231
- crenulation cleavage 48
- Crete 9  
 Basin 101  
 crustal thickness 189–191, 194  
 earthquake 201, 212–216, 213, 214–215  
 horst structure 183, 184, 194–195  
 lithospheric structure 195  
 palaeogeographical reconstructions 184  
 plate boundary shift 183  
 seismicity 183–199, 192, 193  
 slice velocity 189–191  
 subduction zone structure 188–191  
 tectonics 183–184, 187  
 topography 187, 188  
 uplift 183, 192, 194–196, 194
- crustal assimilation 89
- crustal wedge, pinched 263–264
- Çubuklu, TCG 236
- Curie Law 295
- Curie point 298
- Cyclades 7–8  
 geological setting 18–27  
 volcanic arc 187, 188
- Cyclades ultramafics 7, 32–33  
 Basal unit 20  
 compositional trends 32  
 modes of emplacement 35–36  
 provenance 35–36  
 Upper tectonic unit 20  
 variation diagrams 33
- Cycladic Blueschist Unit 17, 18, 19, 20, 28, 43, 44, 46,  
 77–78  
 evolution 29–31  
 overburden removal 34–35  
 P–T paths 7, 17, 18, 25–26, 34, 35
- Cycladic Massif 18–20, 19, 35
- Cyprus, tsunami 212
- Cyprus arc 8–9, 186, 201, 203, 205–207  
 bathymetry 207, 208  
 seismicity 206–207, 208, 209
- Dardanelles Canyon *see* Şarköy Canyon
- Dead Sea fault 6, 9, 205
- declination 295, 296–297, 297, 299–300  
 changes 299, 299, 301  
 raw and smoothed data 298–299  
 rotations 297, 300
- décollement horizon 191
- decompressional cooling 34–35
- Deep Sea Drilling Project 101
- deformation  
 absolute velocity 148, 149–150  
 crystallization relations 130  
 horizontal velocity 143, 150  
 localization 41, 42, 54, 58–59, 65, 70  
 relative velocity 148, 150  
 vertical motion 143, 148–150, 152  
 vertical stratification 70  
*see also* brittle deformation
- Denizgören ophiolite 125
- detachments 6, 7, 8, 41–73, 113, 118, 121–122, 131  
 digital elevation model (DEM) 216–217, 279,  
 282–283
- Dodurga Fault 263, 267, 267
- Dospat fault 154
- ductile deformation 41, 42, 50–51, 65, 67, 120, 127,  
 128, 130
- ductile–brittle evolution 8, 50, 56–57, 60–65, 64, 65,  
 113, 122, 123
- dykes 78
- earthquakes 1, 8, 143, 144, 201, 212, 280–281, 295  
 afterslips 146, 285  
 co-seismic deformation 205–206, 207, 212, 259  
 epicentres 259, 270, 273, 303, 303  
 frequency 291, 300, 303, 304  
 historical 202, 291, **302**  
 locations 162  
 magnitude 204, 291, **302**, 303–304, 304  
 regional strain field 159, 273

- reservoir resetting 291, 298, 299, 304, 305  
 source parameters 259, 269–270, 273, 275, **276**, 277,  
 278–280  
 stimulate water flow 296  
 submarine 207  
 surface deformation 278  
 tsunamigenic 204–205, 205, 206, 207  
*see also* focal mechanism; focal sphere
- East Anatolian Fault Zone 1, 6, 91, 269
- Eastern Mediterranean 1–7  
 bathymetry 2–3, 202, 260  
 faulting 2–3, 202, 260  
 historical tsunamis 204–205, 205  
 horizontal plate velocities 4–5  
 reported tsunamis **218–220**  
 seismicity 2–3  
 tectonic setting 4–5, 115, 144–145, 144, 159  
 tsunamigenic zones 201–230, 203
- eastern Rhodope  
 Bulgarian kinematics 118–120  
 deformation conditions 122, 124  
 detachments 120  
 fault planes 124  
 geochronology **119–120**  
 Greek kinematics 120–124  
 internal mineral deformation 121–122, 121, 123  
 metamorphism **119–120**, 120  
 nappe stacking 120, 122
- eclogites 18–20, 25, 33–34
- Edremit graben 131
- elastic dislocation model 212
- Eldivan Fault Zone 263, 267, 268–269
- electron microprobe 80
- Eohellenic ophiolite 18, 19
- Eohellenic orogenic event 35
- epidote 25
- Ergin, Kâzım 10
- escape wedges 263, 267
- Eurasian plate 1, 113, 144, 159, 183
- EUROIMAGE 283
- Evciler pluton 130
- Evia 17, 34  
 Basal Unit 34–35  
 blueschists 25–26  
 geological map 22
- Evia mélange 27, 36  
 alkali element content 24  
 blueschist 17  
 characteristics **23**  
 formation 25  
 HP–LT ophiolitic 20, 21–27  
 major element composition 24–25  
 origin 21–25  
 REE patterns 24  
 source area tectonic setting 21  
 ultramafic protolith 21–24
- extension  
 continental crust 6–7, 71  
 gradient of finite 41  
 migration of 136–137  
 post-orogenic 41  
 regional 75
- Ezine Group 125–126
- Ezinepazarı–Sungurlu Fault Zone 262
- fault plane 53, 277, 291  
 conjugate 65  
 palaeoseismological studies 191  
 solution 213, 259
- faults 31, 65, 109, 239, 281  
 depth range 259, 285  
 dip 53–60, 65  
 and extrusion 89–90  
 mechanism parameters 285  
 offset 105, 109, 304, 304  
 rake 285  
 reactivation 65  
 slip rate 259, 275–278, 304  
*see also* detachments; listric faults; normal faults;  
 strike slip faults
- ferromagnetic grains 291
- first motion polarity 270, 273, 274–275
- fissure  
 development 292  
 growth rate 291, 304  
 lifespan 296  
 precipitation process 297, 304  
 rotation 295  
 turbulent flow 297
- focal mechanism 259, 269, 270–273, 277, 285
- focal sphere 271, 272–273, 274–275
- folds 43, 48, 49, 66, 122, 122, 239
- foliation 48, 49, 50, 60, 61, 64, 65, 121–122, 121, 122, 127
- forearc 1, 183, 191, 192
- fractional crystallization 8, 75, 86–88, 89, 92, 94
- fractures *see* faults; fissures
- frequency time analysis (FTAN) 159, 162–163, 164
- Galatia volcanic series 262
- Ganos Fault 231
- garnet 17, 25  
 garnet lherzolite 75
- geodetic constraints 143–157
- geodetic moment 259, 285
- geodetic monitoring 143–144  
 InSAR 259–290
- geographical information systems (GIS) 216–217
- Geomagnetic Polarity Time Scale (GPTS) 291
- geothermal activity 9, 291, 292, 304
- goethite 298
- German Aerospace Centre 283
- German Science Foundation 283
- glaucophane 25
- Gondwana 1, 90
- Gotse Delchev graben 154
- GPS 143–157  
 data processing 146–147, **147**, **148**  
 measurements 146, 147  
 observations 285–286  
 rate of plate motion 145, 153, 184
- granite 7, 75, 81, 83, 94
- Greece 1, 77, 113–142
- greenschist facies 17, 26, 27, 31, 46–53, 47, 49, 50–51,  
**50**, 65, 66
- group velocity 161, 167, 169  
 curves 163  
 Knopoff method 166  
 maps 163, 166, 167  
 resolution parameters 166–169, 168

- group velocity (*Continued*)  
 stretching parameters 166–167  
 tomographic images 163, 166–169  
 variations 166–169
- Harvard-CMT 259, 275
- Hedgehog nonlinear inversion method 164, 170
- Hellenic arc 1, 8–9, 144–145, 159, 175, 201, 205, 207  
 active faults 216  
 seismicity 203, 213  
 tsunamis **224–227**
- Hellenic subduction zone 6, 8, 9, 113, 192, 194  
 back arc 42  
 deformation front 185  
 forearc 184  
 geodynamic models 192–195  
 location 183, 187  
 model 183–199  
 seismicity 184, 192  
 slab dip 186, 192  
 slab segmentation 184–187, 195
- Hellenic trench 159, 184, 187, 205, 216, 269  
 tsunamis **224–227**
- Hellenides 36, 162, 166  
 crustal thickness 172, 175  
 evolution stages 35–36
- hematite 298
- high field strength elements 83–85
- horst 9, 109, 150–151, 153, 154, 183, 184, 194–195
- hydrothermal alteration 24–25
- IGME sparker profile 103, 105, 107, 107
- igneous rock, nomenclature 83, 83
- inclination 295, 296–297, 297, 299–300  
 changes 300, 301  
 deposition mechanisms 300  
 raw and smoothed data 298–299
- InSAR 275, 278–280, 285  
 fringe pattern 278, 279  
 interferogram 278, 279–280, 279  
 inversion procedure 280  
 Orta–Çankırı earthquake data 278–280, 279, 281  
 source parameters 275, 278–280, **278**
- Institute of Geology and Mineral Exploration 99
- International Terrestrial Reference Frame 146–147
- Intra Pontide suture 114, 115
- inversion procedure 269–270, 271, 272–273, 273, 277, 278, 280  
 interferogram 278, 279–280, 279  
 minimum misfit solution 271  
 Monte-Carlo downhill simplex 280  
 Quadtree Algorithm 280
- Ionian Sea 143
- Ionian Trench 187
- ISC catalogue 184, 185
- isothermal decompression 26–27, 33, 118
- isothermal remanent magnetization (IRM) 295, 296
- Izmir–Ankara suture zone 114, 135, 260, 262
- Izmir–Ankara–Erzincan suture 115, 262
- K–Ar dating 31, 75, 78, 80
- Kallithea nappe 78
- Karabiga granitic pluton 126–127, 133
- Karakaya Complex 115, 125
- Kardamos detachment 122, 123, 123, 124
- Katavasis complex 75, 78, 79–80, 82, 94  
 chemical analysis **84**  
 magma batches 87
- Kazdag Massif 113, 125, 125, 126, 135  
 exhumation 130, 131  
 kinematics 127–132, 129, 130, 131  
 post-orogenic extension 137  
 shear sense 129–130  
 shear zone timing 130–131
- Kechros detachment 121–122, 121
- Kemer micaschists 125, 128  
 kinematics 126–127, 126, 132  
 synorogenic extension 113  
 timing of 132–133
- Kesebir–Kardamos dome 116–118, 118, 120, 121, 122, 123, 124, 132, 133, 135
- Kırkkale–Erbaa Fault Zone 260, 262, 264
- Kızılrınmak Fault Zone 262
- Korgun Fault *see* Eldivan Fault Zone
- Kos 77
- Kos Plateau Tuff 109
- Krupnik fault 151, 154
- Küçükkuyu Formation 131
- Kumburgaz basin 231
- Laçın Fault Zone 262
- LANDSAT ETM 216–217, 282–283, 283, 284
- landslides 253, 282–283
- lawsonite 25–26
- leucogneiss 17, 18, 20, 27–30
- Levantine basin 9, 201, 205, 206  
 tsunamis **221–223**
- levelling 143–157  
 corrections 148–149  
 lines 149–150, 149, 152  
 measurements 148–150, **150**  
 network database **149**  
 nodal benchmarks 149–150  
 vertical velocity 152
- lineament analysis 281–285
- listric faults 75, 90, 94
- lithophile elements 83–85
- Love waves  
 chequerboard test 160, 169  
 group velocity 161, 167, 169  
 inversion 159–181, 170, 171  
 ray paths 165
- magma chamber 75
- magma mixing 86, 87
- magnetic field 9, 291, 295  
 directional migration 295, 297  
 palaeosecular variation (PSV) 291, 295–296, 297, 298–301, 303, 305  
 polarity reversals 291  
*see also* declination; inclination
- magnetic susceptibility 292, 299, 301, 301
- magnetization 75, 262  
 principle component analysis 293  
 remanence vector orthogonal projections 292, 295, 296  
*see also* alternating field demagnetization; thermal demagnetization

- magnetometer, nitrogen SQUID (FIT) 292
- mantle  
  low velocity zone 159, 175, 177  
  melt curves 90  
  seismic tomography 137  
  wedge hydration 195
- Marmara Fault 231
- Marmara Sea 136, 231–257  
  basin evolution 251  
  bathymetry 232, 237, 254  
  Bioherm accumulations 254  
  Çanakkale Strait seismic profile 241  
  changing conditions 231  
  circulation 235  
  geological map 234  
  glacial maximum 252, 253  
  halocline boundary 236  
  palaeoshorelines 236, 253  
  river drainage regime 235–236, 236  
  sediment compaction 254  
  sediment coring sites 237  
  seismic profiles 238, 251–252  
  seismic reflection tracks 237  
  transpression structures 251–252  
  water stratification 254
- Mediterranean Ridge 185  
  accretionary complex 187, 188  
  mélanges 1, 25  
  *see also* Evia mélange; Syros mélange
- Meso-Hellenic orogenic event 35
- metamorphic core complex 7, 41, 43, 113  
  exhumation 8, 18, 70, 122
- metamorphic crystallization 120
- metamorphic domes 66, 113, 118, 120  
  types 43, 66
- metamorphic terranes, coupling 137
- metamorphism 6  
  contact 31  
  high pressure 7, 17, 25–26
- metasomatism 32–33
- Meteor* cruise 99  
  seismic profiles 103, 103, 104, 107
- mica fish 42, 121, 122, 123, 129, 130
- migmatites 17, 20, 27, 135
- Milos Christiani Basin 101, 103, 107  
  cross section 102  
  faults 105  
  Messinian marker 101  
  seismic profile 102, 103
- Moho discontinuity 172, 173, 174, 176, 177, 188, 190  
  oceanic 183  
  topography 189, 195
- monzodiorite 75, 79–80, 81–83, 94  
  element ratios 88  
  opaque mineralogy 88  
  source 86–87, 88
- mylonites 113, 121, 121, 122, 127–129, 130, 137
- NAMI-DANCE 208
- National Operational Telemetric System for Seismic Information 143
- Naxos 17, 27–30, 34  
  Agia ultramafic horizon 27–29, 29  
  exhumation P–T path 27, 29  
  field relations 27–29  
  leucogneiss 17, 20, 34  
  Lower Unit 27  
  Main Ultramafic Horizon 27–29, 29, 32, 36  
  metamorphic grade 27–29  
  mineralogy 29  
  provenance 36  
  Upper Unit 27, 28, 33
- Neotethys 1  
  closure 262  
  suture zone 264
- nodal planes 273, 280, 285
- nonlinear shallow water theory 201, 207–212, 210–211, 214–215
- normal faults 31, 41, 42, 43, 70, 160, 273
- North Aegean  
  cooling history 132, 135  
  geochronology 113  
  geodynamic context 114–116, 135–137, 136  
  geological background 114–116  
  granitoids 132, 133, 134–135, 136–137  
  kinematic directions 134  
  stratigraphy 113, 132, 135  
  syn & post orogenic extension 113–142, 155
- North Aegean Trough 143–144, 159
- North Anatolian Fault Zone 1, 6, 9, 125–126, 127, 131, 132, 135, 143–144, 145, 160, 231, 260, 261  
  curvature 252  
  dextral movements 150, 155, 264  
  evolution 234  
  extensional tectonics 251  
  initiation 91  
  rotations 285–286  
  seismicity 259, 268  
  splay faults 262–263
- ocean-bottom seismograph (OBS) 188
- Ochi 27  
  ophiolite 21  
  wehrlites 32–33
- Ograzhden horst 154
- olistrome horizon 25
- omphacite 25
- ophiolite 1, 21  
  mode of emplacement 17–18  
  nappes 6  
  types 17
- orogenic belts 1, 8, 17
- orogenic collapse, gravitational 135, 136
- Orta fault *see* Eldivan Fault Zone
- Orta–Çankırı, geological map 266
- Orta–Çankırı earthquake 259–290, 271, 282–283  
  cause 285  
  damage 259–260  
  epicentre 286  
  fault plane 285  
  focal mechanisms 269  
  minimum misfit solution 271, 272–273, 273–275, 274–275  
  rupture process 285  
  source parameters 278, 278  
  uncertainties 273
- Ortaköy geothermal field 299–301

- P-waves *see* teleseismic body waveforms
- Paphos earthquake 201, 212  
tsunami 209, 210–211
- Paphos transform fault 207
- partial melting 32–33, 75, 87, 88, 94, 135, 175, 176
- Patmos Volcanic Series 77, 90
- peridotites 17, 18, 27–30
- Pindos Ocean 35, 36
- Pirin horst 154
- plate motion 148  
plate interface seismicity 195  
reference frame 148  
vectors of 184  
velocity solution 148
- Pliny trench 187–188  
sense of motion 192–193
- Predela fault 153, 154
- Ptolemy trench 187–188, 191  
microseismicity 192  
sense of motion 192–193
- radiocarbon ages 231, 253
- rare earth elements 21–24, 80, 82, 83–85, 87, 87, 88, 89
- Rayleigh fractionation vectors 92
- Rayleigh waves  
group velocity 161, 169  
inversion 159–181, 170, 171  
ray paths 165
- Rb–Sr dating 32, 118
- receiver functions 183, 188–191, 189, 190, 195  
negative phases 189–191, 193, 195
- receiver stations 269–270, 271, 272–273, 273
- remote sensing 216–217, 280–285
- rheology 58–59, 65, 66, 143  
lithosphere models 143  
stratification 70, 71
- Rhodope Massif 114–115, 115, 116  
ages 116, 117  
extension 113  
geology 116–118
- Rhodope–Thrace 116–124, 132  
cooling history 118  
deformation events 133, 137  
geochronology 118, 137  
geological context 116–118  
high grade basement 117  
kinematics 113–142  
magmatic events 133  
metamorphism 118, 133  
nappe stacking 137  
P–T–t evolution 118  
palaeomagnetic studies 132  
post detachment sediments 134  
Rb–Sr ages 118  
sedimentation 133, 136  
Sm–Nd isochron age 118  
stretching lineations 137  
U–Pb age 118  
zircon ages 118  
*see also* eastern Rhodope
- rhyolite 75, 80, 81–83  
chemical analysis 91  
evolution 89  
tuff 80
- Rila horst 150–151, 153, 154
- rupture  
area 191, 278  
history 274–275, 275–278, 277, 278  
inferred plane 183  
initiation location 277  
process 277, 285  
surface 259–260
- S-waves *see* teleseismic body waveforms
- Sakarya Zone 115–116, 262
- Samos  
allanite 82–83  
amphibole 81  
basalt 84–85, 91  
basin development 94  
biotite 81, 82  
Fe–Ti oxides 82  
feldspars 81–82  
fractional crystallization 87–88  
geochemistry 80–85, 85  
geochronology 79, 80  
geology of 77–79  
late Miocene igneous rocks 8, 75–97, 77, 78, 83, 92  
lead isotopes 85  
magma mixing 87  
Nd–Sm isotopes 85  
Nd–Sr isotopes 89  
petrogenesis 86–89  
petrology 80–81  
pyroxene 81, 81  
regional geological setting 75–77  
rhyolite 84–85, 89, 91  
sampling 79–80  
stratigraphy 79  
sulphides 82  
tectonics 76, 89–94  
titanite 82–83
- Sandanski graben 154
- Santorini  
active faults 99  
basinal sediments 99  
basins 109  
chronology of features 107  
Columbos line 105, 106  
faults 105, 106, 107, 109  
geological setting 101–103  
horst 109  
Kameni line 105, 106  
*Meteor* seismic profiles 104  
methods and materials 99–101  
Minoan civilization 202  
palaeogeography 108  
previous studies 101–103  
seismic interpretation 106–109  
seismic profile locations 100  
submarine volcanics 99–111  
tectonic model 107–109  
volcanics 8, 99–111
- Şarköy Canyon 9, 231–232, 233  
bathymetric map 237  
depositional conditions 239, 247, 252, 253  
evolution 252–253  
faults and folds 233, 252, 253

- general setting 234–236
- geological units 234–235, 239, 247, 248, 253
- hydrography 250
- Miocene–Quaternary deposits 235
- morphology 231, 232, 234
- organic carbon 254
- pre-Miocene basement 235, 239–247, 251–252
- sediment coring sites 237
- sediments 231, 247–251, 248–250, 253–255
- seismic profiles 231, 238, 240, 242, 243, 244, 245, 246, 247
- seismic stratigraphy 237, 239–247, 251, 252
- slides and slumps 252, 254
- subsidence 252, 253
- tectonics and sedimentation 231–257
- Satovcha fault 154
- schistosity 48, 66
- sea level change 232, 239, 253, 254
- sediment cores 231, 236, 239, 253
  - carbon ages 247–248, 247
  - locations 247–248
- sediments
  - carbon ages 239, 247–248, 251
  - carbonate 239, 248–250, 251, 253–254
  - climate changes 254
  - depositional environment 9, 250, 252, 253, 296
  - grain size 239, 248–250, 249–251, 253
  - organic carbon 248–250, 251, 254
  - terrigenous 249–250
  - water content 239, 248–250, 251, 254, 291
- seismic coupling 195
- seismic moment 270, 273, 277, 285
- seismic networks, temporary 188, 189, 191
- seismic profiles 8, 99, 231, 236
  - basin subsidence 103–105
  - faults 101, 105–106
  - interpretation 103–106
  - stratigraphy 238–247
  - vertical and transverse 163, 163
- seismic waves
  - amplification 281–282
  - interference 281–282
  - lineament analysis 281–285
- seismicity
  - global catalogue 191
  - micro 183, 191–192, 195
  - shock intensity 282–283
  - zones 191, 195, 217
- seismograms 269, 270, 273, 275
- Şelale detachment 131, 131, 135
- serpentinization 17, 21, 29, 32–33, 43, 46, 48, 195
- shear bands 25, 41, 42, 50, 53, 54, 58–59, 64, 65–67, 68, 122, 123, 127, 128, 285, 285
  - dip 56–57, 64
  - foliation 65
  - localization 60
  - scale 55
  - sense of shear 50–51
- shear wave
  - anisotropy 175
  - attenuation 175
  - velocity 159–181, 174
- sheath folds 48, 50–51, 64, 65
- shoshonites 75
- Shuttle Radar Topography Mission (SRTM) 216
- Sıcak Çermik 291–305
  - geological map 294
  - geothermal field 291–305
  - palaeomagnetic study 292–301
  - travertine fissures 292, 293–299, 294, 295, 297, 298, 299, 300
- Sieberg Ambraseys scale 204
- Sifnos 18–20, 27
- Sivas Basin, seismicity 303
- simple elastic dislocation model 280
- Sismik*, RV MTA- 236, 238
- slickensides 53, 65, 122, 124, 131, 291
- slip distribution 274–275, 275–278, 285
- slip vector 277, 285, 285, 286
- Sm–Nd isochron age 118
- South Aegean
  - direction of extension 114
  - faults 101
  - tectonic history 99
  - transensional zone 103
  - volcanic arc 99, 100, 101
- South East Aegean
  - chronology 94
  - faults 93
  - Pb isotopic compositions 88
  - petrogenesis 75–97
  - rotation 75
  - tectonics 75–97
- spectrometer 80
- spinel peridotite norm 32–33, 32
- State Geodetic Levelling Network 148–149
  - Fundamental Subsurface benchmarks 149–150
- Strabo trench 187–188
- strain
  - fluid localization 70
  - rate 42, 66, 67
- stress
  - gradients 48
  - principle direction 60
  - regimes 53–60
  - tensors 60, 62, 66, 67–70
- stretching lineation 48, 49, 60, 66, 75, 113, 115, 118–123, 121, 122, 127, 129
- strike slip faults 9–10, 75, 90, 91, 94, 109, 160, 264, 273, 285
- subduction 90, 144, 159, 172, 262
  - crust mantle discontinuity 188
  - decoupling 192, 195
  - dip 195
  - roll back 113, 136–137, 183, 184, 192, 195
  - slab segmentation 191
- subduction channel, backflow 194, 195–196
- submarine valley, U and V types 234
- subsidence 151, 154
- surface waves 163–166, 183
  - dispersion curves 169, 171
  - inversion 164–166, 169–172
  - joint inversion 170, 170, 171, 171, 173, 175, 178
  - see also* Love waves; Rayleigh waves
- synthetic aperture radar interferometry (InSAR) *see* InSAR
- SYNTRAK-480MSTP recording system 238

- Syros mélange 17, 18–20, 21–25, 31, 36  
 alkali element content 24  
 characteristics **23**  
 HP–LT ophiolite 20, 21–27  
 major element composition 24–25  
 oxygen isotope ratios 30–31  
 protolith 21–24  
 REE patterns 24
- tectonic escape 135, 263, 267, 295, 303
- Tekirdağ Basin 231, 234, 246, 247, 252, 253
- teleseismic body waveforms 176, 178, 273–278, 274–275  
 amplitudes 269  
 attenuation 269–270  
 data reduction 269–270  
 inversion 269–270, 275–278  
 joint inversion 285  
 minimum misfit solution 272–273  
 P-waves 164, 175–176, 272–273, 273–275, 274–275, 275–278  
 S-waves 164, 169–170, 171, 172–176
- Thera Pyroclastic Formation 101, 107
- thermal demagnetization 292–293, 298
- thermal modelling 17, 33
- thermomagnetic spectra 293–295, 296
- thrust faults 20, 264
- Tinos 18–20, 41  
 amphibolite facies slice 31–32  
 and Andros 66–70  
 cross section 66, 68  
 deformation 42  
 detachment 30, 42, 43–44  
 geological map 30  
 greenschist facies 17, 31, 66  
 lithological section 31  
 metagabbros sea floor alteration 31  
 metamorphic events 31–32  
 ophiolite 20, 30–32, 36  
 P–T conditions 66–67  
 Upper Unit 30–32, 30, 33, 36, 66
- tomography 162, 163–164
- trace elements 75, 80, 88, 92
- trachyte 75, 80, 81–83, 88, 89–90, 94  
 source 86–87, 88
- travertine 9  
 bedded/layered 291, 292, 294, 296, 298, 298, 299–301, 301, **301**, 305  
 diagenesis 300, 305  
 earthquake induced layering 291–305  
 fissure fill 291, 292, 296, 305  
 growth rate 291, 297, 298, 299, 301, 305  
 magnetism 291–305  
 massive 291, 292, 297, 298, 304, 305  
 mound formation 293, 299, 303
- Troodos massif 207
- Tsaki ophiolite mélange 21, 27
- tsunamigenic zones 201, 203–204, 203, 217
- tsunamis 201–230  
 arrival times 217  
 bathymetry 210–211  
 case studies 212–216  
 co-seismic displacement 205–206, 207  
 coastal amplification 201, 212, 216  
 destruction 201, 202–203, 212–216, 217  
 distribution function 201  
 geomorphic parameters 217  
 hazard studies 201, 204, 216–217  
 Hellenic arc **224–227**  
 Hellenic trench **224–227**  
 historical 9, 201, 202, 204–205, 216, 217, **218–220**  
 intensity scales 204  
 landslides 206  
 Levantine basin **221–223**  
 magnitude scales 204  
 mareograms 210–211, 213, 214–215, 216  
 nonlinear shallow water theory 207–212, 210–211  
 propagation 201  
 recurrence 201, 204, 205, 207, 217  
 seismic source parameters 204  
 seismotectonic settings 201, 205–207  
 simulations 201, 205–217, 213, 214–215  
 source 202, 212, 216, 217  
 triggers 205–206  
 water currents 217  
 water depth 207  
 water surface elevation 210–211, 214–215, 217  
 wave height 201, 204, 212, 216  
 wave propagation 207, 210–211, 212
- TUNAMI-N2 208, 212
- Turkey 1, 113–142  
 crustal structure 161  
 geothermal field 291–305  
 neotectonics 233  
 seismicity 261  
 slab window 186, 187  
 tectonics and sedimentation 231–257  
*see also* Orta–Çankırın earthquake
- Turkish Navy Department of Navigation, Hydrography and Oceanography 238
- U–Pb dating 118
- U–Th dating 291, 292, 293, 296, 298, 303
- unconformity 75, 101
- uplift 150–151, 154, 183, 192, 194–195
- USGS-MT 275
- USGS-NEIC 259
- Vardar Ocean 113, 115, 134, 135, 137
- Vardar suture zone 114, 115
- veins 53, 56–57, 65
- velocity  
 absolute 149–150  
 dispersion curves 159, 162  
 horizontal 143  
 relative 148, 150  
 solution 148  
 vertical 152  
 zero velocity isoline 150  
*see also* group velocity
- volcanic arc 99, 185, 187
- West Pirin fault 154
- wrench corridor 90
- X-ray fluorescence 80
- Xanthi–Komotini fault 123–124
- zircon ages 118