

Index

Page numbers in *italic* denote figures. Page numbers in **bold** denote tables.

- abyssal peridotites 24
Africa 6, 253–77
age
 Catalan volcanism 122
 Gàtaia lamproite 85–6, 97
 Gharyan lherzolite xenoliths 272
 Ligurian peridotites 16, 23, 27
 Scottish lithospheric mantle 7, 303, 305, 328, 330
 Spanish Central System 102
Alakite region 338, 342, 343, 344, 348
alkaline basalts 24
alkaline mafic lavas, Catalonia (NE Spain) 4, 121–53
 enrichment 144–5, 147, 149
 geological setting 122–3
 major elements 125, **127**, 128–9, **130–1**, **132**, 135, **136–7**, **140–1**
 melt depletion 4, 138–9, 141, 150
 metasomatism types 4, 121, 141, 143–5, 147, 149
 modal composition 4, **124**, 150
 P–T–*f*O₂ conditions 134–5
 petrology 123–5
 Pyrenean massif 4, 121–2, 135, 139, 144, 146, 149
 Sr–Nd isotope composition 145, 146
 trace elements 129–34, 135, **136–7**, 138–9, **140**, 141, 144
alkaline magma
 NVL (Antarctica) upper mantle 6–7, 279–302
 Spanish Central System 4, 101–2, 112–16
Alpine–Apennine system 2, 11
altered xenoliths, Spanish Central System 102, 103–18
 modal composition 103, **104**
 P–T conditions 116
 secondary alteration 103, 112–13
aluminium content
 alkaline mafic lavas 125, **127**, 128–9, 134, 141
 Avacha peridotite xenoliths 2, 41, **42**, 43, 44, 45, 46, 47, 48, 51, 53
 lamproite spinels 89
 monomineral thermobarometry 337
 NVL (Antarctica) 6, 279, 289, **290–1**, 294, 296–7, 299, 300
 Scottish lithospheric mantle 309, 320–1, 324
 SCS altered xenoliths 105, 108
 Yakutian kimberlite pipes 347
amphiboles
 alkaline mafic lavas 4, 123, 125, 126, 129, 133, **140–1**, 147, 148, 149, 150
 Avacha peridotite xenoliths 2–3, 35–55
 Devès, Massif Central 5, 177, **179**, 180, 181, 187, 188, 190, 192
 Gàtaia lamproite 83, 86–7, **88**, 89
 Jabel El Arab mantle xenoliths 5–6, 223, 225, 228, 231, **235**, **240**, 241, 246, 247, 248
 La Palma Basal Complex 5, 155, 157–8, 159–60, **161–2**, **164–5**, 166–9, 171
 NVL (Antarctica) 6, 279–80, 296, 297, 299–301
 Scottish lithospheric mantle 306
 SCS altered xenoliths 4, 101, 102, **104**, 105, **106–7**, 108, 109, 113, 114, 115, 117–18
 anhydrous lherzolites 5, **179**, 180–1, 187, 188, 192, 194
 anhydrous spinel peridotite xenoliths 3, 57–81
 Antarctica, NVL upper mantle 6–7, 279–302
 apatite, Gàtaia lamproite 83, **88**, 90, 91
 Arabian plate 5–6, 223–51
 armalcolite, Gàtaia lamproite 83, 85, 86–7, **88**, 90, 91
 asthenospheric mantle
 Devès, Massif Central 5, 178, 190, 194
 fertile spinel lherzolites 3, 57–81
 asthenospherization 2, 11, 17, 23, 25, 27, 28
 Avacha volcano (Kamchatka)
 geological background 35–6
 mineral chemistry 41–5, 50–1
 peridotite xenoliths 2–3, 35–55
 petrography 36–41
 avolcanic sequences 11, 13, 28
back-scattered (BSE) images 282, 287, 292
barite, Gàtaia lamproite 90–1, 92
barometers *see* monomineral thermobarometry
Basal Complex, La Palma 155–75
basalts
 Hyblean Plateau upper mantle 199
 Jabel El Arab mantle xenoliths 223, 247
 La Palma 155–75
 Ligurian Tethys 2, 24
 NVL mantle xenoliths 6, 298, 301
 Scottish Northern Highlands Terrane 303, 305
 Yakutian kimberlite pipes 349
batch melting
 Devès, Massif Central 190
 Viliga peridotite xenoliths 3, 57, 77–8
biotites, La Palma Basal Complex 5, 155, 160, 166–8
calc-alkaline rocks
 Spanish Central System 102, 116, 118
 Viliga Volcanic Field 3, 57, 79
calcic amphiboles 2–3, 35–55
calcium content
 alkaline mafic lavas 128, 129, 134
 NVL (Antarctica) 284, **285–6**, 287, **288**, **290–1**, 296, 298, 299
 olivine melanephelinites 57, 59, 74, 75–6, 77
 Scottish lithospheric mantle 309
calcium-exchange reaction, pressure estimations 135
Caledonian Orogeny 7, 305
Canary Islands, La Palma Basal Complex 155–75
carbon dioxide inclusions 225, 246, 248
carbonatite melts
 alkaline mafic lavas 4, 121, 144, 147, 149, 150
 Devès, Massif Central 5, 177, 188–9, 192–3, 194
 Jabel El Arab mantle xenoliths 6, 223, 245–6, 248
 Scottish lithospheric mantle 7, 303–33

- carbonatite melts (*continued*)
 SCS altered xenoliths 3, 4, 101, 113, 114, 115, 118
 Yakutian kimberlite pipes 349
- Catalonia (NE Spain)
 Neogene–Quaternary alkaline mafic lavas 121–53
 volcanoes 121, 122–3
- chlorites
 La Palma Basal Complex 160, 166–8
 pseudomorphs 104, 105, 112, 117
- chromatographic fractionation 4, 121, 144, 147, 149, 150
- chromite thermobarometry 335, 337, 338, 339–41, 342
- chromium content
 alkaline mafic lavas 125, **127**, 128–9, **130**, 132–3, 134, 138, 139, 147
 Avacha peridotite xenoliths 2, 35, 41–4, 45, 53
 Jabel El Arab mantle xenoliths **228**, 229–31, 234
 lamproite spinels 89
 monomineral thermobarometry 337
 NVL (Antarctica) 6–7, 279, 284, **285–7**, 296, 297, 300
 Scottish lithospheric mantle 309, 310–11, 320, 321, 324
 SCS altered xenoliths 4, 101, 105, 108, 113–14, 117
- climate change, isotopic composition effects 169
- clinopyroxenes
 alkaline mafic lavas 4, 123, 125, 126
 melt depletion 141, 144, 148, 149
 trace elements 129, 130–2, 134, 135, **136–7**, 145–6, 149
 Avacha peridotite xenoliths 2, 37–40, 41, 42, 44–5, 46, 47, 49, **50**, 52
 Devès, Massif Central 5, 177, 180, 188
 Gàtaia lamproite **88**, 90, 91
 Gharyan lherzolite xenoliths 6, 253, 255, 258, 264, 270–3
 Hyblean Plateau 5, 197, 199–200, 201, 205, **206–7**, 208, 213
 partial melting 211, 213–14, 217, 218
 Jabel El Arab mantle xenoliths 5–6, 223, 225, 227, 228, 229, 230, **232–3**
 fractional crystallization 248
 trace elements 5, 232–3, 235–6, 239, **240**, 241, 242–3, 244–6
 La Palma Basal Complex 158
 Ligurian Tethys 13, 14, 17, 18, 20–3
 monomineral thermobarometry 335, 336, 337, 339–41, 342
 NVL (Antarctica) 6, 279, **281**, 284, 287, 289, 292, 294, 295, 297, 298–9, 300
 Scottish lithospheric mantle 7, 303, 306, 307, 309–10, 314–17, **320–3**, 324, 325, 327, 329, 330
 SCS altered xenoliths 4, 101, 102, 105, **106–7**, 108, 109, 113, 114, 115, 117–18
 Viliga peridotite xenoliths 59, **60**, 61, **64**, 65, 74
 Sr–Nd isotopic analyses 3, 57, 70, **74**, 75, 77–8
 trace elements 3, 57, 69–70, **71**, 72, 73, 74, 77
 Yakutian kimberlite pipes 338, 342, 344
- cobalt content, alkaline mafic lavas 132–3, 135, 143, 145
- cryptic metasomatism 1
 alkaline mafic lavas 4, 143, 148, 150
 Hyblean Plateau upper mantle 5, 212–13
- cumulate xenoliths, SCS 101–20
- Daldyn region 338, 341, 342, 347–8
- Dead Sea fault zone 5, 224
- degassing, La Palma Basal Complex 166, 169, 172
- deuterium compositions 4–5, 156, 169, 170–2
- Devès, Massif Central (France)
 geological setting 178–9
 major elements 181, **182–3**
 metasomatizing agents 5, 177–96
 modal composition **179**, 181
 petrography **179**, 180–1
 trace elements 181, **182–3**, 184, 185, **186**, 190, 191
- diabases, alkaline 101, 102, 112–17
- diamond growth (Yakutia) 7, 335, 338, 340, 342, 347, 348, 349
- diffuse metasomatism 279, 280, 298, 299, 300
- drifting 7, 11, 26–7, 29, 30, 330
- dunites
 Ligurian Tethys 11, 20, 21, 30
 monomineral thermobarometry 7, 338
 Yakutian kimberlite pipes 7, 338, 342, 348, 349
- eclogites
 monomineral thermobarometry 7, 335, 337
 Yakutian kimberlite pipes 342, 344, 347, 349
- edenite, Avacha peridotite xenoliths 2, 38, **42**, 44, **50–1**
- electron microprobe analysis
 Gharyan lherzolite xenoliths **259–63**
 methods 41, 58–9, 123, 179, 199, 306
 monomineral thermobarometry 335, 338
 NVL experimental metasomatism 282, 284, **285–7**, **288**
- equilibrium pressures
 alkaline mafic lavas 134–5, 138–9, 141
 Hyblean Plateau upper mantle 5, 197, 208, 216–18
 monomineral thermobarometry 335–52
 Scottish lithospheric mantle 319
 Viliga peridotite xenoliths 57, 73–6
- equilibrium temperatures
 alkaline mafic lavas 134–5
 Avacha peridotite xenoliths 35, 45–7, 50, 53
 Devès, Massif Central **179**, 187, 188–9, 192
 Gharyan lherzolite xenoliths 256–7
 Hyblean Plateau upper mantle 5, 197, 208, 216–19
 Jabel El Arab mantle xenoliths 223, 231, 246
 La Palma Basal Complex 166–9, 170
 monomineral thermobarometry 335–52
 Scottish lithospheric mantle 318–19
 Viliga peridotite xenoliths 57, 73–6
- Erro–Tobbio Massif 14, 15, 17, 18, 27
- Europe–Adria system 11, 12, 15, 25, 27, 28
- exhumation, Ligurian peridotites 15, 16, 25, 26, 29, 30
- experimental metasomatism
 NVL (Antarctica) upper mantle 6–7, 279–302
 procedures 280, 282, **283**, 284
- External Ligurides (EL) 13, 15, 16, 27
- feldspars
 Gharyan lherzolite xenoliths 253, 255–6
 La Palma Basal Complex 5, 155, 166, 170
- fertility
 Gàtaia lamproite 95
 Gharyan lherzolite xenoliths 258

- Viliga spinel lherzolites 3, 57–81
 Yakutian kimberlite pipes 335, 349
- forsterite
 alkaline mafic lavas 129
 monomineral thermobarometry 337
 NVL (Antarctica) 7, 300
- fractional crystallization 6, 248, 249
- fractionation
 alkaline mafic lavas 4, 121, 144, 147, 149, 150
 Gåtaia lamproite 94, 97
- French Massif Central, metasomatizing agents 5, 177–96
- gabbros, La Palma Basal Complex 155–75**
 isotope compositions 168
 major elements 159, **160, 161–3**
- garnet**
 monomineral thermobarometry 335, 336, 337,
 339–41, 342
 Scottish lithospheric mantle 320, 321–2, 324, 326, 329
 Yakutian kimberlite pipes 338, 341, 342, 344, 347, 348
- Gåtaia Pleistocene lamproite 3, 83–100**
 distribution 84, 85
 geochemistry and classification 92–4
 magma evolution 94
 major elements 92, 93
 melting processes 83, 94, 95, 96–7
 mineral chemistry 87–92, 94
 petrography 85, 86–7
 Sr–Nd isotope composition **92, 94**
 trace elements 92, 93, 95–6
- geikielite component 335, 337**
- Gharyan lherzolite xenoliths (NW Libya) 6, 253–77**
 major elements 255, 256, 257–8, **259–63**
 petrography 254–6
 Sr–Nd–Pb isotope variations 6, 253, 270–4
 trace elements **257, 258, 264, 265–9, 270**
- glass I**
 alkaline mafic lavas 129, 133–4, **142–3, 147–9, 150**
 Gåtaia lamproite 83, 85, 86–7, **88, 90, 91–2**
 Hyblean Plateau upper mantle 5, 197, 199–200, 201,
202, 206–7, 208, 210, 211, 214–16
 Jabel El Arab mantle xenoliths 6, 223, 225, 227, 228,
 231, 236, **237–8, 246–8, 249**
 total alkalis–silica diagram 239, 247, 248
 NVL (Antarctica) 7, 279, **281, 284, 287, 289, 291, 292,**
 293, 294–5, 297–300, 301
- granuloblastic texture 123, 125, 126**
- hafnium content, Scottish lithospheric mantle 7, 303, 307,**
 311, **323, 326–9**
- harzburgites**
 alkaline mafic lavas 4, 121, 123, 125, 126, 128–9,
 134–5, 138–9, 141–5, 147, 148, 150
 Avacha peridotite xenoliths 36, 37, 39, 40, 41, **42, 43,**
 44, 45, 49
 Devès, Massif Central 5, 177, **179, 180–1, 185, 188,**
 194
 Jabel El Arab mantle xenoliths 5–6, 223, 225–31,
 233, 239, **240, 242–3, 244–5, 246, 248**
 Ligurian Tethys 2, 11, 20, 21–3, 30
 monomineral thermobarometry 338
 Yakutian kimberlite pipes 342, 344
- hawaiitic melt, Hyblean Plateau upper mantle 5, 197, 201,**
 215, 219
- heavy rare earth element (HREE) patterns**
 Devès, Massif Central 185
 Gåtaia lamproite 92, 93
 Gharyan lherzolite xenoliths 253, 258
 Jabel El Arab mantle xenoliths 232–3, 236, 242–3
 Ligurian Tethys 17, 19, 21, 22
 Scottish lithospheric mantle 303, 307, 309,
 321–2, 326
 SCS altered xenoliths 105, 108, 110
 Viliga peridotite xenoliths 69, 73, 76–7
- helium isotope composition 253, 273**
- heterogeneous metasomatism 101–20**
- high field strength elements (HFSE)**
 Devès, Massif Central 5, 185, 190, 194
 Ligurian Tethys 19
 Scottish lithospheric mantle 307
 SCS altered xenoliths 101, 108, 109–10, 113,
 114, 118
 Viliga peridotite xenoliths 69–70, 74
- high pressure/temperature 6–7, 279, 280, 282–9,**
 298–300, 301
- HIMU metasomatic components 6, 253–77**
- hornblendes 2, 38, 40, 41, 42, 45, 48, 49, 50–1**
- hornblendites, SCS altered xenoliths 102, 105, 108**
- hyalophane, Gåtaia lamproite 88, 90–1, 92**
- Hyblean Plateau (Sicily)**
 enrichment 197, 201, 205, 208, 211, 213–14, 219
 geological setting 198–9
 major elements 200–1, **202–5, 206–8**
 melting processes 5, 197, 209, 210–12, 217, 219
 P–T–*f*O₂ conditions 5, 197, 208–10, 216–19
 partition coefficients 213, 214, 218
 petrography 199–200
 redox state 5, 197, 208, 218–19
 trace elements 5, 197, 201, **203–4, 205, 206–7, 208,**
 210–15, 217, 218
 upper mantle metasomatism 5, 197–221
- hydrogen isotope compositions**
 La Palma Basal Complex 4–5, 155, 156, 160, 166,
167, 168
 method 159
- hydrous fluids**
 alkaline mafic lavas 147
 Devès, Massif Central 5, 177, 188–90, 192–3, 194
 Scottish lithospheric mantle 328, 329
 SCS altered xenoliths 4, 101, 113, 114, 115, 118
 Yakutian kimberlite pipes 349
- ilmenites**
 monomineral thermobarometry 335, 337, 339–41
 Yakutian kimberlite pipes 338, 342, 344, 347, 349
- impregnated plagioclase peridotites 2, 11, 17, 19–20, 21,**
 23, 24
- inductively coupled plasma–atomic emission**
 spectrometry (ICP–AES) 103
- inductively coupled plasma–mass spectrometry**
 (ICP–MS) 199
see also laser ablation inductively coupled plasma–
 mass spectrometry
- Internal Ligurides (IL) 13, 16, 24**
- intraplate magmatism, Scotland 7, 304, 305**

- iron content
 Avacha peridotite xenoliths 35, 41, **42**, 43, 44, 45, 48, 49, 50–1, 52, 53
 Gătaia lamproite 87, **88**, 89, 91
 monomineral thermobarometry 337
 NVL (Antarctica) 6, 279, 282, 289, **290–1**, 294, 297, 298, 300
 Scottish lithospheric mantle 307, **308**, 309
- isotopic analyses
 alkaline mafic lavas 145, 146
 climate change effects 169
 Devès, Massif Central 177, 187–8, 190, 192
 Gătaia lamproite **92**, 94
 Gharyan lherzolite xenoliths 6, 253, 270–4
 La Palma Basal Complex 4–5, 155–6, 159, 160, 166–72
 Scottish lithospheric mantle 7, 303, 307, 311, **323**, 326–7
 SCS altered xenoliths 103, 110–12, 116–17
 Viliga clinopyroxenes 3, 57, 70, **74**, 75, 77–8
- Jabel El Arab (Syria), mantle xenoliths 5–6, 223–51
- Jurassic Ligurian Tethys 11–33
- kaersutite, La Palma Basal Complex 156–8
- Kamchatka arc region 35, 36
- kimberlite pipes (Yakutia) 7, 335–52
 Alakite region 338, 342, 343, 344, 348
 Daldyn region 338, 341, 342, 347–8
 Malo–Botuobinsky field 344, 345, 348
 Nakyn field 347, 348
 P–T conditions 335, 337–49
 Upper Muna field 344, 346, 347, 348
- kimberlitic magmas, Scottish lithospheric mantle 7, 303–33
- La Palma Basal Complex
 degassing 166, 169, 172
 gabbros and basalts 155–75
 geological background 156, 157
 H and O isotope compositions 4–5, 155–6, 159, 160, 166, **167**, 168
 major elements 159, **160**, **161–3**
 petrography 156–8
 trace elements 159–60, **164–5**, 166, 170, 171
 water–rock interactions 155, 166–9, 172
- lamproite
 Scottish lithospheric mantle 219
 Yakutian kimberlite pipes 349
see also Gătaia Pleistocene lamproite
- lamprophyres, alkaline 4, 101, 102, 112–17
- Lanzo Massif 14, 15, 17, 18, 20, 21–3, 24
- large ion lithophile elements (LILE)
 Hyblean Plateau upper mantle 201, 215, 219
 SCS altered xenoliths 101, 109, 113, 118
- laser ablation inductively coupled plasma–mass spectrometry (LA–ICP–MS) 1
 alkaline mafic lavas 123
 Avacha peridotite xenoliths 41, **50**
 Devès, Massif Central 179
 Gharyan lherzolite xenoliths **265–9**, 274
- Hyblean Plateau upper mantle 199
 Jabel El Arab mantle xenoliths 225
 La Palma Basal Complex 159
 Scottish lithospheric mantle 306–7
 SCS altered xenoliths 103
 Viliga peridotite xenoliths 59
see also inductively coupled plasma–mass spectrometry
- lavas
 Gătaia lamproite 83, 85, 86–7
 Gharyan (NW Libya) 253, 273
 Hyblean Plateau upper mantle 199, 211
 Jabel El Arab (Syria) 224, 239, 247, 248
 Neogene–Quaternary alkaline mafic lavas 121–53
- lead content, Gharyan lherzolite xenoliths 6, 253, 270–4
- leucite, Gătaia lamproite 83, 85, 86, 87, **88**, 90
- lherzolites
 alkaline mafic lavas 4, 121, 123, 125, 126, 128–9, 134–5, 138–9, 141, 147, 150
 Avacha volcano 35, 37, 46–7
 Devès, Massif Central 5, 177, **179**, 180–1, 185, 187–8, 191, 193–4
 Gharyan lherzolite xenoliths 6, 253–77
 Jabel El Arab mantle xenoliths 5, 223, 225–31, 232, 239, **240**
 Ligurian Tethys 11, 13–15, 16, 23, 24
 NVL (Antarctica) 279, 280, 295, 300
 nephelinite–lherzolite runs 6, 280–2, 284, **285–6**, 287, 295, 296–7, 301
 Scottish lithospheric mantle 305, 306, 307, 327
 Viliga Volcanic Field 57–81
 Yakutian kimberlite pipes 344
- Libya, Gharyan lherzolite xenoliths 6, 253–77
- light rare earth element (LREE) patterns
 alkaline mafic lavas 131–3, 146, 147, 149
 Avacha peridotite xenoliths 44–5, 49
 Devès, Massif Central 177, 185, 189, 193
 Gharyan lherzolite xenoliths 253, 258, 270
 Hyblean Plateau 197, 201, 205, 208, 211, 215, 219
 Jabel El Arab mantle xenoliths 233, 236, 242–3, 245
 Ligurian Tethys 17, 20–1, 22
 Scottish lithospheric mantle 303, 307, 309–10, 327
 SCS altered xenoliths 101, 105, 108, 110, 113
 Viliga peridotite xenoliths 57, 65, 69, 70, 73, 76–7
- Liguria Mode 11, 29
- Ligurian Tethys 11–33
 geodynamic evolution 25, 27–9
 palaeogeographical restoration 12
- Liguride Units 11, 13
- lithological stratigraphy 7, 335
- lithosphere
 North Africa 6, 253–77
 NVL (Antarctica) 279
 ocean–continent transition 2, 11, 12
 Scottish Northern Highlands Terrane 7, 303–33
 Syrian rift mantle xenoliths 5–6, 223–51
 thinning 28–9, 224
 Yakutian kimberlite pipes 7, 335–52
- magma
 Gătaia lamproite 94–5, 97
 kimberlitic 7, 303–33

- magnesium content
 alkaline mafic lavas 125, **127**, 128–9, *134*, 138, *139*, *144–5*
 Avacha peridotite xenoliths 35, 41–4, *45*, *46*, *47*, *48*, 51–3
 Gătaia lamproite 85, 86, 87, **88**, 89, 91
 Jabel El Arab mantle xenoliths 223, 227, **228**, 229, 231, *234*, 239, 242, 244
 monomineral thermobarometry 337
 NVL (Antarctica) 6–7, 279, 284, **285–7**, 289, **290–1**, 294, 296, 297, 300
 Scottish lithospheric mantle 307–9, 311, 320, 321
 SCS altered xenoliths 4, 105, *108*, 113–14, 117
- major element analysis
 alkaline mafic lavas 125, **127**, 128–9, **130–1**, **132**, 135, **136–7**, **140–1**
 Avacha peridotite xenoliths 41–4, *46*, *47*
 Devès, Massif Central 181, **182–3**
 Gătaia lamproite 92, 93
 Gharyan lherzolite xenoliths 255, 256, 257–8, **259–63**
 Hyblean Plateau upper mantle 200–1, **202–5**, **206–8**
 Jabel El Arab mantle xenoliths 227–31, **232–3**, **234–5**, 236, **237–8**, 239, 245
 La Palma Basal Complex 159, **160**, **161–3**
 Scottish lithospheric mantle 307–9, **310–11**, **312–13**, **318–19**, 320–1, 322, 324
 SCS altered xenoliths 103, 105, 108–10, *111*, 113
 Viliga peridotite xenoliths 58–9, **60**, 65, **67–8**, 69, 70
- Malo–Botuobinsky field 344, *345*, 348
- mantle
 depth 5, 155, 156
 Jurassic Ligurian Tethys 11–33
 Yakutian kimberlite pipe reconstruction 7, 335–52
- mantle columns, Yakutian kimberlite pipes 7, 335, 337–49
- mantle plumes
 Gharyan lithosphere 253, 274
 La Palma Basal Complex 155–75
 Yakutian kimberlite pipes 7, 349
- mantle wedge, Avacha peridotite xenoliths 35, 52–3
- mantle xenoliths
 alkaline mafic lavas 4, 121–53
 Devès, Massif Central 5, 177–96
 Gharyan (NW Libya) 6, 253–77
 Jabel El Arab (Syria) 5–6, 223–51
 monomineral thermobarometry 336, 338, 339–40
 NVL (Antarctica) 6–7, 279
 Scottish lithosphere 7, 303–33
- Marais de Limagne 5, 177–96
- mass-balance method 59, **60**, 257, 306
- megacrysts 158
- melt depletion
 alkaline mafic lavas 4, 138–9, 141, 144, *148*, 149, 150
 Gharyan lherzolite xenoliths 6, 253, 258, 272–3, 274
- melt infiltration, NVL (Antarctica) 6, 279, 296, 297, 299
- melt percolation
 alkaline mafic lavas 121, 147, 150
 Gătaia lamproite 94, 96
 Jabel El Arab mantle xenoliths 6, 223, 246, 248, 249
 Ligurian Tethys 11, 19–20, 21, 23, 25, 27, 28, 30
 Scottish lithospheric mantle 303, 324
- melting processes 1
 alkaline mafic lavas 138–9, 141, 143–4, *149*, 150
- Devès, Massif Central 189, *190*, 194
 Gătaia lamproite 83, 94, 95, 96–7
 Gharyan lherzolite xenoliths 258, 272, 273
 Hyblean Plateau upper mantle 5, 197, *209*, 210–14, *217*, 219
 Jabel El Arab mantle xenoliths 6, 223, 239, 242–8
 Ligurian peridotites 2, 11, *14*, 16, 26, 27
 MIO settings 16–23
 NVL experimental metasomatism 6–7, 279, 296–301
 Scottish lithospheric mantle 7, 303, 321, 327, 329, 330
 Viliga peridotite xenoliths 3, 57, 69, 72, 73, 77–8
 Yakutian kimberlite pipes 344, 348–9
- metasomatites, Yakutian kimberlite pipes 7, 344, 347
- metasomatizing agents 1
 Devès, Massif Central 5, 177–96
 geochemical signature 190–3
 Gharyan lherzolite xenoliths 270
 Hyblean Plateau upper mantle 213–14
 Spanish Central System 3, 101–2, 113–14
 Syrian lithospheric mantle 243–6
- meteoric water interactions 155, 167–9, 172
- mid-ocean ridge basalt (MORB)-type magmas 2, 11, 13, 20, *21*, 23–4, 25, 27
- middle rare earth element (MREE) patterns
 alkaline mafic lavas 131
 Avacha peridotite xenoliths 44
 Jabel El Arab mantle xenoliths 233, 236, 242–3
 Scottish lithospheric mantle 303, 307, 309, 324
 SCS altered xenoliths 110
 Viliga peridotite xenoliths 69
- mineral chemistry
 Avacha peridotite xenoliths 2, 36–45, 50–1
 Gătaia lamproite 87–92, 94
 NVL (Antarctica) 280, **281**
 SCS altered xenoliths 104–12
 Viliga peridotite xenoliths 59, 61–73
- MIO settings
 Ligurian peridotites
 heterogenic 15–23
 melt interaction processes 16–23
 oceanic 23
 ophiolite sequences *12*
- modal analysis
 alkaline mafic lavas 4, **124**, 150
 Devès, Massif Central **179**, 181
 Scottish lithospheric mantle 306
 SCS altered xenoliths 103, **104**
 Viliga peridotite xenoliths 59, **60**
- monomineral thermobarometry
 kimberlite pipe mantle columns 7, 335, 337–49
 methods 336–7, 349
- Mont-Briançon 5, 177–96
- Monte Maggiore (Corsica) massif 23
- more internal oceanic settings *see* MIO settings
- Mt Melbourne Volcanic Province 279
- Mt Nero massif 20, 22, 24
- Nakyn field 347, 348
- neodymium content
 alkaline mafic lavas 4, 145, *146*
 Devès, Massif Central 5, 177, 180, 187–8, *189*, 190, *192*

- neodymium content (*Continued*)
 Gătaia lamproite **92**, 94
 Gharyan lherzolite xenoliths 6, 253, 270–4
 Scottish lithospheric mantle 7, 303, 307, 311, **323**, 326–8
 SCS altered xenoliths 103, 110–12, 116–17
 Viliga clinopyroxenes 3, 57, 70, **74**, 75, 77–8
- Neogene–Quaternary
 alkaline mafic lavas 4, 121–53
 Gharyan volcanic field 253
 Jabel El Arab (Syria) 5–6, 223–51
- nephelinitic melts
 NVL (Antarctica) 6–7, 279, 280, 296
 nephelinite–lherzolite runs 6–7, 280–2, 284, 287, 295, 296–7, 301
 nephelinite–wehrlite runs 7, 280, **281**, 282, 284, 287, 289, 292, 293, 294, 297, 300, 301
- nickel content
 alkaline mafic lavas 132–3, 135, *143*, *145*, *147*
 Avacha peridotite xenoliths **42**, 43, 44
 Jabel El Arab mantle xenoliths 227, **228–9**, 229
 monomineral thermobarometry 337
 Scottish lithospheric mantle 307, **308–9**
- North Africa
 HIMU metasomatic components 6, 253–77
 volcanic fields 254
- Northern Victoria Land (NVL, Antarctica), metasomatism induced by alkaline magma 6–7, 279–80
 experimental approach 6–7, 279–302
 infiltrating melts 6, 279, 296, 297, 299
 melt processes 6–7, 279, 296–301
 nephelinite–lherzolite runs 6–7, 280–2, 284, 287, 295, 296–7, 301
 nephelinite–wehrlite runs 7, 280, **281**, 282, 284, 287, 289, 292, 293, 294, 297, 300, 301
 P–T conditions 6, 280, 299–300
 partition coefficients 287, 289, 294–5, 297
 total alkalis–silica diagram 287, 293
- ocean–continent transition settings *see* OCT settings
 ocean crust recycling 5, 155–6, 171
 ocean island basalts 155–6
- OCT settings
 Ligurian peridotites 13–15, 23
 Ligurian Tethys 2, 11
 ophiolite sequences *12*
- Okhotsk–Chukotka Volcanic Belt (OCVB) 57–8, 79
- olivine melanephelinites 3, 57–81
- olivines
 alkaline mafic lavas 125, *126*, 129–30, 135, *143*
 Avacha peridotite xenoliths 38, 39, 40, 41, 43, *44*, *48*, 51
 Devès, Massif Central *180*, 181, *188*
 Gătaia lamproite 83, 85, *86*, 87, **88**, 90, 94–5
 Gharyan lherzolite xenoliths 253, 254–5, 273
 Hyblean Plateau upper mantle 197, 199, 200, **202**
 Jabel El Arab mantle 6, 223, 225, 227–9, 239, *242*, 244
 La Palma Basal Complex 156–7, *158*, **163**, 166, *168*
 monomineral thermobarometry 337
 NVL (Antarctica) 7, 279, 284, 287, 289, 292, 295, 298–9, 300
 Scottish peridotite xenoliths 305–6, 307–9
 Viliga peridotite xenoliths 3, 57, 59, **60**, **62**, 74
 ophiolitic peridotites 2, 11, *12*, 13, 25, 29
- orthopyroxenes
 alkaline mafic lavas *126*, 129, 130, **132**, 134, *143*, *144*
 Avacha peridotite xenoliths 2, 37, 38, 39, 40–1, 42, 44, 46, 49, **50–1**, 52
 Devès, Massif Central *180*, 181, *188*
 Gharyan lherzolite xenoliths 253, 255, *264*, 270, 273
 Hyblean Plateau upper mantle 197, 199–201, **203–4**, 205, *213*
 Jabel El Arab mantle xenoliths 225, 227, 229
 monomineral thermobarometry 336, *340–1*
 NVL mantle xenoliths 296, 300, 301
 Scottish peridotite xenoliths 305, 309, **310**, **312**, **320–3**
 SCS altered xenoliths 104, 112, 117
 Viliga peridotite xenoliths 59, **60**, 61, **63**
 Yakutian kimberlite pipes 338
- oxygen fugacities
 alkaline mafic lavas 135, 147
 Avacha peridotite xenoliths 35, 47, 50
 Hyblean Plateau upper mantle 197, 208–10, **216**, 219
 NVL experimental metasomatism 282
- oxygen isotope compositions
 Devès, Massif Central 177, 187, 190, 192–3
 La Palma Basal Complex 4–5, 155–6, 160, 166, **167**, *168*, 172
 primary compositions 169–72
 secondary alteration 166–9
 methods 159, 179–80
- Palaeozoic metasomatism 7, 303–33
 Pannonian Basin (Romania) 3, 83, *84*
- partial melting
 Devès, Massif Central 189, *190*, 194
 Gătaia lamproite 96, 97
 Gharyan lherzolite xenoliths 272
 Hyblean Plateau upper mantle 5, 209, 210–12, 213, *217*, 219
 Jabel El Arab mantle 6, 223, 239, 242–4, 248, 249
 Ligurian Tethys 2, 25, 27, 30
 NVL (Antarctica) 279, 296
 Scottish lithospheric mantle 7, 321, 327, 329, 330
 Viliga peridotite xenoliths 69, 72, 77–8
 Yakutian kimberlite pipes 348
- partition coefficients
 Hyblean Plateau upper mantle 213, 214, *218*
 NVL experimental metasomatism 287, 289, 294–5, 297
 Scottish lithospheric mantle 309, 327
- peridotites
 alkaline mafic lavas 4, 121, 123–5, *126*, 134, 135, 138–9, 141, 150
 Avacha volcano 2–3, 35–55
 C-type peridotites 36, 37, 40–1, 41, **42**, 43–4
 equilibrium conditions and thermometry 45–50
 F-type peridotites 36–40, 41–4, 51–2
 major elements 41–4, 46, 47
 mineral chemistry 41–5, 50–1
 petrography 36–40
 rare earth element analysis 44–5, 49

- Devès, Massif Central 178–9, 187, 188, 189, 194
 Gharyan lherzolite xenoliths 6, 253–77
 Hyblean Plateau upper mantle 5, 197–221
 glass formation 214–16
 major elements 200–1, **202–5**, **206–8**
 P–T– f_{O_2} conditions 5, 197, 208–10, 216–19
 petrography 199–200
 Jabel El Arab mantle xenoliths 225–7, 246, 247
 Ligurian Tethys 2, 11–12
 bulk-rock characteristics 14, 16, 17, 19
 melt interactions 2, 11, 14, 16–23, 26, 27
 MIO settings 15–23
 OCT settings 13–15
 petrology 13–23
 rare earth element analysis 17, 18, 19, 20–1, 22
 monomineral thermobarometry 7, 335, 336, 337, 340–1
 NVL mantle xenoliths 6, 280
 Pyrenean massifs 4, 121–2, 135, 139, 144, 146, 149
 Scottish lithospheric mantle 303, 304, 305–6
 Viliga Volcanic Field 3, 57–81
 major elements 58–9, **60**, 65, **67–8**, 69, 70
 melting processes 3, 57, 69, 72, 73, 77–8
 metasomatic events 76–7
 mineral chemistry 59, 61–73
 P–T conditions 73–6
 petrography 59, **60**, 61
 rare earth element analysis 65, **67–8**, 70
 Yakutian kimberlite pipes 337, 340–1, 342, 344, 347–8, 349
- petrography
 Avacha peridotite xenoliths 36–41
 Devès, Massif Central **179**, 180–1
 Gătaia Pleistocene lamproite 85, 86–7
 Gharyan lherzolite xenoliths 254–6
 Hyblean Plateau upper mantle 199–200
 Jabel El Arab mantle xenoliths 225–7
 La Palma Basal Complex 156–8
 Scottish Northern Highlands Terrane 305–6
 Spanish Central System 103–4
 Viliga peridotite xenoliths 59, **60**, 61
- petrology
 alkaline mafic lavas 123–5
 Ligurian peridotites 13–23, 28
 Scottish lithosphere 304
- phase composition microanalysis 282, 284, **286–7**
- phlogopites
 alkaline mafic lavas 4, 123, 125, 126, 129, 133, **140–1**, 147, 148, 150
 Devès, Massif Central 5, **179**, 181
 Gătaia lamproite 83, 85, 86–7, **88**, 89, 90–1
 Scottish lithospheric mantle 306, 311, **319–23**
 SCS altered xenoliths 4, **104**, 105, **106**, 108, 113, 114, 115, 117–18
- microilmenite thermobarometry 335, 337, 340
 plagioclase peridotites 2, 11, 17, 19–20, 21, 23, 24
 point-counting method 59, **60**
- porous flow, Gharyan lherzolite xenoliths 273
- porphyroclastic forms
 alkaline mafic lavas 4, 123, 125, 126, 129
 Devès, Massif Central 177, **179**, 181
 Hyblean Plateau upper mantle 199, 200
 Jabel El Arab mantle xenoliths 225, **226**, 227
 Scottish lithospheric mantle 306
- potassium content
 analytical method 85
 Avacha peridotite xenoliths **42**, 44, 48
- pressure *see* equilibrium pressures; high pressure/temperature
- primitive mantle (PM) composition 257, 270
- protogranular textures
 Gharyan lherzolite xenoliths 254, 255
 Hyblean Plateau upper mantle 199, 200
 Scottish lithospheric mantle 306, 311, 314, 318
 Viliga peridotite xenoliths 57, 59, **60**, 61
- Pyrenean peridotite massifs 4, 121–2, 135, 139, 144, 146, 149
- pyrometamorphic textures 6, 253, 254, 255, 273
- pyroxenes
 Devès, Massif Central 188
 Gharyan lherzolite xenoliths 6, 253, 258, **265–9**, 270, 273
 Hyblean Plateau upper mantle 197–221
 La Palma Basal Complex 5, 155, **163**, 166, 168, 169–70
 Scottish peridotite xenoliths 305, 311, 320, **320–3**
 Yakutian kimberlite pipes 338, 344, 347–8
- pyroxenites
 alkaline mafic lavas 4, 121, 123, 125, 126, 129, 134–5, 138
 cryptic metasomatism 143, 148
 monomineral thermobarometry 7, 335, 336, 337, 338, 340–1
 NVL mantle xenoliths 6–7, 280, 301
 Spanish Central System 101–20
 major elements 4, 108, 116–17
 petrography 103–4
 protolith 116–17
 Yakutian kimberlite pipes 7, 338, 342, 344, 347, 348, 349
- rare earth element (REE) patterns
 alkaline mafic lavas 131–3, 146, 147, 149
 Avacha peridotite xenoliths 44–5, 49
 Devès, Massif Central 177, 181, 184, 185, 189–90, 193
 Gătaia lamproite 92, 93, 94
 Gharyan lherzolite xenoliths 253, 258, 264, 270
 Hyblean Plateau 197, 201, 205, 208, 211, 212, 213, 215, 217
 Jabel El Arab mantle xenoliths 232–3, 235–6, 239, **240**, 241
 Ligurian Tethys 17, 18, 19, 20–1, 22
 Scottish lithospheric mantle 303, 307, 309–10, 314–17, 321–2
 SCS altered xenoliths 105, 108, 109, 110, 113
 Viliga peridotite xenoliths 57, 65, **67–8**, 70, 76–7
see also trace element analysis
- reactive spinel peridotites 2, 16–17, 18, 23
 redox state 5, 197, 208, 218–19
 replacive spinel peridotites 20–3
 rheology 311, 319–20
 rifting 7, 11, 12, 15, 26, 27, 29, 30, 330
 Rinibar (Orkney Islands) 7, 303–33
 Ross rift system 279
 Russia, Yakutian kimberlite pipes 7, 335–52

- sanidine, Gåtaia lamproite 83, 85, 86, 87, **88**
 Scottish Northern Highlands Terrane 7, 303–33
 geological setting 305
 major elements 307–9, **310–11**, **312–13**, **318–19**,
 320–1, 322, 324
 modal composition 306
 petrography 305–6
 Scottish Northern Highlands Terrane (*continued*)
 petrology 304–5
 physico-chemical constraints 311, 314, 318–22, 324,
 326–9
 Sr–Nd–Hf isotope composition 7, 303, 307, 311, **323**,
 326–9
 trace elements 7, 303, 309–11, *314–17*, **320–3**,
 321–2, 324, 325
 seawater infiltration, La Palma Basal Complex 155, 168
 secondary alteration
 La Palma Basal Complex 166–9
 Spanish Central System 103, 112–13
 sedimentary rocks, Hyblean Plateau upper mantle 198
 serpentinization 28, 30
 Siberia, Yakutian kimberlite pipes 7, 335–52
 silicate melts
 alkaline mafic lavas 4, 121, 143–4, 147, 150
 Devès, Massif Central 5, 177, 188–9, 192–3, 194
 Gharyan lherzolite xenoliths 6, 253, 273, 274
 Jabel El Arab mantle xenoliths 6, 223, 244, 245, 246,
 248
 NVL mantle xenoliths 280, 296
 SCS altered xenoliths 3, 4, 101, 113, *114*, 115, 118
 silicon content
 Avacha peridotite xenoliths **42**, 44, *48*, 50, 51, 52
 NVL (Antarctica) 287, **288**, 289, **290–1**, 294–7, 299,
 300
 sodium content
 alkaline mafic lavas 128, 129, *134*
 Avacha peridotite xenoliths 41, **42**, 44, *47*
 NVL (Antarctica) 6, 279, 284, **285–6**, 287, 289,
 290–1, 294, 296, 297, 298, 299, 300
 Spanish Central System (SCS) 101–20
 alkaline lamprophyres and diabases 4, 101, *102*,
 112–17
 enrichment 114–16
 geological background 102–3
 major elements 103, 105, 108–10, *111*, 113
 metasomatizing agents 3, 101–2, 113–14
 mineral chemistry 104–12
 petrography 103–4
 Sr–Nd isotope composition 103, 110–12, 116–17
 trace elements 4, 101, 103, 105, **107**, 108, 109–12,
 113–14, 118
 spinel peridotites
 Avacha volcano 2, 36, 37–9, 40, 41, 43, 44, *45*, 46–7,
 53
 Ligurian Tethys 2, 14, 15, 16–17, *18*, 20–3, 25
 NVL mantle xenoliths 280, 296, 297, 300
 Scottish lithospheric mantle 304
 Viliga Volcanic Field 3, 57–81
 spinels
 alkaline mafic lavas 4, 121, 123, 125, *126*, 129,
 132–3, *139*, *147*, 150
 Devès, Massif Central 5, 177, **179**, 180–1, 187
 Gåtaia lamproite 83, 85, 86, 87, **88**, 89, 90, 94–5
 Gharyan lherzolite xenoliths 6, 253, 255
 Hyblean Plateau 5, 197, 199–201, **202**, **203–9**,
 211–12
 Jabel El Arab 5–6, 223, 225–7, 228, 229–31,
 234–5
 monomineral thermobarometry 335, 337, 338, *341*
 NVL (Antarctica) 6, 279, 292, 295, 299–300
 Scottish lithospheric mantle 305, 310, **318–19**,
 320–2, 324, 326, 329
 SCS altered xenoliths 102, 105, **106**
 Viliga peridotite xenoliths 65, **66**
 Yakutian kimberlite pipes 338, 342, 344, 347
 spreading, oceanic 2, 11, 23–5, 26–7, 29, 30
 Streap Com'laidh (Invernesshire) 7, 303–33
 strontium content
 alkaline mafic lavas 145, *146*
 Devès, Massif Central 5, 177, 180, 187–8, *189*, 190,
 192
 Gåtaia lamproite **92**, 94
 Gharyan lherzolite xenoliths 6, 253, 270–4
 La Palma Basal Complex 155, 159, 166, **167**, 168, *171*
 Scottish lithospheric mantle 7, 303, 307, 311, **323**,
 326–8
 SCS altered xenoliths 103, 110–12, 116–17
 Viliga clinopyroxenes 3, 57, 70, 73, **74**, 75, 77–8
 sub-continental lithospheric mantle (SCLM) 13–15, 121,
 150, 177
 subduction
 Scottish metasomatism 7, 303, 305, 328–9, 330
 Viliga Volcanic Field 3, 57, 79–80
 Yakutian kimberlite pipes 348, 349
 subsolidus processes
 Ligurian Tethys 15, 23, 25, 26, 29
 SCS xenoliths 113
 sulphide globules, Avacha peridotite xenoliths 39, 41, 52
 Syrian rift
 geological setting 224–5
 Jabel El Arab mantle xenoliths 5–6, 223–51
 major elements 227–31, **232–3**, **234–5**, *236*, **237–8**,
 239, 245
 metasomatizing agents 243–6
 partial melting 6, 223, 239, 242–3, 244, 248, 249
 petrography 225–7
 trace elements 232–3, 235–6, 239, **240**, *241*, 243,
 244–6
 talc, SCS altered xenoliths 104, *105*, 112, 117
 Tel Tannoun (southern Syria) 224, 225–7, *230*, *234*, *236*,
 239, **240**, *241*, *242*
 temperature *see* equilibrium temperatures; high pressure/
 temperature
 thermal ionization mass spectrometry (TIMS) 59
 thermobarometry
 kimberlite pipe mantle columns 7, 335, 337–49
 methods 336–7, 349
 thermometry, Avacha peridotite xenoliths 45–7, 50
 titanium content
 alkaline mafic lavas 130–1, *145–6*, *147*
 monomineral thermobarometry 337
 NVL (Antarctica) 6, 279, 284, **285–6**, 287, **288**, 289,
 290–1, 294, 296–7, 298, 299, 300, 301
 Scottish lithospheric mantle 309, 310–11
 SCS altered xenoliths 105, *108*
 Yakutian kimberlite pipes 344, 349

- total alkalis–silica (TAS) diagrams
 Jabel El Arab mantle xenoliths 239, 247, 248
 NVL experimental metasomatism 287, 293
- trace element analysis
 alkaline mafic lavas 129–34, 135, **136–7**, 138–9, **140**,
 141, 144
 Avacha peridotite xenoliths 41, 44–5, 49, **50**
 Devès, Massif Central 5, 177, 181, **182–3**, 184, 185,
186, 190, 191
 Gătaia lamproite 92, 93, 95–6
 Gharyan lherzolite xenoliths **257**, 258, 264, **265–9**,
 270
 Hyblean Plateau upper mantle 5, 197, 201, **203–4**,
 205, **206–7**, 208, 210–15, 217, 218
 Jabel El Arab mantle xenoliths 232–3, 235–6, 239,
240, 241, 243, 244–6
 La Palma Basal Complex 159–60, **164–5**, 166, 170,
 171
 Ligurian Tethys 17, 18, 19, 24, 41
 Scottish lithospheric mantle 7, 303, 309–11, 314–17,
320–3, 321–2, 324, 325, 326–30
 SCS altered xenoliths 4, 101, 103, 105, **107**, 108,
 109–12, 113–15, 118
 Viliga peridotite xenoliths 59
 clinopyroxene 57, 69–70, **71**, 72, 73, 74, 77
see also rare earth element analysis
- tremolites 2, 35, 37, 38, **42**, 44–7, 48, **50**, 52–3
- ultramafic xenoliths
 NVL (Antarctica) 279
 Scottish lithospheric mantle 306
 Spanish Central System 101–20
- ultrapotassic rocks 3, 83, 85, 92–4, 97
- ultraslow-spreading oceans 2, 11, 23–5, 29, 30
- upper mantle
 Hyblean Plateau (Sicily) 5, 197–221
 NVL (Antarctica) 6–7, 279–302
- Upper Muna field 344, 346, 347, 348
- Variscan subduction, Devès, Massif Central 5, 178
- Viliga Volcanic Field (NE Russia) 3, 57–81
 mineral chemistry 59, 61–73
 petrography 59, **60**, 61
- volatile-bearing xenoliths
 Devès, Massif Central 177, 189
 Jabel El Arab 244, 245, 248
 Yakutian kimberlite pipes 349
- volcanic sequences 11, 13
- volcanoes
 Catalan 121, 122–3
 Devès, Massif Central 5, 177, 178
 Gătaia Pleistocene lamproite 83, 84, 85
 Gharyan (NW Libya) 6, 253, 273, 274
 Hyblean Plateau (Sicily) 197, 198–9
 Jabel El Arab (Syria) 5, 6, 224–5, 244
 La Palma 155–6, 157, 169
 NVL (Antarctica) 279
 olivine melanephelinites 57
 Scottish Northern Highlands Terrane 304, 305
- wall–rock metasomatism 280, 296, 299, 300
- water content
 La Palma Basal Complex 156, 160, **167**, 168
 NVL (Antarctica) 284, 299–300
- water–rock interactions 155, 166–9, 172
- wavelength-dispersive spectrometers 58–9,
 103, 225, 274
- websterite
 alkaline mafic lavas 125
 Scottish lithospheric mantle 306
 SCS altered xenoliths 109, 111
- wehrlites
 Jabel El Arab mantle xenoliths 5, 223, 225–31,
240, 245
 NVL (Antarctica) 279, 280, 299
 nephelinite–wehrlite runs 7, 280, **281**, 282, 284,
 287, **288**, 289, 292, 293, 294, 297,
 300, 301
 Scottish lithospheric mantle 306, 307
- X-ray fluorescence (XRF) 123
- xenocrysts 5, 158, 166, 168, 171
- Yakutian kimberlite pipes 7, 335–52