

Index

Please note: Page numbers denoted in *italics* refer to figures and page numbers denoted in **bold** refer to tables.

- abbreviations 11–12, 37–38, 72–73, 112, 204, 225, 268, 313, 352
- acanthomorphs, basal 178
- Acrorhizodus khoratensis* 93, 102–103, 102
- Actinistia 109, 165–183
- Actinopterygii 94, 165–183
- Africa
- hybodont faunas 104
 - lungfish 50
 - Mawsonia* 132–133, 137–138
 - oldest characiform 160
 - osteoglossomorphs 185–219, 190
- Agassizodus* 38
- Alestidae 155, 156, 158, 159, 160
- Amioidea 169, 170
- Amyzon* 338
- Amyzon humanensis* 340
- anal fin
- Foreichthys* 264
 - Heterosteoglossum foreyi* 271
 - Hiodon* 240, 246–247
 - Osteoglossomorphs 203
 - Placidichthys tucanensis* 149
- Anguilliformes 317
- angulars
- growth centre 127, 127
 - Mawsonia* 136
 - Mawsonia gigas* 126–127, 127
- antotic process, *Mawsonia gigas* 116
- Antarctica, lungfish 51
- Aoria* 338
- apomorphic character state 85, 90, 293, 295
- apophysis, *Mawsonia* 117, 135
- Apsopelix anglicus* 71, 76–78
- Arapaima* 191, 198–201, 203, 295
- arapaimids 265, 294–295, 296, 297
- archaeolimny 155, 156, 161
- Areado Group 109–110, 134, 140
- Arratia's model 303
- articulars, *Mawsonia* 128, 129
- Asia
- catostomids 339–340
 - Osteoglossomorphs 187, 193–195
- Aspidorhynchiformes 170
- Atlantic Ocean 71, 84
- auditory bullae, *Echelus* 324, 324, 325, 329
- Aulopiformes 177–178, 177
- Australia 43
- lungfish 50–51
 - Osteoglossomorphs 195
- autopalatine 124
- Axelrodichthys* 121, 133–134, 139, 141
- Axelrodichthys araripensis* 124–126, 127–129, 134
- axial mesomeres, *Mawsonia* 131, 131
- axial skeleton
- Furichthys fjeldsoei* 281
 - Heterosteoglossum foreyi* 271
 - Xosteoglossid rebecca* 286
- Barbinae 341, 342–345, 347
- basal cartilage, Eugeneodontida 29
- basipterygoid process
- Foreichthys* 263, 264
 - Furichthys fjeldsoei* 275
 - Heterosteoglossum foreyi* 268, 269, 270
 - Osteoglossomorphs 197–198
 - Xosteoglossid rebecca* 285, 286
- basisphenoid, *Mawsonia gigas* 114, 115–116, 116
- batoids 55
- Beryciformes 178–179, 178
- biotic refugium 37
- bird/mammal divergence 206
- Bolcyrus* 315
- branchial arches 20
- Fadenia* 23
- branchiostegals, *Xosteoglossid rebecca* 285
- Brazil 109–144, 152
- Axelrodichthys* 133–134
 - Marizal Formation 145–154, 146, 147, 151–152
 - Mawsonia* 132, 132, 133, 134, 137–138
- Brychaetoides*
- characters 295, 296, 301
 - phylogeny 302–303
 - relations 295–296, 301–302
 - Taverne's model 301
- Brychaetoides greenwoodi* 288–291, 287
- ceratohyal 290
 - dentition 288–289
 - dermarticular 288
 - dermopalatine 289
 - endopterygoid 289
 - ethmoid 289
 - infraorbital 289
 - interorbital fenestra 289
 - lower jaws 288
 - maxilla 288, 290
 - opercular 289
 - parasphenoid 289
 - scales 289–290
 - skull 287–288
 - visceral arches 289
- Brychaetus* 185, 195, 196, 207, 208, 253, 261, 263, 290–291
- age 260
 - jaws 260–261, 290, 292
 - phylogeny 302–303, 304
 - scales 291
 - teeth 281, 291

- Campodus* 33, 38
Campyloprion 38
 Canada 9–41
Carassius intermedius 347
 Carnian 43
 caseodontids 9, 25–27, 26, 32
Caseodus basalis 12
Caseodus varidentis 9, 12–18, 13, 14, 17, 33
 dentition 14, 14, 15, 16
 description 12–13
 lower jaw 13, 15, 17
 neurocranium 12, 13
 specimen comparison 17–18
 tooth whorl 17, 17
 catfish 175, 176
 see also Otophysi
 catostomids 337, 338–340, 340, 339, 348
 dentary 338
 distribution pattern 337, 338, 339–340
 Eocene 339–340
 premaxilla 338
 sphenotic 338
Catostomus 338–339
 caudal fin 18, 20, 20
 Eugeneodontida 30, 35
 Foreyichthys 264
 Hiodon 239–240
 Osteoglossomorphs 199–200
 Placidichthys tucanensis 148
 caudal skeleton 75, 78, 82, 84, 221, 248
Crossognathus sabaudianus 77
Domeykos profetaensis 77
Heterosteoglossum foreyi 267, 272
Hiodon falcatus 243, 244
Hiodon rosei 241
Hiodon woodruffi 242
 ceratobranchials, *Mawsonia* 131, 131
Ceratodus 50–51
 ceratohyal
 Brychaetoides greenwoodi 289
 Mawsonia 131, 131
 ceratotrichia
 eugeneodontids 34
 Fadenia 25, 26
 Chanoidea 173–175, 174
 characiforms 155–164, 175, 175, 176
 Africa 160
 age 156–157
 associations 157
 Cretaceous 155–164, 175
 dispersal phases 161, 176
 diversification 155, 156, 159–160, 161
 ecology 160–161
 Europe 160
 freshwater 155, 156
 origin 155, 156, 161
 South America 160
 teeth 156–159, 158
 vicariance 156
 Weberian apparatus 159
Chauliopareion 185, 190, 196, 197, 203, 205, 208
 Chile 71, 72, 78, 82, 84
 China
 catostomids 339
 cypriniforms 337–350, 343, 344, 345, 346, 347
 early Cretaceous 194
 Miocene fish faunas 345–347
 Osteoglossomorphs 185–219, 188
 Pliocene fish faunas 345–347
Chinlea, distribution 139
 Chondrichthyes 55–69
Chondrostei 168–169, 168
 Chongichthyidae 72, 78
Chongichthys 71, 82, 83
Chongichthys denatus 75, 78, 79, 80
 circumorbital ring 76
 Citharinidae 155–156
 cladistic analysis 82, 265
 quantitative 253
 cladogram
 area 63–64, 65
 ghost lineages 265, 297
 nodes minimum age 297–298
 outgroup 300
 cleithrum
 Furichthys fjeldsoei 278, 281
 Heterosteoglossum foreyi 270
 Placidichthys tucanensis 148, 149
 Xosteoglossid rebecca 285
 clupeocephalans 71
 Clupeomorpha, freshwater dispersal 173
 Cobitidae 337, 340–341, 348
Cobitis longipectoralis 340, 341
 coelacanth 2, 109, 351–360
 dispersal activity 358
 genetic analysis 352
 Indonesia 351–352, 358
 scales 351–360
 vascular canals 353, 355
 West Indian 358
 Consistency Index (CI) 79, 203
 coracoid fenestra, *Xosteoglossid rebecca* 286
 Cretaceous 8, 59, 109–144, 165–183
 characiform fishes 155–164, 157
 hybodonts 93–107
 Marizal Formation 145–154
 crossognathiforms 71–92
 age range 82
 characters 73–78, 82
 data matrix 90
 diversification 83
 head morphology 71
 orbital region 83–84
 phylogenetic analysis 79–82, 81, 84
 relationships 71, 73–78, 82–83
 Crossognathus danubiensis 71
 Crossognathus sabaudianus 71, 74, 76, 77
 Ctenoluciidae 155–156
 Ctenopharyngodon 345, 346
 Cuba 71, 84
 cyprinids 337, 341–347, 348
 China 344, 345, 346, 347
 localities 341–347
 Miocene 342–347
 Oligocene 342
 pharyngeal teeth 342–345, 343, 346
 Pliocene 342–347
 Quaternary 347

- Cypriniformes 176, 337–350
 China 337–350
 distribution 337
 modern freshwater 337
 origin 337
 Cyprininae 345, 347
Cyprinus maomingensis 342
- Danioninae 345
 Darwin-Wallace paradigm 7–8, 165
 Denmark
 Eocene 253–310, 259
 fossil relations 293–302
 osteoglossomorphs 253–310
 dentary
Brychaetoides greenwoodi 288
 catostomids 338
Echelus 325–326, 326, 327, 328, 331–333
Furichthys fjeldsoei 277, 281, 282
Heterosteoglossum foreyi 268, 270
Hiodon 236
Mawsonia 127, 128, 136
Placidichthys tucanensis 148, 148
Xosteoglossid rebecca 282–284
see also teeth
 denticles 12, 13, 34–35
 Eugeneodontida 28, 29–31, 34–35
Fadenia 23, 24
 dentition 9, 17
 eugeneodontids 32–34, 35
Fadenia uroclasmato 20–21, 22, 23
 dermal skull roof, *Hiodon* 228
 dermaticular, *Brychaetoides greenwoodi* 288
 dermopalatine, *Brychaetoides greenwoodi* 289
 dermosphenotic 76
Heterosteoglossum foreyi 268, 269
Hiodon 246
 Osteoglossomorphs 201
Diplurus 139
 Dipnoi 165–183
 Cretaceous biogeography 167
 phylogeny 166–168
 vicariance 167
 Dipnoiformes 43–44, 45
see also lungfish
 dispersal 7, 55, 166
 barriers 8, 55–56, 176, 180
 centre of origin 185
 distance 176
 ecology 176–177
 events 65, 165–183, 166, 179–180, 179
 models 165–166
 routes 55–56, 165
 Distichodontidae 155–156
 divergence, minimum ages 7
 diversity 37, 55–69, 60, 60, 179, 180, 185
 beta 56, 61–63
 diversification rates 57
 fluctuations 65
 global 56
 local 56
 peaks 37
 standing 56
Domeykos profetaensis 77
 Dongying Formation 343
- dorsal fin
 Eugeneodontida 29
Heterosteoglossum foreyi 271
Hiodon 240
 Osteoglossomorphs 202–203
Placidichthys tucanensis 149, 149
 durophagy 24, 103
 dwarfism 32, 36
- Echelus* 311–336
 auditory bullae 323, 324, 329
 cranial anatomy 311–336
 dentary 325–326, 326, 327, 328, 331–333
 epiotic 320, 329
 fossil localities 311–313, 312, 315–317,
 316, 335
 frontals 318, 328–329
 lower jaw 325–326, 331–333
 maxilla 324–325, 330–331, 332
 modern species 315, 317
 neurocranium 317–326
 occipital 321, 323–324, 329
 parasphenoid 324
 parietal 318–320, 329
 premaxillaryethmovomerine plate 317, 324, 325,
 326, 329–330
 prootic 323
 pterospheoid 322, 329
 pterotic 321–322, 325, 329
 related taxa 315–317, 327–333
 sensory canal pores 328, 331–333
 sphenotic 322, 325
 stratigraphical distribution 315–317
 systematics 333–334
 tooth sockets 325–326, 326, 330–332
Echelus arcuatus 317
Echelus branchialis 311, 315, 317, 327–333
 geographic provenance 335
 neurocranium 318, 319, 320, 321, 322, 323,
 324, 325
 premaxillaryethmovomerine plate 311
Echelus contractus 317
Echelus crenulatus 317
Echelus dolloi 314, 315, 327–333
Echelus eropterus 317
Echelus myrus 314, 315, 317, 327–333
Echelus pachyrhynchus 317, 327–333
Echelus uropterus 327–333
 edestoids 9, 33–34
Edestus 38
 eel genus 311–336
 eel neurocrania
 anatomical description 317–326
 comparisons 327–333
 Elasmobranchii 55–69
 elopomorphs 83, 171, 196
 endopterygoid
Brychaetoides greenwoodi 289
Foreichthys 263
Furichthys fjeldsoei 275
Heterosteoglossum foreyi 269
Xosteoglossid rebecca 284, 285
 Eocene 253–310
 castomids 339–340
Echelus 311–336

- Eohiodon* 187, 198–201, 202–203, 221–251
 characters 246–247
 and *Hiodon* 246–247
 hyomandibula 247
 meristic data 227
 monophyly 247
 neurocranium 247
 premaxilla 247
 ural centrum 247
- Eohiodon falcatus* 225
- Eohiodon parvus* 226
- Eohiodon rosei* 224
- Eohiodon woodruffi* 187, 224–225
- Eomyrus* 315
- epibranchials, *Xosteoglossid rebecca* 284
- epineurals 78
Heterosteoglossum foreyi 271
Hiodon 239
- epiotic, *Echelus* 320, 329
- epurals, Osteoglossomorphs 200
- Erythrinidae 155–156
- ethmoid region
Brychaetoides greenwoodi 289
Furichthys 294
Xosteoglossid rebecca 284
see also premaxillaryrhythmovomerine plate
- eugeneodontids 9–41, 28, 31–32, 35, 36–38
 basal cartilage 29
 ceratotrichia 34
 comparisons 32–35
 cranium 33, 34
 dating 10–11
 dentary 32–34, 35–36
 denticles 28, 29–31, 34–35
 diversity 37
 dwarfism 32
 Early Triassic 10–11
 fins 29, 30, 34, 35
 gill arches 34
 jaws 32–33, 35–36
 Olenekian 10
 pectoral girdle 30, 31, 35
 Permian extinction 36–38
 stratigraphical distribution 37
 systematic palaeontology 9, 12–32
 teeth 28, 29, 31, 32
 tooth whorls 11, 13, 32–33, 34
- Europe
 characiform fishes 160
 hybodont faunas 104
 lungfish 49
 Osteoglossomorphs 195
Pryhoceratodus 49
- euteleosts 83
- exoccipital 129
Echelus 323
Heterosteoglossum foreyi 268, 269–271
- extinctions 59
 background 61, 65
 neoselachians 55, 60–61, 60
 rates 57
 taxa classification 265
- extrascapular 74, 82
Furichthys fjeldsoei 280
Heterosteoglossum foreyi 270
- Mawsonia* 136
Mawsonia gigas 120, 123
 Osteoglossomorphs 201
- Fadenia* 23–24, 38
 branchial arches 23
 ceratotrichia 25, 26
 denticles 23, 24
 pectoral fin 23, 24, 26
 teeth 24, 25
- Fadenia crenulata* 18
- Fadenia uroclasmato* 10, 18–23, 19
 branchial arches 20
 comparisons 23
 dentition 20–21, 22, 23
 fins 18, 19, 20, 20
 tooth whorl 20–21, 21
- fins
 Eugeneodontida 31–32
Fadenia uroclasmato 23
Heterosteoglossum foreyi 270–271
 paired 148
Placidichthys tucanensis 148
see also anal fin; caudal fin; dorsal fin; pectoral fin; pelvic fin
- Forey, Peter 1–6, 2
- Foreyichthys* 195, 263–266
 advanced features 264
 basiptyergoid process 263
 classification 265
 endopterygoid 263
 fins 264
 hypural 264
 jaw 263
 neural spine 264
 pre-opercular 263
 reconstruction of 263–264
 skull 264
 teeth 264
- fossils 7, 165, 179, 313
 acid transfer method 221, 222
 flora & climate zones 314
 lost fossil technique 221, 222
 molecular clocks 205–207
 preparation 11, 226–228, 257, 314, 352–353
 preservation 11, 226–228
 simple completeness metric (SCM) 55, 57, 59
- France
 characiform fishes 157
 Maastrichtian of Provence 155–164
- frontal bones
Echelus 318, 328–329
 Osteoglossomorphs 201
- fulcra, fringing 74–75
- Furichthys*
 characters 301
 fossil relations 294
 Hilton's model 300
 phylogeny 302, 303
- Furichthys fjeldsoei* 274–281, 275–280
 age 274
 axial skeleton 281
 basiptyergoid process 275
 cleithrum 278, 280–281

- dentition 277–279
 endopterygoid 275
 extracapular 280
 hyomandibular 280
 lower jaw 275, 277
 mesethmo-vomer 277
 neural spine 281
 palato-ectopterygoid 275, 281
 pectoral girdle 280
 premaxilla 275, 275, 276–277, 277
 prootic 280
 pterotic 280, 281
 quadrate 275, 280
 ribs 281
 scales 280, 281
 skull 274–278, 275, 276
 toothplate 277
 upper jaw 276–277
- Ganoid Range 10–11
 Gaozhuang Formation 347
 Germany 71, 82, 84
 gill arches
 eugeneodontids 34
 Hiodon 239
 osteoglossomorphs 201
Gnathorhiza 51
 Gobioninae 341, 342–345, 347
 Gondawana, break up 156
 gonorynchiform fishes 156
Goslinophis acuticaudus 313, 315, 327–334
 Greenland 9–10, 34
 Guangtao Formation 346
 gymnotiforms 155, 176
 Gyrinocheilidae 348
- halecomorph fish 145
Helicoprion 39
 Hepsetidae 155–156
Heteroptychodus 103–104
Heteroptychodus steinmanni 93, 97–98, 99
 pathological tooth 97–98, 97
Heteroptychodus chivalovi 96
Heterosteoglossum 293–294, 299–300, **300**
 classification 294
 Hilton's model 299–300
 phylogeny 302, 303
Heterosteoglossum foreyi 266–274, 267–269
 automorphies 266, 273
 axial skeleton 271
 basipterygoid process 268, 269
 caudal region 266, 272
 cleithrum 270
 dentary 268, 270
 dermosphenotic 269, 270
 endopterygoid 268, 269
 epineurals 271
 exoccipital 268, 270
 extrascapular 268, 270
 feeding habits 274
 fins 270–271
 girdles 270–271
 hyomandibular 268, 270
 hypurals 261, 271
 lower jaw 270
 maxilla 268, 270
 meristic data 267
 metapterygoid 268, 269
 neural arch 268, 271, 272
 opercular 268, 270
 orbithosphenoid 268
 parasphenoid 268
 phylogenetic relations 274
 preural centrum 271, 272
 prootic bridge 269
 pterotic 268, 269–270
 scales 267, 271–274, 272, 273
 scapula 270
 skull 267–270, 268
 supraorbital 269
- Heterotidinae 193, 207, 208
Heterotis 198–201, 203, 208, 260, 266
 Hilton's model 299–302, 303, **300**
 cladogram 266
Hiodon 187, 200–201, 202–203, 206, 221–251
 anatomical descriptions 226–245
 caudal skeleton 248
 characters 228, 246–248
 dentary 236, 239
 and *Eohiodon* 246–247
 epineural bones 239
 ethmoid region 228–233
 fins 239–245, 246–247
 gill arches 239
 girdle 240–245
 hyomandibula 237, 238, 246
 hypurals 239–240
 infraorbital bones 235, 239
 jaws 235–237
 maxilla 236, 247
 meristic data **227**, 228
 nasal bone 247
 neural spine 239, 240, 248
 neurocranium 228–233, 246
 opercular 233–234, 238, 239, 245–246, 248
 posttemporal 246
 preural centrum 248
 quadrate 237
 scales 245
 sexual dimorphism 246–247
 skeleton 239–240
 species distinction 226, 228
 supraorbital 246
 suspensorium 237
 temporal range 226
 triradiate dermosphenotic 246
 uroneurals 240
 ventral dermal bones 228–233
 ventral hyoid arch 233–234
Hiodon alosoides 224, 234, 236
Hiodon consteniorum 187, 224, 226, 226, 234
Hiodon falcatus 223, 226, 230, 234, 235, 236, 237, 240
 caudal skeleton 243, 244
 growth series 229
 skull 234, 235, 236, 237, 238

- Hiodon rosei* 223, 234, 239, 240
caudal skeleton 241
skull 230, 230, 231
- Hiodon tergisus* 234
- Hiodon woodruffi* 223, 226, 232, 233, 234, 235, 237, 239, 240
caudal skeleton 242
skull 232, 233
- hiodontids 186, 193, 194, 221, 222, 260
caudal skeleton 221
characters 222, 245–246
Eocene 221–251
materials examined 222–225
nasal bone 221
neural spine 221
North America 221–251, 222
opercle 221
origin 226
systematic description 225–226
taxonomy reassessment 221–251
- Hiodontiformes 221
freshwater excursion 303–304
- Hippopotamyrus* 192
- Homalopteridae 348
- Huashia* 185, 188, 194, 207
- hyodonts 93–107
adaptations 103
Cretaceous genera 104–105
dentition 93, 98, 105
diversity 93–107
durophagy 103
environments 93, 103–104
faunas 104
Jurassic genera 104
origin 104
specimen collection 93–94
systematic description 94–103
Triassic genera 104
- Hybodus aequitridentatus* 93, 94–97, 103
tooth morphology 95–97, 96
- hyoid arch, *Hiodon* 233–234
- hyomandibula
Eohiodon 247
Hiodon 237, 238, 246
Osteoglossomorphs 198
- hyomandibular
Furichthys fjeldsoei 280
Heterosteoglossum foreyi 268, 269, 270
Xosteoglossid rebecca 285
- hypohyals, *Xosteoglossid rebecca* 285
- hypurals 78, 82–83
Foreyichthys 264
Heterosteoglossum foreyi 267, 271
Hiodon 239–240
Osteoglossomorphs 201, 202
- Ichthyodectiformes 170, 172, 261, 297
incertae sedis 71
- India 50, 195
- Indonesia, coelacanthids 351–352
- infraorbital 76, 78, 84
Brychaetoides greenwoodi 289
Hiodon 235, 239
Osteoglossomorphs 198, 202–203
Xosteoglossid rebecca 285
- interorbital fenestra, *Brychaetoides greenwoodi* 289
- intestine coiling, Osteoglossomorphs 202
- Ionoscopiformes 150
- Italy, *Sorbinicharax* 155, 156, 159
- Jaccard coefficient of Community 56, 61
- Japan, fish faunas 345–347
- jaws 13
Brychaetoides greenwoodi 287, 288
Brychaetus 260–261, 290, 291
Echelus 325–326, 331–333
eugeneodontids 32–33, 35–36
Foreichthys 263
Furichthys fjeldsoei 275, 276–277, 280, 281
Heterosteoglossum foreyi 266, 270, 274
Hiodon 235–237
Mawsonia gigas 126
osteoglossomorphs 203
Placidichthys tucanensis 148, 149
Xosteoglossid rebecca 283, 284
- Jianghanichthys* 338
- Jinanichthys* 188, 194
- Joffrichthys* 185, 189, 198–199, 266
- Jurassic 7, 58, 58, 59, 59, 65, 66, 71
- Karoo Supergroup 43
- Khok Kruat Formation 93–107, 94
- Khoratodus foreyi* 93, 99, 101–102, 102, 103
- Kimmeridgian, neoselachians 62, 62, 64
- Kuntulunia* 188, 207
- lachrymojugal, *Mawsonia* 137
- Laeliichthys* 265
- Latimeria chalumnae* 353–358
Comoran Islands 351–352
genetic analysis 358
geographic range 351–352, 358
and *Latimeria menadoensis* 351–360
scales 351–360, 354–355
specimens 352–353
- Latimeria menadoensis* 352, 353–358
genetic analysis 358
and *Latimeria chalumnae* 351–360
scales 351–360, 354–355, 356–357
specimens 352–353
- Latimeroidei 129, 166, 167
- Lazarus taxa 60
- Leuciscinae 341, 342–345, 347
- Lonchidiidae 104
- London Clay Formation 311, 312, 314–315, 334
exposures 312, 314
flora and fauna 314–315
glacial deposits 311
specimens 313
- Lualabaea lerichei*, Africa 134
- lungfish 7, 45–49, 166–168
geological correlations 43–54
morphogenesis 49
palaeographic distribution 49–51
Triassic 43–54
see also Dipnoiformes

- Lusitanichthys* 156
Lycoptera 185, 187, 194, 198–201, 203–205, 207
- Macrepistius* 145, 150, 152
 Madagascar 49, 50
Marcusenius victoriae 192
 Marizal Formation 145–154
 age 151–152
 deposition 152
 outcrops 146
 Placidichthys tucanensis 147
Mawsonia 109–144
 Africa 132–133, 137–138, 140–141
 angular 136
 anterior process 136
 apophysis 117, 135
 Aptian-Albian distribution 140
 articulars 128, 129
 axial mesomeres 131, 131
 Brazil 132, 132, 133, 134, 137–138
 Cenomanian distribution 141
 ceratobranchials 131, 131
 ceratohyals 131, 131
 Cretaceous distribution 138–140, 139
 dentary 127, 128, 136
 dorsal process 126, 127
 extrascapulars 136
 lachrymojugal 137
 morphological comparisons 134–138, 140
 occipital bones 129–131, 130
 occurrences of 132–140
 opercular 136, 137
 otic canal 117, 135–136
 palaeoenvironments 109
 parasphenoid 135
 parietals 134–136
 phylogenetic systematics 112–131, 137, 138–140, 141–142
 postorbital 136
 postparietals 135–136
 principle coronoid 127, 128
 prootics 117–120, 121
 scapulocoracoids 131, 131
 splenials 128, 129
 supraorbitals 136
 supratemporals 136
 visceral arch elements 131, 131
 zygals 129–131, 130
Mawsonia brasiliensis 115, 121, 134, 141
 dentary 127–129
Mawsonia gigas 109, 113, 134, 140–141
 angulars 126–127, 127
 aniotic process 116
 basisphenoid 114, 115–116, 116
 coraniod 128
 extrascapulars 120, 123
 lower jaw 126
 metapterygoid 123–124, 126
 operculum 120–121, 123
 palate 121
 palatoquadrate 124
 parasphenoid 116–117
 parietals 113–115, 115
 postparietal shield 117, 118, 119, 120
 processus connectens 116
 prootics 121
 pterygoid 124–126
 quadrate 121–123, 124, 125
 supraorbital bones 113, 115
 supratemporals 120, 122
Mawsonia lavocati 115, 134, 138, 141
Mawsonia libyca 121, 134, 138, 140–141
Mawsonia tegamensis 109, 115, 121, 134, 138, 141
Mawsonia ubangiensis 134, 140–141
 maxilla
 Brychaetoides greenwoodi 288–290
 Echelus 324–325, 330–331, 332
 Heterosteoglossum foreyi 268, 270
 Hiodon 236
 Osteoglossomorphs 199
 Placidichthys tucanensis 148
 Xosteoglossid rebecca 284
 see also premaxilla; supramaxilla
 mesethmo-vomer, *Furichthys fjeldsoei* 277
 metapterygoid
 Heterosteoglossum foreyi 268, 269
 Mawsonia gigas 123–124, 126
 Xosteoglossid rebecca 284–286
Microceratodus angolensis 50
 Miocene 342–347
 Mo-clay 253–259, 292
 ash beds 256, 256
 basin palaeogeography 255
 colour 257
 deposition 258–259
 fish faunas 259–266
 fossil preservation 257
 localities 254
 radiometric age 257
 stratigraphic age 257
 Minghuazhen Formation 346
 Mongolia 98, 105
Monopteros 195
 Monte Bolca fish fauna 263
 Mooneyes, fossils 221–251
 mormyrids 192, 196, 260
 mormyriforms 208, 253, 296
 Mormyroidea 186–189
 mormyroids 197–198, 206, 246, 296
Mormyrus 192
Musperia 185
- nasal bone
 hiodontids 221, 247
 Osteoglossomorphs 197, 201, 203
 Xosteoglossid rebecca 284
 neoselachians 55–69
 analysis methods 56–57
 beta diversity 61–63
 Cretaceous 59
 diversification 55–69, 60, 60
 extinctions 55, 56, 60–61, 60

- neoselachians (*Continued*)
 faunal affinities 61, 62, 63, 64
 Jurassic 55–69, **59**, **66**
 Kimmeridgian 62, 62, 64
 localities 57, 64
 origins 55, 60–61, **60**
 Oxfordian 61, 62, 64
 preservation 64–65
 simple completeness metric (SCM) 59
 Solnhofen area **66**
 standing diversity 59–60, 60
 Tithonian 62, 63, 64
 tooth morphologies 64
 turnover rates 55, 60–61, **60**
 vicariance 55
- neural arch 82
Eohiodon 247
Heterosteoglossum foreyi 268, 271, 272
Hiodon 239
Xosteoglossid rebecca 286
- neural spine
Foreichthys 264
Furichthys fjeldsoei 281
 hiodontids 221, 240, 248
 Osteoglossomorphs 200
- neurocranium 12, 13, 34, 78
 articulatory heads 246
Eohiodon 247
Hiodon 228–233, 246
- North America
 catostomids 339–340
 hiodontids 221–222, 222
 Osteoglossomorphs 187, 189, 193
- North Sea basin 254–255
 notopterids 192, 196, 206, 208, 265, 297
- Notopteroidei 186–189, 260
Notopterus 192
 occipital bones
Mawsonia 129–131, 130
see also exoccipital; supraoccipital
- Oligocene 315, 316, 342
- opercular
Brychaetoides greenwoodi 289
Heterosteoglossum foreyi 268, 270
Hiodon 233–234, 238, 245–246, 248
Mawsonia 136
Mawsonia gigas 120–121, 123
 osteoglossomorphs 198, 202
Placidichthys tucanensis 148
Xosteoglossid rebecca 283, 285–286
- Ophichthidae 315, 317, 334
Ophichthus 315
- Ophiopsidae 145–154, 151
 phylogeny 150, 151
 stratigraphical ranges 151
- Opsithrissops* 261, 263
- orbitosphenoid
Heterosteoglossum foreyi 269
Xosteoglossid rebecca 284
- origin
 centres of 165, 179, 208
 origination rates 57
- Ornithoprion* 39
Orodus 39
Ostariostoma 185, 192, 193, 197–198, 199–200, 202, 208, 266
Osteochilus 338–339
 Osteoglossi 297–298
 osteoglossids 206, 261
 evolution 261
 freshwater 259, 299
 marine dispersal 207
- osteoglossiforms
 cladogram 262
 dispersal models 304
 Gondwana origin 304
 primary freshwater 304
 teeth 281–282
 vicariance 304
- Osteoglossinae 207, 208
 Osteoglossoidei 186
 Osteoglossomorpha 170–171, 173, 185–219
 dispersal 171
 freshwater invasion 253
 marine origin 253, 303
 molecular clock 205–207
 phylogeny 170, 196–197, 203, 204, 205, 266
 vicariant event 171, 206
- osteoglossomorphs 253–310
 Africa 190, 190, 195–196
 Asia 187, 193–195, 207
 basipterygoid process 197–198
 China 188, 190–191
 Denmark 253–310
 dermosphenotic 201
 dispersal 190–191, 207
 distribution 185, 186, 186, 302
 diversity 185, 186, 208
 epurals 200
 extrascapular 201
 fossil record 193–196
 frontal bones 201
 gill arch 201
 hyomandibular 198
 hypurals 201, 202
 infraorbital 198, 202–203
 intestine coiling 202
 jaw angle 203
 Lower Eocene 253–310
 marine 253–310
 maxilla 199
 nasal bone 197, 201, 203
 neural spine 200
 North America 186, 187, 189, 193
 opercle 198, 202
 phylogeny 196–197, 203, 204, 205, 253, 296–304
 posttemporal 199
 scales 201–202, 261
 sexual dimorphism 203
 supraorbital bone 198
 supratemporal commissure 198
 swimbladder 202
 temporal fossa 200–201
 toothplate 199

- uroneurals 201
- utriculus connection 203
- vicariance 208, 302
- Osteoglossum* 198, 200–201, 203, 266
- Osteoglossum bicirrhosum* 186, 191, 281, 282
- otic canal, *Mawsonia* 117, 135–136
- Otophysi 160, 175–177
- Oxfordian, neoselachians 61, 62, 64

- Pachycormiformes, 169–170
- pachyrhizodontoids 71, 78, 83, 172
 - Cretaceous biogeography 174
 - and crossognathoids 82–83
- Palaeocene-Eocene, environment 258–259
- Palaeogobio zhongyuanensis* 341
- Palaeonotopterus* 185, 196, 200, 205, 208, 260
- palate
 - Mawsonia gigas* 121
 - Xosteoglossid rebecca* 284–285
- Pangaea 43–54
 - break-up 7–8, 51, 65, 71, 84, 179
 - subcontinents 36–37
- Pantodon* 185, 191, 198, 202, 205–208, 260, 263, 266
- Pantodontidae 186, 196
- Papyrocranus* 200
- Parabarbus mysajensis* 341
- Paracongroides* 315
- Paradercetes* 208
- Parahelicampodus spaercki* 9–10
- Paralycoptera* 185, 203, 207, 208
- Paraná Basin 44–45
- Paranguilla* 315
- parapophyses, *Xosteoglossid rebecca* 286
- parasphenoid 73
 - Echelus* 324
 - Heterosteoglossum foreyi* 268
 - Mawsonia* 135
 - Mawsonia gigas* 116–117
 - Xosteoglossid rebecca* 284, 286
- Parechelus prangei* 317
- Paredestus bricircum* 25–27, 27
- parietals
 - Echelus* 318–320, 329
 - Mawsonia* 134–135
 - Mawsonia gigas* 113–115, 114, 115
 - see also postparietals
- parsimony analysis
 - of endemism (PAE) 56–57, 63–64, 64, 65
 - most parsimonious trees 63, 64, 79, 81, 82
 - qualitative 253, 261
 - see also Phylogenetic Analysis Using Parsimony (PAUP)
- pectoral fin
 - Fadenia* 24
 - Heterosteoglossum foreyi* 270
 - Hiodon* 240, 245
 - Osteoglossid indet. 292
 - Placidichthys tucanensis* 148, 148
 - Xosteoglossid rebecca* 286
- pectoral girdle
 - Eugeneodontida 31
 - Furichthys fjeldsoei* 280
 - Hiodon* 240, 245
 - Osteoglossid indet. 292
 - Xosteoglossid rebecca* 285
- pelvic fin
 - Heterosteoglossum foreyi* 271
 - Hiodon* 245
 - Osteoglossomorphs 202
- perciform 338
- Permo-Triassic boundary 35–37
- Phareodus* 185, 189, 193, 195, 197–201, 207, 222, 260–263, 266, 266, 299
- Phareoides* 261
- pharyngeal teeth 24, 342–345, 343, 346
- pharyngobranchial, *Xosteoglossid rebecca* 285
- phylogenetic analysis 1–2, 72, 79–82, 165, 179, 196, 203–205
 - bootstrap analysis 203
 - branch and bound searches 203
 - decay analysis 203
 - heuristic searches 203
 - homoplasies 266
 - majority-rule consensus 203, 204
 - outgroups 79, 197, 266, 303
 - parallelisms 266
 - Retention Index 203
 - strict consensus tree 79, 82, 203, 204
 - see also cladistic analysis; Consistency Index (CI); parsimony analysis
- pit-lines 78
- Placidichthys* 145–154
 - caudal region 150
 - comparisons 150
 - distribution 151–152
 - dorsal fin 152
 - scale rows 150
 - systematic palaeontology 145–149
- Placidichthys bidorsalis* 145, 146, 148–149
- Placidichthys tucanensis* 145, 149, 147–149
 - associated fauna 147
 - dentary 148, 148
 - fins 148, 149, 149
 - Marizal Formation 146
 - maxilla 148
 - scale 149
 - supracleithrum 148, 148
- Plesiolycoptera* 194, 221, 222
- Pliocene, cyprinids 342–347
- Polypteridae 168
- postorbitals, *Mawsonia* 136
- postparietals 78, 117
 - Mawsonia gigas* 117, 118, 119, 120
- posttemporal
 - Hiodon* 246
 - Osteoglossomorphs 199
- premaxilla 74
 - Brychaetoides greenwoodi* 289
 - Catostomidae 338
 - Echelus*, premaxillary ethmoverine plate, 311, 317, 324, 329–330
 - Eohiodon* 247
 - Furichthys fjeldsoei* 275, 275, 276–277, 277
 - Hiodon* 247
 - osteoglossomorphs 201
 - Xosteoglossid rebecca* 284, 286

- preopercular 74, 78
Foreichthys 263
Hiodon 239
Mawsonia 137
osteoglossomorphs 203
sensory canal 201
- principle coronoid, *Mawsonia* 127, 128
- processus connectens, *Mawsonia gigas* 116
- prototic
Echelus 323
Furichthys fjeldsoei 280
Heterosteoglossum foreyi 269
Mawsonia 117, 120, 121
Xosteoglossid rebecca 284
- Proteomyrus ventralis* 315
- Protobramoidei 172, 174
- pterosphenoid, *Echelus* 322, 329
- pteroitic
Echelus 321–322, 329
Furichthys fjeldsoei 280
Heterosteoglossum foreyi 268, 269–270
Xosteoglossid rebecca 284
- pterygoid
Mawsonia gigas 124–126
see also endopterygoid
- Ptychoceratodus* 46, 43–54
distribution 49–51, 49
systematic comparisons 48–49
tooth plate 47, 48
- Ptychoceratodus philippi* 44, 47, 48, 48–49, 51
- Ptychoceratodus rectangulus* 48, 49
- Ptychoceratodus serratus* 48, 49
- Pycnodontiformes 169, 171
- quadrate
Furichthys fjeldsoei 275, 280
Hiodon 237
Mawsonia gigas 121–123, 124, 125
Xosteoglossid rebecca 285
see also palatoquadrate
- Quaternary, cyprinids 347
- radiation 55, 58, 165
- reticulation 201, 202
Brychaetoides greenwoodi 290
Furichthys fjeldsoei 281
Heterosteoglossum foreyi 272–273
Xosteoglossid rebecca 287
- Rhacolepis buccalis* 75, 79, 80
- Romania 155, 156, 159
- Rostrogobio maritima* 341
- Salminops* 156
- Sanfranciscana Basin 109–144
collecting area 110
specimens 111–112, 140
stratigraphy 110, 111
- Santa Maria Formation 43–54
African connections 44–45
biostratigraphy 43, 45, 46, 51
chrono-correlations 44
lithostratigraphy 46
specimen location 44
- Santana Formation, 132, 137–138, 145, 146, 151–152
- Santanichthys* 156, 160, 161, 176
- scales
basal plate 353–357, 355, 356–357
Brychaetus 290–291, 291
coelacanth 351–360
elasmoid 351
external layer 353, 354, 356–357
fibre directions 355–357, 356–357
Furichthys fjeldsoei 281, 280
Heterosteoglossum foreyi 267, 271–274, 272, 273
Hiodon 245
isopedine 351
Latimeria chalumnae 354, 355
Latimeria menadoensis 351–360, 354, 355, 356
lepidomorial 18
melanocytes 356–357
odontodes 351, 353, 354–355, 356–357
Osteoglossid 292
Osteoglossomorphs 201–202
Xosteoglossid rebecca 286
see also reticulation; tubercles
- scanning electron microscopy (SEM) 351, 353, 354
- scapula
Heterosteoglossum foreyi 270
- scapulocoracoids, *Mawsonia* 131, 131
- Schizothoracinae 342–343, 345, 347
- Scleropages* 198, 200–201, 203, 207, 266
- sea surface temperature 165, 171, 179
- Semionotiformes 103, 169
- sensory canal, *Echelus* 328, 331–333
- sexual dimorphism 203, 246–247
- Shanwang Formation 342, 345, 345
- sharks *see* eugeneodontids; hybodonts
- Siluriformes 156, 175, 176, 338
- Simpson Index 56, 61
- Singida* 185, 190, 196, 205, 208, 260, 266, 302
- Singida jacksonoides* 197
- Sinoglossus* 203, 265
- Sinohelicoprion quomolangma* 10
- Sorbinicharax* 155, 156, 159
- South America
characiforms 160
hybodont faunas 104
mesozoic fish record 43
osteoglossomorphs 195
- Paraná Basin 43–54
Triassic chronostratigraphy 46
- sphenotic
Catostomidae 338
Echelus 322, 325
- splenials, *Mawsonia* 128, 129
- Stolle Klint Clay 253–256, 255, 293
age 257–258
deposition 258
faunas 253, 258–259
fish faunas 259–266
fossil preservation 257
- Sulphur Mountain Formation, Vega-Phroso
Member 9–10, 35
- supramaxilla 78
Osteoglossomorphs 199, 261
Xosteoglossid rebecca 285–286

- supraoccipital 129–131
Echelus 321, 329
- supraorbital 83
 sensory canal 246, 269
Mawsonia 136
Mawsonia gigas 113, 115
 Osteoglossomorphs 198
- supratemporal
Mawsonia 136
Mawsonia gigas 120, 122
 commissure 198
- swimbladder, Osteoglossomorphs 202
- Sydney Basin 43
- Tanolepis* 185, 194, 200, 203–205, 207
- Tavernichthys* 185, 261
- teeth
 actinopterygian 94
Caseodus varidentis 14, 14, 16
Brychaetoides greenwoodi 288–289
Brychaetus 291
Echelus 325–326, 326, 330–332
 eugeneodontids 28, 29, 31, 32–34, 32
Fadenia 25
Foreyichthys 263–264
Furichthys 275–280
 osteoglossiforms 281–282
 pedicles 281–282, 284, 288, 290–291
 pharyngeal 24, 342–345, 343, 346
Xosteoglossid rebecca 284–286
see also dentary; tooth whorls; toothplate
- Teleostei 2, 71, 85, 185, 196, 206, 253, 289
- telolimny 155, 156, 161, 162
- temporal fossa, Osteoglossomorphs 200–201
- Teoichthys* 145, 150, 151, 152
- Tethys Sea 71, 84, 93, 145, 152
 characiform fishes 155–164
 trans Tethys dispersal 161
- Thailand
 fossil vertebrates 95
 Khok Kruat Formation 93–107, 94
- Thaiodus* 103
- Thaiodus rucha* 93, 98–101, 100
 teeth 98–101, 99
- Thaumaturus* 185, 195, 208
- Thrissopterus* 195, 265
- Tithonian, neoselachians 62, 63, 64
- Tongxinichthys* 188, 194
- tooth whorls 9, 11
Caseodus varidentis 13, 14, 17, 17
 eugeneodontids 32–34
Fadenia uroclasmato 20–21, 21
Paredestus bricircum 26, 27
- toothplate
Furichthys fjeldsoei 277
Hiodon 239
 Osteoglossomorphs 199
Xosteoglossid rebecca 285
- Triassic 7, 9–41, 43–54
- Tselfatiiformes 172
- tubercle
Brychaetoides greenwoodi 289
Heterosteoglossum foreyi 272
Xosteoglossid rebecca 286
- Tucano Basin 145, 146
- Tungtingichthys* 338
- ural centrum, *Eohiodon* 247
- uroneurals 88, 211
Hiodon 240
 osteoglossomorphs 201
- utriculus connection, osteoglossomorphs 203
- vagus nerve, foramen 73, 82
- varasichthyids 71–92
 caudal skeleton 75
 characters 73–78
 and crossognathoids 73–78
 phylogenetic position 72, 79–82
- Varasichthys ariasi* 73–74, 74
 braincase 75
 head 76
- vascular canals, coelacanthids 353, 355, 357
- Vasnetzovia artemica* 339
- vertebral column, *Hiodon* 239
- vicariance 55, 56, 63, 65, 109, 165–183, 179, 302
 barriers 166
 detection methods 165–166, 166
- visceral arches
Brychaetoides greenwoodi 289
Mawsonia 131, 131
Xosteoglossid rebecca 284–285
- Voltaconger* 315
- Wapiti Lake 9–11, 35
- Weberian apparatus, characiforms 159
- Wordy Creek Formation 9–10, 34
- Xiejia Formation 346
- Xenocyprininae 342–343, 345
- Xenocypris yuishensis* 345, 347
- Xixiaichthys* 185, 194, 205, 207
- Xosteoglossid* relationships 294–295, 301–303
- Xosteoglossid rebecca* 282–286
 age 282
 axial skeleton 286
 basioccipital 284
 basiptyergoid process 284–286
 branchiostegals 285
 cleithrum 285
 coracoid fenestra 286
 endopterygoid 284–285
 epibranchials 285
 frontal 283–285
 hyomandibular 285–286
 hypohyals 285
 infraorbitals 284–285
 jaw 284–286
 maxilla 284–285
 mesethmoid-vomer 284
 metapterygoid 284–286
 nasals 284–285
 neural arches 286
 opercular 283, 285–286
 orbitosphenoid 284
 palate 284–285
 parapophyses 286

Xosteoglossid rebecca (Continued)

parasphenoid 284, 286
parietal 284
pectoral region 285
pharyngobranchial 285
premaxilla 284, 286
preopercular 285–286
prootic 284
quadrate 284–285
scales 286

skull 283–284
supramaxilla 285–286
teeth 284–286
visceral arches 284–285

Yanbiania 187, 221

Zygals, *Mawsonia* 129, 130, 137