

Index

Note: Page numbers denoted in *italics* refer to figures and those in **bold** refer to tables.

- accretionary complex 236, 240, 241–242, 241
Adoudou Formation 285–302, 329, 330–331, 333, 341, 436
 bimodal volcanism 285–302
 carbon isotopes 294–295
 chemostratigraphic control 294–295
 oxygen isotopes 294–295
aeromagnetic anomalies 84–86, 85
 Anna structure 84
 and Riedel fracture model 86
 tectonic control 85–86
Affela N'ouassif pluton 265, 266–267, 268–269, 270, 271, 274, 279
Affolé high 173
Aftout granitoids 80
Afyon Basement Complex 411–412, 412
 Cadomian arc related magmatism 414–415
 felsic magmatism 409–431
 fractional melting and crystallization model 421–422, 423, 424, 425, 427
 geodynamics 425–427
 schists 411, 413
 TTG source 422, 423, 424, 425, 427 *see also*
 Afyon granites
Afyon granites 409, 411, 413, 415, 420, 427
 crystallization 418–421
 geochemistry 409, 416–418, 417, 418, 420, 424–425, 425
 magmatic differentiation 416–418
 magmatic temperatures 418–421
 source 409, 418–421, 422, 425–427
Aqualilet unit 181
Ahmeyim greenstone Belt 40
Aït Daoui granite 4, 9, 11–12, 13, 14
Ait Nebdas pluton 266, 268, 271, 274, 278
Ait Saoun area 299, 333
 Calcaires inférieures 289–293, 290–291, 292, 295
Ait Saoun area volcanics
 Basal Series 296–297, 296
 geochemistry 295–299, 297, 298
 Harker diagram 297, 297
 ignimbritic rhyolite 296, 297
 provenance 297–298, 300
 texture 296, 297
Ait-Atman, Na-amphiboles 235
Akjoujt area 54, 56, 57, 72
 deformation events 54–55
 Fe-Mg carbonate 68–71, 70, 71, 73
 Fe-Mg clin amphibole-chlorite schist 60–64, 64, 64, 65, 66–67, 72, 73
 geological setting 53–75, 55
 meta-carbonate 60, 64, 64, 65, 65, 66–67, 68–71, 69, 72
 metamorphism 54–56, 56, 74
 structural features 54–56, 56
Akjoujt meta-basalt 54–57, 56, 58–59, 68, 72, 73
 amphibolite 58, 63, 73
 biotite-actinolite schist 59, 63, 72
 chlorite schist 59, 63
 hydrothermal overprint 71, 71
 source 59, 68, 71
 tectonic discrimination 63
 trace element data 53, 58–60, 61–62
Algeria 147–167
Aloucoum volcanic complex 285, 288, 332, 441
Alpine orogeny 8, 303, 435
Alpine Tauride-Anatolide Platform 409
alumina saturation index 10, 12
Amalaoulaou massif 203, 205, 211–212
 garnet rich pyroclastics 211
 granulitic metamorphism 211
 LT-HP overprint 211–212
 metagabbros 203, 205, 211–212
 Pan-African overprint 211–212
Amazonia, cratonic fragments 349
Amlouggi tonalites 267
amphibole
 chemical composition 237, 240
 thermobarometric calculations 206
Anfeg batholith 113, 144
Anietir unit 182
Anna structure
 garnet analysis 99–101, 103, 104
 kimberlite indicator minerals (KIM) 99
Ansongo eclogites 205, 212, 213, 215
Anti-Atlas 1–17, 234–235, 234, 266, 333, 433–452, 453
 autochthonous 433, 444–445, 448
 basement uplift 448, 462
 basement–cover relationships 445–447
 Cambrian rocks 330, 332–337, 336, 337, 338, 339–340, 435
 Cenozoic volcanism 506
 Devonian extension 453–465
 Devonian fault pattern 458, 459–461, 460, 461
 Devonian geology 455, 467–482, 468
 Eburian basement 4–14
 folds 438–439, 441–443
 geological setting 5, 250, 434, 435–437, 454, 455
 gold mineralization 249–264
 Hercynian facies 467, 476
 lateral variations 467
 mélange complex 235
 Meseta correlations 461
 Mesozoic–Cenozoic cover 437
 metacratonic 1–17, 447, 448
 Neoproterozoic rocks 332, 334–337, 334–335, 336, 337, 338
 Palaeozoic cover 435, 436–437, 454
 Palaeozoic palaeofaults 460–461
 Palaeozoic palaeogeography 446, 455–459
 Palaeozoic stratigraphy 455–459

- Anti-Atlas (*Continued*)
 para-autochthonous 433, 444–445, 448
 Precambrian basement 436–437, 445, 455
 Proterozoic basement 435–436
 Proterozoic extension 437, 445
 Rhenish facies 467, 476
 tectonic evolution 234, 265–283, 448
 tectonostratigraphy 435–437, 436
 Variscan deformation 437–444, 447–448
 Variscan reactivation 445, 446
- Anti-Atlas Major Fault (AAMF) 4, 265, 329
- Aouéoua Formation 48, 49
- Aoutitilt Suite 45
- apatite saturation thermometry 418–421, **420**,
 422–424, 424
- Areigat Lemha, kimberlite indicator minerals
 (KIM) 99
- Armorican Massif 358
- Arraiolos biotite granite 385, 386–394, 401–403
 zircon data 398, 400, 401–403, 401, 403, 404–405
- Askaoun pluton 265, 266, 267, 269, 270, 271, 278
- Assa Formation 468
- Assarag Suite, magmatism evolution 280–281
- Assersa granite 4, 9, 11, 12, 13, 14
- Atacora nappes 218
- Atlas Palaeozoic Transform Fault 312, 448, 453
- augen granite gneiss 46–47, 48
- Avalonia 350–354
 accretion to Laurentia 354, 369
 basement isotopic signature 350–351
 and Cadomia 403
 Cambrian 350–351, 354
 and Carolina 369
 evolution of 350, 353, 353, 368–369
 and Ganderia 369
 metamorphism 351
 ophiolitic rocks 353
 palaeomagnetic data 354
 subduction evidence 351, 353
 tectonostratigraphy 351
 transform activity 353–354, 353
 zircon analysis 352, 353
- Avalonian terranes 345, 349, 364, 369
- Azegour formation 310
 folding 309
 geological map 309
 granitoids 307, 310
 lavas **316–319**, 317–319, 320–322, 320
 lithology 306, 307–310
 Tizgui dacite 313, **314**, 315, 317
- Azegour-Wirgane region 333, 334
- Azguemerci granodiorite 4, 9, 10, 11, 12, 13, 14
- Bakel area 483, 484–490, 485, 494
 metamorphism 484, 493
 oblique transpressional orogen 494, 494, 495
 shear zones 483, 487, 488, 488, 493, 494
 sinistral transpression 495
 strain partitioning model 484, 492–494, 494, 495
 structural geology 484, 492–494
 thrust planes 484, 494, 495
- Bakel Thrust Fault 488
- banded iron formations 42, 53, 71
- Bani area, Variscan deformation 438–439, 439
- Bas Drâa area 438, 444–445
 Variscan deformation 437, 437–439, 439
- Bassaride belt 3, 169–201, 177, 191
 basalt geochemistry 187
 chronological data 187
 geodynamic model 193, 196–197
 geophysical data 187
 lithostratigraphy 185, 185, 192
 metamorphism 187
 sedimentary cover 186–187
- Batapa Group 187
- Bir Igueni Suite 42, 47–49, 48
- Birmian terranes
 crustal genesis 19–32
 emplacement 19
 granite-greenstone 501
- Bissau-Kidira-Kayes fault zone (BKKF) 173
- Bled El Mass diamond deposit 77–79
- Bleida area
 geochemistry **254**
 geological setting 250–255
 lithology 251–253, 252, 253
 mineralization 256–259
 ophiolite complex 249–264, 265
 polymictic breccia zones 255, 256
 stratigraphy 251–253, 252
 structural geology 255
- Bleida ore zones
 alteration 249, 260–262
 cobalt concentrations 249
 cross sections 259
 deformation events 260
 deposit hypothesis 249–250
 epithermal system 249, 262
 Fe-rich lithofacies 259, 259, 260
 gold 250, 259, 259
- Bohemian Massif 361–362, 361
- Bou Azzer-El Graara inlier 250, 250, 251, 436, 443
 Variscan deformation 441–443, 443
- Bou Salada Group 6
- Bou-Azzer ophiolite 4–6, 233–247, 249, 332
 blueschist facies 235, 237, 237, 329
 cross sections 242
 emplacement model 233–234, 243–244, 243
 equilibrium phase diagram 238, 239
 geological setting 234–236, 242
 greenschist facies 235, 237, 238
 mélange 242–244
 metamorphism 233, 235, 237–238, 244
 mineral assemblages 238, 239
 Na-amphiboles 237, 237, 238, 240
- Bou-Jerif area 437
- Bouadil region, Palaeozoic cover 454
- Bourré domain 204
- Bové Basin 173, 178–179, 179, 186, 190
- Cadomia 349, 358–359
- Cadomian terranes 345, 364, 369
- Cadomian-Avalonian orogeny 385, 386, 427
- Calcaires inférieures 285–302
 cycles and controls 290–293, 299
 depositional environment 285–286, 289, 293,
 294, 299
 facies associations 289–293, 290–291, 293–294, 300

- fenestral silty-cherty dolostone 289
 geochemistry 294, **295**
 grainy dolostone 289, 292
 offshore dolomite-shale rhythmites 290
 palaeotopography 299
 peritidal mixed facies 289–293, 299
 shale 289, 292
 slide deposits 293–294, 293, 299, 300
 stratigraphic log 290–291, 293–294
 stromatic dolostone 289, 292, 293, 293
- Cambrian High Atlas-Meseta rift 460
 carbonatite intrusion 217–231
 age 223–224
 and continental rifting 221–224
 geochemistry 221–223, **222**
 magmatic origin 222
 petrography 221
 REE concentrations 222–223, 223
- Carolinia terrane 357–358
 accretion to Laurentia 358, 369
 and Avalonia 369
 platform strata 358
 tectonic evolution 357–358, 357, 368–369
- Central Atlantic magmatic province 3, 455
 Central Hoggar, Algeria 111–146
 Chami Greenstone Belt 40, 41, 42, 49
 Chegga granite 79, 93
 Chenachane shear zone 86–88
 chlorite index 261–262, 261
 chloritoid, thermobarometric calculations **206**
 Chortis terrane 362, 363
 Choum-Rag el Abiod Terrane 33, 34, 35–38, 36, 45, 50
 Archaean development **49**
 granite emplacement 36
 metamorphic lithologies 35–36, 40–41
 migmatitic orthogneiss 35, 37, 49
 partial melting 38
 post TISZ plutonic rocks 36–37
 Precambrian events 37–38
 shear fabrics 36, 37, 37–38, 39
 thermobarometric calculations 38
- clinopyroxene 210, 512, **515–516**, 517, 518
 crystal size distribution 509, 511–514, **513**, 514, 520–521, 520, 522
 mineral chemistry 514–518, **515–516**
 texture 511–517, 520–521, 520
 thermobarometry **206**, 514, 518–519, 519
- clinopyroxene-liquid equilibrium 518–519
 copper, gold association 252, 257, 260, 263
 cratonic terranes 345, 349, 364, 370
 cratons 1, 83, 112 *see also* metacratonic evolution
 crystal size distribution (CSD) 505–520
- Dahomeyide orogen 217, 218, 499, 501, 502
 Dahomeyide suture zone 212, 218–221, 218, 229–230
 deformed alkaline rocks and carbonatite (DARC) 217, 221–223
 garnet megacrysts 219
 granitoid gneiss 219
 high pressure granulites and eclogites (HIPGE) 217, 218, 219
 nepheline-bearing gneiss 220, 223
 rutile exsolution rods 219
 subduction 228–229
 tectonic stacking 218–219, 219
 Wilson tectonic cycle 229–230, 229
- Dargol granodiorite 19, 27–28
 zircon data 24–27, 25, **26**, 27
- Dargol pluton 20
 Dayet Lawda unit 181
 Deep Ivorian basin 500, 501, 504
 Deep Ivorian basin fault 501, 504
 Diagorou-Darbani greenstone belt 19–32, 21, **22**, 23–24, 27, 28–29
 geochemistry 20–24, 23, **23**, 28, 30
 Diagorou-Darbani metaconglomerates
 Nd–Sm isotopic data 24, **24**
 protolith 19, 23, 27
 REE patterns 21–23, 23, **23**
 zircon data 24, 25–27, 25, **26**, 27
- Diagorou-Darbani micaschists
 Nd–Sm isotopic data 24, **24**, 27
 protolith 19, 23–24, 27
 REE patterns 21–23, 23, **23**
 zircon data 24–27, 25, **26**, 27, 28
- diamond exploration 79
 geophysical survey methods 83
 komatiitic origin 105
 lamproites 105
 primary sources 77–109
- Djebel Drissa ring complex 80, 82, 85, 89
- Drâa Basin
 depocentre shifts 467, 477
 Devonian stratigraphy 468
 eustatic controls 475, 476
 lateral facies change 480
 Rich group 467–482
 sediment supply 467, 480
 subsidence variations 467, 473, 476–477, 477, 480
 tectonic controls 477–478
 tectonic interpretation 478–480, 478
- Drâa channel, principle fault directions 478–480
- Eburnean metapelites 111–146
 Eburnean orogeny 1, 2, 8, 111–112, 144, 165, 431
 Eglab shield 77–109, 80
 aeromagnetic anomalies 84–86, 85, 86, 105
 brittle deformation 82, 83
 diamond exploration 86
 dolerite dykes **87**, 88, 93, 97–98, 102
 ductile deformation 81–82
 Eburnean 80–81, 83
 garnet analysis 99–101, **103**, 104
 geophysical structures 83–86
 igneous ring complexes 79
 kimberlite indicator minerals 98–101
 lamprophyric dykes **87**, 88, 97–98, 102
 lithospheric faults 77, 79
 regional geology 79–81
 Riedel model 82
 structural features 81–83, 86–98, 105
 tectonic model 105
- El Annsar Formation 468
 El Graara massif 286, 299–300
 electrum 249, 260
 Évora Massif 385, 386, 388, 389, 403

- Fadrat al Garod unit 181
 Falémé Series 484
 Falémé trough 175–179, 178–179
 Florida terrane 358
 Forecariah Group 189–190
 Fom el Kous 510, 511–518, 521, 522
 clinopyroxene 511–514, 512, **513**, 514, **515–516**,
 517, 518
 magma mixing 513
 mineral chemistry 514–518
 nephelinite 513, **513**, **515–516**
 thermobarometry 522
 total alkalis silica (TAS) diagram 511, 513
 fractional crystallization 336, 337–338, 409, 422
 Franciscan Complex 241
- Gabou Shear Zone 486, 489
 Ganderia 354–356
 accretion to Laurentia 356, 369
 arc magmatism 355, 356
 and Avalonia 369
 tectonic evolution 354–356, 355, 368–369
 zircon analysis 355
 Ganderian terranes 345, 349, 364, 368, 370
 Gao rift 3
 garnet 99–101, **103**, 104, 207
 composition 99–101, **103**, 104, 209, 209, 210,
 226, **226**
 rutile exsolution 224–226, 225
 stable reaction 226
 thermobarometric calculations **206**
 UHP metamorphism 217
 zoning 155, 157, 210
 garnet-biotite geothermobarometry 56
 Geyik Dag unit 409, 410, 411–412
 magmatism 422–425, **426**, 427
 quartz porphyry 419, 420, 422, 424,
 424, 425
 Gezmayet unit 181
 Ghana 217–231
 Ghana, offshore 499–508
 half graben 502, 503–504
 onshore correlations 499, 500, 500, 506
 Proterozoic 499, 502
 transform margin formation 504
 Gibi Mountains Group 189
 glaucophane 203, 207, 211, 238, 239
 gold 249–264
 copper association 252, 257, 260, 263
 depositional environments 262–263
 disseminations 249–250, 256, 257, 258,
 260, 263
 grain chemistry 259–260, 260
 grain textures 259–260, 263
 hydrothermal alteration 260–262
 palladium association 260, 262–263
 types of 249
 veins 249–250, 256, 256, 257–259, 257, 258,
 260, 263 *see also* electrum; isomerite
 Gondwana 303–327
 assembly 228–229, 505
 Laurentia collision 429
 supercontinent 570Ma 402
 West Gondwana 345, 346, 364, 369
- Goulmime area 433
 Gourma belt 1, 2, 203–216
 amphibolite facies 208–209, 210
 cross-section 214
 eclogites 203–216, 210
 garnet glaucophanite 203–216, 210
 geological setting 204–205, 204
 glaucophane bearing eclogite 208–209, 209, 215
 Internal domain 204–205
 kyanite eclogites 212
 mafic rocks 207–210
 metamorphism 205, 212, 213–215
 micaschists 205–207
 mineral chemistry 205–211
 paragenetic analysis 205–211
 structural data 204–205, 213
 subduction 203–216
 Grenvillian orogeny 169
 Guelb Moghrein IOCG 53–75, 56
 brecciated Fe–Mg carbonate 65, **66–67**, 68,
 72, 73
 composition 72–73
 geochemistry 65–68
 geological setting 54–57, 56
 hydrothermal alteration 54, 72, 73
 lithology 65–68
 mineralization age 53–54
 ore breccia 65, 68
 ore fluid 54, 73
 protolith geochemistry 68–72
 shear zones 65, 68, 72, 73
 Guinguan Group 185, 186
- Hadeib Lebtineiyé Greenstone Belt 40, 42
 Hajar Dekhem Massif 181
 Hercynian orogeny 169–171, 196, 479
 High Atlas 1, 3, 303–327, 304, 333
 Cambrian lithology 303–312, 330, 332–337,
 336, 337, 338, **339–340**
 Cambrian volcanics 320–321, 320, 321–322, 321,
 322, 322
 Late Neoproterozoic rocks 332, 334–337,
 334–335, 336, 337, 338
 stress direction 311–312
 structural patterns 311, 312
 tectonics 303–312
 High Atlas fault 324
 Ho gneiss 218
 Hoggar shield 147–167, 461
 geological map 112, 148
 Hudeib Agheyané Greenstone Belt 40
 hydrothermal alteration 68, 249, 260–262
 hydrothermal mineralization 3–4, 53, 56–57, 65–68,
 72–73
- I-type granite melts 409, 418, 421, 427
 Iapetus Ocean 368, 369
 Iberia terrane 346, 359–361
 Cambrian fauna 360
 Cambrian rifting 361
 isotopic compositions 360–361
 sedimentary source 360–361
 tectonostratigraphy 360
 zircon analysis 360–361

- Iberian Massif
 biotite granites 385–408
 paragneiss 385–408
- Id Boukhtir 299, 300
 Calcaires inférieures 290–291, 293–294, 293
- Ida ou Illoun pluton 265, 266, 267, 268, 269, 270, 271, 274, 279
- Ifni inlier 439–440
- Ifouachguel pluton 265, 266, 268, 269, 270, 271, 278
- Ifri formation 305–307
 stratigraphy 305, 306
 structural features 307, 308
 tectonics 306–307
- Ifri greywacke 313, **314**, 315
- Ifri lavas 315–317, **316–319**, 320–322, 320
- Ifri-Azegour formation 303–310, 305
 deposition 323–324
 geochemistry 313–322, 323–324
 geochronology 312–313, **314**, 315
 magmatic signature 323, 324
 petrography 313–322
 zircons 313, **314**, 315
- Iguilid metagabbro 37
- Imdghar pluton 265, 266–267, 269, 271, 274, 279
- In Edem eclogite 212
- In Edem schists 215
- In Ouzzal metacraton 147–167
 geochronology 149
 geological setting 147–149, 148
 UHT metamorphism 165
- Ioulguend granite 35
- Irherm-Tata area 441, 442
- iron oxide copper gold deposits (IOCG) 53–75, 56, **66–67**, 68, 262
- isomertieite 249, 260
- Jbel Boho region 329, 332
- Jbel Kerkar region 332–334
- Kasila Group 190
- Kasila thrust belt 195
- Kenieba inlier 480
- Kerdous region 329, 331–334, 331, 439–440
- Khanfous Al–Mg granulites 147–167
 biotite 159, **161**
 composition 149–150, **149**
 cordierite 155, **159**, 162–164
 cordierite-garnet-quartz 152–153, 153–155, 154
 feldspars 160–161
 garnet 155, **156**, 157
 metamorphic stages 150–155, 162, 163
 mineralogy 155–161
 orthopyroxene 155, **158**, 164
 orthopyroxene-sillimanite-garnet 150–151, 150
P-T evolution 161–165, 162, 165
P-T pseudosections 147, 162–165, 163, 164
 petrogenetic grid 161–165, 162, 163
 quartz-garnet-biotite 150
 quartzitic 149, 162
 reaction textures 147, 150, 153, 154, 162
 sapphirine 159, **160**
 sapphirine-spinel-quartz-orthopyroxene 151–153, 152
 spinel 159, **160**
 UHT metamorphism 151, 152, 164, 165
- Khanfous complex 147–167, 148
- Khzama oceanic basin 265, 266, 280
- kimberlite 83, 86
- kimberlite indicator minerals (KIM) 77, 84, 98–101
- Kleouat Massif 181
- Kolenté basin 178–179, 188
- komatiite-picrite 79, 93–97, 94
 AFM diagram 96–97, 101
 phlogopite biotite **92**, 96
 pyroxene 90, 90, 94–95, **95**
 REE pattern 102
 spinel 95, **96–99**, 100
- Komba basin 178–179
- Koughany Shear Zone 486
- Kpong complex 219, 219
- Kreidat Greenstone Belt 40
- Kütahya-Bolkar Dagi unit 409, 410, 411–412, 416, 418, **426**
 geochemistry 416–418, **417**, 418
 granite 414, 418, 422–425, 425
 magma source 418, 427
 Na-metasomatism 416
 zircon U–Pb ages 414–415
- Lakhsass Plateau area 439–440, 440
- lamproite 83, 86
- Laouni terrane 111, 113
- LATEA metacratonic evolution 111–146
- Laurentia 354, 356, 358, 364, 369
- Laurentia-Gondwana-Baltica 366, 367, 368
- Lembeitih Formation 53, 54, 71
- Leo shield 33
- Lie-de-vin Formation 288, 329, 330–331, 333, 341, 443
- Liptako, Niger 19–32, 29
- Lower Reguibat Complex 80
- magma differentiation 329, 336, 337–338, 509, 520–521
- Maider basin 456, 457–458, 459, 460, 461, 462
- malachite 259
- Mali Group 185–186, 187
- Man rise 2, 19–20, 20
- Marampa Group 189
- Marampa thrust belt 195
- Marsa Thrust Fault 484, 488, 489
- Matallah unit 181
- Mauritanide belt 3, 33–52, 53–75, 169–201, 180, 196, 453, 461
 Adrar-Souttouf section 181
 Akjoujt section 181
 Anti-Atlas section 179
 Aouker-Kidira section 182
 Central domain 486–489, 491, 492, 494
 cross section 191, 485
 deformed pebbles 490–492
 deformed quartz grains 490–492
 Dhlou-Sekkem section 179–181
 finite strain analysis 490–492, 492, **491**
 Fry analyses 491
 geochronological data 183
 geodynamic model 183–185, 193, 196–197, 483–484
 geological setting 174–175, 177, 483–484, 484
 geophysical data 183, 184
 Koulountou-Bové section 182
 lithostratigraphy 192

- Mauritanide belt (*Continued*)
 metamorphic characteristics 183
 Niamé-Guétié subdomain 487, 488
 Northern domain 485–486, 491, 493
 ophiolitic assemblage 183
 para-autochthonous 484
 Samba Kontaye-Gabou subdomain 487, 488, 489, 489
 Southern domain 489–490, 491
 strain partitioning 483–497, 492
 structural elements 485–490, 487, 489
 tectonic interpretation 183, 485, 486, 492–494
 transpression 483–497
 U–Pb zircon data **43**
- Mauritanide frontal thrust 169, 171
 Mauritanides orogeny 484
 Maya terrane 362, 363
 M'Bout unit 182
 Meguma terrane 356–357, 369
 mélanges 233–247
 and ophiolites 239–242
see also accretionary complex; ophiolitic mélange
- Menderes Massif, augen gneiss 414
 Merroucha annular structure **87**, 88, 92–93, 93
 Merza Akhsai Formation 468
 Meseta domain 447–448, 453, 461, 463
 metacratonic evolution 1, 3, 4, 14, 111–146
 metamorphism
 blueschist index minerals 237
 high pressure 203, 217, 228
 ultra high pressure 203, 205, 217–231, 236–237
- Middle American terranes 362–363
 Middle Western High Atlas fault 303, 312
 migmatitic gneiss
 phlebitic 44
 phlebitic/stromatic 40, 42
- Minas fault zone 356, 357
 Moho, shield areas 499
 Moldanubian zone 361
 monazite 53, 73, 74
 saturation thermometry 418–421, **420**
- Mont Lato eclogite 227
 Montemor-o-Novo shear zone 386
 Moravo-Silesian zone 362
 Morocco 1–17, 233–247, 249–264, 265–283, 285–302, 312, 433–452, 453–465, 467–482
 Cambrian rift geodynamics 303, 323–324, 323
 Cenozoic volcanic field 509–524
 Moroccan outboard magmatic evolution 329–343
- Mount Wa-Wa unit 182
 Moussaya complex 189
- Ndaouas Suite 42, 47
 Nebdas pluton 265
 Neoproterozoic
 peri-Gondwanan terranes 345–383, 365
 subduction 212–213
- nephelinite flow 509–524
 crystal settling 521
 high-Al augite 519–520, 522
 magma mixing 521–522, 523
 phonolite 521–522, 522, 523
 pyroxene compositions 521–522, 522
- Niokolo Koba Group 185, 186
 Nkheila Formation 468
 North Africa, diamondiferous province 77–109
- Oaxaquia terrane 362, 363
 ophiolites 233–247
 and mélanges 239–242
 obduction 241, 241
 ophiolitic mélange 240–241, 241
 ore breccia 53, **69**, **70**, 72, 73
 ore fluid 53, 54, 72, 73
 orogen-parallel tectonic transport 483–497
 Ossa-Morena zone 359–360, 361, 387, 403
 Ediacaran basins 385–408
 sediment provenance 385–386, 403
- Ouaankifondi complex 189
 Ouazazate Supergroup 1, 3, 4, 6, 235, 266, 329, 330, 433–437, 441
 hydrothermal event 12, 14
 Ouazazate-Agdz region 329, 333, 338
 geochemistry 334–337
 petrography 331–337
 stratigraphy 331–334, 331
- Ougarta domain 445
 Ougnat culmination 461, 462
 Ougnat Massif 453, 455
 Ougnat-Ouzina Ridge 455, 457, 460
 Ouin-Mesdour Formation 469
 Oukhit region, Palaeozoic cover 454
 Oulad Dlim area 448
 Oum Jerane-Taouz fault 455, 459
 Ouzaga formation 303
 Ouzaga-Tizzirt formation 305, 310–311
 deposition 323–324
 geochemistry 313–322, 323–324
 geochronology 312–313, **314**, 315
 magmatic signature 323, 324
 petrography 313–322
 stratigraphy 310–311, 311
- Ouzaga-Tizzirt lavas **316–319**, 319–322, 320
- Palaeozoic, peri-Gondwanan terranes 345–383, 365, 368–369
 palladium 249, 258, 260, 262–263
 Pan-African belt 3, 4, 8, 33, 251, 322, 501, 505
 eclogites 212–213
 metacratonic evolution 10–14
 re-activated fractures 448
 Pan-African ocean, subduction 233, 243, 243
 Pan-African orogeny 3, 4, 15, 54, 111–112, 144, 169–171, 285, 287, 329, 433, 436, 499, 501
 I 195, 196
 II 190, 195–196
 mélanges 233–247
 ophiolites 233–247, 441
 re-mobilization 12, 14
- Pan-African suture zone 203, 205, 212, 217–231, 501, 505, 506
 Pan-African-Cadomian granitic magmatism 409
 paragonite, thermobarometric calculations **206**
 peri-Gondwanan terranes 3, 15, 346–349, 347, 349, 404, 409
 accretion to Laurentia 368, 370
 Appalachian orogen 347, 347
 arc magmatism 347, 364

- basement composition 345, 349, 369
 Brazil 363
 Cambrian fauna 346, 370
 Europe 347–349, 348, 363
 evolution 369
 faunal affinities 349, 368
 geodynamic models 364, 370, 427
 geological setting 346–350
 magmatic history 350–363
 Middle America 347, 348
 Middle East 363
 Neoproterozoic 364–368, 365
 North America 347, 347
 palaeogeography 345–383, 366, 367, 368, 369
 Palaeozoic 365, 368–369
 passive margin sequences 347, 368
 sedimentary provenance 3, 346, 349, 370, 385
 strike slip tectonics 364–368
 tectonostratigraphy 345–383
 zircon analysis 345–346, 349, 402
 phengite, thermobarometric calculations **206**
 Pita group 179
 platinum group element (PGE) 250
 pyroxene solvus thermometer 515

 Reggane placer deposit 77, 101
 Reguibat rise 19, 77, 173
 Reguibat shield 2, 33–52, 34, **43**, 49–50, 101, 102–104
 Rheic Ocean 368
 Rich group 468, 469–472, 479
 basal limy facies 469–471, 471, 474–475
 clastic facies 472, 474–475
 deformation 477, 478
 depositional environments 469–472
 depositional sequences 467, 474–475, 476–477, 476, 477, 480
 lateral variations 468, 471, 476
 sea level changes 467, 473, 480
 sediment supply 476–477
 sedimentary structures 469–472, 470
 sequence boundaries 472–474
 stratigraphy 467–469, 470, 472–474, 473, 476, 477
 and systems tracts 474–475, 476, 480
 tectonic control 477–478
 riebeckite 238, 239
 Rodinia breakup 228, 230
 Rodinia reconstruction 366
 Rokel River basin 178–179, 188–189
 Rokelide belt 169–201, 177
 cross section 191
 foreland 188–189
 geochemical studies 190
 geodynamic model 193, 196–197
 gravimetric data 190
 lithostratigraphy 192
 metamorphic basement 189
 radiometric data 190–195
 tectonothermal event 190–195
 Rokelide frontal thrust 188
 Rokelide orogenic cycle 190
 Romanche fracture zone 500
 Romanche transform margin 499–508

 bathymetric map 499, 500
 tectonic setting 495–501
 rutile exsolution rods 224–226, 225, **226**, **227**

 S-type granite melts 409, 421
 Saghro massif 266, 285–302, 286, 441, 455
 Saghro volcanic field 510, 510
 carbonatitic magmatism 510
 clinopyroxene 514–517
 magma chamber depths 519–521, 520, 522–523
 Saghro-Ougnat area, Variscan deformation 443–444, 444
 Saghro-Ougnat axis 457, 458, 462
 Sainte Barbe volcanic unit 53, 54–55, 56, 57–58, 72–73
 biotite-garnet-quartz schist 58
 quartz-sericite schist 57, 63, 68
 trace element data 53, **58–60**, **61–62**
 Sandikli area 409, 411–412
 Saxo-Thuringian zone 362, 385
 sea level changes 467, 473, 474–475, 480
 Sebket Nich Greenstone Belt 40
 seismic reflection profiles 499–508
 half graben 502, 503–504
 Palaeoproterozoic intrusions 502
 subduction zones 499
 Winneba greenstone belt 502, 503–504
 Senegal 483–497
 sericite index 261–262, 261
 Série Negra Formation
 greywackes 404
 paragneiss zircon analysis 385, 386–401, 394–395, 396–397, 399, 400, 401, 403–405
 rift sequence 403
 sediment sources 404, 405
 Seyna Bela eclogite 210, 211
 Seyna Bela garnet glaucophane 203, 207–210, 208–209
 Shai Hills garnet mafic granulites 224, 227
 garnet composition 226, **226**, **227**
 high pressure metamorphism 224–228, 227
 thermobarometry 224, 227, **227**
 Titanium concentrations 226–227, **227**
 ultra high pressure metamorphism 224–227, 225
 Shai Hills gneiss HIPGE 218, 220–221
 Sid El Houssein ring complex 6–8
 Sirba greenstone belt 27
 Siroua massif 265–283, 266, 267
 amphibole 270, 270
 basic and intermediate rocks 274–276, 277
 biotite composition 270
 calc-alkaline group 274–276, 276
 felsic rocks 276–279
 geodynamic setting 274–280
 magma affinities 274–279, 277, 278, 279
 magmatism evolution 265, 280–281
 mineral composition 269–271, 269, 270
 petrology 265–283
 pyroxene 269–270, 269
 tholeiitic group 274–276, 276
 whole rock chemistry 271–274, **272–274**, 275
 Sirwa complex 4, 510
 Souss Basin 286–289
 South Atlas Fault 4, 265, 329, 338–341, 448, 453
 Souttoufide event 169, 196
 subduction settings 215

- subduction zones
 metamorphism 203–216, 236
 metamorphism pressures 217
 seismic reflection data 499
 thermal gradients 234, 236–237, 236
- Suwannee terrane 358
- Taban Group 189
- Tabia Member 294–295
- Tabouna complex 189
- Taçarat-Inemmaudene Shear Zone (TISZ) 33–35, 36, 36, 44–46
 augen granite gneiss 44, 45, 45, 46–47
 cross-section 46, 46
 flower structure 33, 46, 50
 Nd isotopes 47
 porphyritic granite 45
 shearing age 47, 50
 transpression 50
 xenolithic granite 44, 45
- Tafilalt basin 457–458, 460, 461
- Tafilalt platform 456, 457, 462
- Taghdout Group 4
- Taka pluton 20
- Tamanrasset, metamorphic evolution 137
- Tamarouft granite 4, 9, 11–12, 13, 14
- Tamwirine rhyolitic unit 6
- Taoudenin basin 1, 2, 3, 33, 169, 172, 173–179
 lithostratigraphy 173–175, 176
 Taganet sub-basin 173–175
 Tambaoura sub-basin 173
- Taroudant Group 285, 435
 Basal Series 288
 stratigraphy 287 *see also* Adoudou Formation
- Tasiast-Tijirit terrane 33, 38–44, 41, 42, 50
 Archaean development 49
 banded iron formations 42
 biotite tonalites 41–42, 44
 geochronology 47
 greenstone belts 40
 magma source 49–50
 migmatitic gneiss 33, 40, 42, 49
 Nd isotopes 48
 pegmatitic muscovite granite 44
 shear fabrics 39
 tectonothermal events 44
 zircon analysis 47–49, 47, 48
- Tata fault 441
- Tata Group 4
- Tauride-Anatolide Belt 410, 415
- Tazenakht granite 4, 9–11, 12, 13, 14
- tectonics
 thick skinned tectonics 1, 3, 444–445, 447, 453, 463
 thin skinned tectonics 1, 3, 433, 484
- Telimélé group 179
- Téra pluton 20
- Termesse Group 185, 186–187
- thermobarometry 203, 206, 210–211, 224, 509–524
 clinopyroxene-liquid equilibrium 518–519
 crystallization pressure 518–519
 structural barometer 518–519
- Tichka pluton 307, 310, 311
- Tiddiline Formation 235, 441
- Tidjenouine granulites 113–116, 143
 gedrite bearing 119, 129, 131, 133, 135
 metamorphism 113, 138–142, 144
 migmatitic biotite-garnet-sillimanite metapelites 113
P-T paths 113, 115, 133, 135, 143
 zircon analysis 113, 138–143, 139–140, 141, 142
- Tidjenouine migmatitic gneiss 113–115, 114, 115
- Tidjenouine migmatitic metapelites 115–116
 amphibolite facies 138, 143
 biotite 121, 122
 composition 115
 cordierite 121, 123
 decompressional metamorphism 135, 137–138, 143
 garnet 121, 124, 129
 geobarometers 133, 136
 geochemical data 114
 geochronology 111–146
 geothermometers 133, 136
 granulite metamorphism 133, 137, 143
 mineral assemblages 116–121, 116, 143
 mineral chemistry 121–133
 orthoamphibole 126, 129, 130, 131
 orthopyroxene 121, 125, 129, 129
 orthopyroxene-bearing sillimanite-free 119–121, 120
 orthopyroxene-free corundum-bearing 117
 orthopyroxene-free quartz-bearing 116–117, 118–119, 132–133
P-T evolution 111–146, 132–133, 134, 135, 136, 137, 137
P-T pseudosection 133, 135
 peak metamorphism 135–137, 143
 petrogenetic grid 132–133, 133, 134, 135
 petrology 133–135
 plagioclase 128, 130–133
 quartz-bearing 133
 quartz-free 134
 reaction sequences 133, 134
 reaction textures 116–117, 118, 120, 133
 retrograde metamorphism 135, 138, 143
 secondary orthopyroxene-bearing 117–119, 118–119, 129
 spinel 127, 129
- Tifnout Member 294–295
- Tijirit Greenstone Belt 40
- Tikirt Member 286, 288, 299, 443
- Timrhanhart Formation 469
- Tin Begane, metamorphic evolution 137
- Tin Hama eclogite 203, 207, 208–209, 210, 211
- Tindouf basin 2, 169, 171–173, 467
- titanium solubility 225–227, 227
- Tizi n-Taghatine Group 4
- Tizi-n'Test fault 303
- tonalite trondhjemite granodiorite (TTG) 19, 271, 278
- Touijerert-Modreigue Granite 34, 36
- Touyerma Granite 36
- Trans-Saharan shear zone 3, 501
- Tuareg shield 3, 77, 111, 112, 112, 144, 212
- Turkey, Neoproterozoic magmatism 409–431
- Upper Reguibat Complex 80
- Variscan deformation 433–452, 453–465
 Devonian extension 461–463
 fault kinematics 438, 461–462, 462

- folds 441–443, 445, 446
 - greenschist facies metamorphism 447
 - palaeofault inversion 453, 463
 - Precambrian basement 435
 - shortening 445–447, 462
- Variscan orogeny 1, 3, 8, 15, 54, 72, 303, 311, 324, 345, 433, 445, 453, 483
- Voltas basin 3

- West Africa, Amazonian connections 345–383
- West African Craton 2–3, 2, 20, 33, 78, 79, 169, 170, 196, 228, 478–480, 501
 - bathymetric map 500
 - collision 228–229, 230, 244
 - deep structure 499–508
 - Devonian extension 453–465
 - geodynamic evolution 54, 194–195, 196–197, 322–324
 - lithospheric faults 3–4, 84
 - Neoproterozoic–Palaeozoic 1, 329–343
 - Ossa-Morena Ediacaran basins 385–408
- West African Craton boundaries 2, 3–4, 15, 346
 - eastern 217–218
 - northern 79, 233–247, 303–327, 433–452, 453–465, 467, 478–480
 - southeastern 499–508, 501, 502
 - western 53–75, 169–201, 194–195, 196–197
- West African orogenic belts 172, 195–197
- Winneba greenstone belt 502, 503–504
- wrench style tectonics 483, 486

- Yetti domain 79, 89
- Yetti malinite 87, 88, 88, 89–92
 - nepheline 90, 92
 - phlogopite biotite 90, 91, 92
 - pyroxene composition 89, 90
- Yetti-Eglab Junction 77, 79, 81, 82, 84, 88, 105
- Youkounkoun basin 178–179, 179
- Youkounkoun Group 186

- Zemmour belt 448
- Zenaga plutons 4–8, 6, 9–10, 13
 - composition 7, 8–9, 10–14, 10–11, 12, 13, 13, 14
 - fluid influence 11, 14
 - peraluminous 10, 12, 14
 - petrography 9–10
- zircon analysis 24–27, 25, 26, 27, 28, 28, 46, 138, 345–346, 386–395
 - Hf signature 47, 47
 - morphology 414–415, 414, 415
 - spot analysis 141, 142
 - Tera-Wasserburg diagrams 395, 399, 400, 402
 - textures 141, 394–395, 395–397, 396–397, 398
 - U–Pb dating 46, 111, 385–404, 396–397, 398, 399, 400, 414–415, 414, 415
 - zoning 394–395, 395, 396–397, 398, 401–403
- zircon saturation thermometry 418–421, 420, 422–424, 424
- zircon solubility model 418