

Index

- ⁴⁰Ar/³⁹Ar dating of synkinematic white mica 293–294, 311
- analytical techniques 311–312
- assessment 308
 - significance of biotite and phlogopite ages 308–309
 - significance of white mica ages 309–310
- dating results 302
 - biotite and phlogopite 302–304, 305–307
 - phengite 302, 305–307
- geological setting
 - age of Alpine deformation 297
 - Alpine structures 296–297
 - protolith 294–296
 - P–T* estimates of ductile shear zone development 297
- structural and mineralogical setting 297
 - shear zone mineral chemistry 301
 - shear zone mineralogy 297–301
- Big Hole fault zone, USA 232–233
- Caleta Coloso fault (Chile) 142–143, 144, 145, 146
 - mechanical interpretation 148
- carbon dioxide degassing and fault weakening 175–176
 - fluids in Northern Apennines 187–190
 - geochemical evidence of fluid involvement during extension 176–181
 - carbon dioxide flux 180, 182
 - chemical and isotopic composition of gas emissions 179
 - geological evidence of fluid involvement during extension 181–183
 - footwall evaporites of Tuscany 185–187
 - Zuccale low-angle normal fault 183–185
 - long-term fluid-assisted weakening processes 190–191
 - origin and circulations of deep fluids 181
 - regional setting 176, 177, 178
 - short-term fluid-assisted weakening processes 191
- Carboneras fault (Spain) 140–141
 - mechanical interpretation 147–148
- Corinth, Gulf of 257–258, 272–273
 - fault zone data 260–262
 - faulting and fluid–rock interaction 271–272
 - geological setting 258–260
 - tectonic map 259
 - integrated data interpretation 269–271
 - microstructural and petrologic analysis 262–264
 - calcite breccia cements (C1) 264, 267
 - extensional calcite veins (C2) 264, 267
 - post-kinematic calcite (C4) 264
 - shear calcite veins (C3) 264, 267
 - stable isotopes 264–268
 - thermometry data 268–269
- critical slip distance 23–24
- Darcy's law 324
- deformation bands 35–36, 38–39
 - cluster growth 46–47
 - fracture orientation 51–52
 - frequency v. layer thickness 47–50
 - frequency v. lithology 44–46
 - frequency v. offset of main fault 51
 - Moab area and fault 42–44
 - San Rafael Desert 39–42
- deformation partitioning 211–212, 226
 - crystallographic preferred orientation (CPO)
 - calcite 220
 - quartz 220
 - differential stress 221–222
 - geological setting of the Tauern Window 212–214
 - isotope thermometry 222–223
 - mesoscale structures 221
 - microstructures 217
 - calcite 219
 - quartz 217–219
 - stress orientation from calcite twins 220–221
 - study area 214–216
 - study methods 216–217
 - summary of results 224–226
- deformation-fluid flow coupling 243
- displacement-length scaling 113–114, 120–121
 - fault reactivation and displacement accumulation 118–119
 - implications for fault zone processes 119–120
 - InSAR analysis of Newbury Springs Fault Zone 114–117
 - methodology 117
 - results 117–118
 - scaling 118
- evolution of fault zones 6–7, 10–11
 - peripheral fracturing and host rock weathering 8–9
 - rheology 9–10
 - segment linkage 9
- extensional strain, importance of faults and fractures 97, 109–110
 - damage zones around faults 103
 - frequency/extension at different scales 105–106
 - spatial heterogeneity of fracturing and extension 103–105
 - strain scaling 106–109
 - study methods 99–100
 - study results 100–101
 - bed-scale sections 102–103
 - fault lines 101–102
 - regional line 101
- fault–fluid interaction in a rifted margin 257–258, 272–273
 - fault zone data 260–262
 - faulting and fluid–rock interaction 271–272
 - geological setting 258–260
 - tectonic map 259
 - integrated data interpretation 269–271

- fault–fluid interaction in a rifted margin (*Continued*)
 - microstructural and petrologic analysis 262–264
 - calcite breccia cements (C1) 264
 - extensional calcite veins (C2) 264, 267
 - post-kinematic calcite (C4) 264
 - shear calcite veins (C3) 264, 267
 - stable isotopes 264–268
 - thermometry data 268–269
- Ficino Basin, Italy 277–278
 - calculation of matrix permeability
 - elastic cracked medium 286–287
 - granular medium 285–286
 - fluid flow properties 287–289
 - geological setting 278
 - structural map 279
 - tectonic map 278
 - internal properties of normal faults 280
 - petrophysical properties 282–285
 - structural properties 280–282
 - methodology 278–280
- flow law equations 201
- fluid flow law 243
- fluid flow properties of normal faults in platform
 - carbonates 277–278, 287–289
 - calculation of matrix permeability
 - elastic cracked medium 286–287
 - granular medium 285–286
 - geological setting 278
 - structural map 279
 - tectonic map 278
 - internal properties of normal faults 280
 - petrophysical properties 282–285
 - structural properties 280–282
 - methodology 278–280
- fracturing, peripheral fracturing 8–9
- friction
 - slip displacement 22
 - slip velocity 21
- frictional–viscous flow 151–153, 168–169
 - dynamic weakening 153–154
 - exhumed large-displacement faults 156
 - from greater than 5 km depth 158–163
 - from less than 5 km depth 156–158
 - future directions 163–164
 - controls on seismicity and fault weakening
 - within phyllonitic cores 166–168
 - seismic activity of phyllonitic cores 164–165
 - seismic slip within phyllonitic cores 165–166
 - study outline 153
 - weakening mechanisms within large-displacement faults 154
 - frictional–viscous deformation 155–156
 - high pore fluid pressures 154–155
 - low friction phyllosilicate gouge 154
- gas–water–rock interaction path model (GWRI) 176–177
- granular flow 36
- high-angle fractures within brittle shear zones
 - 75–76, 93
 - geological/tectonic setting 77, 78, 79
 - mesoscale structures 80
 - Palten–Liesing fault 81, 82–83
 - Tarhof fault 80–82
 - study methods 77–80
 - study objectives 76–77
 - study results 83–93
 - host rock weakening 8–9
 - hydraulic properties, improving estimates
 - 231–232, 236
 - Big Hole fault zone 232–233
 - statistical characteristics of fault architectural components 233–236
 - hydrocarbon sealing and migration 15
 - composition of fault rock 15–17
 - geometrical implications 15
 - heterogeneity in structure and composition 17–18
 - stress state 18
- Italy, Southern 205–208
 - comparing rheological profiles with aftershock distribution 202
 - high pore-fluid pressure and afterslip processes 204–205
 - inconsistencies 202–204
 - epicentral map 197
 - rheological analysis 197–198
 - crustal stratigraphy 198
 - strength envelopes 200–202
 - surface heat flows and geotherms 198–200
 - structural map 196
- Kimmeridge Bay (UK) 97, 109–110
 - damage zones around faults 103
 - frequency/extension at different scales 105–106
 - geological overview 97–98
 - spatial heterogeneity of fracturing and extension 103–105
 - strain scaling 106–109
 - study methods 99–100
 - study results 100–101
 - bed-scale sections 102–103
 - fault lines 101–102
 - regional line 101
- Kolmogorov–Smirnov tests (K–S tests) 105
- Kuiper's test 105
- Landers earthquake 114
- layering and pre-existing joints, influence on internal structure development 57–58, 72–73
 - fault gouge thickness and composition 71–72
 - geological setting 58
- limestone normal fault terminations 123–124, 135–136
 - geological setting 124, 125
 - interpretation
 - fault evolution and geometry 131–135
 - fault termination model 131
 - fluid flow properties 135
- Lodève basin (France) 58, 59, 72–73
 - fault orientations 69–70
 - fault trace geometry 70–71
 - geological setting 58
 - individual fault characteristics 60–61
 - internal structure of fault zones 62–69
 - joints 62
 - study methods 58–60

- Mas d'Alary–Saint Jean fault zone 58, 59
 fault gouge thickness and composition 71–72
 fault orientations 69–70
 fault trace geometry 70–71
 individual fault characteristics 60–61
 internal structure of fault zones 62–69
 joints 62
 study methods 58–60
- Median Tectonic Line (MTL), Japan 156–163
- Moab area and fault
 geological setting 36–37
 structural data 42–44
- modelling fault-related features 239–240, 251–253
 methods
 chemical reaction modelling 243–245
 deformation and fluid flow 242–243
 model description 240–242
 results
 deformation patterns 245
 dilation patterns 245–247
 fluid flow vectors in 3D models 249–250
 gold and quartz precipitation patterns 250–251
 permeability enhancement and fluid flow patterns in 2D models 247–249
 stress distribution 245
- Mont Blanc Massif (NW Alps) 311
 assessment of dating 308
 age of deformation 310
 significance for western Alps 311
 significance of biotite and phlogopite ages 308–309
 significance of white mica ages 309–310
 dating results 302
 biotite and phlogopite 302–304, 305–307
 phengite 302, 305–307
 geological setting
 age of Alpine deformation 297
 Alpine structures 296–297
 protolith 294–296
P–T estimates of ductile shear zone development 297
 structural and mineralogical setting 297
 shear zone mineral chemistry 301
 shear zone mineralogy 297–301
- Newbury Springs Fault Zone (USA) 120–121
 background 114
 displacement-length scaling 118
 fault reactivation and displacement accumulation 118–119
 implications for fault zone processes 119–120
 InSAR analysis 114–117
 methodology 117
 results 117–118
- Northern Appennines, fault weakening 175–176
 fluid flow and carbon dioxide flux 187–190
 geochemical evidence of fluid involvement during extension 176–181
 carbon dioxide flux 180, 182
 chemical and isotopic composition of gas emissions 179
 geological evidence of fluid involvement during extension 181–183
 footwall evaporites of Tuscany 185–187
 Zuccale low-angle normal fault 183–185
 long-term fluid-assisted weakening processes 190–191
 origin and circulations of deep fluids 181
 regional setting 176, 177, 178
 short-term fluid-assisted weakening processes 191
- Palten–Liesing fault 81, 82–83, 89–93
- permeability structure of fault zones
 active fault behaviour 11–14
 advancing 14–15
 complex models 11
 concepts 11
- permeability structure on fault branches 341–342, 359
 fluid flow properties of Usukidani fault zone 357–358
 geological setting 343–345
 influence of branching faults on thermal pressurization
 general considerations 350–353
 modelling approach 353–356
 parameter selection 353
 results 356–357
 internal structure of Usukidani fault 345
 core zone 345–347
 damage zone 345
 protolith 345
 porosity and permeability measurements
 clayey gouges and marginal breccias 349
 fault gouges and fault breccias 349–350
 methods 347–349
 results 349
 synthesis of hydraulic properties 342
 thermal pressurization 358–359
- permeability–porosity relationships 12–14
- Pindus–Olonos unit 260
- plastic potential function 243
- Psatopyrgos fault 263
- Punchbowl/North Branch San Gabriel Fault (PF/NBSGF), USA 156–163
- recent advances 6, 25–26
 fault zone evolution 6–7, 10–11
 peripheral fracturing and host rock weathering 8–9
 rheology 9–10
 segment linkage 9
 fault zone permeability structure
 active fault behaviour 11–14
 advancing 14–15
 complex models 11
 concepts 11
 hydrocarbon sealing and migration 15
 composition of fault rock 15–17
 geometrical implications 15
 heterogeneity in structure and composition 17–18
 stress state 18
 seismogenic processes 18–19
 fault zone structure complexity 19
 rupture arrest 25
 rupture nucleation 19–20
 rupture propagation 20–24

- reservoir connectivity 15, 16
- rheology of fault rocks 9–10
- Riedel shear system 85
- rupture arrest 25
- rupture nucleation 19–20
- rupture propagation 20–23
 - asperities 24
 - critical slip distance 23–24
 - dynamic weakening 20–23
 - material heterogeneities 23
 - type and speed 24
- San Andreas Fault (SAF) 151–152
- San Andreas Fault Observatory at Depth (SAFOD) 152–153
- San Rafael Desert
 - geological setting 36, 37
 - structural data 39–42
- segment linkage, role of 9
- seismogenic processes 18–19
 - fault zone structure complexity 19
 - rupture arrest 25
 - rupture nucleation 19–20
 - rupture propagation
 - asperities 24
 - critical slip distance 23–24
 - dynamic weakening 20–23
 - material heterogeneities 23
 - type and speed 24
- Shale Gouge Ratio algorithm (SGR) 17
- siliciclastic sediments, interbedded 35–36, 53
 - geological setting
 - Moab area and fault 36–37
 - San Rafael Desert 36, 37
 - structural data
 - deformation structures 37–39
 - Moab area and fault 42–44
 - San Rafael Desert 39–42
 - study results
 - deformation band and fracture orientation 51–52
 - deformation band cluster growth 46–47
 - deformation band frequency v. layer thickness 47–50
 - deformation band frequency v. lithology 44–46
 - deformation band frequency v. offset of main fault 51
 - fluid flow 52–53
- South East Basin (France) 123–124, 135–136
 - fault terminations 124–129
 - fracture characteristics and microstructural observations 129–131
 - types of terminations and geometries 124
 - geological setting 124, 125
 - interpretation
 - fault evolution and geometry 131–135
 - fault termination model 131
 - fluid flow properties 135
- strain rate 201
- strike–slip faults 139–140, 148–149, 152, 205–208
 - comparing rheological profiles with aftershock distribution 202
 - high pore-fluid pressure and afterslip processes 204–205
 - inconsistencies 202–204
 - controls on fault zone architecture 143–147
 - deep-crust earthquake faulting
 - epicentral map 197
 - rheological analysis 197–202
 - structural map 196
 - fault zone structure 140
 - Caleta Coloso fault (Chile) 142–143, 144, 145, 146
 - Carboneras fault (Spain) 140–141
 - mechanical interpretation
 - Caleta Coloso fault (Chile) 148
 - Carboneras fault (Spain) 147–148
- strike–slip faults, thermal circulations 317–319, 336–337
 - assessment 334–336
 - conceptual models of thermal circulation 321–322
 - steady-state simulation 327–328
 - transient-regime simulation 328–331
 - numerical modelling 322–326
 - 3D geometry 323
 - simulation parameters 325
 - structural and hydrogeological setting 319–321
 - structural map 320
- structure of fault zones 19
- Tarhof fault 80–82
- Tauern Window, eastern Alps 211–212, 226
 - crystallographic preferred orientation (CPO)
 - calcite 220
 - quartz 220
 - differential stress 221–222
 - geological setting 212–214
 - isotope thermometry 222–223
 - mesoscale structures 221
 - microstructures 217
 - calcite 219
 - quartz 217–219
 - stress orientation from calcite twins 220–221
 - study area 214–216
 - study methods 216–217
 - summary of results 224–226
- Terme di Valdieri, Italy 317–319, 336–337
 - assessment 334–336
 - conceptual models of thermal circulation 321–322
 - steady-state simulation 327–328
 - transient-regime simulation 328–331
 - numerical modelling 322–326
 - 3D geometry 323
 - simulation parameters 325
 - structural and hydrogeological setting 319–321
 - structural map 320
- thickness–displacement relationships 7, 8
- tip-point veining 129–130, 132, 134, 136
- Usukidani fault, Japan 341–342, 359
 - fluid flow properties 357–358
 - geological setting 343–345
 - influence of branching faults on thermal pressurization
 - general considerations 350–353
 - modelling approach 353–356
 - parameter selection 353
 - results 356–357

- internal structure 345
 - core zone 345–347
 - damage zone 345
 - protolith 345
- porosity and permeability measurements
 - clayey gouges and marginal breccias 349
 - fault gouges and fault breccias 349–350
 - methods 347–349
 - results 349
- synthesis of hydraulic properties 342
- thermal pressurization 358–359
- Valimi fault 265, 266
- Vela fault 262
- Venere fault 281
- weak faults 151–153, 168–169
 - dynamic weakening 153–154
 - exhumed large-displacement faults 156
 - from greater than 5 km depth 158–163
 - from less than 5 km depth 156–158
- future directions 163–164
 - controls on seismicity and fault weakening
 - within phyllonitic cores 166–168
 - seismic activity of phyllonitic cores 164–165
 - seismic slip within phyllonitic cores 165–166
- study outline 153
- weakening mechanisms within large-displacement faults 154
 - frictional–viscous deformation 155–156
 - high pore fluid pressures 154–155
 - low friction phyllosilicate gouge 154
- Xylokastro fault 261
- yield function 242
- Zuccale fault (ZF) 183–185