

# Index

- antecrysts 134, 135
- Aolian Islands 34
- Cathedral Peak Granodiorite 203–204
  - conclusions 230–231
  - discussion 223–225
    - compositional variation 226–230
    - internal contacts 225–226
  - field relations and petrography
    - aplitic dykes 209
    - Cathedral Peak petrography 209–211
    - interaction zones 211–214
    - ladder dykes 211
    - magmatic fabrics 215–216
    - magmatic faults 215
    - microgranitoid enclaves 209
    - potassium feldspar concentrations 214
    - Schlieren 209
  - geological setting 204–205
  - method
    - analytical methods 205
    - geochronology 206–209
    - isotope data 212
    - major element oxides by XRF 207
    - mineral chemistry of plagioclase 205–206
    - sampling strategy 205
    - trace elements by ICP–MS 210–211
    - trace elements by XRF 208
    - U–Pb zircon data 213
  - results
    - feldspar chemistry 221–223
    - geochemistry 216–218
    - Sr and Nd isotopes 218–221
    - U–Pb geochronology 223, 224
- crustal thickness 18–19
  - correlation with lava dome proportion 21, 23–25
- crystal populations 133
  - combined textural analysis
    - approach 138–139
    - crystal size distributions 140
    - dihedral angles 140–143
    - Kameni enclaves 140
    - Santorini volcano 139–140
    - spatial distribution patterns 140
  - composition 133–134
    - antecrysts 134, 135
    - final texture 134–136
    - microlites 134, 135
    - phenocrysts 134, 135
    - xenocrysts 134, 135
  - conclusion 145
  - future developments
    - linking textures with microgeochemical analysis 145
    - textural analysis 143–145
  - quantifying textural parameters 136
  - crystal shapes 136
    - crystal size distribution 136–137
    - dihedral angles 138
    - spatial distribution patterns (SDPs) 137–138
  - crystal size distribution, three dimensional 48
- differentiation, uniform processes 261–262
  - conclusions 279–280
  - discussion
    - implication for crustal growth 275–276
    - melt differentiation processes 276–279
  - geological setting 262
  - results
    - amphibole 268–271
    - apatite 271
    - clino- and orthopyroxenes 267–268
    - crystallization pressure 274–275
    - crystallization temperature 273
    - Fe–Ti-oxides 271–273
    - glass compositions 264–266
    - mineral chemistry 266–275
    - oxygen fugacity 273–274
    - plagioclase 266–267
    - samples and analytical methods 262–263
    - preparation 263–264
  - diffusion in a spherical grain 251
- equilibrium fractionation factor 251
- Fourier's law 22
- gas phase exsolution 50
- Gibbs free energy 62
- Global Volcanism Program (GVP) 16
  - reliability of eruption style data 20–22
- Hawaiian tholeiite basalt 51–52
- irregular arcs 16
  - magma migration 26
- Izu Bonin volcanic arc 261–262
  - conclusions 279–280
  - discussion
    - implication for crustal growth 275–276
    - melt differentiation processes 276–279
  - geological setting 262
  - results
    - glass compositions 264–266
    - mineral chemistry 266–275
    - samples and analytical methods 262–263
    - preparation 263–264
- Kilauea volcano 83
  - background and previous work 83–87
  - tectonics and plumbing system 85
  - conclusions 111

- Kīlauea volcano (*Continued*)
- interpretation 103
    - eruption types and eruption rate 110–111
    - Halema'uma'u eruption 103–106
    - magmatic history 106–109
    - seismicity along magma supply
      - path 109–110
    - significance of intrusion types 110
  - observations
    - eruption efficiency 94
    - eruption periods 91
    - precursory sequences to eruption and intrusion 92–94
    - seismic and deformation history 95–103
    - seismic and tilt sequences 94–95
  - seismic and tilt data 87–88
    - eruption and intrusions 90, 91
    - limitations on quantitative analysis of magma supply 91
    - map 88
    - Uwekahuna tilt data analysis 88–91
  - study assumptions 87
  - tilt and volume changes over eruptive cycles 112–114
- lava dome proportion 16
  - correlation with crustal thickness 21, 23–25
  - correlation with plate convergence rate 22, 23–25
  - correlation with surface heat flux 20, 22–23
- linear elastic fracture mechanics (LEFM) 73–74
- magma chamber, short-lived stratified 149, 166
  - analytical methods 151–152
  - discussion 162
    - inferred magmatic processes 165–166
    - petrological features of andesitic end-member magmas 162–163
    - petrological features of basaltic andesite magmas 163–164
    - petrological features of basaltic end-member magmas 163
    - three magmas for tephra layers 162
  - geological features of tephra layers 151
  - geological outline of Zao volcano 149–151
  - mineral chemistry 155
    - glass inclusion compositions 157–158
    - Z-To5 layer 155–157
    - Z-To6 and 7 layers 157
  - petrography of tephra layers 152
    - Z-To5 layer 152–154
    - Z-To6 and 7 layers 154–155
  - whole rock compositions 158–162
- mantle to crust magma transfer in volcanic arcs 15–16
- conclusions 27
- findings 20
- $^{238}\text{U}/^{230}\text{Th}$  disequilibria 24
  - correlation with surface heat flux 22–23
  - geochronological evidence 25–26
  - magma migration in irregular arcs 26
  - reliability of GVP eruption style data 20–22
- methodology
  - arcs with Holocene effusive eruptions 17
  - average viscosity determination 16
  - crustal thickness 18–19
  - plate convergence rate 19
  - surface heat flux 18
  - volcanic arc characterization 16–18
- results 19–20
- microlites 134, 135
- phenocrysts 134, 135
- plate convergence rate 19
  - correlation with lava dome proportion 22, 23–25
- Poiseuille equation 72
- Popocatepetl volcano 117
  - conclusions 130
  - discussion
    - dome evolution 128–129
    - magmatic plumbing 128
    - magnetic anomalies 127–128
  - observations
    - seismicity 120–122
    - volcanic activity 119–120
  - study methods
    - eruptive activity 117–118
    - magnetic signals 122–127
    - magnetism 118
    - seismicity 119
    - spring water 122
    - spring water and ash 119
- random sphere distribution line (RSDL) 138
- regular arcs 16
- Santorini volcano 139–140
  - Kameni enclaves 140
    - crystal size distributions 140
    - dihedral angles 140–143
    - spatial distribution patterns 140
- Sciare del Fuoco 35–36, 37
- silicic magma production rates 169–170
  - amphibole, role of 174
  - conclusions 179
  - effect of recharge 175
  - model I – mixing before eruption 170–171
  - model II – melt assimilation during differentiation 171–174
  - physical implications 175–179
- sill growth model 72–74
- Snake River Plain – Yellowstone (SRPY) 235–236
  - basalt intrusion in middle–upper crust 244
  - discussion and summary 254–256
  - fundamental characteristics of magmatic province
    - crustal and mantle rhyolites 242–244
    - rhyolite compositional variation 239
    - rhyolite petrology and temperature 238–239
    - rhyolite source 239–241
    - volcano-tectonic overview 236–237
    - volume and scale of rhyolite systems 237–238

- oxygen isotopic constraints on rhyolite genesis
  - diffusivity and fractionation factor coefficients 252
  - oxygen isotope problem 250–251
  - theoretical considerations 251–252
- physical models 244
  - magma reservoir model 244–246
  - thermal models for rhyolite generation 246–250
- spatial distribution patterns (SDPs) of crystals 137–138
- Stromboli volcano 33–34
  - analytical methods 38
  - bulk composition and glass chemistry 44–48
  - conclusions 59–62
  - crystal size distribution and intrabubble distances 48–50
  - golden pumice 51
  - scorias and lavas 50–51
  - geological setting and volcanological outline 34–35
  - eruptions, historic and current 36–38
  - geological map 36
  - structural framework 35–36
  - volcano 35
- melt and magma viscosity 51–53
- petrography and mineral compositions 38–44
- petrology and phase relationships 53–54
- plumbing system and magma chamber shape 57–59, 60
  - P–T* path summary 58
- thermobarometric constraints 54–57
- surface heat flux 18
  - correlation with lava dome proportion 20, 22–23
- Tamman–Vogel–Fulcher (TVF) 51–53
- Tindari–Letojanni fault system 34
- Tuolumne Batholith (TB) 203–204
  - conclusions 230–231
  - discussion 223–225
    - compositional variation 226–230
    - internal contacts 225–226
  - field relations and petrography
    - aplitic dykes 209
    - Cathedral Peak petrography 209–211
    - interaction zones 211–214
    - ladder dykes 211
    - magmatic fabrics 215–216
    - magmatic faults 215
    - microgranitoid enclaves 209
    - potassium feldspar concentrations 214
    - Schlieren 209
  - geological setting 204–205
  - method
    - analytical methods 205
    - geochronology 206–209
    - isotope data 212
    - major element oxides by XRF 207
    - mineral chemistry of plagioclase 205–206
    - sampling strategy 205
    - trace elements by ICP–MS 210–211
    - trace elements by XRF 208
    - U–Pb zircon data 213
  - results
    - feldspar chemistry 221–223
    - geochemistry 216–218
    - Sr and Nd isotopes 218–221
    - U–Pb geochronology 223, 224
- Tuolumne Intrusive Suite (TIS) 183–184
  - discussion
    - low-temperature mineral equilibrium 193
    - origin of chemical variation 193–195
    - significance of mapped plutonic units 198–199
    - source of isotopic variability 195–198
    - spatial and temporal variations in composition 193
    - time–space patterns of geochemical variation 198
  - geological setting 184–186
  - petrology
    - major- and trace-element geochemistry 188–190
    - methods 186
    - mineral chemistry 186–188
    - radiogenic isotope geochemistry 191–193
    - thermobarometry 188
  - summary 199
- viscous dissipation in sill growth 71–72
  - conclusions 79–80
  - implications for numerical modelling 78
  - implications for sill thickness prediction 78–79
  - near-tip region 74–75
  - propagation regime 75–76
  - sill growth model 72–74
  - sill growth regime 77–78
- volcanic arcs, first-order observations 15–16
  - conclusions 27
  - findings 20
    - $^{238}\text{U}/^{230}\text{Th}$  disequilibria 24
    - correlation with surface heat flux 22–23
    - geochronological evidence 25–26
    - magma migration in irregular arcs 26
    - reliability of GVP eruption style data 20–22
  - methodology
    - arcs with Holocene effusive eruptions 17
    - average viscosity determination 16
    - crustal thickness 18–19
    - plate convergence rate 19
    - surface heat flux 18
    - volcanic arc characterization 16–18
  - results 19–20
- Williams expansion 73–74
- xenocrysts 134, 135
- Zao volcano 149, 166
  - analytical methods 151–152
  - discussion 162
    - inferred magmatic processes 165–166
    - petrological features of andesitic end-member magmas 162–163
    - petrological features of basaltic andesite magmas 163–164
    - petrological features of basaltic end-member magmas 163
    - three magmas for tephra layers 162

*Zao volcano (Continued)*

geological features of tephra layers 151  
geological outline 149–151  
mineral chemistry 155  
  glass inclusion compositions  
    157–158

Z-To5 layer 155–157  
Z-To6 and 7 layers 157  
petrography of tephra layers 152  
  Z-To5 layer 152–154  
  Z-To6 and 7 layers 154–155  
whole rock compositions 158–162