

# Index

Page numbers in *italic* denote figures. Page numbers in **bold** denote tables.

- Aasiaat domain 195, **199**, 206, 210, 218, 223  
Aasivik terrane **200**, 209  
Abitibi–Wawa superterrane, Neoproterozoic  
170–176, **172–173**  
Abloviak shear zone 220  
Abner Formation 216  
Abukuma Belt 18  
ACCRETE project 262  
accretionary margins, OMSZs 78, 113  
accretionary orogens 1–4, 4, **106**, 237  
    characteristics 5  
    crustal structure 5–12  
    primitive 342, 345  
    sediments 16–17  
    types 12–14  
accretionary prisms 7, 14–16, 17  
    Canadian Cordillera 257, 259, 261–269  
    Indo–Burma complex 375, 377,  
    382–383, 397  
accretionary wedges, Fennoscandia 251–252  
adakite, Archaean **156**, 162–163, **179**, 180,  
181, 182  
advancing orogens 12, 13–14, 42, 237  
Aillik group **200**, 213, 221  
Aishihik batholith 324, 325  
Aishihik metamorphic suite 324  
Akia terrane 60, 159, 170, **200**, 209  
Akilia association 133, **139–140**  
Aksala Formation 312  
Åland, seismic profile 248  
Aleutian intra-oceanic arc subduction zone 107,  
111, 119  
    crustal productivity 110, 112  
    frontal prism 113  
Aleutian Trench 7, 8  
Alexander terrane 258, 274, 276  
    Palaeozoic 284–285, 293–294, 299  
Alice Springs orogeny 5  
Alpine–Himalayan collisional orogen 1, 2, 37,  
38, 157, **158**  
Altai–Cordilleran collisional  
    orogen 157, **158**  
Ambler arc 281, 282  
Ameralik dykes 130, 131, 136  
Amîtsoq gneisses 131  
amphibolite  
    boninitic  
        Isua supracrustal belt 138, **140**, 144, 145  
        Itsaq Gneiss Complex 138, 145  
Anap nunâ Group 195, **199**, 204  
Andaman Sea region, tectonic  
    evolution 380–382  
Andean continental margin arc subduction zone  
    *see* continental margin arc subduction  
    zone  
Andes  
    crustal shortening 13–14  
    metamorphism 50  
    tectonic erosion 80–82, 84  
andesite, high-magnesian, Archaean **156**, 163–164,  
179, 180, 181, 182  
Anshan, China  
    Eoarchaean crustal growth 150–151  
    geochronology 137  
    orthogneiss **143–144**  
    trondhjemite **143–144**  
Antelope Mountain Quartzite 276, 289, 290, 294  
Antler Orogeny 275, 298  
Appalachian orogen, metamorphism 59  
Appalachian–Ouachita orogen 5  
arc accretion  
    sediment recycling 91–94  
    steady-state 88–91  
arc collision, Molucca Sea 364  
arc imbrication, Canadian Cordillera 309–326  
arc magmatism 5, 22, 105  
    Alexander terrane 284  
    CSSZs 108, 112  
    extinction 111  
    Lewes River Arc 324–325  
    OMSZs 110–112  
    Peri–Laurentia terranes 275, 277–280  
    rates 87–88  
    Southeast Asia accretionary orogen  
        364–365  
arc–passive margin collision 88–91  
Archaean, hot subduction 156–157,  
158–164, 180  
Archaean crustal growth  
    geodynamic processes **157**  
    West Greenland 155–170, 159  
Archaean–Proterozoic metamorphism 54–56  
Arctic Alaska terrane, Palaeozoic 281–283, 294  
Arfersiorfik intrusive suite **199**, 210–211, 212  
Astarte River Formation **199**, 202  
aulacogens 4–5  
BABEL seismic profiles, Fennoscandia 12, 240,  
245, 246, 248, 249, 250  
Bacchus Formation 216  
back-arc basins 12–13  
    heat flow 18  
    Lachlan orogen 343  
    ophiolites 17

- back-arc mobile belt model, Thailand and Myanmar 394–396
- back-arc volcanism, Yukon–Tanana terrane 279–280
- Baffin Island 195, 196  
 Foxe fold belt 195, 196, 217  
 Narsajuaq island-arc terrane 214–215  
 Rae craton 198, **199**, 201, 202
- Baffin suture 196, 217, 218, 223
- Ballantrae ophiolite 17
- Baltican affinity terranes 276, 280–292
- Banda suture 352, 354, 362
- Banda Volcanic Arc 353, 362, 364, 365
- banded iron formation  
 Isua greenstone belt 165, 165  
 Itsaq Gneiss Complex 131, 132, 133
- Barbados, OMSZ 109, 113
- Barbados Ridge 17
- Barberton greenstone belt 22, 61
- Barentsia 281
- Barnard Glacier pluton 285
- Barrovian metamorphism 57, 59, 223
- basalt  
 augite-phenocrystic, Tally Ho shear zone 317  
 Lachlan orogen 340  
 Nb-enriched, Archaean **156**, 163–164, **179**  
*see also* island arc basalt (IAB); mid-ocean ridge basalt (MORB); ocean island basalt (OIB)
- basalt-andesite-dacite-rhyolite (BADR) associations 156, 160–161, 163, **179**, 180, 181
- basins, post-rift  
 Gulf of Thailand 388, 390–391  
 inversion, Thailand 375, 388, 389
- batholiths, andean-type 3
- Belt–Purcell basin 261
- Bendigo Zone 334, 335
- Bergeron suture 218, 223
- Bergslagen microcontinent 238, 239, 245, 247, 249, 251, 252  
 seismic profile 250
- Bird's Head microcontinent 362
- blueschist-facies 47, 51, 58–59
- Bolivian orocline 14
- Bone Gulf 353, 361
- boninite  
 Archaean **156**, 158, 160–161, 181, 182  
 Isua supracrustal belt 138, **140**, 144, 167  
 Lachlan orogen 340–341
- Bonnet Plume River Intrusions 261
- Border Ranges assemblage 7, 8
- Borneo  
 sedimentation 360  
 subduction 360
- Borneo suture 352, 354, 358, 360–361
- Bothnia microcontinent 238, 239, 245  
 BABEL seismic profiles 246
- Bothnian basin 245  
 BABEL seismic profiles 246, 248
- Bothnian belt, seismic profiles 243
- Bravo Lake Formation **199**, 202
- Brooks Range 7, 281, 282
- Browns Fork orogeny 284, 298
- Buchan metamorphism 57
- Burma block  
 collision with India 382–383  
 west, collision with Sundaland 378, 380
- Burwell arc 220
- Buttle Lake Group 286
- Cache Creek terrane 258, 267, 274
- Calderian orogeny 257
- Caledonian affinity terranes 276, 280–292
- Canada, northeastern  
 crustal components 195, 201–216  
 Precambrian correlation 193–225
- Canadian Cordillera  
 accretionary margin  
 heat flow 268–269  
 magnetic field 263–264, 265  
 origin 267–269  
 Poisson's ratio 263, 266  
 Proterozoic 257–269  
 stratigraphy 259–261  
 seismic profiles 259, 262–266  
 suspect terranes 258, 259, 263, 267, 269  
 arc imbrication 309–326  
 Peri-Laurentian terranes 275
- Canadian Shield 257, 258
- Cape Smith belt 221–223
- Cassier Platform 263
- Cassier terrane 258
- Central Asian Orogenic Belt 3, 4  
 evolution 39
- Central Basin, Myanmar 18, 374, 375, 382, 394
- Central Finland granitoid complex 238, 239, 244  
 seismic profiles 242–243, 247
- Centralian Supergroup 5
- Chapperon Group 287
- Chase Formation 288
- Chiang Mai basin 378, 391, 393
- Chugach terrane 7, 8, 17
- Chukotat Group 215
- Chukotka Peninsula 276, 281–283
- Churchill domain 194, 195, 214–215, 221, 223
- CIA crust 105–120, **106**
- Coast Range Ophiolite 7, 10
- Coates Lake Group 261
- Coldfoot subterrane 281, 283  
 collision, thick-skinned, Stikinia terrane 325–326
- collisional orogens 3–4, 4, 38, **106**, 237
- Colville Hills 260

- continental crust  
 generation 75–76  
 subduction recycling 75–98, **77**  
 rates 84–88, **86, 87**  
 thickness 95–96
- continental debris 96–97, 116
- continental growth 22–24  
 Neoproterozoic 43
- continental hinge line, Canadian Shield 257, 258, 258, 266
- continental-margin (Andean) arc subduction zone **106, 107, 110, 118**
- Coppermine River Group 260, 261
- Cordillera Deformation Front 258
- Cordilleran accretionary orogen 1–2, 2  
 terrane accretion 20, 50  
*see also* Canadian Cordillera; North American Cordillera
- Cordilleran-type orogens 38
- Corn Creek orogeny 261
- correlation, northeastern Canada and western Greenland 193–225
- Costa Rica, tephra geochemistry 83–84, 85
- coupling, plate 18–19, 19
- cratonization 18–21
- Crescent terrane 7, 10
- Crocker Land 282, 296
- Crocker turbidite fan 360
- crust, structure 5–12
- crustal-suturing subduction zone (CSSZ) **106, 108–110, 109, 111**  
 arc magmatism 108, 112  
 CIA balance 115–120  
 recycling losses 115, 118
- Culbertson Lake allochthon 291
- Cumberland batholith 196, **199, 202–203, 206, 217, 220**
- cyclomedusoids, Antelope Mountain 289
- de Pas batholith 215
- deformation  
 brittle, Tally Ho shear zone 322, 324  
 Isua supracrustal belt 132, 133  
 Sulawesi 361  
 Thailand and Myanmar 397
- Delamerian orogen 331, 336, 344
- Denault Formation 216
- Descon Formation 284
- Devon Island 196  
 Rae craton 202
- Dewar Lakes Formation **199, 202**
- Dickson Hill 313, 316, 318, 320, 322
- Disko Bugt suture 197, 206, 210, 211, 218, 220, 223
- Dismal Lakes Group 261
- Doi Inthanon gneiss 378, 391, 394, 395, 397
- Dookie segment 337, **338, 340**
- Doonerak fenster 282, 282, 294
- Dorset fold belt 195, 196, 220–221
- Duncan Peak allochthon 291
- dunite, Itsaq Gneiss Complex 144–146
- Eastern Klamath terrane 276, 277, 289–291, 294
- eclogite–high-pressure granulite metamorphism (E–HPGM) 43–48, 51–52, 53, 55, 56, 62
- Ediacaran fauna 289
- Ellesmere Island 196, 218  
 Rae craton 202
- Ellesmere–Devon terrane 195, 196, **199, 202, 217**
- Ellesmere–Inglefield belt 217, 218
- Ellesmerian orogeny 283, 298
- Endicott Group 283
- Eoarchaean  
 crustal growth  
 Anshan, China 150–151  
 West Greenland 127–151  
 Isua greenstone belt 164–167, 176  
 metamorphism 60–61
- erosion  
 control of crustal thickness 95–96  
 orogenic topography 96–97  
 tectonic  
 geochemistry 82–84  
 mechanisms 76–80  
 non-steady state 80–82, 84  
*see also* subduction, erosion
- Etah Group **199, 202, 217**
- Etah metagneous complex **199, 202, 217**
- Eurasian margin, Southeast Asia 351–366
- exhumation rates 92–94
- Færingehavn terrane 130, 131, 133, 149, 159, **200, 209**
- Farewell terrane 276, 283–284, 294, 299
- faulting  
 Lachlan orogen 333  
 normal, Thailand 391–394  
 strike-slip, Shan Plateau 383–386
- fauna  
 Baltican affinity 284, 289, 290  
 Laurentian affinity 281, 283, 285, 289, 290, 291  
 McCloud 280, 286, 292, 298  
 Siberian affinity 283, 284, 289, 290
- Fennia orogen **240, 241, 245, 252**
- Fennoscandia  
 geology 238, 239  
 Palaeoproterozoic 237–253, 238  
 seismic data 240, 242–243, 246, 247, 248, 250
- Finlayson assemblage 279
- FIRE seismic profiles, Fennoscandia 12, 240, 242–243, 244, 247
- flat-slab subduction 5, 19–20

- Flint Lake Formation **199**, 202, 203  
folding  
  Kapisilik–Tre Brødre terranes 166  
  Tally Ho shear zone 322  
  Thailand 377
- Forest Mountain terrane 289
- Fort Simpson terrane 257, 258, 268
- Foxe basin 196
- Foxe fold belt 195, 196, 217, 223
- Franciscan assemblage 7, 10
- frontal prism **106**, 108, 112–113
- gabbro, Itsaq Gneiss Complex **139**, 144
- geochemistry, tectonic erosion 82–84, 85
- geochronology  
  Isua supracrustal belt 133, 135  
  Itsaq Gneiss Complex 136, 137, 138  
  Tally Ho shear zone 319–320, **321**, 323
- Georgia Strait 7, 10
- gneiss *see* Itsaq Gneiss Complex
- gneiss domes, Thailand 393–394, 397
- Golconda allochthon 292
- Gold Hill 315, 317  
  rhyolite 313, 314, 319
- Gondwana  
  assembly 20–21, 39, 59  
  subduction 39
- Gorontalo Bay 353, 361
- Governor Fault Zone 334
- granite  
  Itsaq Gneiss Complex 131, 133  
  megacrystic  
    Tally Ho shear zone 314, 319  
    geochronology 319–320, **321**, 323  
  Myanmar and Thailand 376, 377–378, 397
- granite magmatism, Sundaland 356–357, 360
- granitoids, Lachlan orogen 333, 334, 336
- granodiorite, Tally Ho shear zone 313, 314, 319
- granulite–ultrahigh-temperature metamorphism  
  (G–UHTM) 43, 45, 46, 48–49, 51–52, 53, 54–55, 62
- Great Valley ophiolite 7, 10
- Greenland 197
- Greenland Caledonides 274
- greenschist-facies  
  Kittilä arc 252  
  Mount Wellington Belt 337
- greenstone belts 21–22  
  Archaean 60, 61, 155–184  
  Knob Hill Complex 287  
  Phanerozoic analogues 181–183
- Grenville orogenic system 268  
  evolution 39
- Gulf of Thailand 374, 377  
  rift basins  
    initiation 391  
    thickness 388, 390–391
- Halmahera Arc 353, 362–363, 364
- Hälsingland belt 238, 245, 249
- Håme belt 238, 239, 245, 249, 252  
  seismic profiles 247, 248
- Hammond Subterrane 281, 282
- harzburgite, Itsaq Gneiss Complex 144–146
- Havallah squence 292
- Hearn Block 194, 195
- Heathcote Belt 336, **339**, **340**
- Heathcote Fault Zone 334
- high-pressure–ultrahigh-pressure metamorphism  
  (HPM–UHPM) 43, 44, 45, 46, 47, 51–52, 53  
  Wilson cycles 58, 59
- Himalayan orogenic system, evolution 39
- Himalayan–Karakoram–Tibetan orogen 225, 373
- Himalayan-type orogens 38
- Himalayas, erosion rate 96, **97**
- Hoare Bay Group 195
- Hoffman-type breakup 58, 59–60
- Hopedale block **199**, 208, 209
- hotspots  
  subduction 19  
  *see also* mantle plumes
- Hottah arc terrane 12, 257
- Howqua Accretionary Complex 333, 344, 345
- Howqua segment 334, 337, **339**, **340**
- Hushe gneiss 225
- Hyland Group 260
- Iapetus Ocean  
  magmatic arcs 3  
  opening 39
- Iggavik mafic dykes **200**, 213
- Ikertôq thrust zone 210, 212
- Imandra–Varzuga suture 238, 241
- imbrication 15, 129  
  Canadian Cordillera 309–326  
  Lachlan orogen 333
- Inaluk dyke 130
- Inari island arc 238, 239
- Inari terrane 241
- India  
  collision with Burma block 382–383  
  collision with Myanmar 380–394  
  deformation 397
- Indian Craton 224
- Indo–Burma ranges 374  
  accretionary prism complex 375, 377, 382–383, 397
- Indonesia, Eastern 354, 362–363
- Indonesian island arc 3
- Indosinian orogeny 377
- Indus–Yarlung suture 379
- Inglefield mobile belt 195, 197, **199**, 202, 217, 223
- inner prism **106**, 108, 109, 113
- Insular Subterrane 284–286

- intra-oceanic arc crust *see* CIA  
 intra-oceanic arc subduction zone **106**, 110  
 intracratonic orogens 3, 4, 5  
 inversion cycles 42, 58  
 island arc basalt, Itsaq Gneiss Complex 132, 138,  
     **139–140**, 148  
 island arcs 3  
     Fennoscandia 239, 244–249  
     *see also* arc magmatism  
 Island Harbour Bay plutonic suite 221  
 Isua supracrustal belt 131, 132, 133, 134, 135  
     amphibolite 138  
     boninite **140**, 145, 167  
     geochronology 133, 135  
     greenstone belt 22  
         Eoarchaeon 164–167, 176  
     island arc basalt 138, **139–140**  
     metamorphism 60  
     orthogneiss 135  
     picrite 160, 161–162, 167  
 Isukasia terrane 131, 159, **200**, 209  
 Itsaq Gneiss Complex 60  
     amphibolite 138, 145  
     Eoarchaeon crustal growth 127–151,  
         128, 132  
         cycles 149  
         geochronology 136, 137, 138, 150  
         thermal characteristics 147  
     geological setting 129, 131, 133  
     tonalite 130, 131, **141–142**, 146–147, 150  
 Ivisaaqtog greenstone belt 159, 166  
     Mesoarchaeon 167, 169–170, 171, 177  
 Izu–Bonin–Mariana subduction zone **106**,  
     110, 119  
     crustal productivity 110–111, 112  
  
 jadeite belt 378  
 Jamieson–Licola Arc 342, 343, 344  
 Jamieson–Licola assemblage 334, 337, **338–339**,  
     **340**, 341  
 Java Trench 352, 354  
 Jormua ophiolite 245  
     seismic profiles 242  
 Juan de Fuca Plate 7, 10  
 Julianeåb batholith **200**, 221, 222  
  
 Kabaw Fault 383  
 Kanairiktok plutonic suite **200**, 208  
 Kangamiut dyke swarm **199**, 210, 211, 212  
 Kangdese batholith 3  
 Kap York metaigneous complex **199**, 201  
 Kapisilik terrane 159, 166, **200**, 209  
 Karelian craton 238, 239, 241, 245, 251  
     seismic profiles 242–243  
 Karheen Formation 284  
 Karrat Group 195, **199**, 203, 204–206, 219  
 Kechika fault 263  
  
 Keitele microcontinent 238, 239, 244, 245, 247, 251  
     BABEL seismic profiles 246  
 Ketilidian orogen 195, 197, **200**, 211, 213–214,  
     221, 223  
 Khorat Group 385–386  
 Kigarsima nappe 219  
 Kikkertavak mafic dykes **200**, 213  
 Kittilä allochthon 238, 239, 244, 251, 252  
 Klakas orogeny 284, 285  
 Klinkit assemblage 279–280  
 Klondike assemblage 279–280  
 Knaften island arc 238, 239, 245, 252  
     BABEL seismic profiles 245, 246  
 Knob Hill complex 287  
 Kobberminebugt shear zone 221  
 Kohistan island arc 3  
 Kohistan terrane 225  
 Kola craton 238, 239  
 Kootenay terrane 258, 278  
     arc magmatism 275, 277–278, 298  
 Kosciusko batholith 333  
  
 Laberge Group 267, 311, 312, 324, 325, 326  
 Labrador 195, 198  
     North Atlantic (Nain) craton 208, 209  
 Labradorian orogeny 221  
 Lachlan orogen  
     Central 331, 333, 336, 345  
     Eastern 330, 331, 333, 336, 345  
     metamorphism 50, 333  
     metavolcanics 334, 336–342, **340**  
     Palaeozoic 329–345  
         geology 329–336, 331  
         subduction 336, 344  
         tectonic evolution 13, 332, 336, 343, 344, 345  
         turbidite fan 330, 333, 336, 343, 344  
         Western 13, 332–333, 334, 335, 336, 345  
         isotopic data 337, **338–339**  
 Ladakh–Gangdese granite 225  
 Lake Harbour Group **199**, 206–207, 208  
 Lang sequence 291  
 Lapland granulite belt 241  
 Lapland–Kola orogen 239, **240**, 252  
     accretion 241, 251  
 Lapland–Kola suture 241  
 Lapland–Savo orogen **240**  
     accretion 241, 241, 244–245, 251, 252  
 Lardeau Group 277, 279  
 large igneous province 105, **106**, 119  
 Lauge Koch Kyst supracrustal complex **199**, 201  
 Laurentia  
     Palaeoproterozoic 195, 216–223, 224, 225  
     Palaeozoic 273  
     Precambrian correlation 193–225  
     Proterozoic 261, 268  
     subduction 296–300  
     suture with Amazonia 39

- lawsonite 47, 51  
 leucogabbro, Tally Ho shear zone 312, 313, 314–315, 316, 317, 324  
   geochronology 319–320, **321**, 323  
 Lewes River Arc 310, 324, 325  
 Lewes River Group 310, 312, 324, 326  
 Lewisian complex, metamorphism 55–56  
 Lhasa block 224  
 LILE abundance 17, 148  
 Lima Basin, tectonic erosion 81, 82, 83  
 LITHOPROBE SNorCLE seismic profiles 258, 259, 262–263  
 lithosphere, bouyant, accretion 20  
 Little Dal basalts 261  
 Llewellyn fault zone 311–312, 324  
 Loch Maree Group, metamorphism 56  
 Longstaff Bluff Formation **199**, 202  
 LOTI **156**, 158, 160  
 low velocity structures 58, 59  
 Luzon Arc 88–91, **92**, 111
- McCloud fauna 280, 286, 292, 297  
 McCloud Limestone 291  
 Mackenzie Mountains, seismic profiles 262  
 Mackenzie Mountains Supergroup 258, 260, 261, 266, 268  
 Macquarie Volcanic Arc 333, 342, 343, 344, 345  
 Mae Cham basin, coal mine 391, 395  
 Mae Ping fault zone 374, 379, 384, 385, 386  
 Maggo gneiss **200**, 208  
 magmatism *see* arc magmatism  
 Makassar Straits 353, 361  
 Makkovik orogen 195, 198, **200**, 211, 213, 214, 221, 223  
 Maligiaq supracrustal suite **199**, 210, 212  
 Manila Accretionary Complex 90  
 Manitoba promontory 194, 195  
 Maniowadge greenstone belt 160, 176, 177, 178, 180, 181  
 mantle convection, effect of continental  
   lithosphere 57–58  
 mantle plumes 19, 22, 116–117  
 Marble Bar greenstone belt 22  
 Mariana Ridge 110, *see also* Izu–Bonin–Mariana subduction zone  
 Marmorilik Formation **199**, 203, 204  
 Mary River Group 196, 201  
 mélange 15, 16  
   Lachlan orogen 333, 337  
 Melbourne Zone 334, 335, 344  
 Melville Bugt orthogneiss complex **199**, 201  
 Menihok Formation 216  
 Mesoarchaeon  
   Ivisartoq greenstone belt 167, 169–170, 171, 177  
   metamorphism 60–61  
   Qussuk greenstone belt 170
- Meta Incognita microcontinent 195, 196, **199**, 206–207, 207, 208, 218, 220, 223  
 metamorphism  
   Archaean–Proterozoic 54–56  
   Canadian Cordillera 259, 261, 263  
   classification 43–47  
     Miyashiro 43, 56  
   Fennoscandia 252  
   Lachlan orogen 50, 333  
   Myanmar 383, 397  
   paired belts 50, 56–57, 62  
   patterns 18, 37–63  
   post-Cretaceous 47–49  
   post-Neoproterozoic 51–56  
   pre-Cretaceous Phanerozoic 49–51  
   pre-Neoproterozoic 60–61  
   subduction-to-collision systems 49, 50–51, 57  
   supercontinent cycle 57–60  
 metavolcanics, Cambrian  
   Lachlan orogen 334, 336–342, **340**  
     geochemistry 340–342  
 Mid-Lithuanian suture zone 249  
 mid-ocean ridge basalt (MORB) 17  
   Knaften arc 245  
   Tampere belt 245  
 middle prism **106**, 113  
 Miyashiro-type orogens 38  
 Mogok metamorphic belt 383, 386–387, 388, 397  
 Molucca Sea  
   arc collision 364  
   subduction 363  
 Molucca suture 352, 354, 362–363  
 Mongolia–North China craton 224  
 Moran Lake group **200**, 213  
 Mount Hodnett 313, 315, 318, 320  
 Mount Kinabalu 360  
 Mount Reed Belt 342  
 Mount Wellington Belt 334, 336–337  
   geochemistry 340–342  
   isotopic data 337, **338–339**, 340–342  
 Mount Wellington Fault Zone 334, 337  
 Mount Wheaton 313, 314, 322  
 Mugford Group **199**, 209  
 Murmansk craton 238, 239, 241  
 Muskwa assemblage 258, 261, 266, 268  
   seismic profiles 262–263, 264  
 Myanmar 373, 374  
   back-arc mobile belt model 394–396  
   Cenozoic tectonic provinces 375, 377  
   Central Basin 374, 375, 382, 394  
   collision with India 380–394  
     deformation 397  
   Mesozoic–early Cenozoic evolution 377–380  
 mylonite  
   Isua supracrustal belt 135  
   Tally Ho shear zone 317, 318, 319, 320, 322  
   Thailand 393

- Nagssugtoqidian orogen 195, 197, 203, 205, 206,  
 209–210, 211, 217, 220  
 Nahanni terrane 257  
 Nankai subduction zone 6–7  
 Nanok plutonic remnants **200**, 208  
 Narooma Accretionary Complex 333, 343, 344  
 Narsajuaq island-arc terrane 195, 196, 214,  
 214–215, 218, 223  
 Naternaq supracrustal belt **199**, 205  
 Nazca Plate 14  
 NEB *see* basalt, Nb-enriched  
 Neoarchaeon  
   Abitibi–Wawa superterrane 170–176,  
   **172–173**  
   continental growth 43  
 New Britain arc 111, 112, 119  
 New England orogen 331, 344, 345  
 New Quebec Orogen 198, 215, 221  
 Nias forearc 363  
 Nicola horst 287  
 Nisling Assemblage 310, 312, 324–326  
 non-uniformitarian models 183–184  
 nonaccreting margins, OMSZs 113  
 Nordic orogen **240**, 241, 251  
 Nordre Isortoq steep belt 218, 220  
 Nordre Strømfjord supracrustal suite **199**, 205,  
 211, 212  
 Norrbotten craton 238, 239  
 North America, Western margin, crustal  
   structure 7, 8, 10  
 North American Cordillera  
   palaeogeography 292–300  
   subduction 297  
   terrane accretion 20  
   Palaeozoic–Mesozoic 273–300, 274  
 North American Plate 7, 8, 10  
 North Atlantic (Nain) Craton 194, 195, 197, 198,  
   **199**, 207–209, 218  
   south margin 211, 213–214  
   western and northern margins 209–211  
 North Kara terrane 293  
 Northern Sierra terrane 276, 277, 291–292  
 Northwest Passage 295–297, 296, 299  
 Northwest Territories, seismic  
   profiles 262–263  
 Nuka Formation 283  
 Nûkavsak Formation **199**, 203, 204, 205, 219  
 Nulliak plutonic remnants **200**, 208  
 Nunatarsuaq supracrustal rock **199**, 205  
 Nuttio serpentinite and dunite 244  
  
 oblique accretion 12  
 ocean island basalt (OIB) 17  
 ocean-margin subduction zone (OMSZ) **106**,  
   107, 111  
   accretionary margins 78, 113  
   arc magmatic productivity 110–112, 117  
   CIA balance 115–120  
   CIA recycling 107–108, 108, 109  
   losses 112–115, **114**, 117–118  
   nonaccretionary margins 113  
 Okanagan terrane 277, 278  
   Palaeozoic 286–288, 294  
 Okinawa Trough 88, 89, 91, **92**  
 Oklahoma aulacogen 5  
 Old Tom–Shoemaker assemblage 287  
 Olyutorsky arc complex 111  
 Ontong–Java Plateau 20, 111, 112  
 ophiolites 17, 21  
   Bergeron suture 223  
   Borneo 360  
   Eastern Klamath terranes 289–290  
   Lapland–Savo orogen 244  
   Jormua 245  
   Mount Wellington Belt 337  
   Sulawesi 361  
 orogenesis 18–21  
 orogens, classification 3–5  
 orthogneiss  
   Anshan, China **143–144**  
   Isua supracrustal belt 135  
   Itsaq Gneiss Complex 130, 131, 133  
   Nagssugtoqidian orogen 210  
   Trail gneiss complex 287  
   West Greenland 164–170  
 Oskarshamn–Jönköping belt 238, 239, 249,  
 251, 252  
 Outokumpu area, seismic profiles 243  
  
 Pacific Plate 7, 8  
   rollback 13  
 Pacific Rim  
   back-arc basins 18  
   metamorphism 50, 56  
   orogenic belts 37, 38  
 Pacific Rim terrane 7, 10  
 Pacific-type orogens 38  
 palaeogeography, North American Cordillera  
   292–300  
 Palaeoproterozoic  
   correlation Canada and West Greenland  
   195–225  
   Fennoscandia 237–253  
   metamorphism 55–56  
 Palau–Kyushu ridge 110  
 Pangaea, assembly 20–21, 57  
 Pangaeon convection cell 57  
 Panthalassa 275, 296  
 Panthalassan convection cell 57  
*Parafusulina* 280  
 Parent Group 214  
 passive margin collision, sediment  
   recycling 76, **77**, 88–91  
 Pearya terrane 274, 277, 281, 282, 294–295

- Pechenga–Imandra–Varzuga suture 238, 241  
 Peninsula batholith, California 3  
 Peninsular terrane 7, 8  
 Peri-Laurentian terranes 275–280  
 Peterman orogeny 5  
 Phanerozoic  
   sediment recycling 75–98  
   supercontinent cycle 57–59  
 Philip Island **339, 340**  
 picrite, Archaean **156**, 161–162, 166–167,  
   177, 182  
 Piling/Hoare Bay group 195, 196, **199**, 202,  
   204, 217  
 pillow lava  
   Isua supracrustal belt 131, 132, 133,  
     165, 165  
   Ivisaartoq greenstone belt 166  
   Mount Wellington Belt 337  
 Pinguicula Group 260, 261  
 Pirkanmaa belt 245, 247, 252  
   seismic profiles 247  
 Pistolet Subgroup 216  
 plate margins  
   active 78  
   erosive 78  
   passive 76, 77  
 plate tectonics  
   establishment 21–22, 42–43  
   orogenic systems 40–43  
   pre-Neoarchaean 61–62  
   reorganization 19, 20–21, 40  
 plumes *see* mantle plumes  
 Pontiac superterrane 172  
 Post Hill group **200**, 213  
 Povoas Formation 312  
 Povungnituk Group 215, 216  
 Prince Albert Group 201, 210  
 Prince William terrane 7, 8  
 Proterozoic  
   Canadian Cordillera accretionary  
     margin 257–269  
     metamorphism 55–56  
 Prøven igneous complex **199**, 206, 217  
 pull–push inversion cycles 42  
 Purcell Mountains 275  
 push–pull inversion cycles 42, 58  
 pyroxenite, Tally Ho shear zone 313, 316,  
   317, 324  
  
 Qeqertarsuaq Formation **199**, 203–204  
 Qiangtang block 224  
 quartz diorite **142**, 313, 314, 319  
 Quebec promontory 194, 195  
 Quesnellia terrane 258, 267, 273, 274, 278  
   Palaeozoic 286  
 Quidam terrane 224  
 Qussuk greenstone belt, Mesoarchaean 170  
  
 Racklan Orogeny 259, 268  
 Rae Craton 194, 195, 196, 197, **199**, 217  
   Archaean, correlation 198, 201  
   Palaeoproterozoic 202–206, 223, 224, 225  
 Rajang Group 360  
 Ramah Group **199**, 209  
 Redding subterrane 290  
 retreating orogens 12–13, 42, 237, 252  
 Revsund granitoids 251  
 rhyolite, Tally Ho shear zone 313, 319  
 ridge subduction 19, 50  
 ridge–trench interaction 40–41, 42, 59  
 rifting, Thailand 388–394, 398  
 Rinkian fold belt 195, 197, 203, 217, 219, 220  
 Roberts Mountains allochthon 275, 292  
 Rodinia 57, 59  
 rollback, trench 12–13, 14, 362  
 Romanzof orogeny 282, 282–283, 296  
 Roo Rise 363, 364  
 Ruth Formation 216  
 Ryoke Belt 18  
 Ryukyu Arc 88, 89, 90, 91, **92**  
  
 Sabah orogeny 360  
 Sagaing Fault 376, 377, 378  
 Sagaing Fault–Sumatran Fault strike-slip  
   system 374, 375, 377  
 Saglek block **200**, 208, 209  
 Sambagawa Belt 18, 50  
 San Francisco Bay 7, 10  
 Sangahe Arc 353, 362–363, 364  
 Sarong suture 352  
 Savo island arc belt 238, 239, 244, 252  
   seismic profiles 242–243  
 Schreiber–Hemlo greenstone belt 160, 173–176,  
   177, 178, 181  
 Schwaner Mountains 356, 357, 364  
 seamounts, subduction 16, 364  
 sediments 16–17  
   Proterozoic, Canadian Cordillera 259, 260, 261  
   recycling 23, 75–98  
   arc accretion 91–94  
   rate 84–88  
   subduction 23, **107**, 108, 113–115, **114**, 116  
 Seward Peninsula 281–283, 294  
 Seward Subgroup 216  
 Shan Plateau 374, 377, 380, 383–386, 383, 393,  
   395, 396, 397  
 Shan Scarp 377  
 Shan-Tai block 18, 397  
 shear 42  
 Shoofly Complex 277, 291–292  
 Siberian affinity terranes 276, 280–292  
 Sicker Group 286  
 Sierra City mélange 291–292, 294  
 Sierran foothills 7, 10  
 Sikuleh terrane 378, 380



- Silver Creek Formation 287, 288  
 Sisimiut charnockite suite **199**, 211  
 Skellefte district 238, 239, 245, 249  
 slab 'graveyards' 57–58  
 Slave Craton 194, 195, 257, 258  
 Slide Mountain ocean 298–299  
 Slide Mountain terrane 258, 274, 275, 278, 279–280, 298  
 Snake River Fault 261  
 SNorCLE seismic profiles 258, 259, 262–263, 262, 263, 264  
 Snowcap assemblage 279, 298  
 Snyder Group **199**, 209  
 Sokoman Formation 216  
 Solomon arc massif 111, 112  
 Songpan–Ganzi terrane 224  
   crustal structure 7, 11  
 Sonoma orogeny 298  
 Soper River suture 196, 214, 218, 220–221  
 Sorong fault zone 362–363  
 Sortis group **200**, 214, 221  
 South American Cordillera, crustal  
   shortening 13–14  
 South China Block 224  
 Southeast Asia accretionary orogen 351–352, 354, 363–366  
   arc magmatism 364–365  
   continental fragments 365  
   Eurasian margin 351–366  
   future growth 365–366  
 Spartan Group 214  
 Stawell Zone 335  
 Stikinia terrane 258, 266, 267, 273, 274  
   geology 310–312  
   lithology 312–319  
   subduction 325  
   Tally Ho shear zone 309–326  
   thick-skinned collision 325–326  
 Strel'na terrane 241  
 subduction 4  
   accretionary prisms 14–16  
   Borneo 360  
   channels 14, 15, **107**, 108, 109, 109  
   continental crust recycling 23, 76  
     rates 84–88, **86**, **87**  
   continental margin 5  
   erosion 23, **107**, 108, 114–115, 116, 364  
     mechanisms 76–80  
   flat-slab 19–20  
   hot 156–157, 158–164, 180–181  
   Lachlan orogen 336, 344  
   Laurentia 296–300  
   Molucca Sea 363  
   North American Cordillera 296–300  
   one-sided 39, 40, 42–43  
   retreating orogens 13  
   sediment recycling 23, 75–98, **107**, 108, 113–115, **114**, 116  
   Stikinia terrane 325  
   Sulawesi 361  
   Sumatra–Andaman Trench 375, 395, 398  
   Sunda Arc 358, 362  
   Sundaland 356, 358, 363–364  
     thermal environments 39, 43, 49  
     two-sided 40  
     western Laurentia 275  
   subduction zones  
     choking 20, 38, 51  
     crustal recycling 105–120, **106**  
   subduction-to-collision systems 49, 50–51, 57  
   Sula Spur 361  
   Sulawesi suture 352, 354, 361, 365  
     ophiolites 361  
   Sumatra–Andaman Trench 374, 375, 395, 398  
   Sunda Arc 352, 353, 361  
     subduction 358, 362  
   Sunda suture 352, 354, 358, 363  
   Sunda Trench 352, 354, 358, 365, 380  
   Sundaland 351, 354, 355  
     accretion 363–364, 395  
     continental core evolution 356–358  
     granite magmatism 356  
     structural elements 352, 353, 354  
     subduction 356, 358, 363, 395  
   Sunrise Pynt shear zone 202, 217  
   supercontinent cycles 57–60, 116  
   Superior Craton 194, 195, 196, 215–216, 218, 221–223  
     western 55  
   Superior Province 155, 160  
     Archaean, adakite 163  
     Neoarchaean 170–180  
 suspect terranes, Canadian Cordillera accretionary  
   margin 258, 259, 263, 267  
 Svecobaltic orogen **240**, 241, 249, 251, 252  
 Svecofennian orogen 237, **240**, 241  
   seismic data 12  
 Swampy Bay Subgroup 216
- Taiwan  
   arc accretion 88–91  
   sediment recycling 91–94  
 Takhini deformation zone 310–311, 324  
 Talkeetna–Bonanza arc system 111, 112  
 Tally Ho mountain 313, 314, 316, 320, 322  
 Tally Ho shear zone 309–326  
   brittle deformation 322, 324  
   folding 322  
   geochronology 319–320, **321**, 323  
   geology 313, 314, 315  
   lithology 317, 319  
   mylonite 317, 318, 319, 320, 322  
   structure 317, 319, 320–324  
 Taltson–Thelon magmatic zone 217

- Tampere belt 238, 239, 245, 247, 252  
 seismic profiles 247
- Tasiusarsuaq terrane 159, **200**, 209
- Tasiussaq Bugt 206
- Tasiuyak gneiss 206–207, 209–210, 218, 220
- Tasmanides 329, 330, 331  
 metamorphism 49–50
- tectonic mode switching 14, 40, 42
- tectonics *see* plate tectonics
- Terra Australis orogen 5  
 evolution 39  
 rollback 13
- terrane accretion 20
- terrane export 58
- Tersk terrane 238, 239, 241, 252
- Tethysides, metamorphism 42
- Thailand 373, 374  
 back-arc mobile belt model 394–396  
 Cenozoic rift basins 377  
 Cenozoic tectonic provinces 375, 377  
 central extensional province 388–394  
 extension 397–398  
 low-angle normal faults 391–394  
 Mesozoic–early Cenozoic evolution  
 377–380  
 Palaeogene folding 377  
 thermal gradient 395  
 volcanism 395–396
- thermal environment 39, 43–47, 49, 56–57
- tholeiite, low-Ti *see* LOTI
- Three Pagodas fault zone 374, 379, 384
- Thule mixed gneiss complex **199**, 201
- Tibetan plateau 225  
 erosion rate 96, **97**
- Timanide orogen 293
- Tintina fault zone 263
- Tintina–Northern Rocky Mountain trench  
 fault 266
- tonalite  
 Isua supracrustal belt 135  
 Itsaq Gneiss Complex 130, 131, **141–142**,  
 146–147, 150
- tonalite–trondhjemite–granite suites (TTGs)  
 formation 61  
 intrusion 129, 147, 148, 150, 164
- Tonanki subduction zone 6–7
- Tonga–Kermadec subduction zone 110, 112, 119
- Top Crockier Unconformity 360
- Torngat orogen 195, 198, 209, 220, 223
- torque balance 40–41, 42
- Trail gneiss complex 287
- Trans-European suture zone 238
- Trans-Himalayan batholith 225
- Trans-Hudson orogen 3, 194, 195, 223, 225, 268  
 Wilson cycle 58
- transpression 42, 295
- Transscandinavian igneous belt 238, 239, 251, 252  
 seismic profile 250
- transtension, dextral 386–388
- Tre Brødre terrane 159, 166, **199**, 209
- trench migration 41–42  
 retreat rates 85, **86**
- Trinity terrane 288–290, 292
- triple junction 20
- trondhjemite, Anshan, China **143–144**
- Tsherkidium* 284
- tuff, silicic 17
- turbidites 16–17  
*see also* Lachlan orogen turbidite fan
- Turkic-type orogens 38
- ultrahigh-pressure metamorphism (UHPM) 43, 44,  
 46, 47, 50, 54, 59
- ultrahigh-temperature metamorphism (UHTM) 43,  
 44, 46, 51
- Umba granulite terrane 241
- uniformitarian models 183–184
- Upernavik supracrustal rocks **200**, 208
- Upper Arrow Lake 287–288
- Uummannaq Island 204
- Uusimaa belt 238, 239, 245, 249  
 seismic profiles 247
- Uviak gneiss **200**, 208
- Vallen group **200**, 213–214
- Vancouver Island 7, 10
- volcaniclastic unit, Tally Ho shear zone 317
- Wabigoon Subprovince, adakite,  
 Archaean 163
- Wagga–Omeo Metamorphic Complex 333,  
 334, 344
- Wales orogeny 284
- Wann River shear zone 311, 312, 324
- Waratah Bay **339**, **340**
- Wasatch Front 257
- Watts Group 214, 223
- Wawa Subprovince 160  
 Neoarchaean 170, 172–176, **172–173**, 177,  
 178, **179**, 180  
*see also* Abitibi–Wawa superterrane
- Wernecke Mountains 260
- Wernecke Supergroup 258, 259, 260,  
 261, 268
- West Coast Plutonic Complex 7, 10
- West Greenland  
 Archaean crustal growth 155–170, 159  
 Eoarchaean crustal growth 127–151, 128  
 greenstone belts 164–170  
 metamorphism 60  
 North Atlantic craton 207–209  
 Precambrian correlation 193–225  
 Rae craton **199**, 201, 203–206
- Wheaton Valley granodiorite 313, 314, 319
- White Sea Assemblage 289

- Whitehorse Trough 267, 310–311, 312, 324, 325, 326  
Wilson cycles 1, 3, 4, 58–59  
Windermere Supergroup 258, 260, 261, 266  
Winston Lake greenstone belt 160, 176, 178, 180, 181  
Wishart Formation 216  
Wopmay collisional orogen 257, 258, 268  
  crustal loss 115  
Wrangel Island 281–283  
Wrangellia terrane 7, 8, 10, 258, 274, 277  
  Palaeozoic 285–286  
Wyoming Craton 194, 195  
Yakutat terrane 7, 8  
Yreka terrane 289–290, 293  
Yukon  
  Proterozoic stratigraphy 259, 261  
  seismic profiles 262–263  
Yukon–Tanana terrane 258, 267, 273, 274  
  arc magmatism 275, 280, 298–299