

Index

Note: Page numbers in *italics* denote figures, those depicted in **bold** denote tables.

- absolute calibration 42
- absolute dating 10
- accelerator mass spectrometry 222
- advective heat transfer 121, 122
 - isotherms 120–121
- AFT *see* apatite fission track
- age, predicted and observed 106–107, 121–122
- age standards 37, 42, 49, **50**, *51*, 159, 296, 322
 - zircon U–Th/He 49
- age-elevation relationship 6–8, 95, 96, 105, *106*, 108,
111, 123, 313, 320–322
 - East Antarctica 323
 - Gotthard transect, Switzerland *116*
 - TFT 276
- AHe *see*, apatite U–Th–Sm/He
- Alpine belt 141–152
 - bedrock apatite FT ages 141–143, *142*
 - erosion pattern 148–149
 - Gotthard transect, Switzerland *122*
 - tectonic setting 141–143, *142*
 - see also* Po Basin; Po Delta; Po Plain
- Altai Mountains 238
 - basin map *242*
 - digital terrain model 238
 - tectonic setting 237–239
- Andaman Flysch, origin 65–69
- Andaman Islands 65–70
 - apatite grain ages 68
 - apatite Nd ratios 68, 69
- Andean orogen 307
- annealing 1, 89, 295
 - algorithm 73, 322
 - and apatite chemistry 213, 296
 - kinetics 331
 - model 73–74, 89, *189*
 - properties 296
 - time dependence 3
 - time-temperature dependence 3, 5, 336
 - zircon 47
 - see also* multi-kinetic annealing model; radiation enhanced annealing
- apatite 1, 213
 - ages *127*, **130**
 - annealing properties 173, 296
 - chemical composition 73–74, 156, 162, 184, 203,
248, 252, 296
 - chlorine content 73, 193, 200, 203, 212–213, *212*, 296
 - chlorine/fluorine ratio 296
 - F-apatite annealing equation 173
 - fluorine content 73, 296
 - neodymium isotopic composition 60
 - partial annealing zone 170, 177, 229, 248, *250–251*,
252, 297, 307, 311, *312*, 313, 320
 - provenance *57–72*
 - uranium content *41*
 - see also* bedrock apatite
- apatite fission track 1, 118, 143, 307
 - ages 64–65
 - analysis 320–322
 - analytical methods 164, 168–170, 194–200,
223, 291
 - applications of 10–11
 - effect of sedimentary processes on 144
 - and erosion rates 228–230
 - length distribution *334*
 - modelling 5, 322
 - and neodymium data 69, 70
 - provenance studies 9, 69
 - resetting 69
- apatite fission track ages 131–132, 218, *294*
 - distribution 133, 134–135, *134*
 - and elevation 295, 297
 - and etch pit diameter 296
 - interpretation 203
 - and lithology 200
 - and mean track length 322
 - radial plots 170, *172*, *188*
 - spatial distribution 295
 - and uranium content 207–209, *212*, 213
 - vs. chlorine content *201*
- apatite fission track data **77**, 78–79, 156, 217, 237
 - Ardennes 167–179, 169, 170–173, **171**, *172*
 - Australia *211*
 - calibration 74
 - Canada *210*, *211*
 - comparison **80**, *81*
 - convective heat transfer 94–96
 - Corsica **231**, *232*
 - Finland 202–213, 209, *211*, *212*
 - Gjelsvikfjella 317–330
 - Gotthard transect, Switzerland *114*, **115**
 - Himalayas *63*, *64*, **66**, *67*
 - horizontal confined track length 202, *203*
 - interpretation 3, 94–96
 - isotherm shape 113–116
 - radial plots *159*, *161*
 - Sierra de Cameros **157–158**, 162, 164
 - South Africa 287–306
 - Teletskoye graben 244–245, 248–254, **249**
- apatite neodymium data 59, 69, 70
 - Andaman Islands 68, 69
 - Bhutan *61*
 - database for Himalayas 62
 - detrital sediments 61, 62
- apatite (U–Th–Sm)/He 1
 - analytical methods 194–200
 - analytical uncertainties 200
 - cratonic lithosphere 194
 - multi grain analysis 200–202
 - single grain analysis 200–202
- apatite (U–Th–Sm)/He age 193
 - anomalous 194
 - and effective uranium concentration 206, *206*
 - and grain size 204–206
- apatite (U–Th–Sm)/He data
 - Finland **197–199**, 203–207, *205*
 - partial retention zone 204
 - reliability 203

- apatite (U–Th)/He age 107, 153
Sierra de Cameros 156, 161, **162**, 162, 163
- Ar/Ar dating 1, 54, 307, 324
age spectra 237
analysis methods 265–266, 283
feldspar ages 319
hornblende 261–286
phlogopite ages 319
Teletskoye graben 244, 246, 247
see also biotite Ar/Ar dating; hornblende Ar/Ar data; muscovite Ar/Ar ages
- Ardennes
AFT data 167–179, 169, 172, 174
AFT interpretation 170–173
cooling episodes 177
crustal structure 176
differential exhumation 176, 177
exhumation events 167, 173, 177
late-post Variscan evolution 167–179
regional geology 167–168
sampling methods 168–170
structural controls 175–177
structural units 169
tectono-thermal evolution 167
thermal history modelling 173–175
thermal regimes 175–177
time-temperature histories 173, 174, 175, 177
- Argon ratio *see* Ar/Ar; K/Ar dating
- Atlantic passive margin, denudation 287–306
- Atotsugawa fault 332
fission track ages and sample distance 333, 334
fission track analysis 331–337
geological map 333
samples 331–332, 333
- Australia, AFT data 211
- Australian passive margin 47
AHe & AFT 49
landscape evolution 49–54
thermal history 52
zircon data **51**
- automatic counting
background correction 31, 32
benefits 35–36
manual comparison 35
problems 26
procedure 31–35
threshold and segmentation 31–32, 33
track overlaps 32–34
- basin analysis 11–12
- Be *see* beryllium
- bedrock apatite
fission track ages Alpine belt 141–143, 142
fission track ages Po Delta 147–148
Nd/Nd ratios 61–62, 62
- Belgium 167–179
- Bengal Delta 64, 65, **66**, 67
- beryllium
analysis methods 222–223
concentration 217–235, **229**
exposure ages 218
- beryllium weathering rates 222, **229**
Corsica 227–228
- Bhutan 67, 70
Bhutan river sands 61, 61, 62
biotite Ar/Ar ages 318, 324
biotite Ar/Ar data, Mozambican basement 266–270, **267–270**, **271**, 273, 275–276
biotite Ar/Ar dating 244, 247, 248
Mozambican basement 261–286
biotite Rb–Sr cooling ages 277, 277
Bohemian Massif 181–192, 182
geotectonic map 183
bulk earth values 58–59
Buluk Member Tuff 42
- Canada, AFT data 210, 211
- Central Andes
AFT data 309, **310**
deformation phases 307
digital elevation map 308, 309
erosion history 307
exhumation pattern 307–316
geodynamic setting 308–309
geological map 309
morphotectonic map 308
tectonic framework 308
uplift history 307
ZFT data 309, **310**
- chemical etching 1, 37–46
effect on LA-ICP-MS 37–46, **39**
- chemical weathering 220, 327
- chondritic uniform reservoir (CHUR) 59, 59
- chronometry, multi method 237–259
- climate, and denudation rate 218–220
- closure temperature 4, 100, 118, 314, 331
cross over 11, 194
depth 105
neodymium 59
titanite 276, 320
- closure temperature isotherms 95–96, 96
model assumptions 87
- coincidence mapping 25–36, 32, 33
aluminium coating 29–31, 30
method 27, 28
operator review 34–35, 34
results 35
sample preparation 27–28
- convective heat transfer 87–98, 121, 122
- Corsica 217–235
AFT data **231**, 232
beryllium weathering rates 227–228
cross sections 230
geomorphic evidence 230, 233
glacier extension 221
lateral moraines 223, 223, 226, 227
lithologies 219
palaeosurfaces 220, 233
precipitation 219, 230, 231–233
regional setting 218–220, 218
rock castle 233
sampling locations 219, 221
weathering evidence 220–222
- cosmogenic nuclide analysis 217
- cratons 11
- crossover ages 11, 194
- crustal processes, shallow 47–56
- crustal thickness, gravity based crustal model 319

- Dabie Shan, China 100, 101
denudation 5–6, 7, 10–11, 181, 261, 298–299, 299–301, 300, 327
 Atlantic passive margin 287–306
 Eastern Alps 128, 131
 mantle upwelling 303
 mechanisms 302–303
 Mozambican basement 282–283
 tectonically induced 303
denudation induced cooling 47
denudation rate 92, 93, 94, 217, 302
 and climate 218–220
deposition 9
detrital apatites 65, 141–152, 153
 Nd isotopic composition 61, 62
 Po Delta **147**
detrital fission track ages 65, 144–147
 dating method 144–145
detrital fission track data, advantages 143
detrital geochronology 126
 techniques 141
detrital sediments, apatite Nd isotopic composition 61, 62
detrital thermochronology 8–9, 57–72, 128, 135
digital image acquisition 26–27
double dissolution 204
Dpar *see* etch pit diameter
Dronning Maud Land
 differential cooling 326
 fission track studies 320–322
 Jurassic magmatism 319
 metamorphism 318
 palaeosurfaces 317
 rift related tectonics 326
 sample elevations 320
 tectonic activity 317
 topography 320
Durango apatite 49, 159, 296, 322
- East African margin 261, 265
East Antarctica
 AFT ages 325–326
 age-elevation 323
 basement development 318
 Cenozoic unroofing 327
 continental margin development 326–327
 cooling history 322, 324
 denudation 319
 differential cooling 327
 fission track results **321**, 323
 geological setting 317–319
 Gjelsvikfjella 317–330
 glacial erosion 327
 intracontinental rifting 325
 Jurassic magmatism 326
 offshore sedimentary record 319, 327
 outcrop map 318
 palaeosurfaces 319, 322
 palaeotectonic reconstruction 325
 palaeotemperatures 327
 post Pan-African cooling 322–324
 sedimentary sequence 318–319, 325–326
 tectono-thermal history 322–327
 TFT ages 322, 325
- U–Pb ages 318
vitrinite reflectance 322
- Eastern Alps
 Austroalpine unit 126–127, 127, 128, 134
 denudation history 128, 131
 fission track age distribution 128
 fission track ages **130**
 fission track litho-terrain 133–135
 geology 126–127, 129
 palaeogeography 131
 palaeogeology 135, 136
 pebble population dating 125–140, **130**
 Penninic units 126–127, 127, 128, 134
 provenance studies 125–140
erosion 65, 141–152
 climate driven 302
 human activity 224–225
 patterns 141, 148–149, 149
erosion rates 87, **229**
 long term 228–231, 233
 and precipitation 231–233
 short term 148, 230–231, 233
 and tectonic activity 217, 231
erosion-transport interval 9
etch pit diameter 73, 75, 76, 80–83, 82, 113, 156, 161, 164, 184, 203, 296, 296, 309, 320, 322
etching 319
 bulk etch rate 84
 conditions 322
 degrees of 80–83, 83, 84
 non-quantitative 74, 76–84, 76, **80**
 quantitative 74, 76–84, 78–79, **80**
 time 80, 83–84
 track density 84
 see also chemical etching
etching techniques 73–85, 74–76, **75**, 168
 AFT 73–85, **77**, 78–79
 calibration 73–85
 comparison of 73–85, **75**, **80**, 81, 82
 data variation 76–79
 nitric acid 74
exhumation 5–6, 9, 10, 65
 cooling 175, 177
 Hida metamorphic belt 334
 partial annealing zone 6
 passive margins 49–53
 steady state 307–316
exhumation rate 8, 57, 99, 108, 111, 112, 116, 121–122, 122, 122, 123, 143, 149, 313
 Gotthard transect, Switzerland 122
 Peru 314
 rapid 282
 topography reconstruction 105–107, 105
exposure age 222
 glacial boulders 223, 224–227, **224**, 226, 227
extensional setting 94
external detector method 164, 193, 209, 209, 210, 211, 211, 212, 223, 332
external detectors 80–83, 82, 168, 320
- Fast Fourier Transform 102
fault displacement, frictional heat 331, 336
fault plane, local AFT age 336
fault strength 331, 336

- fault systems 175–177
 - activation history 331–337
 - thermal anomalies 331–337
- fault zone 87–98, 91, 120–121
 - conductivity 92, 93, 94
 - displacement 120, 121, 331, 336
 - thermal anomaly 336
- fault-thrust system 181
- faults 299
 - differential cooling 317
 - isotherm perturbation 121
 - South Africa 299
- Fennoscandia Shield
 - AFT thermochronology 193–216
 - denudation history 193
- finite difference model 101
- Finland 193–216
 - AFT age and AHe age 202
 - AFT age and chlorine content 201
 - AFT ages 196, 213
 - AFT data 76, **195**, 200–203, 203, 209, 211, 212
 - analytical methods 194–200
 - apatite U–Th–Sm/He data **197–199**, 203–207, 205, 213
 - data interpretation 202–213
 - sample locations 196
 - samples 194–195
 - study area 196
 - thermal history modelling 203, 207
 - time-temperature inversion models 208
- Fish Canyon Tuff 42, 49, **50**, 51, 322
- fission decay constant 2
- fission track 1, 37
 - age distribution 128, 143
 - age types 5
 - analysis error 25
 - analysis methods 1–2, 137, 319–320
 - automated counting 25–36
 - density 1
 - discrimination 25
 - evolution of method 2–3
 - grain age 147–148, **147**
 - grain age distribution 2, 141, 143, 144, 145, 146
 - isotherm perturbation 111–124
 - litho-terrain 126
 - modelling 89–90
 - multi-kinetic annealing model 5, 84, 207, 208
 - radiation enhanced annealing 194
 - source terrain 125
 - spontaneous/induced track ratio 2, 211, 212
 - surface parallel confined tracks 2
 - unimodal length distribution 331
- fission track age standards 322
- fission track ages 141–152
 - palaeogeology 135, 136
- fission track data
 - bedrock vs. detrital 143–144
 - convective heat transfer 87–98
 - interpretation 87–98
- fission track length 1, 79, 228, 232
 - distribution 68, 89, 160, 184, 294, 334
 - histograms 188
 - see also* mean track length
- fluid flow 87, 336
 - two-dimensional 88
- fluorapatite, PAZ 3
- fluorine vs. AFT ages 161
- Fourier series 99
- France 167–179
- geomorphic evidence 217
- geothermal fluids 336
- geothermal gradient 99, 100, 103–104, 104, 108, 112, 117, 298–299, 307
 - rift margins 281
 - steady state 87
 - topography reconstruction 105, 105
- Germany 181–192
- glacial boulders
 - dating 223–227, 223
 - exposure age 223, 224–227, **224**, 226, 227
 - weathering girdles 225, 226, 228
- glacial erosion 327
- glaciation 221
- Gondwana
 - break up 325, 326
 - rift basin 317–330
 - rift evolution 327
 - rifting onset 261–286
- Gotthard transect, Switzerland 111–124
 - AFT data 114, **115**
 - age-elevation relationship 116
 - exhumation rates 122
 - geology 112, 113, 114, 117, **118**
 - isotherm modelling 116–120, 119
 - modelling methodology 112–113
 - samples 114
- granite
 - cooling history 334
 - emplacement age 331
- He *see* helium
- heat flow 203, 213, 229, 281
- heat flux 93, 93, 94
- heat production 116, 117–118, 118, **118**, 120, 121, 203, 213
 - rate 122, 123
- heat transfer 117, 336
 - time dependent 88
 - see also* advective heat transfer; convective heat transfer; heat flow; heat flux; thermal conductivity
- helium 3
 - loss and recoil correction 49
 - partial retention zone 206
 - production-diffusion model 4
 - retentivity 194, 204, 206
 - see also* apatite U–Th–Sm/He; U–Th/He dating; zircon U–Th/He
- Hida metamorphic belt 331–337
 - exhumation history 334
 - fission track analysis **335**
 - geology 332
 - regional uplift and erosion 334
- Himalayas 57
 - AFT data 63, 64, **66**, 67
 - ancient sediments 65–69

- exhumation history 65
- geological map 58
- neodymium data 60, 61, 62, 63, 64, 67
- recent sediment record 64–65
- regional geology 60–61
- whole rock data 60, 61, 69
 - see also* Bengal Delta; Bhutan river sands
- hornblende Ar/Ar data 266, **267–270**, 270–275, **271**, 272, 275–276
- hydraulic head difference 92–93, 93, 94
- hydrothermal fluid flow 87
- Iberian Range 153–166
- ICP-MS *see* inductively coupled plasma mass spectroscopy
- image acquisition system 28–31
 - hardware 28
 - image capture sequence 28–29, 29
- image analysis technique 25, 26
- inductively coupled plasma mass spectroscopy (ICP-MS) 193, 209, 209, 210, 211, 211
 - see also* laser ablation inductively coupled plasma mass spectrometry (LA-ICP-MS)
- internal pair method 307
- intracontinental rift 325
 - basin 265, 317–330
 - evolution 155, 326
- isostatic uplift 280
- isotherm
 - advective heat transfer 120–121
 - amplitude 103, 103
 - calculated 104, 106, 108–110
 - factors affecting 103–104
 - see also* palaeoisotherm
- isotherm modelling 117
 - AFT data 113–116
 - errors 101, 102, 108–110
 - Gotthard transect, Switzerland 116–120, 119
 - shape 113–116, 116–120
 - three dimensional 119
 - two dimensional 120
- isotherm perturbation 111–124
 - boundary conditions 112
 - correction 112
 - faults 121
 - magnitude 112
 - topography 111
- Japan 331–337
- K/Ar dating 1, 313
 - ages 318, 324
- landscape evolution 49–54, 331, 334
- landscape evolution modelling 8–9
- landscape evolution studies 10–11
- laser ablation inductively coupled plasma mass spectroscopy (LA-ICP-MS) 3, 26, 36, 37–46, 57, 60, 204, 205
 - apatite results 40–41
 - isotope concentrations **44**
 - methods 38–40
 - operating conditions 40
 - see also* inductively coupled plasma mass spectroscopy (ICP-MS)
- laser pit size 40
- lead *see* U/Pb ages, zircon SHRIMP U–Pb dating
- Lusatian Block
 - AFT data 181–192, 184, **185–186**, 187, 188
 - AFT interpretation 184–187
 - annealing model 189
 - denudation history 181–192
 - geological evolution 181–182
 - geological setting 182–184
 - late Cretaceous denudation 187–190
 - late Palaeogene denudation 190
 - mean track length 184, 187, 188
 - sample depth 184, 187
 - study area 182
 - tectonic activity 181, 183–184, 190–191
 - thermal history 181–192, 189
 - thermal history modelling 184–187, 187–190, 189
 - track length distribution 184, 188
- mass spectrometry *see* accelerator mass spectrometry; inductively coupled plasma mass spectroscopy (ICP-MS); laser ablation inductively coupled plasma mass spectrometry (LA-ICP-MS); secondary ion mass spectrometer (SIMS)
- mean track length 156, 184, 188, 193, 209, 210, 211, 248, **249**, 250–251, 320, 322
 - and age 309, 311, 323
 - and elevation 323
 - and uranium content 207–209, 213
- metamorphism 318, 334
- mica detectors 320
- Mozambican basement
 - Ar/Ar interpretation 270–275, 277
 - Axial Granulite Complex 264, 278
 - biotite Ar/Ar data 266–270, **267–270**, **271**, 273, 275–276
 - cooling rates 275–276
 - denudation history 279–282, 282–283
 - early Palaeozoic cooling 278–279
 - geological setting 264–265
 - hornblende Ar/Ar data 266, **267–270**, 270–275, **271**, 272, 275–276
 - igneous activity 278
 - inferred rift geometry 281
 - late Palaeozoic cooling 279–282
 - litho-tectonic units 263
 - Lurio Belt foreland 264–265
 - metamorphism 278, 282
 - multistage cooling history 282–283
 - pressure-temperature estimates 282
 - rift related cooling 279–280
 - sample locations 263, 276
 - shear zone 282
 - spatial TFT age pattern 281
 - TFT ages 276
 - TFT analysis 270, **274**, 275, 276–278
 - thermal history 278–282
 - thermo-tectonic evolution 261–286
 - time-temperature paths 277
 - topographic map 276
- Mozambican rift structure 262
- multi-kinetic annealing model 5, 84, 207, 208
- muscovite Ar/Ar ages 244, 246, 247, 318, 324

- Nd *see* neodymium
- neodymium
- bulk rock database for Himalayas 62
 - closure temperature 59
 - measurement 57–72
 - whole rock ratios 59–60, 59, 60, 61
- neodymium data 57
- and AFT 69, 70
 - applications 61–69
 - bedrock apatite ratios 61–62
 - bulk sediment 59
 - Himalayas 63, 64, 67
 - interpretation of 59
 - methodology 60
 - whole rock distortion 69
- neutron activation technique 37
- optical luminescence dating (OSL) 63, 65, 66
- orogenic belts
- analysis 10
 - research 125
- orogenic source area 141
- palaeodrainage reconstruction 135
- palaeogeodynamics 137
- palaeogeography, Eastern Alps 131
- palaeogeological reconstruction 135–137
- palaeogeothermal gradient 7, 11, 153, 314, 325, 327
- Sierra de Cameros 162–164
 - South Africa 300
- palaeoisotherm 99
- depth 100
 - uncertainties 100–103
- palaeomagnetic studies 307
- palaeosurface 220–222, 220, 317, 318, 326
- Corsica 233
 - East Antarctica 319, 322
 - tectono-thermal evolution 317
 - weathering 220–222
- palaeotopography
- evolution 120
 - reconstruction 99–110
- Pan-African metamorphism 261–286
- Pangaea, reconstruction 325
- partial annealing, degree of 163, 203
- partial annealing zone 3, 5, 91, 143, 160, 167, 184, 193, 203, 334
- apatite 170, 177, 229, 248, 250–251, 252, 297, 307, 311, 312, 313, 320
 - exhumed 6
 - residence in 213
 - titanite 3, 278, 320
 - zircon 3, 307, 313
- passive margins 47, 49–54, 51, 52, 217, 287–306
- analysis 10–11
 - evolution 287
 - exhumation 49–53
 - geomorphology 287
 - post break up denudation 288
- PAZ *see* partial annealing zone
- pebble population dating 125–140, 126
- exhumation history 125–126
 - geology 128–129
 - gneiss 128–133
 - interpretation 133–135
 - provenance 135
 - results 129–131
 - samples 129, 133, 134
 - sampling strategy 137
 - source interpretation 132–133, 135
- permeability 94
- Peru *see* Central Andes; SE Peru
- plutonic systems, cooling of 53–54
- Po Basin 141
- Po Delta 141, 142
- bedrock fission track ages 147–148
 - dating method 144–145
 - detrital apatites 147
 - fission track results 145–147
 - grain age distributions 146, 147–148, 147
 - probability density plots 146
 - sampling 144–145
 - sediment source 144
 - single grain ages 145
- Po Plain, source areas 147–148, 147
- potassium *see* K/Ar dating
- precipitation
- Corsica 219, 230, 231–233
 - and denudation rates 217
 - and erosion rates 231–233
- precision of topography reconstruction (PTR) 100–103, 101–103, 103, 105
- probability density plots 2
- Po Delta 146
 - sediment contribution 148
- provenance studies 8–10, 58, 69, 125–140, 141, 149
- indicators 9
 - source interpretation 132–133
- pseudotachylyte 331
- radiation damage trails *see* fission track
- radiation enhanced annealing 193–216, 206–207, 207–213
- radiometric dating 334
- random effects model 2
- Rb–Sr biotite cooling ages 277, 277
- reflected light images 25, 26, 27, 30, 33
- interference bands 30, 31
 - problems 29–31
- regolith downwearing 220–222, 223–227, 228
- rates 230
- rift basins 265
- rift margins 282, 283
- evolution models 279
 - geothermal gradients 281
 - uplift model 279–282
- rifting, time-temperature paths 53
- rock properties 112
- root mean square 106, 106
- rubidium *see* Rb–Sr biotite cooling ages
- samarium *see* Sm–Nd geochemistry, U–Th–Sm/He
- dating, apatite U–Th–Sm/He
- samples
- density 103–104
 - horizontal profiles 112
 - preparation methods and modelling 84

- size determination 104, 108
vertical profiles 6–7, 95, 105, 106, 307
- Scotland
Hebridean Igneous Province **51**, 53, 54, 54
mafic plutons 47
Muck Tuff 49, **51**
zircon data **51**
- SE Peru
AFT age vs altitude 311, 313
AFT data **310**
cooling phases 314
deformation phases 313, 314
Eocene-Oligocene 313
exhumation pattern 307–316, 314–315
exhumation rate 313, 314
Miocene 313–314
thermal history 311–313
thermal modelling 307
time-temperature modelling 312, 313
uplift 314–315
Western Cordillera 314–315
ZFT age vs altitude 311, 313
ZFT data **310**
- secondary ion mass spectrometer (SIMS) 318, 324
- sediment provenance 61
see also provenance studies
- sediment reworking 144
- sediment storage 144
- sedimentary basin analysis 11, 12
- sedimentary overburden 326
- sensitivity analysis 99
- SHRIMP sensitive high resolution ion microprobe *see*
zircon SHRIMP U–Pb dating
- Siberian Altai Mountains, thermo-tectonic evolution
237–259
- Sierra de Cameros
AFT age populations 163
AFT data **157–158**, 161, 162
apatite U–Th/He ages 156, 161, **162**, 162, 163
exhumation 153–166
fission track interpretation 159, 162
fission track length distribution 160
fission track results 156
geological framework 155–156
geological map 154
palaeogeothermal gradient 159, 162
sample locations 159, 161
tectonic models 153–155, 155, 162
thermal events 163
thermal modelling 156–159, 160
ZFT data **157–158**, 159, 162
- Sierra Nevada, California
palaeotopography 107–108, 107
U–Th/He data 99
- SIMS *see* secondary ion mass spectrometer (SIMS)
- single grain fission track age distributions 3, 3, 131
- Sm–Nd geochemistry 58–60
- software 5
AFTSolve 90, 159, 170, 207, 250–251, 309
BINOMFIT 164, 170
FEFLOW 87, 88
HeFTy 322
TERRA 117, 118
- soil downwearing *see* regolith downwearing
- soil etching 226–227
- South Africa
AFT analysis 287–306
AFT results 291–295, **293**, 294, 295, 296–298
Cenozoic denudation 301–302
cooling phases 287, 298
denudation history 287, 298–302
denudation mechanisms 299–301, 300, 302–303
fault structures 291, 292, 299
geological framework 288–290
geological map 289
geomorphology 290–291
mid Cretaceous denudation 299, 302–303
palaeogeothermal gradients 300
post magmatism thermal relaxation 298
relief map 290
sample locations 289, 290, 292, 294
seismic data 301
tectonic evolution 287, 299
thermal modelling 295–298, 297
unconformities 301, 301
uplift 299–301, 300
- Spain 153–166
AFT data 76
- strontium *see* Rb–Sr biotite cooling ages
- Switzerland 111–124
- tectonic activity
and erosion rates 217, 231
interpretation 95, 95
processes 12
South Africa 299
uplift 280
- tectonic evolution 237
palaeosurfaces 317
- tectonic models 153
Sierra de Cameros 162
- Teletskoye graben 237–259
AFT data 244–245, 248–254, **249**
AFT interpretation 252–254
Ar/Ar dating 244, 246, 247
basement structure 239–242
Cenozoic reactivation 243, 252
features 239
formation of 243
geodynamics 239–242
geological map 240
lithology **241**
Mesozoic reactivation 242, 252
samples **241**, 244
tectonic evolution 254–255, 255
thermal history 254–255, 255
thermal history model 248, 250–251
time-temperature paths 250–251
zircon SHRIMP U–Pb dating 244, 245–246, 245
- temperature-time paths *see* time-temperature paths
- TFT *see* titanite fission track
- Th *see* thorium
- thermal annealing behaviour 89
- thermal anomalies
fault activity 331
fluid circulation 87
- thermal conductivity 116, 117, 118, **118**, 119, 121,
122, 203

- thermal field
 perturbation 100
 steady state 100
- thermal gradient *see* geothermal gradient
- thermal history 10, 53, 173–175, 181, 187–190, 203, 207, 237, 331
- thermal modelling 73, 90, 112, 153, 181, 296–298
 Ardennes 173–175
 boundary conditions 88
 comparisons 118
 constraints 173
 convective heat transfer 89
 Finland 203, 207
 fluid flow 88–90
 FT ages and distance 93
 Gotthard transect 111–124
 limitations 94
 Lusitan Block 187–190
 model parameters 91, 92–93
 parameters 100, 118–120, **119**
 quantitative 331
 reference model 90–91, 91, 92, 95
 SE Peru 307
 Sierra de Cameros 156–159, 160
 South Africa 295–298
 technique 295–296
- thermal structure, upper crust 8, 87
- thermochronology 1–23, 12
 internal pair method 307
 low temperature 4–5, 9–12, 99–110
 modelling 4–5
 multi-method approaches 10, 11
 and topography 8
- thorium 4
 concentration 202, 204, 205
 microinclusions 204
 zonation 204
see also apatite U–Th–Sm/He; U–Th/He thermochronology; U/Th ratios; zircon U–Th/He
- time-temperature histories 73, 173
 Ardennes 173, 174, 175, 177
- time-temperature paths 87, 89, 91, 93, 228, 295, 322, 324, 327
 envelopes 3, 160, 184–187
 Finland 208
 inverse modelling 208, 317, 322, 325
 model input parameters 309–311
 modelling 53, 167, 203, 229, 232, 309–313, 312
 modelling constraints 309–311, 312, 322
 Mozambican basement 277
 SE Peru 313
 Teletskoye graben 250–251
- titanite 1
 closure temperature 320
 partial annealing zone 3, 278, 320
- titanite fission track
 age-elevation 275, 276
 age-latitude 275, 279, 280
 ages 324
 analysis 320–322
 closure temperature 276
 Gjelsvikfjella 317–330
 methods 266
 Mozambican basement 261–286, 270, **274**, 275, 276–278
- topography 99, 116, 117, 118, 123
 amplitude 103, 103, 112
 apatite thermochronology 8
 isotherm perturbation 112
 three dimensional 122
 wavelength 103–104, 104, 112
- topography reconstruction 101, 107, 107, 108
 exhumation rate 105–107, 105
 geothermal gradient 105, 105
see also precision of topography reconstruction (PTR)
- track length *see* fission track length
- transmitted light images 25, 26, 27, 33
- trapping model 194, 206
- U–Th/He thermochronology 1, 3–4, 118, 287, 317, 322
 Sierra Nevada, California 99
- U/Pb ages 54, 237
 East Antarctica 318
- U/Th ratios 42–45, **44**
- unroofing 317
- uplift 5–6, 7, 65, 299–301
 isostatic 280
 regional 302
- uranium 2, 3
 micro-inclusions 204
 ratios 42–45, **44**
 zonation 204
see also apatite U–Th–Sm/He; U–Th/He thermochronology; U/Pb ages; U/Th ratios; zircon U–Pb SHRIMP; zircon U–Th/He
- uranium concentration 37–46, 204, 205
 analysis variation 40
 effective 194, 206, 206
 measurement method 38–40
 sequential measurement 41
- uranium content 193, 202, 207–209, 209–210, 209, 210, 211
 and AFT age 212, 213
 apatite 41
 LA-ICP-MS **39**
 and mean track length 213
 zircon 42
- vitrinite reflectance 11, 12, 317, 325
 East Antarctica 322
- weathering 217–235
see also chemical weathering
- weathering girdles 224–225, 225, 226, 226, 228
- weathering rates 217
 beryllium analysis 222
 and climate effect 227–228
 and lithology 227–228, 230
 measurement 222
- whole rock ages 319
- zeta calibration approach 2, 223, 320, 332
- ZHe *see* zircon U–Th/He

- zircon 1
 - closure temperature 47
 - euhedral shape 132, 132
 - LA-ICP-MS, results 41–42
 - partial annealing zone 3, 307, 313
 - uranium content 42
- zircon age standards 43, 49, 51
- zircon ages 127, 130, 131–132
- zircon fission track 47, 143–144, 307
 - analytical methods 164
- zircon fission track data 156
 - probability density plots 133
 - radial plots 159, 161
 - Sierra de Cameros 157–158, 159, 162
- zircon SHRIMP U–Pb dating 237, 282, 318, 324
 - Teletskoye graben 244
- zircon U–Th/He 47–56, 51, 54, 153
 - age standards 49, 51
 - analytical techniques 48–49
 - applications 47, 49–54