

Index

Note: Page numbers denoted in *italics* indicate figures and those in **bold** indicate tables.

- Acadian Orogeny 143
accretion 3, 28, 143, 150–151
accretionary wedge, Chu–Ili terrane 47
acritarchs 182, 197
assemblages 86
 Leiosphaerid distribution 197
Adamastor Ocean 173
Adelaide Fold Belt 173
Adelaide Rift system 173
Afghan terrane 11, 14, 17
 assemblage 9
Africa 1, 11, 14, 17
Aisha–Bibi seamount
 Karatau–Naryn terrane 54
 palaeogeographical significance 50–53
Akzhal Formation
 deposition 30–32
 geological map 31
 radiolarians 31
Ala Shan terrane 10
Alakul *see* Lake Alakul
Albarracin Creek 243–245, 244
 facies 243
 geology 243
 specimen comparisons 244–245
 specimen description 243–244
Alborz terrane 9, 11, 14, 17
 faunal successions 266–267
algae 194–196, 197
alpha diversification 163
Anderken Regional Stage 37
Annamia terrane 5, 12, 13
Antarctica 1
Antrim Plateau Volcanics 16
Arabia 1
Arabian–Nubian Shield 173
archaeocyathids
 Avalonia 149
 Cambrian distribution 150
Argentina
 Devonian 233–255
 high latitude vegetation 233–255
 plant assemblages 235–247
Armorica terrane 18, 65–66, 112, 112, 142
 assemblage 66, 110, 111
 definition 103–115, 109–110
 palaeomagnetic data 65, 110
Ashchisu Formation 32
Australasia 1, 3, 13
Avalonia 65–66, 112, 112, 141–155, 143, 257, 264
 accretion of island arcs 143
 archaeocyathids 149
 Avalonia 141–155
 basement 141, 150
 basin evolution 109
 biofacies 147–148
 brachiopods 147
 Cambrian 146–149
 deep water fauna 148
 definition 103–115
 detrital zircons 151
 drift history 109, 144
 Early Palaeozoic 141–155
 East Avalonian terranes 141, 143
 extensional regime 146
 faunal evidence 141, 145
 geological history **151**
 Gondwanan faunal affinity 148
 identity and unity 143–144
 independent terrane 146
 key faunas 143
 Laurentia relationship 144
 margins 142–143
 Menevian faunas 148
 microcontinent or plate 108–109
 Ordovician 141, 144, 145, 146
 palaeobiogeographical evidence 108–109
 palaeogeographical reconstruction 108, 145, 147
 palaeolatitude 146, 147, 149
 palaeomagnetic data 109, 145, 151
 Precambrian 150–151
 rift history 109, 141, 151
 Silurian 144
 Sm–Nd isotopic signatures 151
 split from Gondwana 141, 151–152
 stromatolites 151
 terminology 142
 terrane history 151–152, **151**
 trilobites 147–149, 148, 149
Avalonia–Baltica, accretion to Laurentia 144
Bachongo Farm 239–243
 facies 241
 geology 239–241
 specimen comparisons 241–243
 specimen description 241
 sporangium 242–243
Balgozha Formation 35, 37
Baltica 5, 8, 65, 107, 141, 142, 263–264, 266, 271
 assemblage signature 214
 Cambrian 54, 261–262
 endemics 164–165
 faunas 214
 Ordovician 58–59
 palaeocontinent 103
 palaeogeographical reconstruction 108
 palaeomagnetic data 58–59
basin evolution, Avalonia 109
bathyurid fauna, biofacies 201, 213
Bentong–Raub Suture Zone 13
beta diversification 161, 163
biogeographical terminology 103
biogeographical units, hierarchy 105–106
biomes 105–106
bioturbation 181
bivalves 203, 210–212, 211, 217, 219, 224
 Central Andean Basin 201
 endemism 224

- bivalves (*Continued*)
 Katian–Hirnantian 221
 Ordovician 212
 radiation 222
 Sandbian 219, 220–221
- black shales 129
 deglacial 262–263
 deposition 270
- Boda event 82–85, 95, 133, 161, 257, 265, 269
 clastic sediment supply 263
 facies change 263
 Perunica 89–91
- Bohemian Massif
 tectonic map 68–69
 Teplá–Barrandian region 67–75
 terranes 68–69
- Bolivia
 coalified material 180, 186–187, 189, 191, 192–193,
 194–197
 Cochabamba Province 178–181
 graptolites 180
 locality map 178
 Silurian 177–200
- Bolshoi Karatau
 faunal affinities 56–57
 Ordovician faunas 56–57
- Bouma cycle 33, 42
 Kogashik Formation 36
- brachiopods 17, 80–81, 91, 160–163, 203, 205, 206,
 211, 217, 219, 224
 Avalonia 147
 Central Andean Basin 201, 207–208, 208
 Dapingian–Darriwilian 214–218, 214, 216, 223
 brachiopods 205, 206
 database 205
 early Cambrian 205, 206
 Furongian–early Tremadocian 207–208, 208
 Katian–Hirnantian 221
 late Tremadocian–Floian 209–210, 210, 211
 linguatate fauna 43, 54–56, 81, 82–85
 middle latitudes 157–170
 middle–late Cambrian 207
 multivariate analysis 158
 Ordovician 45–47, 157–170
 orthids 217
 Perunica 81–85, 86–87, 89, 90
 Precordillera 201, 209–210, 210
 proorthide brachiopods 43
 rhynchonelliform brachiopods 81, 82–85, 87, 160,
 162, 214, 215, 223, 224
 Sandbian 216, 218–220, 219, 220
 Skryje–Tyrovice Basin 75
 spatial cluster analysis 161
Yangzteella 16
- Brasiliano–Pan–African orogenies 172–173, 173
- bryozoan–pelmatozoan meadows 117, 133, 135
 floatstones 125, 128
- Burbaital Formation 33
 radiolarian chert 35, 36
- Burultas tectonofacies zone 32–42, 58
 conodont biozones 33–34
 radiolarian cherts 33–34
- Cadomian terrane 18, 66, 142
- Caledonide orogeny 141, 143, 144
- Calymenacea–Dalmanitacea trilobite province 16
- Cambrian
 archaeocyathid distribution 150
 Avalonia 146–149
 Baltica 261–262
 biofacies distribution 147, 148
 biogeography 56, 201–232
 biostratigraphy 144–149
 climate 149
 cooling events 260
 evaporites 15
 extensional regime 146
 faunal radiations 15
 Gondwana 6
 mid–late Cambrian 207
 northeastern peri-Gondwanan margin 11
 ophiolite obduction 16
 palaeogeography 3, 7, 15–16, 92, 146–149, 258–259
 Perunica fauna 95
 sediment deposition 146
 terrane diagnostic faunas 147
 trilobites 56, 143, 149, 207, 222
 Zhalair–Naiman fault zone lithostratigraphy 29
see also Early Cambrian
- Caparo Formation 203
- Cape Fold Belt 174
- carbon
 burial 263, 265
 cycle 269
 sink 263, 269
- carbon dioxide 257, 262, 263, 269
- carbon sequestration, Silurian 197–198
- carbonate productivity 125
- carbonates
 cool water 257, 258–259, 260, 261, 262,
 263–264, 270
 deposition 257
 mounds 269
 productivity 125
 shelf model 271
- Carmelitas facies 178–179
 water depth 197
- Carolina terrane 143
- Caspian Sea 8
- Caucasus terrane 8
- Celtic province
 assemblage signature 214, 215
 biogeographical entity 157–159
 brachiopods 167, 222
 diversity dynamics 162–163
 faunas 157, 162
 Great Ordovician Biodiversification Event 163
 integrity of 160
 Ordovician 157–170
 pre-drift positions 159
 taxa 214
 temporal context 160–162
 trilobites 158–159, 166, 167
- Central Andean Basin 201, 203, 216
 bivalves 201, 210, 211
 brachiopods 201, 207–208, 208, 209, 211, 218–219
 trilobites 201, 208–209, 212, 224
- Central Asia, Early Palaeozoic faunal signatures 23–64
- Central Europe, Variscan orogeny 65–102
- China *see* North China; South China

- Chu–Ili terrane 23, 24–49, 25, 27
 accretionary wedge 28, 47
 active margin 47
 benthic faunas 43–47, 45
 biogeographical signatures 43–47
 brachiopods 46
 Cambrian sedimentary cover 47
 characteristic brachiopod genera 44
 conodont biostratigraphy 57
 depositional history 40, 41
 Early Palaeozoic geological history 47–49
 equatorial peri-Gondwanan links 45
 island arc volcanism 47–49
 Ordovician 41, 42, 43, 46, 57
 Palaeozoic lithostratigraphy 28
 rifting 27
 rotation 47
 Silurian 41, 42, 42
 subduction–accretion complex 28
 subsidence history 40, 41
 tectonic deformation 39
 trilobites 46
- Chulaktau Formation 50–52, 54
- climate changes
 Hirnantian 91–93
 see also cooling events
- climatic barriers 88
- cluster analysis 161, 162, 205, 215
- coalified material 177
 Bolivia 180
 circular to elliptical structures 192–193, 193, **194**
 cylindrical lobed structures 187–189, 188, **189**
 descriptions 182–197
 rectangular segmented structures 189–192, 190, **191**
 specimen techniques 181
 sphaeromorphs 190, 193–197, 196, **196**
 threads and ribbons 183–187, 184, 185, **186**
- Cochabamba Province
 facies 178–181
 stratigraphy 178–181, 179
- coeval assemblages 247–250
- conodonts 86, 203
 alteration indices 50
 Burultas tectonofacies zone 33–34
 Chu–Ili terrane biostratigraphy 57
 extinction events 266, 269, 270
 Perunica 89
- Contaya Formation 203
- cooling events
 bathymetry 257
 cyclicality 259, 270
 Early Palaeozoic 257–278
 facies evidence 257, 259–268, 260, 262
 faunas 257
 geomorphological evidence 259–268
 orbital controls 257, 262, 270
 palaeobiogeography 257
 stable isotope excursions 257, 260, 262
- Cordillera Oriental 203–204, 207, 209
 Cambo–Ordovician succession 204
 trilobites 212–213
- Cristalina Formation 203
- Ctenocystoids, Cambrian palaeogeographical
 distribution 91
- Cuyania terrane *see* Precordillera
- cyanobacterial 187
- Cyclopygid
 Biofacies 82–85
 Perunica 89
- Cystoid Limestone 118, 133, 135
- Czech Republic
 Cambrian fossils 70
 Devonian fossils 70
- Dapingian–Darriwilian 214–218, 215
- Darriwilian, benthic faunas 43–45, 47
- Delamerian orogen 13, 16
- Delamerian terrane 18
- depositional environments 177
 facies studies 247
 hydrodynamic conditions 117
 low energy 182
 oxygen levels 181
 palaeoecology 181–182
 processes 129, 247
 shallow shelf 247
 storm events 247
 subtidal coastal deposits 247
 trace fossil assemblages 247
 water depth 181–182
- detrital zircons, Avalonia 151
- Devonian
 Argentina 233–255
 circulation and precipitation patterns 251–252
 environmental conditions 251–252
 fish faunas 10
 palaeopole 251
 plate positions 251
 South America palaeogeography 249
 diamictites 117, 125, 133, 136, 221, 258–259,
 259, 261, 263
 disrupted 128–129
 massive stratified 128
 rhythmic 128–129
 sediment gravity flows 137
 dice similarity index 212, 214, 215, 220
- Dikelocephalinid trilobite province 16
- dispersal 222
 barriers 81, 268
 see also climatic barriers; geographical barriers;
 migration; radiation
- diversification 157–170, 161, 163, 248, 251
 diversity curves 160, 162
 see also beta diversification; gamma diversification,
 alpha diversification
- dolostones 123–125
- dropstones 117, 136, 258–259
 density 136
 rain out 128, 136, 137
 striated 261
- Dulankara Formation 38, 39, 41
- Dzhambul Formation 24–27, 27
 dating 26
 geological map 31
 siliciclastic turbidites 30
- East African–Antarctic orogen 171
- eccentricity cycles 259, 265, 268, 271
- echinoderms 74–75, 91
 ctenocystid 95

- echinoderms (*Continued*)
 Příbram–Jince Basin 73–75
 Skryje–Tyrovice Basin 75–76
- El Hígado Formation 203
- endemism 105–106, 213
 bivalves 224
 Central Andean Basin 224
 degree of 147–148, 162
 trilobites 166–167
- Europe 107
 Palaeozoic geodynamic history 103
 peri-Gondwana 107–108
see also Central Europe
- evaporites 15
- extinction events 157–170, 257, 262
 conodonts 269
 mass extinctions 257, 267
- faecal pellets 182–183, 189, 198
- Famatina 210, 211
 basin 208, 214
 bivalves 210, 217
 brachiopods 217
 rostroconchs 217
 stratigraphy 204
 trilobites 212, 217
 volcanic belt 201
- Farah terrane 9
- faunal provinces 10–12
- faunal signatures
 Bolshoi Karatau 56–57
 distribution 10, 12, 268
 faunas 10, 12
 tectonic implications 23–64
 terrane diagnostic 10
- Foliomena* fauna 89–91
- fossil island complexes 157
- fossilization
 cyanobacterial sheath 187
 eggs 197
- Franconian Forest 79
- Furongian–early Tremadocian 207–209
 brachiopods 207–208, 208
 trilobites 208–209, 208
- gamma diversification 157, 163, 167
- geodynamics
 and palaeontology 106–107
 terminology 103
- geographical barriers 81, 87–88
- glacigenic deposits 117–139, 136, 137, 257, 258–259,
 259–261, 260, 262, 269
see also dropstones
- glacioeustatic
 global event 136, 267
 rebound 137
 regression 117, 135, 269
 shallowing 263
- global eustacy 136, 265, 267
- global warming 133
 Gondwana 141
 Cambrian 6
 Early Palaeozoic 6
 Ordovician 6
 positions 7
 present day 6
 reconstruction relative to South Africa 12
- Gondwana 1, 107, 264
 accreted terranes 201–232
 archaeocyathid distribution 150
 and Avalonia 144, 147, 151
 core 6, 7, 12, 141
 cratons 172–173
 Devonian 251
 Devonian assemblages 250
 diversification pattern 222
 fold belt system 174
 formation of 171–173
 high latitude marine productivity 177–200
 ice cap 258–259
 island arc accretion 151
 Lower Palaeozoic 6, 172–173
 margin transform movements 141
 Ordovician 107
 palaeocontinent 103, 233
 palaeogeographical reconstruction 107, 108,
 233, 251
 palaeolatitude 147
 polar wander 261
 rotation 94
 signature 224
 South American margin 201–232
 superterrane 6, 142
see also core Gondwana; north–eastern Gondwanan
 margin; northern Gondwana; south–west
 Gondwana; southern Gondwanan margin
- graptolites 177
 Bolivia 180
 extinction event 267
 water depth 181–182
- Great Ordovician Biodiversification Event, Celtic
 province 163
- Grenville Belt 171
- Gurvanshayan terrane 10
- Helmand terrane 9
- Hesperian Chain/Platform
 active extensional tectonics 135–136
 carbonate productivity 135
 carbonate productivity 137
 depositional pathways 132–136
 facies associations 121–131, 124
 geological setting 118–121, 119
 geometry 117–118
 Ordovician sedimentary architecture 132
 Ordovician–Silurian 120
 palaeocurrents 136
 palaeogeographical features 132–136
 slope failure 137
 stratigraphy 118–121, 120, 121, 122, 136
- Himalaya 10
- Hirnantia* Brachiopod Fauna 16
- Hirnantian 137, 221
 biostratigraphically significant fossils 132
 climate changes 91–93
 diamictite 221
 fauna 16, 92, 95
 glaciation 8, 16, 221, 257, 259

- glacioeustatic transgression 117
- sedimentation record 117
- horsts 135
- hot shales 257, 260, 262, 263, 270
- Hun superterrane 3, 5, 16, 18
- Iapetus Ocean 5, 108, 141, 146, 166, 201
 - island faunas 166–167
 - islands 158
 - palaeogeographical reconstruction 159
 - suture 65
 - volcanic arcs 224
- Iberian Chain
 - facies associations 121–131
 - geological setting 118–121, 119
 - Ordovician–Silurian 120, 136
 - stratigraphy 118–121, 120, 121, 136
 - tectonostratigraphical units 119
- Iberian platform 117
 - carbonate productivity 133, 137
 - coastal plain strata 133–135
 - depositional pathways 132–136
 - geometry 117–118
 - intra-shelf ramp 133–135
 - Ordovician sedimentary architecture 132
 - palaeogeographical features 132–136
 - quiescent tectonics 133–135
- ice rafting 117, 259, 261
 - see also* dropstones; sea ice cover; shore ice
- ice wedge clasts 261
- iceberg drift lanes 117, 133, 136, 137
- India 1
- Indochina *see* Annamia terrane
- insolation, orbitally controlled 262
- inter-provincial diversity *see* gamma diversity
- intra-shelf ramp 118, 133–135
- Iranian terranes 9
- island arc accretion 3, 143, 150–151
- island arc volcanism 49
 - Chu–Ili terrane 47–49
 - Ordovician 47–49
 - polarity 57
- islands
 - assemblage linkage 163
 - biotic separation 157
 - fossil complexes 157
- isostatic rebound 136
- isotopes *see* oxygen isotopes; Sm–Nd isotopic signatures; stable isotope excursions
- Jaccard Index, coefficients of similarity 163, 205
- Jince Formation 69–75, 74–75, 77
 - Cambrian fossils 78
 - fossil assemblages 71–75
- Karakamys Formation, dating 41
- Karakorum terrane 9–10
- Karakum terrane 9
- Karatal Formation 27–29, 27
- Karatau fault system 49
- Karatau–Naryn terrane 23, 25, 49–57
 - biogeographical affinities 54–56
 - Cambrian biostratigraphy 53
 - Cambrian deposits 55
- Cambrian lithostratigraphy 53
 - carbonate deposition 50, 53
 - deformation history 50
 - geological map 51, 52
 - linguliformean brachiopods 54–56
 - Ordovician deposits 55
 - Palaeozoic geological history 54–56
 - position 54
 - sedimentology 54–56
 - and South China 57
 - trilobites 54–56
- karstification 117, 126, 135, 263, 270
- Katian–Hirnantian 221
- Kazakh terranes 4, 5, 8–9
- Kazakhstan
 - Cambrian trilobites 56
 - Early Palaeozoic faunal signatures 23–64
 - Ordovician trilobites 56
 - Palaeozoic palaeomagnetic data 23
 - Palaeozoic tectonic units 26
- Kazakhstanian orogen 23, 57–59
 - biogeographical signatures 59
 - Cambrian ophiolites 58
 - depositional history 57
 - Early Palaeozoic biogeography 57–59
 - evolution 59
 - faunal affinities 58
 - geochemical signatures 59
 - magmatism 57
 - Ordovician brachiopod affinities 58
 - Ordovician ophiolites 58
 - Ordovician trilobites 58
 - Palaeozoic faunas 57
 - Palaeozoic tectonic units 25
 - plate tectonic history 57–59
 - radiolarian cherts 58
 - sedimentological signatures 59
 - volcanic arc polarity 57
- Kirusillas Formation 177, 198
- Kodymirus* Association 69, 73
- Kogashik Formation, Bouma cycle 36
- Kokchetav microplate, faunal assemblages 58
- Kopetdag terrane *see* Mangyshlak terrane
- Kunlun terrane 10
- Kypchak Arc model 49, 57
- Kyrshabakty Formation 50, 54
- Lachlan orogen 13, 16, 18, 173
- Lake Alakul 35
 - depositional history 40
 - geological map 37, 38
 - Ordovician 39
 - subsidence history 40
- Larapintine Sea 16
- Las Carmelitas facies 177, 180
 - coalified material 184, 185, 188, 190, 193, 196
- Laurentia 65, 107, 142, 214, 264
 - affinities 217, 224
 - assemblage signature 214
 - Avalonia–Baltica accretion 144
 - endemic taxa 165–166
 - faunas 222
 - palaeocontinent 103
 - palaeogeographical reconstruction 108

- Laurussia 144
 Lhasa terrane 10
 Libya, assemblages 250
 limestone
 reddish shale couplets 125
 zebra 264
Lingulella Biofacies 71–73, 74–75
 linguliformean brachiopods 43, 54–56, 81, 82–85
 Lochkovian
 diversification 248
 migration 248
 plants 247–250
 Los Puertos Formation 118, 121, 133–135, 137
 amalgamated channels 130
 facies assemblages 129–130, 131
 heterolithic breccia 130
 karst 126
 lenticular sandstones 130
 Lut terrane 9
 lycophytes 244, 244, 246, 250
- Madagascar 11, 14, 17
 Maikul Formation 33
 Maine, Shin Brook Formation 165–166
 Makran terrane 9
 Mangyshlak terrane 8
 Meguma terrane 143
 mélange 34
 meltwater, stratification of water column 263
 Menderas Taurus terrane 8
 Mendoza province 234
 stratigraphy 235
 microbial mats 187
 microcontinents and plates 103–115
 migration 87, 157–170, 248
 free 201
 sea level histories 267
 mobile magmatic fronts 24
 Moesia terrane 8
 Mozambique Belt 171
Mucronaspis Fauna 91
 mud-mound complexes 117, 133, 135, 271
 multivariate analysis 205, 215
 brachiopods 158
 Mynaral–South Dzhungaria terrane 32–42
- Neotethys Ocean 5
 New England fold belt 173
 New Zealand 11, 13, 14, 17
 Lower Palaeozoic palaeogeographical evolution 3–21
 Newfoundland, Summerford Group 165
 North Borneo 13
 North China 5, 10
 North Tien Shan microplate, peri-Gondwanan origin 57
 northeastern Gondwanan margin
 geological history 15–18
 palaeogeographical reconstruction 15
 northeastern peri-Gondwanan margin
 Cambrian 11
 Early Palaeozoic palaeogeographical evolution 3–21
 Ordovician 14
 palaeogeography 11, 14, 17
 Silurian 17
 tectonic activity 3
 terrane 4, 15–18
 Northern Gondwana 117
 Early Palaeozoic location 107
 Silurian 262
- obliquity cycles 263, 270
 ocean currents 133
 ocean terminology 5
 salinity stratification 263
 Oisaksaul Formation 35, 37
 Ojos Negros Formation 118
 facies associations 123–125, 124, 126
 iron ore precipitation 135
 karst 126
 tectonic slides 135
 olenellids 222
 Olenid Fauna 201
 Ollantayambo Formation 204
 ooids 123, 135
 ophiolites
 obduction 16
 Zhalair–Naiman fault zone 32
 orbital forcing 262, 268, 271
 Ordovician 259
 Avalonia 141, 144, 146
 biogeography 45–47, 201–232
 biostratigraphy 144, 146
 bivalves 212
 brachiopods 16, 45–47, 80–81, 160, 162
 carbonate productivity 117–139, 222
 Celtic province 157–170
 Chu–Ili terrane 43, 44
 cooling 257
 core Gondwana 6
 diversification diachroneity 163, 167
 extinction events 45–47
 faunal diversity 144, 146
 glaciomarine record 117–139
 Hirnantian glaciation 8
 island arc volcanism 47–49
 Kazakhstan 56
 Lake Alakul 39
 northeastern peri-Gondwanan margin 14
 palaeogeographical reconstruction 3, 7, 16, 44, 93, 94,
 108, 112, 144, 258–259
 Perunica 80–81, 87
 radiolarian chert 33
 stages 66
 successions 266, 271
 Teplá–Barrandian region fauna 66
 trilobites 56, 81, 87
 Zhalair–Naiman fault zone lithostratigraphy 29
 Ordovician Radiation 157, 167
 Orea Formation 117, 118, 119–121, 136
 depositional sequences 133
 facies associations 125–129, 127
 glaciomarine sedimentary structures 134
 Hirnantian 137
 tectonics 135–136
 orogenic belts 171
 dating 171
 terminology 5–6
 Ortan Formation 34, 41
 siliciclastic turbidites 42

- Orumbai Formation, dating 41
 Oslo region faunas 164–165
 ostracodes 43
 Silurian 143
 Otta trilobite fauna 164–165
 oxygen isotopes, temperature and salinity 265
- palaeogeographical reconstruction
 Cambrian 15–16
 evolution 3–21
 kinematic continuity 144
 Lower Palaeozoic 15
 Ordovician 16
 Peri-Gondwana 107–108
 Silurian 16, 18
 terminology 103, 103–115, 104–105
- palaeomagnetic data 3, 7, **15**
 apparent polar wander paths 143
 Armorica 65, 110
 Avalonia 109, 151
 Baltica 58–59
 Gondwana 171
 Perunica 66
 terrane related faunas 144
- palaeoplates, and provinces 106
 palaeopole, Devonian 251
 palaeotemperatures 17, 251
 Palaeotethys Ocean 3
 rifting initiation 5
 sea-floor spreading rate 18
- Palaeozoic Evolutionary Fauna 23, 43–45
 Pampean orogeny 173, 205
 Pan-African orogeny 171, 172–173, 173
 pandemic distribution 105
 Pangaea, formation 103
 Panthalassic Ocean 5
 Paseky Shale Member, fossil assemblage 69, 73
 Peri-Avalonian microterranes 143
 periodic cooling 257
 peri-Siberia terrane 10
 periglacial geomorphology 258–259, 260,
 261–262, 262
- Perunica 65–102, 93, 95, 112, *112*
 acritarchs 86
 Baltic affinity 85–86
 Boda event 89–91
 brachiopods 80–81, 81–85, 86–87, 89, 90, 94
 Cambrian 94, 95
 carbonates 95
 conodonts 86, 89
 definition 66–67, 103–115
 depth related faunas 89–91, 95
 drift history 111
 echinoderms 94
 endemism of fauna 111
 Gondwanan affinity 81
 Hirnantian climate changes 91–93
 Ordovician 80–81, 87, 88, 94, 95
 Ordovician faunas 79–89
 palaeobiogeographical province 110–112
 palaeolatitudes 86, 94–95
 palaeomagnetic data 66, 111
 trilobites 87, 88, 89, 94
 warming event 89–91
- Pinjarra orogen 171
 plant assemblages
 Argentina 235–247
 preservation *see also* vegetation 233
 Polymeroid Trilobite Biofacies 71–73, 74–75, 75, 77
 Pontides terrane 6–8, 144
 Prague Basin 71, 79, 80, 82–85, 111
 Baltic affinity 82–85
 Gondwanan affinity 82–85
 Ordovician 80, 82–85
 Silurian 82–85
 trilobite associations 80, 82–85
- Precordillera basin, carbonates 204–205, 224
 Precordillera terrane 174, 213, 214
 accretion 202–203, 224
 Agmatan 205–206
 Argentina 233
 assemblages 251
 bivalves 210
 brachiopods 201, 205, 206, 208, 209–210, 210,
 216, 218–219
 Cambrian 203
 Gondwanan affinity 221–224, 252
 Laurentian affinity 203, 221–224
 palaeogeographical interpretation 221
 palaeolatitude 251
 rift–drift 205, 222
 rostromochs 216
 trilobites 203, 206–207, 206, 208, 221
- Príbram–Jince Basin 69, 71, 73, 78
 Cambrian stratigraphy 72
 echinoderm associations 73–75
 facies 71
 faunal associations 74–75
 peri-Gondwanan origin 73
- proto-Andean margin 201
 proto-Atlantic 157
 Prototethys Ocean 5
 Puna region 204, 207, 208, 213, 215
 volcanic belt 201
- Punta Negra Formation 233, 235, 239, 242–243
 lycophyte stems 244
 plant debris 240–241
 sedimentary logs 236–237
- Qaidam 5
 Qiantang terrane 10, 11, 14, 17
- radiolarian chert
 Burubaital Formation 36
 Burultas tectonofacies zone 33–34
 Kazakhstanian terranes 58
 Ordovician 33
- radiolarians, Akzhal Formation 31
 rain out facies *see* dropstones
 Ran Ocean 5, 8
 Rhenish Ocean 5, 141, 146
 closure 109
 initial rift–drift 151
 opening 109, 151–152
 suture 66
- Rhodope terrane 8
 rhynchonelliform brachiopods 43, 81, 82–85, 87, 160,
 162, 214, 215, 223, 224

- Río San Juan 240–241, 242–243, 244, 245–246, 246–247
- Rodinia 1
break up 171
configuration of 171
- rostromochs 217
Dapingian–Sandbian 216
Famatina 217
- San Juan Province 233, 234, 235–239, 239–243, 243–245, 245–246
stratigraphy 235
see also Bachongo Farm; Talacasto Creek
- San Marcos Formation 118
facies associations 121–123, 124
- Sanand terrane 11, 14, 17
- Sandbian 218–221
- Sarytuma Fault Zone 32–42
magmatism 39
sedimentary history 35
subsidence history 35
- Saxony, assemblage affinities 79
- Saxothuringia–Lusatia, assemblage affinities 79
- Scythian terranes 8
- sea ice cover 136, 259
- sea level changes 15, 86, 136, 181
cyclic 267
see also glacioeustatic; global eustacy
- sea level curves 257, 260, 262, 266, 271
distributions 267
evidence 271
- Serindia terrane 18
- Shabakty Group 52, 54
- shale *see* black shales; hot shales
- Shan–Thai terrane *see* Sibumasu terrane
- Shin Brook Formation, Maine 165–166
- shore ice 117
- Siberia 65
palaeogeographical reconstruction 108
- Sibumasu terrane 5, 12–13
- Sierra de Famatina *see* Famatina
- Silurian
Avalonia 144–146
biostratigraphy 144–146
Bolivia 177–200
carbon sequestration 197–198
cooling events 257, 260, 262
isotope excursions 267
northeastern peri-Gondwanan margin 8
ostracodes 143
palaeogeography 3, 7, 16–18, 48, 94, 144, 258–259
sea productivity 197–198
- sinkholes 135
- Skryje–Tyrovice Basin 78
brachiopods 75
Cambrian fauna 75–78, 76
echinoderm faunas 75–76, 77
faunal associations 77
stratigraphy 75–78, 76
- Sm–Nd isotopic signatures, Avalonia 151
- South Africa 12
palaeomagnetic South Poles 15
- South America 1
benthic faunal affinities 203
Cambrian–Ordovician basins 203–205
Devonian 249
Early Palaeozoic 201–232
geological units 201, 202
Laurentian affinities 201
Ordovician volcanoes 224
palaeogeography 223, 249
palaeolatitude 213
proto-Andean margin 223, 224
- South America 201–232
- South China 5, 10–12
palaeomagnetic data 12, 15
- South West Gondwana, plant assemblages 233–255
- South-eastern Australia 13
island arc accretion 3
- southern Gondwanan margin
accretionary events 173
development 173–174
Early Palaeozoic 171–176
tectonic context 171–176
- southern Gondwanan margin 171–176
- Spain, extensional tectonics 117–139
spatial cluster analysis 161, 205, 215
- spore zonations, correlation 248
- stable isotope excursions 260, 262, 263, 265–267
cooling events 257
GICE 264, 265
SPICE 258–259, 262, 267
- stromatactis 264–265, 269
- stromatolites, Avalonia 151
- subduction 49
subduction–accretion complex, Chu–Ili terrane 28
- Sulusai Formation 32
- Summerford Group, Newfoundland 165
- supercontinent, terminology 104–105
- superterrane 3
- Sweden, collapse structures 262
- Takaka terrane 13
- Talacasto Creek 240–241
facies 235, 239
fossil comparisons 239
geology 235, 239
- Talacasto Formation 233, 235–239
specimens 238
- taphonomy 247
- Tarim terrane 5, 10
- Tasman Orogenic Belt 13
- Taurides terrane 8, 11, 14, 17
- taxa
adaptations 251–252
cradles 162
museums 162
- temporal cluster analysis 162
- Teplá–Barrandian region
Bohemian Massif 67–75
Cambrian 67–75, 71
Devonian 71
geology 67–75, 71
geotectonic regime 67
Ordovician 66, 71
- Terenkul Formation 34, 39

- Terra Australis orogen 171, 224
 accretion 173
 cause of 174
- Tibetan terranes 10
- Toquima–Table Head 214
 faunas 158, 162
 province 160, 162
- Tornquist Ocean 5, 108, 141
 suture 66
- Tourmakeady Limestone 166
- Trans–European Suture Zone 66
- Tremadocian 207–209
- Tremadocian–Floian 209–214
 bivalves 210–212, 211
 trilobites 210, 211, 212–214
- trilobites 163–167, 203, 206, 206–207, 216, 217, 219
 agnostids 147–148
Annamitella 166
 Avalonia 147–148, 148, 149
 biogeographical signal 167
 Cambrian 143, 149, 207, 222
 Central Andean Basin 201, 208–209
 conocoryphid biofacies 148–149
 Dapingian–Darrivillian 216, 218
 Early Cambrian 206–207, 206
 endemic taxa 166–167, 224
 Furongian–early Tremadocian 208–209, 208
 Gondwana affinity 224
 Karatau–Naryn terrane 54–56
 Katian–Hirnantian 221
 miomeroid Biofacies 73, 74–75, 75
 olenids 148
 Ordovician 81
 Ordovician middle latitudes 157–170
 palaeogeographical affinities 164
 Perunica 87, 88, 89
 polymeroid Biofacies 71–73, 74–75, 75, 77
 Precordillera terrane 206–207, 206
 Sandbian 216, 219, 221
 shallow water 148
 trilobites 206–207, 206
- Turkey, Lower Palaeozoic palaeogeographical
 evolution 3–21
- Tuzoia* 91, 95
- unconformities 132–136
- Variscan orogeny 65, 109–111
 Central Europe 65–102
 metamorphism 67
- vegetation
 diversity 233
 global latitudinal gradient 233
 high latitude 233–255, 252
 plant life cycles 252
see also coalified material; plant assemblages;
 plant axes
- vicariance events 222
- volcanic arc 47–49
 Kazakhstanian terranes 57
 polarity 57
- West Avalonia 141, 143
- West Gondwana, palaeogeographical reconstruction
 172–173
- Western Taurides terrane 8
- Wilson cycle 157–158
- Wiwaxia* 95
 Cambrian palaeogeographical distribution 91
- Yangtze terrane *see* South China terrane
- zebra limestone 264
- Zelezné hory area 78–79
- Zhalair–Naiman basin, evolutionary model 32, 47–49
- Zhalair–Naiman fault zone 24–32, 27
- Zhalgyz Formation 34
- zircon *see* detrital zircons