

Index

Note: Page numbers in *italic* denote figures. Page numbers in **bold** denote tables.

- Acadian orogens, 272–278
 - low grade facies rocks, 546
- Acapulco profile, 184
- Acapulco Trench, 172
- Acatlán complex, 249, 273
 - Chazumba and Cosoltepec units, 279
 - palaeogeographic model, 274
- Accreted Caribbean Terranes, 491, 492
- accretion
 - Guaranda terrane, 480–481
 - v. erosion in Central America, 449
- African hot spots, 5
- AFT. *See* apatite fission track (AFT)
- Agua Clara Formation, 592, 606
 - transformation ratio, 607
- Albian–Early Eocene Andes–Caribbean Plate
 - boundary, 15
- Alboran Sea, 142
- Aleutian Islands, 562
- Algeciras, 570
- alkali feldspar, 539
- Alleghanian orogens, 546
- allochthonous terranes boundary, 504–507
- allochthons, 757
- alluvium, 341
- Altos Cuchumatanes, 221
 - uranium lead ages, 303
 - zircon geochronology, 297–298, 300–302
- Amazon Craton, 543, 545
- AMCG Suite. *See* anorthosite–mangerite–charnockite–granite/granophyre (AMCG Suite)
- Amotape–Tahuín metamorphic belt, 510
- amphibolite, 266
 - analyses, **556**
 - facies belt, 760
 - facies metamorphic terranes, 760–761
 - facies metamorphism, 282
 - shearing degree increase, 722
- Ancon Formation, 392
- andalusite source areas, **758**
- Andean
 - arc system, 733
 - Back-Arc Basin, 488, 494–495, 521
 - Boconó Fault system, 587
 - frontal thrust, 614
 - intra-arc basin, 734
 - Neoproterozoic–Palaeozoic rocks, 495
 - orogeny circa, 639–640
 - Para-autochthons, 757
- Andes. *See also* Mérida Andes; Northern Andes
 - Northern v. Central, 504
- andesites, 92
 - breccias, 475
 - dykes, 563
 - Piñon Formation, 475
 - rocks, 560
- anhedral quartz, 540
- anhydrite, 661–662
- anorthosite, 533, 535
- anorthosite–mangerite–charnockite–granite/granophyre (AMCG Suite), 544, 545–546
- Antarctica plate, 164
 - kinematics scheme, 164
 - SAND, 155
 - South American plate, 164
- Antioquia Terrane, 731
 - Palaeozoic core, 518
- Antioquia-Tahami terrane, 11
- apatite, 540
 - Barbados, 756
 - East Venezuela, 754
 - heavy minerals source areas, **759**
 - Nariva Formation, 754
 - Trinidad, 753
- apatite fission track (AFT)
 - ages, 698
 - erosion, 767
- Appalachian Mountains, 546
- Aptian time, 771
- Aptian–Albian, 105–106
 - change in island arc geochemistry, 340
 - volcanic arc, 328
- Aptian–Maastrichtian
 - closure, 12
 - evolution, 25–26
- Apure Basin, 35
- arc activity, 71
- arc magmatism, 169–173
- arc reconstructions, 169–173
- arc-associated basins, 149
 - Banda Sea, 147–149
- argon, **562**
 - Chortís Block granitoids and significant age groups, 241
 - data, **233–235**
 - geochronology, 555, 558
 - loss induced by tectonics, 435, 437
 - mineral spectra, 236–238
- Arima Formation, 392
- Armas Formation, 210
 - stratigraphic column, 210
- Arperos oceanic lithosphere, 26
- Arquia-Quebradagrande Complex, 514
- Arteaga, 275
- Aruba, 92
- Aruba Batholith, 565
- Aruba–Blanquilla islands, 133
- asthenospheric flow, 148
- Atlantic crust, 109
- Atlantic Plate, 78
- Atlantic-type margin, 504
- Atlantica, 543
- Atrato sutures, 499
- autochthonous greenschist, 760–761
- autochthonous South America, 504–507
- Aves Ridge, 34

- Azuero Complex western Panamá, 429
 Azuero Peninsula, 412
 Azuero Plateau, 438
 radiolarian cherts, 429
- backthrusting, 155–166
- Bahamas continental margin, 387–388
- Bahamas Platform, 60, 373, 374
 Caribbean Arc, 366–367, 370–371
 sediments, 366
- Bahamian collisions, 43
- Bahia Honda unit, 371
 palaeomagnetic determinations, 387
- Baja Verapaz, 59
 shear zone, 258
- Banda plate, 85
- Banda Sea, 139, 141–142, 143
 active continental margins, 144
 analogies, 151
 arc-associated basins, 147–149
 backthrusting, 151
 Caribbean age difference, 143
 internal basins, 149–150
 internal ridges, 150–151
 Neogene movements, 143
 north–south convergence, 151
 reconstruction map, 142
 seismic tomography, 145–146
 seismicity, 145–146
 strike-slip provinces, 146–147
 thrust belts, 143
 volcanic arc, 145
- Baños Fault Zone, 495–496
- Barbados
 accretionary prism frontal, 614
 clastic sandstone domains, 743–793
 downstream eastern continuation, 784
 heavy minerals, 756
 schematic structural cross-section, 747
 Venezuela, 755–756, 784–786
- Barcelona Trough, 772, 786
 Venezuela, 772–781
- Barinas Basin, 690
- barite cement in sandstone, 671
- Barrovian, 547
- Barrow, John, 547
- Basal Complex, 747
- basal Vidoño limestone, 635
- basalt
 Caribbean Plateau, 511
 olistolith, 418
 Osa Mélangé, 424–425
 Site 1001, 815–816, 823
 ytterbium, 562
- Basaltic Andesite, 553, 562, 563
- basaltic lavas, 475
- basaltic rocks olistoliths, 427
- basaltic volcanism, 716
- bastite, 554
- Bath–Dunrobin Formation, 23
- bathymetry, 148
- Beata Ridge, 95–97
 CLIP, 803, 805
 Colombian Basin, 79
 compression, 805
 EW9501 MCS lines, 806
 seismic stratigraphy, 800
 Venezuelan Basin, 79
 volcanic activity, 801
- Beicip Franlab, 606
- Benbow Inlier
 formations, 340
 Lower Cretaceous island arc lavas, 340–343
- Benioff Zone, 173
 arcs, 172
 forearcs, 172
 geodynamic modelling, 175
 seismicity, 45
- Berriasian faunal gap, 667
- Berrugate Formation volcanoclastic rocks, 20
- biotite, 541
 gneiss, 266
 biotite–hornblende clinopyroxenite rock, 541
- bioturbated siliceous deposits, 465
- black chert conglomerates, 790
- Blanquilla basin, 577
- blue tourmaline, 759
- blueschists
 Northern Andes, 496–497
 Sierra del Convento, 380
- Boca de Jaruco oil field, 319
- Boconó Fault, 570, 572, 614
 dextral offset, 574
 dextral thrusts, 642
 total dextral slip, 573
- Bolivar Block, 128, 133
- Bonaire Basin, 570, 577
 CA Washikemba sample, 406
 palaeo-transform fault, 627
 post-Mesozoic Southern Caribbean Plate
 boundary, 577
- Bonaire Block, 133
 dextral Oca fault, 570
- bore hole Mariel, 367
- Brazil Shield, 545
- Brazilian Shield, 757
- brittle–ductile two-layer crustal analogue models, 185
- brown bastite, 553
- Bruja Formation, 392
- Bucaramanga, 570, 614
- Burica Formation, 415
- Burica Peninsulas
 geological setting, 413–415
 Late Cretaceous to Miocene seamount accretion,
 411–450
 mélange formation convergent margin episodic
 growth, 411–450
- Burro Negro, 614
- Cabaiguan Formation, 392
- Cabo de la Vela Complex (CVC), 551, 560–561, 563
 analytical techniques, 554–555
 basaltic dykes, 560
 Caribbean realm, 565
 formation model, 564, 564
 gabbros and basalts, 563
 gabbros and hornblendites, 554
 gabbros geochemistry, 561

- geochemistry, 555, 558, **559–560**
 geochronological data, **562**
 geological setting, 549–551
 geology, 552
 isotopical data, **562**
 Jarara–Etpana sequence, 564
 Late Cretaceous intra-oceanic arc, 549–565
 mafic volcanic dykes, 554
 mineral chemistry, 555
 multistage evolution, 549–565
 neodymium isotopes, 560
 Northeastern Colombian Caribbean
 region, 549–565
 other minerals, 558
 potassium argon geochronology, 555, 558
 pyroxene, 555–557
 rocks, 561
 spinel, 555
 strontium isotopes, 555
 tectonomagmatic setting, 560–565
 ultramafic rocks, 551–554
 whole rock geochemistry, 554–555, 555
 Cabo Matapalo Unit, 414, 447
 tectono-stratigraphy, 440
 Cacaguapa schist, 225–226
 igneous rocks geochronology, 226–227
 Cajalbana–Bahía Honda area, 319
 Cajobabo territory, 333
 Cuban northern ophiolites emplacement, 326
 geological map, 327
 structural profile, 327
 calc-alkaline
 average immobile element compositions, **405**
 Bonaire Basin, 406
 sample data, 404
 saturation, 464
 series, 399
 trace elements, 401–410
 Washikemba sample, 406
 calciturbidite, 424–425
 Calderas Formation, 392
 Caledonian metamorphic belts, 547
 Caledonian sutures, 545
 Caledonian tectonic fabric, 83
 Calentura Formation, 473
 Camagüey Massif, 321
 Cuban northern ophiolites emplacement, 320–322
 erosion, 373
 subduction behaviour, 375
 CAMP. *See* Central Atlantic Magmatic
 Province (CAMP)
 Campanian
 age interpretation, 687–700
 boundary, 690–691
 Caribbean–South America oblique collision model,
 622–637, 638–639
 Cuban northern ophiolites emplacement, 327–329
 dinoflagellates, 697
 palaeogeographic position of arc, 388
 Paleocene quiescence, 329
 Venezuela structuring event, 687–700
 Campanian Moreno Formation, 371, 388
 Campur Formation, 208
 Canande Fault Zone, 515
 Caño Island
 rock types, 424–425
 shear planes, 425
 Cantabria Formation, 392
 Capacho Formation, 697
 Caparo Fault, 35
 Capdevila Formation, 392
 Caracas–Caribbean, 637
 Caratas sandstones, 629
 carbonate, 538
 sequences, 373
 carboniferous crinoids, 222
 Cariaco Trough, 643, 675
 Carib Graben, 660
 Carib Halite Formation, 659–678, 664, 677
 age, 660–661
 alternative interpretations, 675–676
 anhydrite/gypsum, 661–662
 anomalous oilfield brine salinity, 671
 barite cement in sandstone, 671
 basins near-conformable, 674
 basins on Caribbean nappe, 674–675
 basins on collapsed highlands still subsiding, 673–674
 basins unconformable, 673
 Berriasian faunal gap in Venezuela-Trinidad, 667
 buried halite evidence, 662–664
 climate, 676–677
 climatic implications, 676
 closed depressions, 663
 collapse fracturing, 667–668
 depositional environment, 676
 depositional thickness, 676–677
 dissolution rate, 677
 dissolved halite thickness, 677
 dissolving upward, 666
 drowning coast geomorphology, 662–663
 enigmatic southern anticline, 665–667
 environment, 676–677
 fold- and thrust-belt structural style, 664–665
 gravity anomalies, 664
 gypsum veins, 670–671
 halite, 661
 halite solution depth, 677
 halite-dissolving fluid circulation, 677
 heat-flow anomalies, 663–664
 inferred stratigraphic position, 662
 intramontane plains, 663
 metamorphic-grade discontinuities, 668–669
 mineralization, 671–672
 Morichito Basin, 675
 mud-volcano fluid composition, 664
 Neogene supraorogen basins, 672–673
 northwestern Colombia, 661–662
 oil and mineral exploration impact, 678
 oils with evaporitic signatures, 671
 possible diapirs and diapiric solution breccias,
 669–670
 prolific petroleum province, 659–678
 Rauhacke, 670
 rollover structure, 670
 saline fluid inclusions, 671
 saline springs, 663
 solution residues, 668
 solution unique scale and extent, 677–678

- Carib Halite Formation (*Continued*)
 subsidence rate, 676–677
 thickness, 676–677
 Trinidad, 666
 Trinidad evaporites, 661–662
 vanished halite evidence, 665–676
 Venezuela, 661–662
- Caribbean, 614
 accretionary belt, 792
 active continental margins, 144–145
 Alboran Sea, 142
 allochthons, 757
 Aptian–Maastrichtian evolution, 25–26
 arc-associated basins, 149
 backthrusting, 155–166
 Banda Sea, 139, 141–142, 151
 Colombian Marginal Seaway, 501
 Colombian Oceanic Plateau, 412
 cross section, 68, 71
 crust, 510, 511
 Cuban northern ophiolites emplacement, 315–334
 CVC, 565
 deformation belt, 570
 diffuse triple junction, 29
 displacement history, 33
 events timeline, 67
 Farallon motion, 21
 Farallon Plate, 21
 forearc, 641
 free-air gravity, 147
 geological history, 315–334
 igneous rocks uranium lead ratio, 406
in situ origin, 77–109
 Indo-Atlantic hot spot reference frame, 36
 internal basins, 149–150
 internal ridges, 150
 Jurassic sediments, 624
 Lesser Antilles Arc, 508
 map reconstruction, 17
 marginal belts, 57
 migration, 516
 motion, 41–42
 motion to America, 37
 neotectonics, 38
 north–south convergence, 151
 oceanic crust, 97–98
 ophiolites, 561
 origin Inter-American models, 489
 oroclinal basin, 139–152
 Pacific Ocean, 139
 plate boundary map, 39
 plate geodynamics, 698
 reconstruction map, 10–11, 14–15, 18, 25
 related arc, 517
 rocks, 499
 seamount, 97
 sediment pile, 370
 seismic tomography, 145
 sequential plate reconstruction, 618–620
 serpentinite, 97–98
 stress model, 202
 strike-slip provinces, 147
 structural sketch map, 206
 suture zone, 384–386
 tectonic elements map, 763
 tectonic evolution, 1–47, 565
 tectonic map, 4
 tectonics, 191–193
 thrust belts, 144
 topographical map, 144
 volcanic arc, 145
 volcanic plateau origins, 792
 volcanic terranes, 32
 Yucatán-rotation models, 1
- Caribbean Arc, 372, 373, 497, 514, 731
 Bahamas continental margin, 387–388
 Bahamas platform, 370–371
 Bahamas-type margin in Central Cuba, 366–367
 Bahamian collisions, 43
 Caribbean Plate origin, 361–362
 collisions, 282–283
 continental basement, 368–370
 continental margin sequences, 365–370
 continental margin tectonic environment, 367–368
 Cretaceous Caribbean Arc in Cuba subduction-accretionary complex, 379–383
 Cuba geochronological data, 361–393
 Cuba metamorphic rocks tectonic settings, 380
 Cuban island arc-related geological units, 371
 Cuban north Caribbean suture zone post-collision structure, 384–386
 Cuban part magmatic events, 375
 eastern Cuba Caribbean Arc related rocks, 376–378
 erosion, 375–376
 Escambray complex, 380–383
 fast shortening, 666
 fragments, 28, 492
 geotectonic and petrological background, 379–380
 geotectonic model, 384–391
 granitoids, 374
 Great Antillean, 371–378
 indenter Pacific provenance model arguments, 391–392
 indenting northern part, 389
 lithostratigraphic chart, 392
 Ma (45–40), 391
 Ma (65–60), 390–391
 Ma (70), 389–390
 Ma (80–75), 388–389
 Ma (120–80), 388
 metamorphic ages, 31
 metamorphic rocks pressure–temperature–time paths, 380
 movement between Caribbean and North American plates, 371–378
 nappe stacking timing, 370–371
 Nicaragua Rise, 28
 northern and western Cuba, 383–384
 northwestern branch geotectonic story, 361–393
 northwestern Caribbean tectonic events timing, 388–391
 NW flank, 45
 Pinos complex, 383
 rock distribution, 363–365
 SAC, 380

- Siuna Belt, 28
- southeastern Cuba, 383
- subduction related magmatism, 371–375
- thrusting, 370–371
- thrusting indications, 376
- uplift, 375–376
- volcanic rocks, 374
- volcanism, 13
- volcano-sedimentary sequences, 377
- Western Cuba, 365–366
- Yucatán collisions, 43
- Yucatán continental margin, 387–388
- Yucatán platform, 370–371
- Yucatán type margin, 365–366
- Caribbean boundary
 - Cretaceous zone, 13–17
 - post-Mesozoic Southern Caribbean Plate boundary, 569–571
- Caribbean evolution
 - flat slab subduction, 42–46
 - Neo-Caribbean phase, 37–41
 - slab break off, 42–46
- Caribbean Foldbelt, 769
- Caribbean foreland basin, 630
 - deposits, 628
- Caribbean geology
 - implications, 133–134
 - line drawing, 96
 - sea drilling, 127
- Caribbean Great Arc, 577
- Caribbean hotspots, 512
- Caribbean Large Igneous Province (CLIP), 16, 22, 412, 412, 498, 518, 799
 - data, 801
 - discussion, 805–807
 - eastern Beata Ridge compression, 805
 - formational environment, 799–807
 - interpretation, 801–805
 - origin, 800
 - plateau nature and source, 801–805
 - submarine volcanic stratigraphy, 799–807
- Caribbean lithosphere, 21, 22–23
 - subduction, 520
 - underthrusting, 20
- Caribbean nappes, 624
 - post-Mesozoic Southern Caribbean Plate boundary, 575–576
- Caribbean oceanic lithosphere
 - migration history, 38
 - opening, 2
 - Pacific origin, 46
- Caribbean Oceanic Plateau (COP), 72, 92–95, 479, 809–824
 - analytical methods, 813–814
 - Caribbean Plate structure, 810–811
 - DSDP Leg 15 drill sites, 810–811
 - geochemical data, 814–817
 - Leg 15 drill sites, 811
 - Leg 165 drill sites, 811
 - magma source evolution, 809–824
 - map, 811
 - ODP Leg 165, 811–813
 - Piñon terrane, 481
- Caribbean Orogen, 791
- Caribbean Plate, 40, 77, 90, 205, 446, 511, 512, 513, 514, 518, 736, 744
 - absolute velocity, 645
 - Aptian–Albian, 105–106
 - Atlantic crust, 109
 - Atlantic Plate, 78
 - Beata Ridge, 95–97
 - boundary, 28, 277
 - Campanian birth, 621
 - Cayman Ridge, 78, 88–89
 - Cayman Trench, 78
 - Cayman Trough, 79, 84–85, 97, 109
 - Cenomanian, 106
 - Cenozoic–Quaternary evolution, 571
 - Central America, 98
 - Chocó, 88
 - Chorotega, 88
 - Chortís Block, 87–88, 197
 - Colombia, 510
 - components, 79
 - constraints, 65–66
 - continental crust, 86–97, 136
 - Costa Rica, 57–58
 - Cretaceous, 103–104
 - crustal thickness, 86, 92, 108
 - Cuba, 60–61
 - definitions, 57
 - diapirs, 97
 - drift mechanisms, 576
 - Early Proterozoic, 214
 - Ecuador accreted oceanic terranes, 469–482
 - Eocene, 104–105, 777
 - events, 105–108
 - evolution, 66
 - geological evolution, 205–217
 - geology, 127
 - geotectonic framework, 363
 - global analogues, 85–86
 - gravity data, 86–87
 - Greater Antilles, 90
 - Guatemala, 59–60
 - Gulf of Mexico, 134
 - Hispaniola, 61–62
 - igneous rocks, 91–92
 - interoceanic channel, 213–214
 - kinematics, 57–72
 - knolls, 97
 - Late Cretaceous and Early Cenozoic ages, 277
 - Late Cretaceous–Paleocene, 104
 - Lesser Antilles, 489
 - Maastrichtian–Palaeogene expansion, 26–35
 - marine limestone, 107–108
 - Mesozoic volcanism, 86
 - metamorphic rocks, 100–101
 - Middle America, 77, 78
 - Middle America evolution, 127–136
 - migration, 213
 - models, 212–213
 - morphotectonic units, 205
 - Motagua Orocline origin, 84
 - motion, 16, 510–511, 517, 579, 792
 - Nicaragua Rise, 88–89
 - North America, 127
 - Northern Andes, 488, 509–522, 510–511, 524

- Caribbean Plate (*Continued*)
- oblique subduction, 515
 - ocean fractures, 80
 - oceanic magnetic anomalies, 79–80
 - ophiolite-related rocks, 549
 - ophiolites, 67
 - origin, 328, 361–362, 487
 - origin explanation, 690
 - Pacific Ocean, 92
 - Pacific Origin Model, 698
 - palaeomagnetic data, 103
 - palaeontology, 101–102
 - Panamá Arc, 490
 - pinning, 199
 - prevailing understanding, 79
 - Puerto Rico, 62
 - reconstruction, 66
 - regional correlations, 65
 - regional setting, 77–79
 - regional tectonic fabric, 82
 - Salt Mountain, 95–97
 - South America, 90–91, 507, 524, 780
 - southern edge, 469–482
 - stratigraphy, 103–105
 - structural periodicity, 82–83
 - structure, 57–65, 810–811
 - subduction arcs, 214
 - tectonic fabric origin, 83–84
 - tectonic setting, 80–82
 - tectonic–palaeogeographic evolution models, 273
 - thickening, 91
 - Trans-American volcanic arc, 524
 - translation, 252
 - Vema Wedge, 81
 - Venezuela, 62–65, 70
 - volcanic activity, 214–215
 - volcanic arc rocks, 98–100
 - volcanoes, 97
- Caribbean Plate boundary, 220
- Caribbean–South America oblique collision model, 638–639
 - Cretaceous zone, 17–20
 - deformation zones, 197
 - geodynamic features, 570
 - geodynamic reconstruction, 578, 579, 580, 581
 - lithospheric scale, 580, 581
 - methods, 220–227
 - Mexico–Guatemala–Honduras, 219–287
 - shear stress, 286
 - South America–Caribbean motion, 28
 - tectonic blocks, 570
 - zone, 197
- Caribbean Plateau, 134
- basalts, 511
 - drift, 72
 - Ecuador, 523
- Caribbean primitive island arc rocks
- average immobile element compositions, 405
 - major and trace elements, 403–404
- Caribbean region
- Cretaceous PIA successions, 400
 - Indo-Atlantic hot reference frame, 28
 - Ma (100), 518
 - Ma (120), 519
 - Ma (56), 513
 - Ma (71), 514
 - ophiolite rocks, 550
 - pre-Mesozoic terrains, 545
 - reconstruction, 513, 514, 518, 519
 - tectonic features, 744
 - tectonic framework and location, 550
- Caribbean–South America
- age of metamorphism, 637
 - Andean orogeny circa 35 Ma onset, 639–640
 - Campanian, 622–637
 - Campanian–Eocene, 638–639
 - Caracas–Caribbean Gps, 637
 - Caribbean Plate absolute velocity, 645
 - Caribbean Plate campanian birth, 621
 - Caribbean Plate rear boundary, 638–639
 - Colombia, 626
 - Cuba detachment from South America, 617–621
 - debrites, 636
 - early Venezuela olistostromes, 627–630
 - Ecuador to Guajira, 638–639
 - Eocene SW motion, 630
 - Guárico Fm, 636
 - Gulf of Venezuela–Falcón Basin circa 35 Ma birth, 639
 - inner Nappe mobilization age, 636–637
 - interaction, 638–639
 - interaction schematic history, 768
 - Late Miocene uplift of Eastern Cordillera, 642
 - longer rifting, 614–617
 - Maracaibo Eocene unconformity, 630
 - mega-olistoliths, 632–633
 - Mérida Andes–Falcón Pliocene orogeny, 642–643
 - missing Inter-Americas Ocean, 617–621
 - motion, 15, 512, 514, 518, 519, 644
 - motion shift, 2.5 Ma, 643–645
 - nappe overlap, 637
 - no great arc, 621–622
 - oblique collision model, 613–646
 - oblique collision with central Venezuela–Trinidad, 640–642
 - olistolithic olistoliths, 636
 - orphan olistoliths, 634–636
 - Paleocene relative motion change effect, 626
 - Paleocene–Eocene Maracaibo foredeep, 626–630
 - Pangaean reconstruction, 645
 - plate boundary, 15, 20
 - plate oblique convergence, 768
 - Pliocene, 622–637
 - Proto-Caribbean foreland basin, 625–626
 - Proto-Caribbean foreland basin age span, 630
 - Proto-Caribbean interaction, 622–637
 - Proto-Caribbean subduction, 637
 - redeposited carbonates, 636
 - siquisique, 625
 - South America, 622–637
 - Trinidad, 626
 - turbidites, 636
 - Venezuela, 626
 - Venezuela–Trinidad northern nappe mountains, 622–625
 - wildflysch northern source, 631–632
 - younger Proto-Caribbean Ocean, 614–617
- Caribbean terranes
- forearc trailing edge, 499–501
 - metamorphic belts, 760

- Caribbean Wedge latitudes, 82
 Caribe Formation, 209
 Caroní River, 779
 Castillo Formation, 592, 592, 606, 606, 607
 transformation ratio, 607
 cataclastic rocks, 184
 Cauca-Almaguer Fault, 497–498, 498
 Cauca-Patía Valley basement, 498–499
 Caujarao Formations, 590
 Cauto Depression, 363
 Cayman Ridge, 78, 89
 Caribbean Plate, 88–89
 Ma (10–15) gap, 390
 Cayman Trench, 78
 Cayman Trough, 79, 85, 97–98, 133, 170, 252, 283
 Caribbean Plate, 84–85, 109
 Middle American Trench, 192
 northern plate boundaries, 84–85
 southern plate boundaries, 84–85
 CCOP. *See* Colombian–Caribbean Oceanic Plateau (CCOP)
 Celica Arc, 510
 Cenomanian, 106
 Cenozoic Caribbean–Proto-Caribbean trench-trench collision, 766
 Cenozoic clastic distribution patterns, 747
 Cenozoic geodynamic evolution, 580
 Cenozoic geological record, 169–174
 Cenozoic Huancabamba–Palestina Fault Zone, 491
 Cenozoic limestone, 340
 Cenozoic molasse, 35
 Cenozoic reconstructions, 172
 Cenozoic Subinal Formation, 285
 Cenozoic Subinal-formation red beds, 265–266
 Cenozoic time, 574
 Cenozoic units, 331
 Cenozoic uplift and unroofing ages, 761
 Cenozoic volcanic rocks, 271
 Cenozoic Subinal-formation red beds, 265–266
 structure and kinematics, 265–266
 Cenozoic–Quaternary evolution, 571
 Cenozoic–Quaternary sedimentary and magmatic rocks, 270
 Cenozoic–Recent Kermadec, 402
 Central America
 accretion v. erosion, 449
 barrier, 101–102
 Caribbean Plate margins, 98
 crustal blocks, 296
 deformation zone, 197
 isthmus, 72
 land bridge, 101–102
 margin Osa Peninsulas, 447–449
 organic material, 102
 Pacific subduction zone, 72
 radiolaria, 102
 rudists, 102
 seismicity, 197
 volcanic arc, 197, 203
 Central American Arc, 412
 Central Andes v. Northern Andes, 504
 Central Atlantic Magmatic Province (CAMP), 83
 Central Range–Warm Springs, 614
 Centroid moment-tensor (CMT), 199
 Chortís Block, 201
 earthquake focal mechanisms, 200
 solutions, 197
 Ceres Software, 606
 kinematic restoration, 603
 Cerro Pelado Formation, 589, 592, 592, 606
 Cerros Guayamuri, 719
 Chacalapa Fault, 173
 Chacalapa mylonites, 185
 Chacalapa shear zone
 cataclastic rocks, 184
 mylonite, 184
 Chacalapa mylonite, 241
 charnockite, 537, 539
 gabbro-norite, 537
 Chaudière sandstones, 752
 Chazumba units, 279
 Chemal Formation, 208
 cherry conglomerate, 636
 chert, 459. *See also* red chert
 black conglomerates, 790
 La Désirade, 464
 v. supralava ribbon chert, 463
 Chiapas
 age v. elevation and distance from coast, 244
 mylonitic gneiss, 241, 242
 Chiapas Foldbelt Basin, 5, 27
 Chiapas Massif, 249, 250
 North Chortís–Motagua Fault Zone, 30
 Chile free-air gravity map, 12
 Chiocel Formation, 206
 Chiquimula batholith, 255
 chlorite geothermometer, 254
 chloritoid source areas, 758
 Chochal Formation, 207–208
 Chocó, 570
 Caribbean Plate, 88
 Chontal Arc volcanic rocks, 28
 Chorotega, 88
 Chortís Block, 197, 215, 220, 225–226, 243–245, 247–248, 250, 280, 619
 active seismic deformation, 203
 AFT ages, 251
 basement and cover sequences, 221
 basement complexes, 221–227
 break away, 284
 Caribbean Plate, 87–88
 Cenozoic deformation, 268
 clay block cross-sectional model, 190
 CMT, 201
 Cretaceous ages, 275
 Cretaceous tectonics, 276
 data, 199–202
 deformation, 183
 fission-track thermochronology, 249–250
 granitoids, 241, 248–249
 Guatemala, 487
 Jurassic evolution, 280
 Jurassic extensional structures, 281
 Jurassic tectonics, 274
 Late Cretaceous and Early Cenozoic ages, 277
 lead, 230
 lithostratigraphy, 222–224

- Chortís Block (*Continued*)
 magmatic arc, 283
 magmatism, 183
 margins, 17
 method, 199–202
 Mexico, 286
 Nicaragua Rise, 177
 North America, 191–192
 oblique convergence deformation, 192
 pressure–temperature–time–deformation evolution, 222–224
 recent eastward displacement, 283–284
 rifting, 286
 Sandino Basin, 31
 seismotectonic model, 197–203
 SHRIMP, 230
 sinistral displacement and erosion, 284
 southern Mexico, 286
 structural data, 264, 267
 tectonic framework, 197–199, 198
 tectonic–palaeogeographic evolution models, 273
 TMS zircon ages, 231
 trans-American plate boundary, 12
 uranium, 230
 zircons cathodoluminescence images, 232
- Chortís–Nicaragua Rise migration, 26
- Chuacús Complex, 223, 229, 243, 250, 260, 262, 263, 273
 AFT ages, 251
 argon mineral spectra, 236–238
 basement, 271
 fission-track thermochronology, 249–250
 geochronology, 224
 lead, 229
 low-temperature thermochronology data, 244
 metasediment, 302–303
 MSWD, 235
P-T-t data, 256
 petrology, 253–254
 pressure–temperature–time diagrams, 252
 Rabinal complex, 232
 rubidium strontium whole rock–feldspar–mica isochrons, 236–238
 series, 206
 structure and kinematics, 259–265, 263–264, 264–266
 thorium, 229
 uranium, 229
 WM(P)A, 235
 zircon geochronology, 297–298, 302–303
- Chuacús Orogeny
 Late Cenozoic, 216
 Motagua, 317
- Cimarrona Fault, 490–491
 circum-Caribbean region, 399–407
 circum-Pacific, 459–460
 clinopyroxene, 540, 541, 554
 geothermometer, 253
 tectonic settings, 557
 clinopyroxenite, 538, 538, 540–541
 clinozoisite, 757
- CLIP. *See* Caribbean Large Igneous Province (CLIP)
- CMT. *See* Centroid moment-tensor (CMT)
- coarse-grained granodiorite, 255
- Coast Range Ophiolite, 463
 coastal group Jamaica, 341
 Cobán Formation, 208, 215
- Cocos plates
 compression pinning, 202
 diffuse triple junction, 29
 seismic activity, 199
- Colombia
 and Ecuador Western Cordilleras, 498–499
 Andean arc system, 733
 Andean intra-arc basin, 734
 Antioquia–Tahami terrane, 11
 Caribbean Plate, 510
 Caribbean-related arc, 517
 Caribbean–South America oblique collision model, 626
 Central Cordillera, 615
 Cimarrona Fault, 490
 collision, 36
 dissected geological map, 509
 east–west seismic section, 45
 Eastern Cordillera, 623
 Emeralds, 671
 emeralds, 670
 halite indicators, 660
 mantle plume, 619
 Pacifico forearc basin, 500
 palinspastic maps, 509
 Panamá Arc, 641
 Pangaea, 502
 Pangaeian rifting, 514
 prolific petroleum province, 659–678
 saline springs, 663
 sediment source regimen, 756
 subduction direction, 513
- Colombian Basin, 43, 79, 95, 135
- Colombian Caribbean region
 CVC, 549–565
- Colombian Central Cordillera, 490
- Colombian Fault, 641
- Colombian Marginal Seaway, 11, 492, 496, 501, 503, 504, 523, 734
 Aptian–Maastrichtian closure, 12
 Caribbean lithosphere, 22–23
 oceanic crust, 12
- Colombian Oceanic Plateau, 412
- Colombian Plate, 96
- Colombian–Caribbean Oceanic Plateau (CCOP), 412
- Colón Formation
 base, 691
 continuity definition, 689
 migration, 698
 planktonic foraminifera, 695
 reflection definition, 689
 unit location map, 688
 Venezuela structuring event, 695–697
- Colón Unit, 687
- Columbus Basin, 101
 compositional zonation, 400
 compression pinning, 202
 Coniacian–Santonian age of formation, 419–420
 Continent margin, 83
 Continental Arc Fragments, 491
 continental crust, 86–97

- Continental Margin, 491
 - basement rock, 368
 - rifting, 65
- Continental Slivers, 491
- continuous basaltic andesite dyke, 553
- COP. *See* Caribbean Oceanic Plateau (COP)
- copper
 - evaporite solution, 672
- Cordillera, 495
 - Colombia, 615, 623
 - Ecuador, 508
 - granitoids, 9
 - terrane accretion, 515
 - volcanic rocks, 9
 - western foot Terrane 4, 498–499
- Cordillera Central Shear Zone, 522
- Cordillera de la Costa belt, 624
- Cordillera Real
 - Cretaceous dextral shear zone, 504–505
 - western edge, 515
- Cordillera-Santa Marta belt, 619
- Cordilleran terrane migrate, 6
- Coro Formation, 590
- Cosanga Faults, 490
- Cosoltepec units of Acatlán complex
 - Magdalena migmatites, 279
- Costa Rica
 - Caribbean Plate margins, 57–58
 - cross section of Guanacaste province, 58
 - Late Cretaceous to Miocene seamount accretion, 411–450
 - Limón Basin, 9
 - marine limestone, 108
 - mélange formation convergent margin episodic growth, 411–450
 - Nicoya complexes, 57
 - Santa Elena complexes, 57
- Costa Rica Arc, 22
- Costa Rica–Panamá Trench
 - Ecuador, 520
- Costa Rican margin, 445
- Cretaceous, 592
 - ages, 275
 - carbonates, 506
 - deformation, 263
 - development, 732
 - formation, 606
 - inliers, 341
 - metavolcanic rocks, 496
 - motions, 2
 - plate boundaries, 523
 - radiolarian species, 430
 - rift volcanics, 625
 - sandstones, 637
- Cretaceous Arc, 60
- Cretaceous Caribbean Arc, 379–383
- Cretaceous Celica-Chignia volcanic rocks, 493
- Cretaceous island arc lavas, 373
 - basement rock, 368
 - geochemistry, 339–356
 - metamorphic and magmatic rocks, 368
 - tectonomagmatic significance, 339–356
- Cretaceous primitive island arc series
 - circum-Caribbean region, 399–407
 - geochemically analogous to modern island arc tholeiite series, 399–407
 - IAT composition and classification, 400–401
 - isotope comparison of PIA and IAT series, 405–406
 - modern island arc tholeiite series, 399–407
 - PIA, IAT and CA trace elements, 401–410
 - primitive island arc v. island arc tholeiite compositions, 400–406
- Cretaceous Proto-Caribbean, 613
- Cretaceous sedimentary
 - Caribbean nape, 624
 - MSZ, 268
 - strata, 637
- Cretaceous volcanic arc terrane (KVAT), 315, 316
 - tectonic superposition, 324
- Cretaceous volcanics, 373
 - arc fragments, 496–497
 - strata, 637
 - terrane, 332
- Cretaceous zone
 - North America-Caribbean Plate boundary zone, 17–20
 - South America-Caribbean boundary zone, 13–17
- Cretaceous–Paleocene granitoid rocks, 88
- crinoids, 436
- Crucero Tarafa, 322
- Cruz Grande, 241
- crystals
 - diopside marbles, 542
 - euhedral prismatic, 725
 - phlogopite, 535
 - plagioclase, 712, 722
- Cuba, 382
 - arc activity, 71
 - Caribbean Arc, 365–366, 383
 - Caribbean Plate, 89–90
 - Caribbean Plate margins, 60–61
 - Cayman Ridge, 89
 - continental terranes, 619
 - Cretaceous Arc, 60
 - cross sectional map, 60
 - Cuban northern ophiolites emplacement, 320–322
 - deep-water continental-margin rocks, 89
 - detachment from South America, 617–621
 - generalized geological map, 364
 - Great Arc, 99
 - Greater Antilles island size, 100
 - Hispaniola–North Virgin Islands, 90
 - Jurassic volcanic rocks, 98
 - laminated limestone, 107
 - limestone, 105
 - Mabujna subduction complex (MU), 61
 - mafic lava, 107
 - Mesozoic domains, 316
 - metamorphic rocks tectonic settings, 380
 - nappe stacks, 382
 - oceanic rocks, 89
 - ophiolites, 324–325, 326
 - ophiolitic bodies, 317–320
 - palaeogeographic reconstruction, 332
 - Paleocene–Middle Eocene tectonic setting, 330
 - SAC related rocks, 381
 - sketch map subduction-related metamorphic rocks, 378

- Cuba (*Continued*)
 subduction-related metamorphic rocks, 383
 tectonic elements, 317
 tectonic sketch map, 373, 374
 tectonic unconformities, 108
 territory, 329
 thrust belt components, 60
 ultramafic rocks, 107
 volcanic rocks, 89
 volcanics, 621
- Cuba Caribbean Arc related rocks, 376–378
 Cuba Cretaceous–Palaeogene subduction, 377
 Cuban anticlinal stack, 367
 Cuban arc terranes and adjacent thrust belt, 368
 Cuban carbonate platform, 387
 Cuban collision belt, 386
 Cuban Cretaceous arc lavas and intrusives, 369
 Cuban island arc-related geological units, 371
 Cuban Jarahueca oilfield, 98
 Cuban Main Thrust, 363, 365
 Cuban northern ophiolites emplacement, 315–334
 Cajobabo body, 326
 Camaguey, 320–322
 Campanian, 327–329
 central Cuba, 320–322
 eastern Cuba ophiolites, 324–325
 Eocene geological history, 315–334
 Gulf of Mexico Campanian, 315–334
 Holguin ophiolites, 322–325
 Late Eocene tectonic history of Cuba, 327
 Maastrichtian, 327–329
 Middle–Late Eocene, 333
 northern Ophiolites, 326–328
 northwestern Caribbean, 315–334
 Paleocene–Middle Eocene, 330–332
 SE Gulf of Mexico Campanian, 315–334
 tectonic setting of northern ophiolites, 315–333
 Western Cuba ophiolitic bodies, 317–320
- Cuban suture zone
 metamorphic rocks, 369
 tectonic data, 385
- Cuenca, 474
 Curaçao, 93
 CVC. *See* Cabo de la Vela Complex (CVC)
- dacites, 92
 deformed olistostromes, 326
 Desempeño Conglomerate Formation, 209
 detrital zircons analysis, 298
 Devils Racecourse Formation, 339–356
 geochemistry, 339–356
 IAT, 348
 ICP-MS, 344
 isotope data, 351
 Jamaica, 344
 lavas, 344–355
 Lower Cretaceous island arc lavas, 351–355
 LREE, 355
 N-MORB-normalized multi-element plots, 354
 petrography, 343
 related arc rocks, 356
 rocks, 351
 sample location, 343
 samples, 343
 slab flux responsible for contaminating, 352
 stratigraphic column, 342
 strontium diagrams, 350
 strontium ratios, 348
 tectonomagmatic significance, 339–356
 thorium cobalt classification, 348
 trace elements, 344
 units, 340
- dextral faulting
 Palestina Fault Zone, 513
- dextral Oca fault
 Bonaire Block, 570
- dextral shear, 519
 Northern Andes, 487–525
 offset estimates and rates, 506–507
 Palestina Fault Zone, 512
 Peru, 505
- dextral slip, 573
 dextral thrusts, 642
 dextral wrenching, 574
 dinoflagellates, 697
 diopside, 538–539
 carbonate replacement, 542
 crystals in marbles, 542
- diorites, 92
 dolomitic marble, 533, 538–539
 Venezuela high-grade rocks, 535
- Dominican Republic, 464
 Dos Hermanas unit, 63
 double-arc magmatism, 66
- Earliest Eocene time
 reconstruction, 774
- Early Cenozoic
 deformation, 181, 261
 evolution Mexico, 193
 Farallon plates, 182
 plate boundaries, 523
 stranding remnant arc fragments, 523
 Xolapa complex, 181
- Early Cenozoic Subinial Formation
 red beds, 265–266
 structural data, 260–263
 structure and kinematics, 265–266
- Early Cretaceous
 back-arc basins, 503
 Gulf of Mexico, 9
 opening, 212
 subduction top-to-south emplacement, 280–282
 trench trans-American plate boundary, 13
- Early Eocene palaeogeographic map, 628
 Early Middle Eocene, 508
 Early Miocene
 relative motions, 512
 Trinidad, 790
- Early Oligocene reconstruction, 782
 Early Oxfordian time, 8
 Early Proterozoic Caribbean Plate, 214
 Early Tertiary Formation Cenozoic, 262
- earthquakes
 focal mechanisms, 200
 histograms, 161
 spatial distribution, 158
 spatial distribution analysis, 157–159

- Easter Island hot spots, 23
 eclogite facies rocks, 380
 Ecuador
 Caribbean Plateau, 523
 Colombia border, 638
 Cosanga Faults, 490
 Costa Rica-Panamá Trench, 520
 cross section, 515
 El Oro Metamorphic Complex, 495, 497
 geological map, 470
 Late Cretaceous oceanic plateau, 480
 Pangaea, 502
 Pangaean rifting, 514
 Salado metavolcanic rocks, 495
 San Lorenzo volcanic arc, 515
 Sub-Andean Faults, 490
 subduction direction, 512
 successive accretions, 481
 Western Cordillera, 508
 Ecuador accreted oceanic terranes
 Caribbean Plate southern edge, 469–482
 COP birth place, 479–480
 COP evolution, 480–481
 Ecuadorian Late Cretaceous–Paleocene evolution, 480–481
 geodynamic implications, 479–482
 Guaranda terrane, 472–474
 Macuchi island arc, 477–479
 oceanic evolution, 472–473
 oceanic rocks, 471
 oceanic terranes, 471–479
 Piñon terrane, 474–476
 San Juan terrane, 471–472
 syn-accretion deposits, 471–478
 Ecuador Inter Andean Valley, 471
 El Aguacate, 464
 El Guayabo, 368
 El Mamón oil field, 604
 El Oro Metamorphic Belt, 506
 El Oro Metamorphic Complex, 495, 497
 El Paraiso Formation, 588, 592, 592
 El Pilar Fault, 39, 570, 614
 activation fault, 575
 total dextral slip, 573
 El Sábalo Formation, 392
 El Salado Granite, 722
 El Salado Metagranite, 716–717, 717–719, 719, 721, 729
 Margarita Island, 722, 729
 zircon concordia diagrams, 729
 El Tambor complex, 280–282
 allochthons, 271
 Cretaceous ages, 275
 Cretaceous deformation, 269
 existing geochronology, 225
 Late Cretaceous, 282–283
 MSZ metamorphic-metasomatic rocks, 225
 petrology, 254
 serpentinites, 246
 sinistral transpressions, 276
 structural data, 264
 structure and kinematics, 263–264, 264–266, 270
 subduction, 282–283
 top-to-south emplacement, 280–282
 Elzevirian microcontinent, 544
 emeralds
 Colombia, 670, 671
 Encrucijada Formation, 392
 enderbite, 535
 Eocene
 Caribbean Plate, 777
 dextral shear offset estimates and rates, 506–507
 Macuchi island arc, 477
 palinspastic map, 507
 Eocene–Middle Miocene
 dextral oblique collision, 38
 transcurrence, 35–37
 epidote, 541, 757
 Barbados, 756
 East Venezuela, 754
 Nariva Formation, 754
 Trinidad, 753
 Equatorial Atlantic margins, 1
 erosion
 apatite fission track studies, 767
 Camaguey Massif, 373
 Caribbean Arc, 375–376
 Osa Peninsulas, 447–448
 v. accretion in Central America, 449
 zircon fission track studies, 767
 Escambray complex, 381, 383
 Caribbean Arc, 380–383
 terrane, 329
 zircons, 368
 Esperanza Formation, 207
 euhedral prismatic crystals, 725
 Europe
 oroclines, 140, 141
 rifting, 94
 topographical map, 140
 volcanic activity, 141
 evaporite-related shales, 671
 EW9501 MCS line, 806
 multichannel reflection profiles, 800
 EW9501 MCS line (1321), 802, 803
 EW9501 MCS line (1325), 804–805
 Falcón Basin, 577, 639
 cross section, 592
 digital geological map, 590
 fold-thrust belt, 625
 Late Miocene Basin, 577
 Middle Miocene tectonism, 577
 northwestern stratigraphic scheme, 589
 oil wells, 598
 palaeo-transform fault, 627
 post-Mesozoic Southern Caribbean Plate boundary, 577
 schematic structural evolution, 593
 thermal maturity, 598
 Falcón Pliocene orogeny, 642–643
 Farallon Arc models, 26
 terranes, 491
 Farallon Hotspots, 512
 Farallon Plate, 21, 22, 446, 480, 512, 513
 Early Cenozoic, 182
 Guadalupe-Nazca spreading ridge, 174, 176
 Jurassic magmatism, 504

- Farallon Plate (*Continued*)
 Late Cretaceous, 182
 motion, 21, 517, 518
 Rapid Palaeogene subduction, 512
- fault population methods, 157
- feldspars, 436
- felsic charnockite, 535
- felsic granulite, 537, 539–540
- fission-track thermochronology, 249–250
- flat slab subduction
 surface production, 45
- Florida Jurassic rifts, 7
- fluid dominated arcs, 354
- fluorite, 672
- foraminifera San Pedrillo Unit, 436
- forearcs
 Benioff zone, 172
 exhumation, 169–177
 subduction, 169–177
- Foreland-basin strata, 665
- forsterite, 539
 diopside-phlogopite marble, 537
 phlogopite-diopside marble, 539
- Franja Costera units, 62
- free-air gravity, 147
- French West Indies red chert origins, 457–466
- frontal thrust Trinidad, 614
-
- gabbroic rocks, 554, 558
- Gabbros, 562, 563
 CVC, 554
 geochemistry, 561
 intrusions, 553
 tectonite, 553
- Galapagos hotspot, 24
- Ganado Unit, 421–422, 429, 439
 basalts and gabbros REE diagrams, 420
 tectono-stratigraphy, 440
- garnet
 amphibolite, 253, 267
 Barbados, 756
 East Venezuela, 754
 geothermometer, 253, 254
 gneiss, 253
 heavy minerals source areas, **759**
 micaschist foliation, 253
 Nariva Formation, 754
 Trinidad, 753
- Gavilanes metamorphic unit, 381
- geochronology, 227–251
 argon, 245–247
 fission-track thermochronology, 249–250
 interpretation, 250–251
 rubidium strontium, 245–247
 zircon geochronology, 227
- Georgia Jurassic rifts, 7
- geothermal gradient through time, 605
- Gharib Halite, 676
- Gibara area, 323
- glaucophane, 615, 631, 752, 757
 source areas, **758**
- Global Standard Section and Point (GSSP), 690
 gneiss pebbles, 368
 gneissic rocks, 711
- Golfo Dulce
 base rocks, 413
 geological map, 413
 igneous rocks, 413
- Gorgona Island Terrane, 508
- Gorgona komatiites, 823
- granite Socorro Formation, 368
- granitic magma, 726
- granitoids, 373
 Caribbean Arc, 374
 Chortís Block, 248–249
 Cordillera, 9
 magmatism, 71
 pink to greenish, 297
 Rabinal complex, 221–223, 260
- granodiorites, 92
- granulite-grade metamorphic rocks, 501
- Great Antillean Caribbean Arc, 371–378
- Great Arc, 99
 Caribbean, 759
- Great Bank of Bahamas, 370
- Greater Antilles
 Caribbean Plate, 90
 Cuba, 100
 island size, 100
 Puerto Rico-Virgin Islands segment, 86
 tectonic unconformities, 108
- Greater Panamá Arc, 499–501, 515
 island arc fragments, 492
- Greater Panamá Terrane, 492, 500
- greenschist facies belt, 760
- greenschist facies periphery, 719–720
- Grenada Basin, 32, 35, 135, 562, 577, 614
 Tobago Trough, 33
- Grenville Province, 544
- Grenvillian affinity, 533–547
- Grenvillian Orogen, 544
- Grenvillian Orogenic Belt, 543–547
 Late Proterozoic, 543
- Grenvillian rocks, 546
 features, 545
- greywackes Osa Mélangé, 424–425
- GRIPS geobarometer, 253
- GSSP. *See* Global Standard Section and Point (GSSP)
- Guadalupe-Nazca spreading ridge, 174, 176
- Guaicaramo, 570
- Guajira Peninsula, 550, 550
 Bouguer gravity map, 552
 geological map, 551
- Guanacaste province, 58
- Guaniguanico Terrane, 367, 387, 388
- Guaranda terrane
 accretion, 480–481
 Ecuador accreted oceanic terranes, 472–474
- Guárico Basin, 579, 768
- Guárico Formation, 636
- Guatemala
 age v. elevation data, 244
 Armas Formation, 210
 Campur Formation, 208
 Caribbean Plate margins, 59–60
 Caribe Formation, 209
 Cayman Trough, 85
 Chemal Formation, 208

- Chiocol Formation, 206
 Chochal Formation, 207–208
 Chortís Block, 487
 Chuacús series, 206
 Cobán Formation, 208
 Desempeño Conglomerate Formation, 209
 Esperanza Formation, 207
 geological evolution, 211, 211–212
 Herrería Formation, 209
 Icaiche Formation, 209
 Ixcoy Formation, 208
 LA-ICPMS analyses, **305–309**
 Lacandon Formation, 209
 Lacantun Formation, 209
 localities, 207
 Macal Formation, 208
 metamorphism, 106
 Motagua fault zone, 192
 Motagua Suture Zone, 59
 Motagua–Polochic fault zone, 205
 Neogene motion, 31
 north–south rifts, 286
 northern foreland fold-thrust belt, 265
 Petén Group, 209
 petrology, 253–254
 Polochic Fault, 31
 Polochic-Río Negro faults, 205
 Río Dulce Formation, 209
 Sacapulas Formation, 206
 San Lucas Formation, 208
 Sepur Formation, 208
 stratigraphy, 206, 213
 structural geology, 270
 structure and kinematics, 259–270
 subduction zones, 214
 Subinal Formation, 209
 Tactic Formation, 206–207
 temperature-time models, 244
 Todos Santos Formation, 208
 Verapaz Group, 208
 Guatemala Petén basin, 221
 Guayacán Gneiss, 716
 amphiboles compositions, 715
 magmas, 727
 Margarita Island, 714–716, 721–722, 727
 origin, 730
 zircons concordia diagram, 728
 zircons sample, 725
 Guayacán Orthogneiss, 714
 Guayana Shield, 757, 762, 770, 783
 Caroní River, 779
 igneous rocks, 761–762
 Guayaquil area, 476
 Güerra Unit, 420–421, 438–439
 Guerrero Arc, 15
 model, 26
 Guerrero composite terrane, 280
 Guerrero–Morelos platform, 283
 Guiana Shield, 543, 545
 Guinea Fault, 81
 Gulf of Barcelona, 614, 754
 halite-solution basins, 663
 Gulf of Mexico, 5–12
 Campanian, 315–334
 Caribbean Plate, 134
 Cuban northern ophiolites emplacement, 315–334
 Early Cretaceous time, 9
 Jurassic opening, 285
 Late Jurassic time, 9
 marine limestone, 108
 oceanic crust, 6
 oceanic lithosphere, 2
 reconstruction map, 6, 7, 10–11
 rotational phase of seafloor, 9
 sequential plate reconstruction, 618–620
 tectonic evolution, 1–47
 tectonic map, 3
 Yucatán-rotation models, 1–2
 Gulf of Paria, 614, 661
 solution basin, 674
 Warm Springs Fault, 663
 Gulf of Tehuantepec, 18
 Gulf of Venezuela, 614
 halite, 669
 halite solution, 674
 Miocene block, 639
 Oligocene block, 639
 Guyana Shield, 750
 gypsum pyrite oxidation, 670
 hafnium
 diagram, 349, 352
 isotope composition, 345
 isotope geochemistry, 348–351
 isotope systematics, 406
 halite
 depth in Carib Halite Formation, 677
 gas reserves, 678
 Gulf of Venezuela, 669, 674
 oil reserves, 678
 physical model simulating, 672
 rates, 677
 solution residual shales, 671
 Trinidad, 661
 Haticos Formation, 324
 Havana City, 318
 helium thermochronology, 283–284
 Hercynian tectonic fabric, 83
 Herrería Formation, 209
 Herrería turbidites, 790
 Himalayan sutures, 545
 Hispaniola, 40–41, 90
 Caribbean Plate margins, 61–62
 cross section map, 61
 Great Arc, 99
 Greater Antilles island size, 100
 Loma Caribe-Ortega (LC) unit, 62
 Los Ranchos formations, 46
 metamorphic belts, 101
 Samaná-Punta Balandra complex, 61
 tectonic unconformities, 108
 volcanic quiescence, 330
 volcanics, 621
 Water Island formations, 46
 Holguín
 geological map, 323
 ophiolites, 322–325

- Hombre Pintado field, 602
Hondo Fault Zone, 362, 363
Honduras
 age v. elevation data, 244
 north-south rifts, 286
 structure and kinematics, 266–269
 temperature–time models, 244
hopane, 595, 599
 v. norapane, 596
hornblende, 540, 541, 561
 CVC, 554
 mica-chlorite schist, 254
 spectrum, 247
Huancabamba-Palestina Fault Zone
 boundary, 492–494
 brittle fault traces, 494
 brittle faulting, 505–506
 dextral faulting, 513
 dextral shear, 512
 fault traces and basins, 494
 lithologic units, 510
hydrocarbon saturation, 608
HYPERCARD program, 748

IAHS. *See* Indo-Atlantic hotspot (IAHS)
IAT. *See* island arc tholeiite (IAT)
Ibague, 614
Iberia Formation, 322
Icaiche Formation, 209
Iceland Plateau, 93
ICP-MS. *See* inductively coupled mass spectrometry (ICP-MS)
Igneous Complex, 414
igneous rocks
 Caribbean Plate, 91–92
 Guayana Shield, 761–762
Indo-Atlantic hotspot (IAHS), 5, 512
 motion histories, 42
 reference frame, 23, 24, 25, 28, 36, 510
Indonesia
 active continental margins, 144
 arc-associated basins, 147–148
 asthenospheric flow, 148
 backthrusting, 151
 earthquake hypocentre distribution, 146
 internal basins, 149
 internal ridges, 150
 north-south convergence, 151
 seismic tomography, 145
 strike-slip provinces, 146–147
 thrust belts, 143
 topographical map, 144
 volcanic arc, 145
inductively coupled mass spectrometry (ICP-MS), 554
 Devils Racecourse lavas, Jamaica, 344
internal basins, 149
internal ridges, 150
intra-American rifting, 705
intra-oceanic island arc, 400
intra-lava jaspers, 461
 La Désirade, 463
iron evaporite solution, 672
island arc lavas, 402
island arc rocks, 355
 island arc tholeiite (IAT)
 average immobile element compositions, 405
 calc-alkaline rocks, 405
 composition and classification, 400–401
 Cretaceous primitive island arc series, 401–410
 Devils Racecourse, 406
 Kermadec, 405
 Marianas, 405
 sample data, 404
 Scotia intra-oceanic, 405
 series, 399
 series composition, 401
 v. primitive island arc, 400–406
Isopach
 Capacho formations, 697
 La Luna Formation, 697
 Mito Juan-Colón formation, 696
 Orocue group, 695
isotope. *see also* specific type
 comparison PIA and IAT series, 405–406
 data Devils Racecourse lavas, 351
Isthmus of Tehuantepec, 284
Ixcamilpa suite, 278
Ixcoy Formation, 208, 215
Izu-Bonin-Mariana forearc, 557

Jamaica, 41
 Chortís Block, 215
 Devils Racecourse lavas, 344
 geochemistry, 339–356
 geological map, 341
 limestone, 108
 metamorphic belts, 101
 tectonomagmatic significance, 339–356
Jarara-Etpana sequence, 564
Jarillal Formations, 592, 592, 596, 606, 606, 607
 fine grained sandstones, 588
 transformation ratio, 607
jaspers, 464
Jones Formation, 247
Juan de Paz unit, 59
 ophiolite, 254
Juan Griego Group, 707
 amalgamation, 729
 high-pressure rocks, 759
 metasediments, 735
 rocks, 735
 type metasedimentary rocks, 718
Juan Griego units, 717–719
 feldspathic unit, 717
 La Rinconada, 717
 lithologies, 716
 Margarita Island, 710
 pressure estimates, 712
 temperature estimates, 712
Jubones Fault Zone Boundary, 497–498
Jurassic clastic rocks, 77
Jurassic evolution
 Maya and Chortís blocks, 280
 tectonic model, 280
Jurassic extensional structures, 281
Jurassic limestone, 460

- Jurassic magmatism, 504
 Jurassic metasediments, 91
 Jurassic opening, 285
 Jurassic Proto-Caribbean oceanic lithosphere, 34
 Jurassic radiolarian microfossils, 457
 Jurassic reconstruction, 5
 Jurassic rifting, 7, 91, 513
 arc magmatism, 279
 Jurassic salt layers, 665
 Jurassic San Cayetano fluvio-deltaic sandstone, 387
 Jurassic sedimentary strata, 637
 Caribbean nape, 624
 Jurassic tectonics, 274
 Jurassic volcanics
 rocks, 98
 Siquisique, 625
 strata, 637
 Jurassic-Lower Cretaceous stratigraphy, 662
- Kermadec Arc
 island arc tholeiite and calc-alkaline rocks, **405**
 major and trace elements, **403–404**
- Khorat Basin, 678
 KVAT. *See* Cretaceous volcanic arc terrane (KVAT)
 kyanite, 752
 source areas, **758**
- La Concepcion oil fields, 693
 La Désirade
 basement rocks origin, 458
 beach, 463
 biogenic components and behaviours, 464
 bioturbated siliceous deposits, 465
 chemical analyses, **461**
 chert, 464
 chert v. supralava ribbon chert, 463
 discussion, 464
 geological settings, 458–459
 hydrothermal alternation, 462–463
 intralava jasper, 463
 intralava red radiolarian chert, 461
 intralava sedimentary rocks, 460–464
 Jurassic limestone, 460
 location map, 458
 palaeoceanography, 459–460
 primary ferruginous hydrothermal sediment, 460
 radiolarian beds, 465
 radiolarian ribbon chert on oceanic crustal lava, 462
 radiolarians, 464, 465
 red chert, 457–466, 461, 462, 464
 red chert wedge deposited in bathymetric low, 459
 red coloration palaeogeographic significance, 463
 red coloration significance, 462
 red siliceous rocks and biogenic components, 460
 sedimentology, 463–464
- La Luna Formation, 607, 688–689
 diachronous nature, 692
 hydrocarbon saturation, 609
 isopach, 697
 schematic chronostratigraphic section showing
 variation, 691
 top age, 692–695
 transformation ratio, 607, 608
- La Palma Formation, 241, 392
 gneiss pebbles, 368
 polymictic mélange, 384
- La Pascua Formation, 782
 La Picota Formation, 393
 sheared massive serpentinite, 325
- La Rana Formation, 392
- La Rinconada, 731
 amalgamation, 729
 geochemistry, 713
 Juan Griego units, 717
 lithologies, 716
 metabasalts, 735
 metabasic, 715
 metabasic rocks, 718
 unit, 712–714, 717–719
- La Vela Formations, 590
 platform rock samples, **536**
- Lacandon Formation, 209
 Lacantun Formation, 209
 Lake Maracaibo, 614
 Lancones stratigraphic successions, 474
 lanthanum
 diagram, 349
 thorium ratios in island arc rocks, 355
 variation diagram, 346
 v. samarium ytterbium, 404
- Large Igneous Province (LIP), 67
- Las Aradas Fault, 493
- Las Ovejas complex, 225–226, 238–240, 243, 247,
 248, 250
 igneous rocks geochronology, 226–227
 low-temperature thermochronology data, 244
 MSWD, **235**
 P–T–t data, 256
 petrology, 255
 pressure–temperature–time diagrams, 252
 structure and kinematics, 266–269, 269–270, 270
 WM(P)A, **235**
- Las Terrazas, Guaniguanico Cordillera, 320
- Late Aptian–Albian time, 13
- Late Campanian accretionary event, 481
- Late Campanian–Middle Miocene sequence stratigraphy,
 634
- Late Cenozoic
 Chucús Orogeny, 216
 deformation, 262
 stress field variations, 284–285
- Late Cretaceous
 deformation, 261
 deformations, 183
 evolution model differences, 69
 Farallon plates, 182
 kinematics, 69
 LIP, 143
 magmatic rocks, 270
 Maya block–Caribbean arc collisions, 282–283
 Mexico, 183
 Miocene seamount accretion, 411–450
 North El Tambor complex subduction, 282–283
 oceanic plateau, 480
 Paleocene boundary, 578
 Paleocene evolution, 480–481
 palinspastic map, 507–508

- Late Cretaceous (*Continued*)
 recent reconstruction, 2
 restored section, 592
 sedimentary and magmatic rocks, 270
 sedimentary rocks, 270
 South America, 511
 stranding remnant arc fragments, 523
 structural geology, 270
 volcanic lithosphere Piñon Block, 512
- Late Cretaceous Radiolaria
 Osa Peninsula, Costa Rica, 432–433
- Late Early Miocene, 594
- Late Eocene, 445
 brittle faulting, 494
 post-Mesozoic Southern Caribbean Plate
 boundary, 578
 recent eastward displacement of Chortís block,
 283–284
 restored section, 593
 shallow-water limestone clasts, 436
- Late Jurassic
 Gulf of Mexico, 9
 opening, 212
 rifting, 732
 trench trans-American plate boundary, 13
- Late Maastrichtian
 tectonic event, 481
 Yucatán intra-arc basin, 44
- Late Middle Eocene palaeogeographic map, 629
- Late Miocene Basin, 577
- Late Miocene uplift of Eastern Cordillera, 642
- Late Oligocene reconstruction, 785
- Late Paleocene palaeogeographic map, 627
- Late Proterozoic supercontinent, 543
- Laurentia collision, 544
- Laventille Formation, 662
- lawsonite source areas, 758
- lead
 Chortís Block, 230
 Chortís Block granitoids, 241
 Chuacús complex, 229
 concentration Margarita Island, 723
 concordia diagrams, 302–304
 evaporite solution, 672
 geochronology, 250, 295–311
 geochronology Margarita Island, 721–729
 ID-TIMS, 302
 isotope geochemistry, 348–351
 isotope systematics, 348
 isotope values, 348
 isotopes, 346
 Jamaican lavas, 348
 Palaeozoic units, 295–311
 radiogenic isotopes, 406
 sample CH0407, 303
 sample Gt0017, 304
 sample Gt03122, 304
 significant age groups, 241
 Site 1001, 821
 TIMS, 301
 Western and Central Guatemala, 295–311
- Leeward Antilles subduction, 570
 post-Mesozoic Southern Caribbean Plate
 boundary, 576
- Lesser Antilles Arc, 98–99
 average immobile element compositions, 405
 CA rocks, 405
 Caribbean, 508
 Caribbean Plate, 489
 geological setting, 458
 IAT rocks, 405
 major and trace elements, 403–404
- leucocratic rock, 714
- leucoxene, 541
- limestones
 distribution to accreted terranes, 478
 Osa Mélange, 424–425
 Venezuela, 668
- Limón Basin, 9
- limonite, 540
- LIP. *See* Large Igneous Province (LIP)
- lithostatic pressure
 clay diagenesis, 101
 mineral transformation, 101
 organic matter, 101
 osmosis, 101
- Llanos Basin, 91
- Loma Caribe-Ortega unit, 62
- Loma de Hierro unit, 63
- Loma Esmeralda, Limonar, 318
- Los Bajos, 614
- Los Cajones olistoliths, 632
- Los Jabillos Formation, 782
- Los Pasos Formation, 392
- Los Ranchos Formation, 46, 374
- Los Robles metavolcanic rocks, 720
- Los Robles phyllites, 720
- Los Roques Canyon, 570
- low-grade metasediments, 259
- Lower Cretaceous island arc lavas, 339–356
 analytical techniques, 344–345
 Aptian–Albian subduction polarity
 reversal, 355–356
 behaviour of elements in subduction
 environment, 346
 Benbow Inlier, 340–343
 Devils Racecourse formation, 351–355
 Devils Racecourse formation related arc rocks, 356
 Devils Racecourse lavas geochemistry, 344–351
 element mobility and classification, 346
 geochemistry, 339–356
 geological background, 340–343
 isotope geochemistry, 348–351
 mantle wedge component, 351–353
 sample location and petrography, 343–344
 slab-related component, 353–355
 tectonomagmatic significance, 339–356
 trace element geochemistry, 346–348
- Lower Cretaceous salt layers, 665
- Lower Cretaceous volcanics, 373
- Maastrichtian
 boundary, 690–691
 Cuban northern ophiolites emplacement,
 327–329
 fossils, 326
 GSSP age and GSSP location, 690
 Palaeogene expansion, 26–35

- palaeogeographic map, 623
- palaeogeographic reconstruction, 773
- Mabujina subduction complex, 58, 60, 61, 64, 65, 89
- Macal Formation, 208
- Macanao orthogneiss, 710
 - isotope data, 724
 - Margarita Island, 721, 724–725
 - zircons concordia diagram, 726, 727
 - zircons sample, 725
- Macuchi island arc
 - Ecuador accreted oceanic terranes, 477–479
 - Eocene age, 477
 - rare earth element and multi-elements, 477
- mafic charnockite, 535
- mafic granulite, 533, 537
- mafic volcanic dykes, 554
- Magdalena migmatites, 241, 249
 - Chazumba and Cosoltepec units of Acatlán complex, 279
- Magdalena Valley, 509
 - Palestina Fault, 512
- magma source evolution, 809–824
- magmatic crystallization, 717
- magmatic rocks
 - potassium oxide silicon oxide classification diagram, 714
 - streckeisen Q–A–P plots, 713
- magmatic shift, 370
- magmatism, 183
- magnetic polarity zones, 691
- magnetite, 540
- Malaita accretionary prism, 438
- Manacas Formation, 392
 - Las Terrazas, Guaniguanico Cordillera, 320
- mangerite, 535, 539, 539–540
- Maniabon Highlands, 323
- Maniabon Highlands, Holguin, 323
- Mara La Paz oil fields, 693
- Maracaibo Basin, 570, 688–690
 - Colón Unit, 687
 - oil productivity, 602, 668
 - oil wells, 598
 - petroleum system, 587
- Maracaibo Block, 575
- Maracaibo Eocene unconformity, 630
- Margarita Island
 - age dating constraints, 729–730
 - contact relationships, 717–719
 - contact relationships between periphery and nucleus, 720–721
 - Cretaceous development, 732
 - El Salado Metagranite, 716–717, 717–719, 722, 729
 - field relationships, 721
 - geochronological results, 724–727
 - geological setting, 706–721
 - geological sketch map, 708
 - greenschist-facies periphery, 719–720
 - Guayacán Gneiss, 714–716, 721–722, 727
 - high-pressure metamorphic nucleus, 707–719
 - high-pressure metamorphism occurrence, 705–736
 - high-pressure rocks, 709
 - Juan Griego high-pressure rocks, 759
 - Juan Griego unit, 710, 717–719
 - La Rinconada unit, 712–714, 717–719
 - location, 706
 - Macanao orthogneiss, 710, 721, 724–725
 - Matasiete Metatrontdjhjemite, 719–720, 722, 727–728
 - metamorphic development, 706–721
 - metamorphic rocks, 706
 - sample preparation and analytical procedures, 722–724
 - samples, 721–722
 - South American regional tectonic development implications, 730–731
 - structural relationships, 706–721
 - tectonic model, 731
 - timing, 705–736
 - ultramafic rocks associated with high-pressure metamorphic nucleus, 719
 - uranium lead concentration, 723
 - uranium lead geochronology, 721–729
 - Venezuela, 705–736
 - zircon ages, 725
- Margarita Plate, 736
- Margarita terranes, 34
- Margarita-Los Testigos Ridge, 33
- Margaritan metamorphic nucleus
 - high-pressure subduction, 730
 - imprint, 709
- Mariana Trough, 561
- Marianas Arc, 563
 - major and trace elements, 403–404
- Marianas island arc tholeiite and calc-alkaline rocks, 405
- Mata Formation, 392
- Matasiete Metatrontdjhjemite
 - amphiboles compositions, 715
 - Margarita Island, 719–720, 722, 727–728
 - zircons concordia diagram, 728
- Matasiete Trondhjemitite, 720
- Matatere Formation, 591, 592, 596, 606, 607
- Matugua Formation, 392
- Maturín city, 634
- Maya block, 220, 221–223
 - AFT ages, 251
 - basement complexes, 221–227
 - Caribbean arc collisions, 282–283
 - cover, 221–227
 - existing geochronology, 224
 - Jurassic evolution, 280
 - lithostratigraphic and pressure–temperature–time-deformation evolution, 222–224
 - Permo-Triassic ages, 274
 - Rabinal complex, 232
 - sinistral transpressions, 276
 - sinistral transpressive collision, 286
 - structural data, 257, 260–263
 - tectonic-palaeogeographic evolution models, 273
 - volcanic activity, 215
- Maya Mountains, 221
 - Yucatán Basin, 82
- Mediterranean
 - oroclines, 140, 141
 - topographical map, 140
- Mejillones Complex, 103
- Mélange formation convergent margin episodic growth, 411–450
- Mélange Holguin, 381

- Mélange Las Villas, 381
 Mene de Mauroa, 595
 Mercedes-Caño Tomas, 614
 Mérida Andes
 orogeny, 642–643
 Rio Negro Fm, 662
 Mescalera oceanic lithosphere, 26
 Mesoproterozoic zircons, 310
 Mesozoic Caribbean Arc, 576–577
 Mesozoic clastic distribution patterns, 747
 Mesozoic continental margins, 65
 Mesozoic domains, 316
 Mesozoic mixed protoliths, 757
 Mesozoic red cherts, 457
 mesozoic sediments, 761
 Mesozoic volcanism, 86
 Mesquito Composite Oceanic Terrane, 22
 metabasic rocks, 716
 metagranodiorite, 368
 metagreywackes, 297
 metamorphic conditions, 381
 metamorphic nucleus, 710
 metamorphic rocks, 225, 707
 metapelite, 538
 metapsammite, 538
 metaquartz arenites, 297
 metasedimentary rocks, 716, 761
 metasomatic rocks, 225
 metasomatized southern Chuacús complex, 263–264
 Mexico, 241–242, 248–249
 age v. elevation, 244
 analogue models, 185–186
 arc magmatism, 169–173
 arc reconstructions, 169–173
 Caribbean lithosphere, 21
 Caribbean tectonics, 191–193
 Cayman Trough, 170
 Cenozoic geological record, 169–174
 Cenozoic reconstructions, 172
 Chortís Block, 286
 Cordilleran terrane migrate, 6
 coupling between plates, 177
 cross sections of development, 44
 crustal blocks, 296
 decoupling between plates, 177
 development, 5
 Early Cenozoic evolution, 193
 exhumation, 173
 forearc exhumation, 169–177
 geochronological data, 171
 geochronology, 171
 geological map, 170
 geology, 169
 geophysical data, 173–174
 Late Cretaceous deformations, 183
 modelling limitations, 186–187
 oblique convergence deformation, 189–191
 subduction erosion, 174–176
 subduction erosion causes, 176
 subduction of forearc, 169–177
 subsidence, 173
 time and space diagram, 175
 tomographic section, 174
 Xolapa complex, 181–192
 Mícaro Formation, 393
 microcline, 539
 Mid American Trench, 442–443
 Mid Atlantic Ridge, 460
 distance, 83
 Mid-Cretaceous Caribbean, 23
 mid-ocean ridge basalt, 221
 Middle America
 Caribbean geology implications, 133–134
 Caribbean Plate, 127–136
 Cayman Trough, 133
 Colombian basins, 135
 crustal makeup, 127
 crustal thickness, 87
 crustal types, 128
 drill sites, 135
 evolution, 127–136
 geological evolution, 128–133
 Grenada basins, 135
 Middle Eocene, 132–133
 Motagua Fault Zone (MFZ), 84
 Nazca Plate, 133
 oceanic arc, 132
 oceanic crust, 95
 Pangaeon reconstruction, 127–128
 predictions, 134–135
 schematic Pangaeon restoration, 130–131
 tectonic fabric, 81, 127, 129
 volcanic arc, 132
 volcanism, 136
 Yucatán basins, 135
 Middle American Trench, 192
 Middle Cenozoic, 523
 Middle Eocene
 limestones distribution to accreted terranes, 478
 Middle America, 132–133
 post-Mesozoic Southern Caribbean Plate boundary, 578
 reconstruction, 775
 Yucatán intra-arc basin, 44
 Middle Jurassic granite protolith, 245
 Middle Magdalena Basin, 45
 Middle Magdalena Valley Unconformity, 626
 sedimentation, 638
 Middle Miocene
 palinspastic reconstruction, 764
 reconstruction, 788, 789
 Venezuela, 640
 Middle Miocene tectonism, 577
 migmatization, 268
 Miocene block, 639
 Miocene olistostromes, 634
 Miskito Basin, 88
 Mississippian conodonts, 222
 Mito Juan Formation
 continuity definition, 689
 reflection definition, 689
 Mito Juan-Colón formation, 698
 isopach, 696
 Moa-Baracoa and Nipe-Cristal ultrabasic massifs, 376
 Monagas solution basin, 674
 Monagas thrust belt, 665
 Monita Unit, 440
 Morelos platform, 283

- Moreno Formation, 392
 Morichito Basin, 675
 Motagua fault, 30, 32, 85, 101, 192, 271, 285
 Middle America, 84
 ophiolites, 221
 petrology, 225
 Motagua Orocline origin, 84
 Motagua Suture Zone (MSZ), 59, 220, 221, 243, 262, 272
 Cenozoic–Quaternary volcanic rocks, 268
 cross section map, 59
 lithostratigraphy, 222–224
 metamorphic–metasomatic rocks, 225
 pressure–temperature–time diagrams, 252
 pressure–temperature–time–deformation evolution, 222–224
 sinistral transpressions, 276
 structural data, 264, 267
 structural geology, 270
 Motagua–Polochoic fault
 SSE, 199
 system, 199
 zone, 205
 Mount Harris Formation, 780
 MSZ. *See* Motagua Suture Zone (MSZ)
 mudstones Osa Mélangé, 424–425
 Murrucucú, 614
 mylonite
 Chacalapa shear zone, 184
 marble, 542
 mylonitization, 185, 246

 Naparima Hill Thrust, 634
 nappe, 373
 movement, 624
 overlap, 637
 stacking timing, 370–371
 stacks, 382
 uplift, 636
 Nariva Formation, 786
 apatite, 754
 heavy minerals, 754
 sandstones, 786
 Nariva Formation reinterpretation, 786–787
 Nariva orogenic sandstone blocks, 787
 Nazca Plate, 133, 550
 NCSZ. *See* North Caribbean Suture Zone (NCSZ)
 Neo-Caribbean phase, 37–41
 Neocomian, 659–678
 neodymium
 determinations, 345
 geochemistry, 348–351
 systematics, 406
 neodymium isotope, 560, **562**
 composition, 345
 Neogene movements, 31
 Banda Sea, 143
 Neogene rocks, 752
 Neogene supraorogen basins, 672–673
 Neoproterozoic–Palaeozoic rocks, 495
 Nicaragua, 18
 Nicaragua Rise, 21, 28, 177, 282, 511
 Caribbean Plate, 88–89
 Nicoya Complex, 21, 57
 components, 58

 niobium
 diagram, 352
 Site 1001, 822
 variation diagrams, 347
 Nipe-Cristal ultrabasic massifs, 376
 NO. *See* Northern Ophiolites (NO)
 norapane, 596
 North America
 Caribbean Plate boundary, 28
 Caribbean Plate geology, 127
 Chortís Block, 191–192
 continental margin cross section, 95
 continental margins morphology, 72
 diffuse triple junction, 29
 Ma (130) reconstruction, 503
 palaeopositions, 8
 plate motion histories, 42
 rifting, 94
 North America Hotspots, 512
 North American Plate, 197
 boundary, 219–287
 boundary deformation zones, 197
 compression pinning, 202
 Cretaceous zone, 17–20
 Early Cenozoic, 182
 Late Cretaceous, 182
 motions, 41
 shear stress, 286
 North Andean, 570
 North Caribbean Suture Zone (NCSZ), 362
 Cuban part, 385
 geological-tectonic events, 385
 geotectonic model, 384
 North Chortís–Motagua Fault Zone, 30
 Northern Andes
 allochthonous continental margin fragments, 492
 allochthonous terranes boundary, 504–507
 arcs, 522–524
 Atrato sutures, 499
 autochthonous South America, 504–507
 back-arc basin floor, 496–497
 Baños Fault Zone, 495–496
 basin formation, 487–525
 Caribbean Arc fragments, 492
 Caribbean Plate, 509–522, 524
 Caribbean Plate motion, 510–511
 Caribbean terranes forearc trailing edge, 499–501
 Caribbean–South American motion, 514
 Cauca–Almaguer Fault Zone, 497–498
 Cauca–Patia Valley basement, 498–499
 Cenozoic Huancabamba–Palestina Fault Zone, 491
 Central Cordillera western foot Terrane 4, 498–499
 Cimarrona fault boundary, 490–491
 Colombia and Ecuador Western Cordilleras, 498–499
 Cordillera Real Cretaceous dextral shear zone, 504–505
 Cretaceous volcanic arc fragments, 496–497
 dextral shear, 487–525
 dextral shear offset estimates and rates, 506–507
 dextral strike-slip fault system, 514
 displaced terranes, 494–495
 dissected present day geological map, 494

- Northern Andes (*Continued*)
- Eocene dextral shear offset estimates and rates, 506–507
 - Eocene palinspastic map, 507
 - geological elements interpretative outline, 490–501
 - geological map, 491
 - Greater Panamá Arc, 499–501
 - Greater Panamá island arc fragments, 492
 - hotspot reference frame, 510–511, 512
 - Huancabamba–Palestina Fault Zone boundary, 492–494
 - Huancabamba–Palestina Fault Zone brittle faulting, 505–506
 - Jubones Fault Zone Boundary, 497–498
 - large-scale plate reconstructions constraints, 509–510
 - Late Cretaceous palinspastic map, 507–508
 - Ma (100) reconstruction, 518–520
 - Ma (120) reconstruction, 520–522
 - Ma (46) reconstruction, 511–514, 512
 - Ma (56) reconstruction, 514–515
 - Ma (71) reconstruction, 515–516
 - Ma (84) reconstruction, 516–518
 - mixed blueschists, 496–497
 - northwestern South America palinspastic palaeotectonic, 507–508
 - northwestern South America reconstructions, 509–522
 - northwestern South American observations, 522–524
 - ophiolitic sutures, 491
 - origin inter-American models, 524
 - Pacific origin Caribbean model testable predictions, 525
 - Pacific-origin Caribbean model uncertainties, 524
 - palinspastic latitude-longitude grid, 508
 - Pallatanga Fault Zone Boundary, 499
 - para-autochthonous continental margin fragments, 492
 - para-autochthonous terranes, 490–491
 - plate boundaries, 489–490
 - plateau basalts, 492
 - plates and plate boundaries, 489
 - pre-Cretaceous history, 501–504
 - Pujili mélange-Pallatanga Fault Zone, 497–498
 - reconstruction, 511–522
 - regional context, 488–489
 - San Jeronimo Fault, 495–496
 - sheared terranes, 494–495
 - sketch map, 489
 - stacking order, 494
 - sub-Andean fault, 490–491
 - terrane accretion, 487–525
 - terrane map, 492
 - terrane stacking order importance, 489–490
 - terrane sutures, 494
 - Urumita sutures, 499
 - v. Central Andes, 504
 - west of Huancabamba–Palestina Fault terranes, 494–495
 - Zanjon-Naranjo Fault Zone, 495–496
 - northern foreland fold-thrust belt, 271
 - structure and kinematics, 265
 - Northern Ophiolites (NO), 315, 316, 371
 - Nuezalito Formation, 534
 - Oaxaca (Oaxaca), 241
 - oblique convergence deformation, 189–191
 - Oca-Ancón Fault, 570
 - dextral slip, 573
 - Early-to-Middle Miocene boundary, 575
 - system, 571
 - ocean floor basalts, 713
 - ocean subduction zone, 564
 - ocean-continent convergence, 68
 - oceanic arc, 132
 - oceanic crust
 - Colombian Marginal Seaway, 12
 - Gulf of Mexico, 6
 - oceanic evolution, 472–473
 - oceanic large igneous provinces, 139
 - oceanic magnetic anomalies, 79–80
 - oceanic plateau, 92
 - Piñon Formation, 475
 - red cherts, 473
 - subduction erosion, 176
 - oceanic slabs, 69
 - oceanization, 65
 - oceanside transtensional basin complex, 623
 - oil generation, 587–611
 - oil well, 598
 - burial history, 599, 600, 601
 - oils with evaporitic signatures, 671
 - Oligocene, 186
 - basins, 577
 - block, 639
 - Early Miocene, 578–579
 - exhumation, 191
 - Jocotán fault activity, 247
 - jump in deposition, 784–786
 - relative motions, 512
 - volcanic rocks, 181
 - zircon fission track, 784
 - Olinalá units, 281
 - olistoliths
 - Caribbean-South America oblique collision model, 632–633, 634–636
 - Los Cajones, 632
 - Lower Cretaceous shelly limestones, 635
 - olistostrome
 - belt, 626
 - deposits, 316
 - olivine analyses, 556
 - omphacite, 253
 - opaques, 539, 540, 541
 - ophiolite
 - bodies with olistostromes, 328
 - Caribbean Plate, 549
 - Caribbean Plate margins, 67
 - Caribbean region, 550
 - Cuba, 324–325
 - deformed olistostromes, 326
 - rocks, 549
 - units, 68
 - Ordovician–Early Devonian granitoids, 222
 - Orient ophiolite, 377
 - ultrabasic massifs, 376
 - Oriente, 614
 - fault zone position, 333
 - Orinoco Delta overlap assemblage, 789–790

- oroclines
 - basin, 139–152
 - examples, 139
- orthopyroxene, 540
- Osa Group, 415
- Osa Igneous Complex, 414
 - basalts and gabbros REE diagrams, 420
 - lava flows and sediments, 419
 - major sutures, 433
 - origin and significance, 437
 - Osa Peninsulas, 428
 - potassium argon ages, 437
 - radiometric v. biochronological ages of igneous samples, 437
 - rocks deformation, 429
 - sediment accretion, 448
 - seismic and on-land interpretations, 419
 - tectono-stratigraphy, 417
- Osa Mélange, 414–415
 - basalt, 424–425
 - calciturbidite, 424–425
 - contact, 428
 - field work, 417
 - greywackes, 424–425
 - limestone, 424–425
 - mudstones, 424–425
 - Osa Peninsulas, 423–428
 - radiolarian chert, 429
 - radiometric v. biochronological ages of igneous samples, 437
 - rock types, 424–425
 - seismic and on-land interpretations, 419
 - structural fabric, 446
 - structural model, 425
- Osa Peninsula
 - accreted rock bodies size and arrangement, 433, 435
 - accretion triggered by catastrophic sediment supply, 446
 - accretion v. erosion in southern Central American margin, 449
 - accretionary complexes along intra-oceanic subduction systems, 448–449
 - accretionary margins, 447–448
 - argon loss induced by tectonics, 435, 437
 - Azuero Complex western Panamá, 429
 - basaltic olistoliths, 428
 - biostratigraphy, 428–430
 - Cabo Matapalo, 447
 - debris flow deposits dominated by igneous olistoliths, 426
 - deformation, 445–446
 - erosive margins, 447–448
 - fine-grain detrital sediments, 426–427
 - Ganado Unit, 421–422, 429, 439
 - geological setting, 413–415
 - Güerra Unit, 420–421, 438–439
 - igneous olistoliths geochemistry, 427–428
 - Inner Osa Igneous Complex, 417–420, 429, 438
 - Inner Osa Mélange Complex, 429
 - unusual polygenetic mélange, 441–443
 - Late Cretaceous Radiolaria, 432–433
 - Late Cretaceous to Miocene seamount accretion, 411–450
 - lithologies, 423–424
 - mélange definition, 416
 - mélange formation convergent margin episodic growth, 411–450
 - mélange origin recognition, 416–417
 - melanges nature and origins, 416–417
 - Osa Igneous Complex, 414, 417–420, 428
 - construction, 440
 - discussion and interpretation, 431–441
 - radiolaria, 429
 - Osa Mélange, 414–415, 423–428
 - construction, 441–447
 - contact, 428
 - field work, 417
 - overlap sequences, 415
 - results, 417–431
 - Riyito Unit, 422, 439
 - Salsipuedes units accretion, 447
 - San Pedrillo Unit, 429, 436
 - accretion, 446
 - larger benthic foraminifera, 431
 - margin collapse in response to seamount subduction, 446–447
 - planktonic foraminifera, 431
 - radiolarian chert, 429
 - unusual polygenetic mélange, 441–443
 - sedimentary deposits containing shallow-water limestones, 425–426
 - sedimentary fabric, 423
 - southern Central American margin, 447–449
 - tectonic fabric, 423
 - tectono-stratigraphy, 440
 - trench sediments emplacement, 444–445
 - units origin and significance, 437–438
 - Vaquedano Unit, 422, 439–440
 - well-organized highly composite complex, 431, 433
- Otú-Pericos Fault, 492
- overthrusting, 578
- Pacific hotspots, 5
- Pacific Model of Caribbean Plate evolution, 339
- Pacific Ocean, 139
 - Caribbean Plate, 92
 - plates, 2, 220
- Pacific origin Caribbean model testable predictions, 525
- Pacific Origin Model, 698
- Pacific subduction zone, 72
- Pacific-arc magmatism, 283
- Pacific-derived Caribbean plate, 2
- Pacific-origin Caribbean model uncertainties, 524
- Pacific-origin Inter-American models, 362
 - terrane stacking order sketch map, 489
- Pacific forearc basin, 500
- Palaeo-Osa Igneous Complex, 447
- Palaeogene
 - forearc basins, 491
 - Guárico flysch, 534
 - Matatere flysch, 534
 - Radiolaria, 432–433
 - radiolarian species, 430
 - terrigenous turbidites, 755
 - Xolapa complex, 186
- Palaeozoic Cajamarca Complex, 519
- Palaeozoic core, 518
- Palaeozoic rocks, 495

- Palaeozoic–Mesozoic igneous and sedimentary protoliths, 757
- Palaeozoic–Mesozoic Oaxaca shear zone, 190
- Palanda Fault, 493
- Paleocene boundary, 578
- Paleocene fossiliferous limestone, 635
- Paleocene olistostromes, 634
- Paleocene relative motion change effect, 626
- Paleocene–Early Eocene, 579
- post-Mesozoic Southern Caribbean Plate boundary, 578
- Paleocene–Early Middle Eocene, 331
- Paleocene–Eocene Maracaibo foredeep, 626–630
- Paleocene–Middle Eocene tectonic setting, 330
- Palestina Fault, 492
- Atlantic-type margin, 504
- brittle fault traces, 494
- brittle faulting, 505–506
- dextral faulting, 513
- dextral shear, 512
- fault traces and basins, 494
- lithologic units, 510
- Middle Magdalena Valley, 512
- zone boundary, 492–494
- Pallatanga Fault zone boundary, 499
- Panamá, 570
- andesites, 92
- Caribbean Plate, 40
- Colombia collision, 36
- dacites, 92
- deformation belt, 570
- diorites, 92
- granodiorites, 92
- triple junction, 513
- Panamá Arc, 641
- Caribbean Plate, 490
- Panamá Arc Terranes, 22, 491, 509, 510
- Panamá Block, 40
- Pangaea, 5–12, 502
- amalgamation, 285
- assembly, 772
- breakup, 502
- fragmentation, 617
- Jurassic reconstruction, 5
- Late Jurassic–Early Cretaceous opening, 212
- microcontinental blocks, 545
- reconstruction, 1, 127–128
- restoration, 130–131
- tectonic reconstructions, 613
- Triassic–Early Jurassic rifting, 212
- Pangaean rifting, 514
- para-autochthonous continental margin fragments, 492
- para-autochthonous terranes, 490–491
- paraautochthonous greenschist, 760–761
- facies, 761
- Pavones Formation, 415
- Pecaya Formation, 592, 592, 596, 606, 608
- stereonet plot, 591
- syndimentary structure, 589
- transformation ratio, 607
- pelagic limestones, 426
- pelagic–hemipelagic sediments, 444
- peri-Caribbean collisional belts, 71
- peri-Caribbean tectonic units, 58
- Permian limestone, 265
- Permian modified, 274
- Permo-Carboniferous, 726
- Permo-Triassic arc on Maya and Chortús blocks, 278–279
- Permo-Triassic granitoids, 279
- perthitic potassium feldspar, 711
- Peru
- Caribbean Plate motion, 517
- Costa Rica–Panamá Trench, 520
- dextral shear zone, 505
- Farallon Plate motion, 517
- trans-American plate boundary, 12
- Peru Bank, 524
- Petén Group, 209
- petroleum system, 587
- petrology, 251–256
- central Guatemala, 253–254
- Chiquimula batholith within Las Ovejas complex, 255
- Chuacús complex, 253–254
- interpretation, 255
- intrusive sequence, 254
- Juan de Pax ophiolite, 254
- Las Ovejas complex, 255
- Motagua fault, 225
- North El Tambor complex, 254
- Sanarate complex, 255
- phengites
- aluminum contents, 712
- geobarometry, 254
- silicon contents, 712
- phlogopite, 539
- crystals, 535
- forsterite-diopside marble, 537
- marbles, 533
- PIA. *See* primitive island arc (PIA)
- pillow lavas, 464
- Pinar Fault Zone, 363
- pinning, 199
- Piñon Block, 512
- Piñon Formation, 474
- andesitic breccias, 475
- basaltic lavas, 475
- basement, 474, 475
- multi-elements, 475
- oceanic plateau, 475
- rare earth elements, 475
- tuffs, 475
- Piñon terrane, 477
- COP, 481
- Ecuador accreted oceanic terranes, 474–476
- stratigraphic successions, 476
- Pinos complex, 381
- Caribbean Arc, 383
- Placetas Belt, 387
- plagioclase, 254, 540, 554
- crystals, 712, 722
- saussuritization, 558
- plagiogranite magma, 716
- Plaisance Conglomerate
- removal, 779
- San Fernando Formation, 778
- Trinidad, 778

- plate reconstructions, 2–5
plate-boundary jump, 642
plateau basalts, 492
Pliocene
 Caribbean–South America oblique collision model, 622–637
 post-Mesozoic Southern Caribbean Plate boundary, 579
Poloctic Belt, 215
Poloctic Fault, 31, 243
Poloctic-Motagua-Chamelecón-La Ceiba fault system, 297
Poloctic-Rio Negro faults, 205
polymictic mélange, 384
pooled fractional melt modeling, 823
porphyroclasts, 721
post-Mesozoic Southern Caribbean Plate boundary, 569–582
 Caribbean nappes and rotation, 575–576
 Cenozoic South Caribbean boundary, 571
 current boundary, 575
 Falcón-Bonaire and Oligocene basins, 577
 former motion, 572
 geodynamic evolution at lithospheric scale, 577–581
 Late Cretaceous–Paleocene, 577–578
 Late Eocene, 578
 lateral-slip onset, 575
 leeward Antilles subduction, 576
 major tectonic phases, 575–577
 Middle Eocene, 578
 middle-later Miocene boundary, 579
 Oligocene–Early Miocene, 578–579
 Paleocene–Early Eocene, 578
 Pliocene, 579
 present-day South Caribbean boundary, 569–571
 proto-boundary, 575
 Proto-Caribbean Plate arc, 576–577
 South American–Caribbean Plate boundary zone defined, 569–571
 total dextral slip on Boconó Fault, 573
 total dextral slip on El Pilar Fault, 573
 total dextral slip on Oca-Ancón Fault, 573
 total slip along South America–Caribbean boundary, 572–573
 total strike-slip along South America–Caribbean Plate boundary zone, 573–575
potassium, **562**
 Chortís Block granitoids and significant age groups, 241
 CVC, 555, 558
 geochronology, 555, 558
 Osa Igneous Complex ages, 437
pre-Mesozoic terrains, 545
Precambrian metamorphosed sedimentary, 761–762
Precambrian–Paleozoic protoliths, 757
primitive island arc (PIA)
 Cretaceous primitive island arc series, 401–410
 incompatible element abundances, 404
 rocks alteration, 402
 series, 399, 404
 v. island arc tholeiite compositions, 400–406
prismatic amphibole, 255
Progreso Basin, 509
Proterozoic zircons, 243
Proto-Caribbean, 362
 back-bulge depozone, 623
 basin, 390
 crust, 81
 driven sinistral transpression, 625
 foreland basin, 623, 625–626, 630, 634
 interaction, 622–637
 ridge volcanism, 616
 rift, 280
 spreading, 502
 subduction, 637
Proto-Caribbean Inversion Zone, 743, 767, 772–781, 791
Proto-Caribbean Ocean, 387
 crust, 624
 polarity reversal, 621
Proto-Caribbean Plate, 328, 623, 627, 628, 629, 630
 arc, 576–577
Proto-Caribbean Seaway, 5–12, 9, 488, 503, 770, 772
Proto-Pacific arc formation, 280–282
Proto-Yucatán Basin, 362
Provincial Formation, 372, 392
Puerto Plata complex, 61
Puerto Rico
 Caribbean Plate margins, 62
 Great Arc, 99
 Greater Antilles island size, 100
 Virgin Islands boundary, 643
 Virgin Islands segment, 86
Puerto Rico Trench, 100
Pujili mélange-Pallatanga Fault Zone, 497–498
Punta Alegre Formation, 368, 392
Punta Balandra complex, 61
Purial Complex, 377, 383
Purial meta-arc complex, 377
pyrite cubes, 535
pyrite oxidation, 670
pyroxenes, 537
 analyses, **556**
 CVC, 555–557
 ultramafic rocks, 555
quartz, 539, 540, 541
 diopside marble, 539
 feldspatic rock, 537
 phyllite, 242
 recrystallization mechanism, 258
Quaternary time dextral wrenching, 574
Quebradagrande volcanic rocks, 11
Querales Formation, 589, 597
Rabinal complex, 221–223, 245, 250, 273
 AFT ages, 251
 argon mineral spectra, 236
 Chuacús complex, 232
 geochronology, 224
 granite intruded, 279
 granitoids, 221–223, 259, 260
 Maya Block, 232
 MSWD, **235**
 P–T–t data, 256
 rubidium strontium whole rock-feldspar-mica isochrons, 236
 structure and kinematics, 256–259, 259

- Rabinal complex (*Continued*)
 western Guatemala, 251–252
 WM(P)A, **235**
 zircon data and age interpretation, 228
 zircon geochronology, 227
 zircons cathodoluminescence images, 232
- radiolarians
 and pelagic limestones, 426
 Central America, 102
 chert lenses, 461
 La Désirade, 465, 465
 La Désirade red cherts, 464
 ribbon chert on oceanic crustal lava, 462
- radiometric dating, 220
- Rauhawacks, 670
- reconnaissance petrology, 256
- red algae, 436
- red beds, 265–266
- red cherts
 Jurassic radiolarian microfossils, 457
 La Désirade, 461, 462
 oceanic plateau basement, 473
 origins, 457–466, 461, 462
 radiolarians, 464
 silicon Iron ratio, 464
 wedge deposited in bathymetric low, 459
- red coloration
 palaeogeographic significance, 462, 463
- red ironstone clasts, 791
- red radiolarian chert, 465
 Circum-Pacific, 459–460
 La Désirade, 461
- red ribbon chert, 464
- Red Sea rift, 676
- red siliceous rocks, 460
- ribbon chert, 462
- rifting
 Caribbean sediment pile, 370
 Caribbean–South America oblique collision
 model, 614–617
 Chortís Block, 286
 continental margin, 65
 duration, 617
 Guatemala, 286
 Jurassic, 513
 Late Cretaceous time, 616
 Late Jurassic, 732
 magmatism, 623
 non-volcanic style, 8
 Pangaeon, 514
 phase, 662
- Rio Claro, 418
- Río Dulce Formation, 209
- Río Guache flysch, 534
- Río Jicaya gneiss, 368
- Río Negro Formation, 662
- Río Nuevo Formation, 343
- Río San Juan complex, 61
- Riobamba–Guaranda terrane, 472
- Riyito Unit, 422, 439
 basalts and gabbros REE diagrams, 420
 tectono-stratigraphy, 440
- Rock Eval pyrolysis, 604
- Rodinia reconstruction, 543
- Romeral, 570, 614
- Roques Canyon, 614
- Rosario, 370
- rubidium, **562**
 Chortís Block granitoids and significant
 age groups, 241
 geochronology, 245–247
 whole rock-feldspar-mica isochrons, 236–238
- rudists, 102
- rutile
 Barbados, 756
 East Venezuela, 754
 Nariva Formation, 754
 Trinidad, 753
- SAC. *See* subduction-accretionary complex (SAC)
- Sacapulas Formation, 206, 222
- Salado metavolcanic rocks, 495
- Salamá
 quartz phyllite, 242
 schists, 221–223
- saline fluid inclusions, 671
- saline springs, 663
- Salsipuedes Unit, 414
 accretion, 447
 tectono-stratigraphy, 440
- Salt Mountain, 95–97
- SAM. *See* South American Plate (SAM)
- Samaná complex, 61
- samarium, **562**
 Devils Racecourse lavas, **355**
 variation diagram, 346
 v. lanthanum ytterbium, 404
- San Cayetano Formation, 392
- San Diego metamorphic rocks, 226
- San Diego phyllite, 225–226
 igneous rocks geochronology, 226–227
 structure and kinematics, 266–269, 270
- San Fernando Formation
 Plaisance Conglomerate, 778
 Plaisance Conglomerate removal, 779
- San Fernando olistolith, 636
- San Francisco, 614
- San Gabriel sequence, 302
- San Gabriel unit, 221–223
- San Jeronimo Fault, 492, 495–496
- San Juan terrane
 Ecuador accreted oceanic terranes, 471–472
 stratigraphic succession, 472
- San Lorenzo marble, 246
- San Lorenzo volcanic arc
 Ecuador, 515
- San Lucas Formation, 208
- San Pedrillo Unit, 414, 419, 423–428
 accretion, 446
 clast size, 418
 crinoids, 436
 feldspars, 436
 foraminifera, 436
 geological map, 419
 margin collapse in response to seamount subduction,
 446–447
 Osa Peninsula, 436
 Osa Peninsulas, 429
 pelagic–hemipelagic sediments, 444
 red algae, 436

- tectono-stratigraphy, 440
 tuffites, 436
 unusual polygenetic mélange, 441–443
 San Pedro Formation, 392
 San Sebastian Fault, 570, 614, 641
 Sanarate complex, 226, 240, 248, 280
 Cenozoic deformation, 269
 Cretaceous ages, 275
 lithology metamorphism, 272
 P–T–t data, 256
 petrology, 255
 pressure–temperature–time diagrams, 252
 structural data, 264
 structure and kinematics, 266
 SAND. *See* Sandwich Plate (SAND)
 Sandino Basin, 31
 sandstones
 rock crushing, 748
 South America, 744
 Sandwich Islands, 562
 Sandwich Plate (SAND), 155
 geographic location, 156
 spatial location of focal mechanisms, 160
 tectonic configuration, 166
 vertical distribution of seismicity, 158
 Sandwich subduction system, 165
 Sandwich Trench, 162
 Santa Clara, 321
 Santa Elena complex, 57
 Santa Marta, 570, 614
 Santa Rita Formations, 592, 592, 596, 606, 607
 fine grained sandstones, 588
 Santa Rosa Group, 310
 Santa Teresa Formation, 392
 Santo Domingo Formation, 377, 392
 Scotia Arc, 403–404
 Scotia intra-oceanic island arc tholeiite, 405
 Scotia Plate, 85–86
 SAND, 155
 Scotland, 784
 Scotland Group, 104, 107
 Scotland Group members, 752
 sea drilling, 127
 seaward dripping wedges, 94
 sedimentary rocks, 460–464
 seismic refraction, 660
 Senado Formation, 392
 Sepur Formation, 208
 serpentinite
 continuous basaltic andesite dyke, 553
 Cuban Jarahueca oilfield, 98
 El Tambor complex, 246
 serpentinitic mélange, 373, 374
 Serranía Oriental, 776
 Caribbean accretionary belt, 792
 Shackleton Fracture Zone, 13
 shear stress, 286
 shear zones, 183–185
 sheared continental margin, 492
 sheared granitoids, 761
 Sierra de los Organos, 370
 Sierra del Convento, 381
 blueschists and eclogite facies rocks, 380
 Sierra Guaniguanico, 367
 Sierra Madre del Sur, 186
 Sierra Maestra, 325
 Sierra Santa Cruz (SSC), 59
 Sigüenza, Spain, 705
 siliceous melt, 351
 silicon Iron ratio, 464
 sillimanite source areas, 758
 siltstone, 744
 Silurian–Carboniferous subduction, 278
 silver evaporite solution, 672
 sinistral transpression, 265, 276
 Siquisique
 Cretaceous rift volcanics, 625
 Jurassic volcanics, 625
 Sistema Montanoso del Caribe
 cross section, 63
 Site 1001, 820
 basaltic units stratigraphic section through, 812
 basalts, 815–816, 823
 element, trace element data, 815–816
 lead, 821
 magnesium oxide v. Zr, 817
 N-MORB normalized multi-element plot, 818
 pooled fractional melt modeling, 823
 radiogenic isotope data, 815–816
 zirconium niobium, 822
 zirconium yttrium v. niobium yttrium, 819
 Site 152
 N-MORB normalized multi-element plot, 818
 Siuna Belt, 18, 28
 Siuna terrane, 282
 slab break-off, 45
 SMT. *See* southern metamorphic terranes (SMT)
 Socorro complex, 369
 Socorro Formation, 590, 592, 606, 609
 geological scenarios, 609
 granite, 368
 hydrocarbon accumulation, 610
 South America
 amphibolite facies belt, 760
 Boconó Fault, 572
 Bolívar Block, 133
 Caribbean boundary zone, 13–17
 Caribbean motion, 28
 Caribbean Orogen, 791
 Caribbean Plate, 90–91, 134, 507, 524, 780
 Caribbean Plate boundary zone defined, 569–571
 Caribbean–South America oblique collision model, 622–637
 Cenozoic clastic distribution patterns, 747
 continental margins morphology, 72
 Cretaceous zone, 13–17
 crust, 510
 Early Eocene palaeogeographic map, 628
 Early Miocene palaeogeographic map, 631
 Early Oligocene palaeogeographic map, 630
 Early Pliocene palaeogeographic map, 633
 Eocene–Middle Miocene transcurrence, 35–37
 greenschist facies belt, 760
 Gulf of Barcelona, 754
 intra-oceanic plate boundaries cartoon, 522
 Late Cretaceous, 511
 Late Maastrichtian palaeogeographic map, 623
 Late Middle Eocene palaeogeographic map, 629
 Late Middle Miocene, 632
 Late Paleocene palaeogeographic map, 627

- South America (*Continued*)
 Ma (190) reconstruction, 502
 major faults location map, 614
 margin, 733
 Mesozoic clastic distribution patterns, 747
 motion, 518, 519
 motion histories, 42
 North America motion (Late Paleocene time), 626
 Palaeogene terrigenous turbidites, 755
 palaeopositions, 8
 palinspastic map construction, 762
 palinspastic palaeotectonic, 507–508
 plate motions, 41
 pre-Mesozoic terrains, 545
 reconstructions, 509–522
 rocks, 499
 sandstones, 744
 schematic north–south palaeo-section, 624
 slab strain, 155
 tectonic elements, 763
 tectonic evolution, 1–47
 tectonic evolution models, 743
 Urica Fault, 754
 Venezuela high-grade rocks, 545–547
 volcanic components, 563
 westward drift, 129
- South America Hotspots, 512
- South American Plate (SAM), 155
 Antarctica plate, 164
 earthquake spatial distribution analysis, 157–159
 focal mechanism analyses, 162
 focal mechanism analysis solutions, 163
 methods, 156–157
 rationale, 156–157
 reverse focal mechanism solutions, 165
 seismicity regional analysis, 160–162
 strain analysis, 159–160
 stress analysis, 159–160
 strike-slip solutions, 165
 tectonic complexity, 164
 tectonic configuration, 166
 tectonic setting, 155–156
- South Sandwich Fracture Zone (SSFZ), 155, 156
 southern metamorphic terranes (SMT), 315, 316
- spinel, **759**
 analyses, **556**
 peridotites, 557
- SSC. *See* Sierra Santa Cruz (SSC)
- SSFZ. *See* South Sandwich Fracture Zone (SSFZ)
- stacking order, 494
- staurolite, 615, 631, 752
 Barbados, 756
 East Venezuela, 754
 Nariva Formation, 754
 source areas, **758**
 Trinidad, 753
- stress field variations, 284–285
 stress inversion technique, 157
 strike-slip earthquakes, 202
- strontium, **562**
 Chortís Block granitoids and significant age groups, 241
 composition, 345
- CVC, 555
 determinations, 345
 Devils Racecourse lavas, 348
 diagrams, 350
 geochemistry, 348–351
 geochronology, 245–247
 Rabinal complex, 236
 systematics of Jamaican lavas, 348
 whole rock-feldspar-mica isochrons, 236–238
- structural geology interpretation, 270–272
- Sub-Andean Faults, 490–491
- subduction erosion, 176
- subduction zones
 development, 216
 two-way transport of material, 379
- subduction-accretionary complex (SAC), 282, 379
- subduction-related granitoids, 372
- subduction-related metamorphic rocks, 383
- Subinal Formation, 209
 red bed deformation, 266
- Sula garben, 248
- syenitic charnockite, 539–540
- syn- to postorogenic sediments, 373, 374
- Tacajo, Holguin province, 324
- Tachira Trough, 696
- Taconic-Adian orogeny, 272–278
- Tactic Formation, 206–207
- Talara Basin, 510
- tantalum diagram, 401, 402
- Taxco-Viejo units, 281
- tectonic environment, 331
- tectonic erosion, 66
- tectonic evolution
 Caribbean, 1–47
 Gulf of Mexico, 1–47
 northern South America, 1–47
- tectonic fabric
 Caribbean Plate, 82, 83–84
 Middle America, 81
- tectonic indenter model, 362
- tectonic mechanism, 19
- tectonic settings, 19
- Teloloapan units, 281
- temperature
 correlation for Rock Eval pyrolysis, 604
 data maximum erosion evaluation, 605
- Téneme Formation, 377, 392
- terrane. *See also* specific name
 Cordillera accretion, 515
 Farallon Arc models, 491
 nomenclature and geological summary, **493**
 Northern Andes accretion, 487–525
 stacking, 489–490
 sutures, 494
- Testigos, 614
- Thailand, 678
- thermal evolution, 187
- thermal ionization mass spectrometers (TIMS), 724
- thorium
 Chuacús complex, 229
 cobalt classification, 348
 Devils Racecourse lavas, **355**
 diagram, 349, 352

- lanthanum ratios, 355
- thermochronology, 283–284
- variation diagram, 346
- ytterbium, 402
- thrust belt
 - Banda Sea, 143
 - Caribbean, 144
 - Cuba, 60
 - Trinidad, 614
- thrusting, 640
 - Caribbean Arc, 370–371
 - indications, 376
- Tierra Colorada, 181, 281
 - schematic geological sections, 184
- Tiguaje field, 602
 - fragmentogram, 597
- Tiguaje oils, 601
- TIMS. *See* thermal ionization mass spectrometers (TIMS)
- Tinajitas limestone, 635, 780
- titanite, 539, 540
- Tobago Basin, 32, 35
- Tobago terranes, 34
- Tobago Trough, 33
- Todos Santos Formation, 208
- Tonala shear zone, 249
- tonalitic arc magmatism, 69
- tonalitic magmatism, 71
- Top La Luna
 - reflector fault trace pattern, 694
 - seismic line segment, 698
- Top of Colón-Mito Juan, 692
- total alkali-silica diagram, 400
- tourmaline
 - Barbados, 756
 - East Venezuela, 754
 - Nariva Formation, 754
 - Trinidad, 753
- Tournaisian conodonts, 222
- trace elements, 344. *See also* specific name
- track-length distributions, 250
- Trans-American Arc, 497
- Trans-American Plate boundary, 12, 26
 - conversion, 12–13
 - Early Cretaceous trench, 13
 - Late Jurassic trench, 13
- Trans-American subduction zone, 503
- Trans-American volcanic arc, 524
- Trans-Mexican Volcanic Belt, 9, 30, 171
 - Benioff zone, 173
 - forearc, 176
 - volcanism, 172
- Tres Esquinas Member, 688–689
- Triassic clastic rocks, 77
- Triassic deformation, 261
- Triassic magmatism, 89
- Triassic–Early Jurassic rifting, 212
- Trinidad
 - apatite, 753
 - Caribbean–South America oblique collision model, 626
 - clastic sandstone domains, 743–793
 - Columbus Basin, 101
 - Early Miocene, 790
 - evaporites, 661–662
 - frontal thrust, 614
 - Gulf of Paria, 661
 - halite, 661
 - heavy minerals, 749, 752–753
 - hot wells, 663
 - hypersaline formation water, 671
 - Inner Nappe uplift, 636
 - interpreted sketch section, 666
 - Jurassic rifts, 7
 - Jurassic–Lower Cretaceous stratigraphy, 662
 - Laventille Fm, 662
 - Miocene olistostromes, 634
 - Mount Harris Formation, 780
 - mountains and basins location map, 661
 - mud volcanoes, 667
 - mud-volcano fluids, 664
 - Naparima Hill, 634
 - Nariva Formation reinterpretation, 786–787
 - northern nappe mountains, 622–625
 - palaeoshape, 765
 - Paleocene olistostromes, 634
 - Pangaeian rifting, 514
 - Plaisance Conglomerate, 778
 - pre-deformation configuration, 574
 - Proto-Caribbean nappe advance, 644
 - salt basin, 659
 - sediment source regions, 756
 - stratigraphic chart, 745
 - tectonic features, 744
 - Venezuela, 748–752, 784–786
 - volcanism, 676
 - Warm Spring Fault, 572
 - wildflysch, 631
- Trocha Fault zone, 372, 373
- tuffites, 436
- tuffs, 475
- Tumbes Basin, 509
- turbidites, 636
- Turonian–Santonian basalt, 28
- Turquino–Cayman Ridge arc, 332–333
- two-stage mantle melting, 822
- ubiquitous marbles, 546
- ultramafic rocks, 558, 716
 - CVC, 551–554
 - pyroxene, 555
- Upper Magdalena Valley, 509
- Uralian sutures, 545
- uranium
 - Chortís Block, 230
 - Chortís Block granitoids and significant age groups, 241
 - Chuacús complex, 229
 - concentration Margarita Island, 723
 - concordia diagrams
 - ID-TIMS, 302
 - sample CH0407, 303
 - sample Gt0017, 304
 - sample Gt03122, 304
 - evaporite solution, 672
 - geochronology, 250, 721–729
 - thermochronology, 283–284
 - TIMS, 301
 - zircon geochronology of Palaeozoic units, 295–311

- Urica, 614
 Urica Fault, 754, 776
 Urumaco Formation, 606
 Urumita sutures, 499
- van den Boom Sacapulas Formation, 222
 vanishing Carib Halite Formation, 659–678
 Vaquedano Unit, 422–423, 439–440
 basalts and gabbros REE diagrams, 420
 Vega Alta Formation
 Cruceiro Tarafa, 322
 velocity discontinuity, 185
 deformation view, 189
 Vema Wedge
 Caribbean Plate, 81
 latitudes, 82
 Venezuela, 743–793, 752–755
 amphibolite facies metamorphic terranes, 760–761
 amphibolite-grade metamorphic terranes, 757–759
 autochthonous greenschist, 760–761
 axial feed along Caribbean Foredeep, 783–787
 Barbados, 755–756, 784–786
 Barbados as downstream eastern continuation, 784
 Barcelona Trough, 772–781
 Caribbean forearc, 641
 Caribbean foredeep, 781–783
 Caribbean Plate margin, 70
 Caribbean Plate margins, 62–65
 Caribbean-South America oblique
 collision model, 626
 Cenozoic uplift and unroofing ages, 761
 clastic domains, 770–791
 clastic sandstone domains, 743–793
 Cretaceous passive margin, 770–772
 Cretaceous Proto-Caribbean, 613
 deformational regional correlations, 64
 dextral, 582
 diachronous Caribbean basal foredeep
 unconformity, 777
 distal syn-orogenic detritus, 783–787
 Dos Hermanas (DH) unit, 63
 El Pilar Fault, 39
 evolving orogen, 787–790
 Fanja Costera units, 62
 frontal thrust, 614
 graphic phyllite, 668
 halite, 661
 heavy minerals, **750, 751, 754**
 data, 748–756
 potential source areas, 756–762
 source areas, **758–759**
 studies background, 747
 study rationale, 747–748
 heterogeneous Precambrian metamorphosed
 sedimentary, 761–762
 high-pressure metamorphism, 705–736
 high-pressure, low -temperature metamorphic
 terranes, 759
 hot wells, 663
 hypersaline formation water, 671
 igneous rocks in Guayana Shield, 761–762
 Jurassic metasediments, 91
 Jurassic rifts, 7
 Jurassic–Lower Cretaceous stratigraphy, 662
 laboratory methods, 747–748
 limestone, 668
 Llanos Basin, 91
 Loma de Hierro unit, 63
 lower-grade metamorphic terranes, 760, 761
 lowstand wedges, 777–781
 magmatic regional correlations, 64
 Margarita Island, 705–736
 mesozoic sediments, 761
 metamorphic regional correlations, 64
 metamorphic terranes, 759–760
 metasedimentary units, 622
 microscopy, 748
 Middle Miocene, 640
 mountains and basins location map, 661
 mud volcanoes, 667
 northeastern South American margin, 777
 northern nappe mountains, 622–625
 Oca-Ancon system, 571
 Oligocene jump in deposition, 784–786
 olistostrome belt, 626
 olistostromes, 627–630
 Orinoco Delta overlap assemblage, 789–790
 palaeogene clastics association, 772–781
 palinspastic reconstruction, 762–770
 Pangaea rifting, 514
 parautochthonous greenschist, 760–761
 parautochthonous greenschist-facies, 761
 piggyback deposits on evolving orogen, 787–790
 plate boundary/thrust belt evolution, 762–770
 Proto-Caribbean nappe advance, 644
 proximal deposits on evolving orogen, 787–790
 salt basin, 659
 sample preparation, 748
 sediment source regions, 756
 sedimentary regional correlations, 64
 siltstone, 744
 southern onlap assemblage, 781–783
 stratigraphic chart, 746
 syn-orogenic wedgetop on evolving orogen, 787–790
 tectonic elements, 762–770
 tectonic features, 744
 tectonics, 580
 Trinidad, 748–752, 784–786
 Trinidad Nariva Formation reinterpretation,
 786–787
 unmetamorphosed, 761
 Urica Fault, 776
 VC units, 63
 volcanism, 676
 wildflysch, 631
 Venezuela Falcón Basin polyphase development
 biodegradation, 599–600
 digital geological map, 591
 gravimetric model for subduction, 610
 maturity, 602–604
 oil fields and seeps, 594
 oil generation, 587–611
 oil well burial history, 599, 600, 601
 petroleum system modeling, 608–610
 pseudowell burial history, 602
 source rock, 599
 predominance, 602
 transformation ratio, 607

- stratigraphy, 588–590
- structural evolution, 592–599
- structure, 590–592
- tectonic implications, 610–611
- tectonography, 588–590
- temperature and maximum depth synthesis, 606
- thermal calibration, 604–608
- thermal maturity, 599
- Venezuela high-grade rocks
 - alkali feldspar, 539
 - anorthosite, 535
 - apatite, 540
 - biotite, 541
 - carbonate, 538
 - cataclastic and hydrothermal effects, 542–543
 - clinopyroxene, 540, 541
 - clinopyroxenite, 538, 538, 540–541
 - diopside, 538–539
 - dolomitic marble, 535, 538–539
 - enderbite, 535
 - epidote, 541
 - felsic charnockite, 535
 - felsic granulite, 539–540
 - forsterite, 539
 - geotectonic map, 534
 - Grenvillian affinity, 533–547
 - Grenvillian Orogenic Belt, 543–547
 - high- to medium-grade rocks lithology, 535–538
 - high- to medium-grade rocks location, 533–535
 - hornblende, 540, 541
 - location maps, 534
 - mafic charnockite, 535
 - mangerite, 539–540
 - medium- to high-grade basement, 543–546
 - metamorphic petrogenesis, 541–543
 - metapelite and metapsammite, 538
 - microcline, 539
 - northern South America, 546–547
 - Nuezalito Formation, 534
 - opaques, 539, 540, 541
 - orthopyroxene, 540
 - Palaeogene Guárico flysch, 534
 - Palaeogene Matatere flysch, 534
 - petrography, 538–546
 - phlogopite, 539
 - plagioclase, 540
 - pre-Cenozoic sedimentary, 534
 - quartz, 539, 540, 541
 - Río Guache flysch, 534
 - syenitic charnockite, 539–540
 - Cenozoic-Quaternary sedimentary rocks, 534
 - titanite, 539, 540
- Venezuela Plateau, 93
- Venezuela structuring event
 - Barinas Basin, 690
 - biostratigraphic evidence, 697–698
 - Campanian age interpretation, 687–700
 - Campanian-Maastrichtian boundary, 690–691
 - Colón Formation, 695–697
 - geological setting, 687–689
 - hydrocarbon implications, 699
 - La Luna Formation, 688–689
 - La Luna Formation top age, 692–695
 - Maracaibo Basin, 688–690
 - palaeontological data, 687–700
 - palaeontological evidence, 690–698
 - seismic data, 687–700
 - seismic evidence, 690
 - Tres Esquinas Member, 688–689
 - vitritine and fission track data, 698
- Venezuelan Basin, 79
 - volcanic activity, 802
- Venezuelan Plate, 96
- Verapaz Group, 208
- Via Blanca Formation, 392
- Villa de Cura
 - klippe, 632
 - terraces, 34
 - units, 63
- Viñales tectonic window, 367
- Virgin Islands, 90
 - boundary, 643
 - segment, 86
- volcanic arc complexes, 68
- volcanic arc magmatism, 328
- volcanic arc rock chemistry, 106
- volcanic arcs
 - clastic rocks, 506
 - cretaceous carbonates, 506
 - zircons, 100
- volcanic island arc-derived rocks, 399
- volcanic quiescence, 330
- volcanic rock
 - Caribbean Arc, 374
 - Cordillera, 9
 - geochemistry, 171
 - sequence data, 376
- volcanic seamounts, 96
- volcanism
 - Caribbean Arc time, 13
 - Late Aptian–Albian time, 13
 - Lesser Antilles, 98–99
- volcano-ophiolitic mélange, 318
- wagwater group, 341
- Warm Spring Fault, 572
- Warm Springs Fault, 663
- Water Island formations, 46
- Weber Basin, 148
- white limestone group, 341
- white mica, 246
- X-ray fluorescence, 554
- xenoblastic quartz, 540, 541
- xenoblastic titanite, 540
- xenoliths of dolomitic marble, 533
- xenotime, 540
- Xolapa complex, 280, 281, 284
 - basal velocity discontinuity, 188
 - block diagrams, 190
 - deformation view, 189
 - Early Cenozoic deformation, 181
 - experiment parameters, 186
 - geological evolution, 191
 - Mexico, 181–192
 - migmatite, 241
 - model deformation evolution, 187
 - modelling results, 187–189

- Xolapa complex (*Continued*)
 oblique convergence deformation,
 189–191
 Oligocene, 186
 Oligocene exhumation, 191
 Palaeogene, 186
 resulting deformation photograph, 188
 shear zones, 183–185
 Sierra Madre del Sur, 186
 strike-slip faults, 188
 structure varieties, 193
 thermal evolution, 187
 Xolapa Terrane, 181
- Yaguaneque limestones, 393
 yellow limestone group
 Jamaica, 341
 ytterbium
 basalts, 562
 diagram, 349, 401
 thorium, 402
 variation diagram, 346
 yttrium diagram, 352
 Yucatán
 collisions, 43
 continental margin, 387–388
 continental margin sediments, 366
 generalized stratigraphic profile, 366
 intra-arc basin, 44
 Jurassic rifts, 7
 Late Maastrichtian–Middle Eocene, 44
 margin, 365–366
 marginal basement, 370
 rotation, 2
 rotation models, 1
 triangle, 362
 Yucatán Basin, 135
 geotectonic framework, 363
 Maya Mountains, 82
 subducted metasediments, 389
 Yucatán Block, 619
 rotational motions, 4
 Yucatán Massif, 30
 Yucatán Platform, 370–371, 733
 Yunguilla Formation, 472
- Zanjon-Naranjo Fault Zone, 495–496
 ZFT. *See* zircon fission track (ZFT)
 Zihuatanejo terrane, 274
 zinc evaporite solution, 672
 zircon, 712, 727–728
 Barbados, 756
 cathodoluminescence images, 232, 725
 concordia diagrams, 729
 crystallization age, 728
 data and age interpretation, 228
 dating, 374
 East Venezuela, 754
 Escambray complex, 368
 geochronology, 227, 250, 295–311
 Margarita Island, **725**
 Nariva Formation, 754
 Palaeozoic units, 295–311
 photomicrographs, 299
 sample CH0402, 300
 sample CH0407, 302
 sample Gt03122, 302
 sample Gt0417, 303, 310
TIMS, 301
 Trinidad, 753
 volcanic arc rocks, 100
 Western and Central Guatemala, 295–311
 xenotime, 540
 zircon concordia diagram
 Guayacán Gneiss, 728
 Macanao orthogneiss, 726, 727
 zircon fission track (ZFT), 698
 Oligocene, 784
 studies, 767
 zircon geochronology
 Altos Cuchumatanes, 300–302
 Altos Cuchumatanes and Western Chuacús Group,
 297–298
 analytical procedures, 300
 Central Guatemala, 298
 Chuacús Complex metasediment, 302–303
 Guatemala, 295–311
 ID-TIMS, 300
 LA-ICPMS, 300
 Palaeozoic units in Western and Central Guatemala,
 295–311
 Rabinal suite, 298
 regional geology and sample descriptions,
 297–300
 results, 300–303
 sample CH0402, 300–302
 sample CH0403, 302
 sample CH0407, 302
 sample Gt03122, 302–303
 sample Gt0417, 303
 San Diego Phyllite, 298–300, 303
 San Gabriel sequence, 298, 302
 southern Guatemala, 298–300
 zircon, tourmaline, and rutile (ZTR) minerals, 748
 Palaeogene strata, 750
 zirconium
 diagram, 352
 Site 1001, 822
 ZTR. *See* zircon, tourmaline, and rutile (ZTR) minerals