

Index

Page numbers in *italic* denote figures. Page numbers in **bold** denote tables.

- Abu Dhabi platform 133, 135–137
accommodation space
 regional control 11, 14–15
 Sarvak Formation 209–211
 TSPs 17, 20–36
Adam Foothills outcrops 164, 168
Adayah Formation 48, 51
Adnet reef 293, 294, 313
African Plate 10
Afro-Arabian Plate 27–31
 Neotethys border 18, 20–23
age dating, Dezful Embayment 252–253
Agoudim Formation 67, 68, 76–77
Ahmadi Member 359, 360, 365
Ahwaz Sandstone Member 223, 238,
 239, 240
Akhdar Group 293, 294
Al Daww depression 44, 45, 61
Albian
 Bangestan Group 255–263
 Basque-Cantabrian platform 317–340
algal facies, Miocene, Ermenek Platform 275, 276,
 277, 278, 279, 280, 282, 283, 285–286
algal mounds, Cretaceous, Oman 158
Aliaga outcrop 116, 117, 123
 sequence stratigraphy 128, 129–131, 134
Aliaga-Miravete anticline 114, 116, 118
Allan/Muss Formation 48, 51, 58, 59
Alps, Southern
 burial and thermal history 407
 diagenetic fluids 409–410
 dolomite cement precipitation 402, 403
 modelling 410–411
 timing 409
 fluid inclusions 404–405, 406
 geology 398–400
 stable isotopes 402, 409
 stratigraphy 399
Amanus Shale Formation 46, 48, 50, 51, 55
 biostratigraphy 49
 hydrocarbon systems 60–61
 lithology 49
 nomenclature 47
Amellago Formation 67, 68, 76–77
Amellago ramp system 67–85
 biostratigraphy 72, 73, 76, 77
 comparison with Persian Gulf 81, 84
 comparison with West Caicos 84
 cycles 76–77
 facies distribution 78–81, 82, 83
 evolution, large scale 76–77
 hemipelagic basin facies 69, 73, 76
 inner ramp facies 69, 71, 74, 82
 middle ramp facies 69, 72, 74–75, 82
 oid-free muddy ramp facies 69,
 76, 82
 outer ramp facies 69, 73, 75–76, 82
Amellago transect 66, 67, 68, 76
Ammonitico Rosso 22, 25
Anaran Anticline 344, 345, 346
 dolomitization 347, 348
 faults and joints 349, 351–353
 regional comparison 388–392
 reservoir modelling 382, 384–387
 stratigraphy 353–363
 structure 349–353
 uplift 382
anhydrite
 Asmari Formation 233–236, 237, 240, 250,
 251, 252, 257
 Gachsaran Formation 236, 240, 252
 see also Butmah Formation; Kurrachine Anhydrite
 Formation; Sergelu Formation
anoxia *see* oceanic anoxic events (OAEs)
Apennines, Central 398
 burial and thermal history 407–408
 diagenetic fluids 409–410
 dolomite cement precipitation 402, 403
 modelling 410–411
 timing 409
 fluid inclusions 405–407
 geology 400–401
 stable isotopes 404, 409
 stratigraphy 399
Aptian
 Khami Group 353–355
 platform-basin transition, Galve sub-basin
 113–139
Aptian, Early, OAE 27, 132, 135
Aptian, Late
 unconformity, TSPs 11, 13, 26, 28, 25–29
Aptian, Middle, transgression 25, 26
Apulian carbonate platform 31
Aquitainian, Asmari Formation 251–257
Arabian Plate 10
 palaeogeography 222
 tectonic setting 43, 45–46, 189
 Triassic deposits 46–47
Arabian Platform, TSPs 18–36
aragonite dissolution 379–380
Artoles Formation 116, 118
 chemostratigraphy 123
 sequence stratigraphy 125
Asmari Formation 219, 220, 222, 223
 anhydrites 233–236
 biostratigraphy 240, 243–246
 clinoforms 237
 lithostratigraphy 236, 237, 238, 240
 sedimentology 226–236
 Sr isotope stratigraphy 240–245
Asmari Reservoirs 219, 257, 258, 259, 260
Atlantic Ocean, rifting 18–27
Austria, Adnet reef 293, 294
Austrian Event 29

Bab Basin 149, 150
Bab Member 149, 150
Bajocian, TST 29

- Bangestan Group 190, 192, 193, 207, 347
 dolomitization 344
 stratigraphy 353, 354, 355–363
 structure 351
- Barremian, Upper, carbonate platforms 118, 135, 138
- Basal Anhydrite, Asmari Formation 223, 233–236, 237, 250, 251, 256, 257
- basin, intra-shelf, Sarvak Formation 212
- basins, accommodation space 11, 14–15
- Basque-Cantabrian Basin 317–340, 318, 319
- bathymetry, and accommodation space 11, 14–15
- Benasal Formation 116, 118
 biostratigraphy 123
 carbon isotope values 125
 depositional model 120
 sequence stratigraphy 130–131
- Berriasian, Lower, Iberian Basin, epeiric carbonate ramp 93, 94, 101, 108
- Bibi Seydan outcrop 190, 194, 197–200, 212
- biostratigraphy
 Aptian
 Galve sub-basin 120–123, 137–139
 Khami Group 353
 Carnian, Palmyrides megacycle B 53, 56, 58
 Jurassic, oolitic ramp, High Atlas 72, 73, 76
 Miocene, Ermenek Platform 270, 275–286
 Norian, Palmyrides megacycle C 58–60
 Oligo-Miocene, Asmari Formation 227, 228, 240, 243–246, 249, 251, 252–253
 Rhaetian, Palmyrides megacycle D 60
 Scythian, Palmyrides megacycle A 49, 53
- bioturbation, Sarvak Formation 361
- biozones, Oligo-Miocene, Dezful Embayment 244, 245–246, 252–253
- bitumen, Gadvan Formation 375
- Bonarelli Event 27
- brecciation
 Anaran Anticline 369, 370, 371–372, 372, 375, 377
 Mahil Formation 298–299, 300, 301, 305
- Breistroffer Event 159
- Bundsandstein Group 293–297
 stable isotope data 307, **308–309**
- Burdigalian
 Asmari Formation 252, 253, 255, 256, 257
 Ermenek Platform 268, 269, 270–271, 286
- burrow fills, dolomitized 363–365
- Butmah Formation 48, 51, 58, 59
- calcite, blocky 296, 300, 301, 304
 calcite compensation depth 33
 caliche, Mahil Formation 298, 300, 301, 305
- Calvörde Formation 293, 294
 meteoric diagenesis 294–297, 298, 311
 stable isotope data 307, **308–309**
- Camarillas Formation 116, 118
- Canada, fracture-controlled dolomite 390, 391–392
- carbon isotopes
 Galve sub-basin 123, 131, 133, 134
 Ramales platform 334–335
- carbonate factories
 Cretaceous, Oman 158, 159
 Jurassic, Amellago ramp system 81
 Triassic 20
see also carbonate production
- carbonate platforms
 Arabian Plate 46
 Basque-Cantabrian Basin 317–340
 epeiric 89, 145, 146
 Oman 146–160
 channelized systems 164–184
 Ermenek, Turkey 265–288
 Kangan 18
 Majorca 286–287
 Mut Basin 286–287
 Sarvak Formation, Iran 187–214
see also platform-basin transition
- carbonate production
 Cenomanian–Turonian, Sarvak Formation 199–200, 203–204, 210–213
 Miocene, Ermenek Platform 285–286
 Oligo-Miocene, Dezful Embayment, fauna 227, 228
see also carbonate factories
- carbonate ramps 18, 23–26
 epeiric, Iberian Basin 89–108
 Kimmeridgian 93, 94, 96, 100–101
 Oxfordian 93, 94, 95–100
 Tithonian–Berriasian 93, 94, 96, 101, 103
- oolitic
 Amellago system 67–85
 High Atlas 65–85
- carbonate sequence development 11, 14–15
 Sarvak Formation 209–211
- carbonate-siliciclastic platform, Aptian, Galve sub-basin 113–139
- Carnian, Palmyrides megacycles 53–60
- Carnian Salinity Crisis 47
- Castellar Formation 116, 118
- cement
 Anaran Anticline, stratigraphy 379–382
 blocky calcite 296, 328
 calcite 326–327, 330, 379
 carbonate 328, 331
 dolomite, late stage precipitation 397–398, 409
 fibrous 294, 296, 306, 324, 325, 336–337
 Ramales platform 324–331, 338–339
 saddle dolomite 371–379
 spar calcite 327–328, 330, 331
 vadose sediment 379, 381
- Cenomanian–Turonian, platform-basin transition, Sarvak Formation 187–214
- Cenozoic, near-base unconformity, TSPs 11, 13, 30, 29–33
- Cenozoic tectonostratigraphy 13
- Central Atlantic Magmatic Province LIP 20
- chalk, Oman epeiric carbonate platform 158
- channel incisions
 Natih Formation 156, 159, 165, 167, 169–171
 differentiation from tidal channels 181–183
 incision fill 169, 171, 183
 reservoir heterogeneity and prediction 183–184
- channelized systems
 Natih Formation 164–184
see also channel incisions; channels, tidal
- channels, tidal
 Natih Formation 165, 167, 170, 171–181, 172–181
 channel fill 181, 184
 differentiation from incisions 181–183

- reservoir heterogeneity and prediction 183, 184
- top of incision-fill 171–172
- Chaotic Unit 204, 205
- Chattian, Asmari Formation 249–250, 252–253, 254, 255, 256
- Chert Formation 116, 118
 - carbon isotope values 123, 125
 - depositional model 120
 - orbitolinids 122, 123
 - sequence stratigraphy 125
- Chidan outcrop 225, 235–236
 - coral buildups 252
 - Sr isotope stratigraphy 241, 242, 243
- climate, early Aptian 113
- climate change 11
 - cyclicality, ooid production 84–85
 - meteoric diagenesis 312
 - Oligo-Miocene, Dezful Embayment 254
- clinofolds
 - Amellago transect 80, 81
 - Asmari Formation, Tang-e-Gurguda outcrop 227, 231, 246, 250, 254
 - Sarvak Formation 198–200, 203, 205–206
- compaction, meteoric diagenesis 294, 302
- Conchodon Formation 407
- coral buildups
 - Asmari Formation 227, 229
 - Miocene, Eremenek Platform 275, 276, 277, 278, 280, 282, 283, 286
- coral reefs
 - Aptian, Galve sub-basin 120, 121, 124, 137–138
 - Kimmeridgian, Iberian Basin 106
 - see also* Tropfbruch coral limestone
- Cretaceous
 - channelized systems, Natih Formation 164–184
 - epeiric carbonate platform, Oman 146–160
 - near-base unconformity
 - TSPs 11, 12, 24, 26, 23–27
- Cretaceous, Lower
 - Basque-Cantabrian platform 317–340
 - Galve sub-basin 113–139
- Cretaceous Magnetic Quiet Zone 27
- Cuadro marls 321
- Cueto Misario section 327
- Dachstein Platform 293, 294
- Dariyan Formation
 - dolomitization 369
 - saddle dolomite 371, 372
 - stratigraphy 354–355
 - tidal shoal 373, 374
- Dashtak Formation 27
- Deccan Traps LIP 31
- Dezful Embayment 219–260, 221
 - biostratigraphy 240–246
 - revised zonation 244, 245–246, 252–253
 - controlling factors 253–254
 - facies substitution diagram 226
 - lithostratigraphy 223
 - sedimentology 226–236
 - sequence stratigraphy
 - Miocene 250–252
 - model 256–257
 - Oligocene 246–250
 - previous interpretations 254–256
 - see also* Asmari Formation
- diagenesis
 - fluids, Alps and Apennines 409–410
 - hydrothermal stage 339
 - late burial 380, 382
 - meteoric
 - control mechanisms 311–313
 - intermediate burial 338–339
 - karst unconformities 291–313
 - phreatic 337–338
 - shallow burial 338
 - Ramales platform 324–331, 335–340
 - seafloor marine 336–337
 - shallow burial 379–380
 - uplift-related 382
- dissolution
 - aragonite 379–380
 - meteoric diagenesis 294, 296, 302, 305, 306
 - Ramales platform 324, 331, 333, 338–339
- dolomite
 - cement precipitation
 - Alps and Apennines 397–412
 - modelling 410–411
 - timing 409
 - matrix replacement 363–371, 380, 402
 - Ramales platform 328, 330, 331, 339
 - saddle 371–378, 380, 381, 402
 - fracture-controlled
 - Canada and USA 391–392
 - Gulf of Suez 389–391
 - reservoir modelling 382, 384–387
 - Zagros fold belt 388–389
- dolomitization 397
 - fracture-controlled
 - Anaran Anticline 343–393
 - regional comparison 388–392
 - Mahil Formation 298–299, 300, 302–304
- El Garia Formation 35
- El Perello sub-basin 115, 118
- Eremenek Platform 265–288, 266, 268–269
 - biostratigraphy and lithostratigraphy 270
 - comparison with other Miocene platforms 286–287
 - controlling factors 287–288
 - depositional models 280
 - facies associations 275, 276, 277–278, 281, 282
 - large scale evolution 285–286
 - sequence stratigraphy 278–283
 - stratigraphic architecture 269, 270–283
 - Langhian 271–283
- Escucha Formation 116, 118
- eustacy 11
 - accommodation space 16–18, 23–25, 29–31
 - cyclicality, ooid production 84
 - see also* sea level change
- evaporites
 - Arabian Plate, Triassic 46–47
 - Messinian Salinity Crisis 35
 - Palmyrides megacycles 49, 50, 51, 54, 56, 60
 - TSTs 18, 28
- extinction 11, 21, 28

- faults, Anaran Anticline 349–353, 366, 369, 370–371, 372, 378
 fauna *see* biostratigraphy
 folding, Anaran Anticline 349, 353, 371
 foraminifera
 Albian, Ramales platform 322, 323, 324
 Miocene, Ermenek Platform 275–283, 285–286
 Forcall Formation 116, 118, 122, 125
 depositional model 120
 sequence stratigraphy 129, 130
 fractures
 dolomitization, Anaran Anticline 343–393
 meteoric diagenesis 296
 Mahil Formation 301, 305
 Ramales platform 328, 333, 338
 Tropfbruch coral limestone 302, 306, 310
 Fuente Fría section 325, 327

 Gachsaran Formation 233, 235, 236, 240, 252
 Sr isotope stratigraphy 243
 Gadvan Formation 353–354
 dolomitization 366
 saddle dolomite 371, 372
 hydrocarbons 375
 Galve sub-basin
 Aptian platform-basin transition 113–139
 biostratigraphy 123, 134, 137–139
 chemostratigraphy 123, 125, 131, 133, 134
 facies analysis 118–123, **119**
 geological setting 114, 115, 116, 118
 HSTs 129–131
 lithostratigraphy 118
 LST 130
 sea level change and deposition 133, 135–137
 sequence stratigraphy 123–131, 136
 TSTs 127, 129–131
 Germany, Rogenstein 293–297
 Ghirab Member 370
 Gialo Formation 34
 greenhouse gases 11, 21
 Gulf of Suez, fracture-controlled dolomite 389–391
 Gurpi Formation 233

 Hammam Faraun Fault, fracture-controlled
 dolomite 389–391
 Hawar Member 148, 157
 Hayan Block 43, 49, 54
 heat flow, Alps and Apennines 407–408
 Hercynian unconformity 18–19
 High Atlas mountains
 geology and tectonics 66–67
 oolitic carbonate ramp 65–85
 high stand systems tracts (HSTs) 15, 129
 High Zagros 189, 190, 221
 hydrocarbon reservoirs
 channelized systems 183–184
 Oligo-Miocene, Dezful Embayment 219–260
 Triassic, Palmyrides 43, 44, 60–61
 TSTs 15
 hydrocarbons, NW Dome 375

 Iberian Basin, Upper Jurassic
 epeiric carbonate ramp 89–108
 geology 90, 91, 92, 93
 sedimentary evolution 93–103, 106–108, 107
 sequence stratigraphy 92, 93–103, 94
 Iberian Massif 90, 91
 Ilam Formation 351, 360, 362–363
 incisions *see* channel incisions
 inclined ramp, carbonate deposition model 16
 inclusions, fluid
 Central Apennines 405–407
 Southern Alps 404–405, 406
 intra-Oxfordian unconformity
 TSPs 11, 12, 22, 24, 20–25
 Iran
 Dezful Embayment 219–260
 Sarvak Formation 187–214
 Zagros Mountains
 fracture-controlled dolomitization
 343–393
 geology 189–190
 iron sulphides, Anaran Anticline 371, 372
 Izeh outcrop **225**
 Sr isotope stratigraphy 241, 242, 253
 Izeh Zone 220, 221

 Jabal Akhdar outcrop 164
 incision-fill 169, 172
 Jabal Madar outcrop 164, 168
 bioclastic tidal channels 172–173, 174, 175
 channel incisions 169, 170, 171
 Jabal Madmar outcrop 164, 168
 bioclastic tidal channels 175, 176, 177, 178
 channel incisions 169, 170, 171
 Jabal Nadah outcrop 164
 Jabal Qusaibah outcrop 164, 168
 bioclastic sandwave complex 177, 178, 179
 bioclastic tidal channels 173
 Jabal Salakh outcrop 164
 Jabal Shams outcrop
 bioclastic sandwaves 179, 180, 181
 ‘canyon’ 179, 180
 channel incisions 169, 171
 Jahadabad outcrop **225**
 Sr isotope stratigraphy 241, 242
 Jahrum Formation 223, 239, 240, 246, 249
 Jihar Fault 45
 joints, Anaran Anticline 349–353, 368, 370–371
 Jura Platform 106–107
 Jurassic, earliest, unconformity, TSPs 11, 12, 19, 20, 21
 Jurassic, Lower-Middle, carbonate ramp, High Atlas 65–85
 Jurassic, Upper, epeiric carbonate ramp, Iberian Basin 89–108

 Karoo-Ferrer LIP 22
 karst
 Dariyan Formation 354–355
 Mauddad Member 356–357
 Sarvak Formation 361–362
 unconformities, meteoric diagenesis 291, 306
 karstification, Tropfbruch coral limestone 302, 303, 306
 Katoola outcrop **225**, 232, 233
 lithostratigraphy 236
 Sr isotope stratigraphy 241, 242, 243

- Kazerun Fault 190, 194
- Kazhdumi Formation 29, 191
 correlation with Natih Formation 207, 208, 209
 sequence hierarchy 206
 stratigraphy 192, 193, 207, 208, 354, 355–357
- Khami Group 347
 dolomitization 344
 stratigraphy 353–355
 structure 351
- Kharaib Formation 147, 148, 151, 157
- Khuff Formation 20
- Kimmeridgian, Iberian Basin, epeiric carbonate
 ramp 92, 93, 94, 96, 97, 100–101, 102,
 106–107
- Kimmeridgian transgression 26, 25
- Köselerli Formation 269, 270
- Kuh-e-Asmari outcrop 225, 233, 234, 235
 lithostratigraphy 236
 Sr isotope stratigraphy 241, 242, 243
- Kuh-e-Bangestan outcrop 225, 233, 234
 Sr isotope stratigraphy 241, 242, 243
- Kuh-e-Khami outcrop 225
 Sr isotope stratigraphy 241, 242, 243
- Kuh-e-Khaviz outcrop, coral buildups 229, 250
- Kuh-e-Landareh anticline 190, 194
- Kuh-e-Pashmi dolomite plume 367, 368, 369, 370, 378
 hydrocarbons 375
- Kuh-e-Razi outcrop 225
 coral buildups 229, 246, 250
 Sr isotope stratigraphy 241, 242, 243
- Kurrachine Anhydrite Formation 18, 46, 48, 49,
 54, 55
 nomenclature 47
- Kurrachine Dolomite Formation 43, 48, 49, 50, 51, 55,
 56, 57
 biostratigraphy 53, 56
 hydrocarbon systems 60–61
 lithology 56
 nomenclature 47
- Langhian, Ermenek Platform 268, 269
 stratigraphic
 architecture 271–283
- large igneous provinces (LIPs) 11, 20, 21, 25, 27,
 31, 131
- Las Parras sub-basin 115, 118
- lead ore, Ramales platform 331
- limestone, coral, Tropfbruch 293, 294, 301, 302, 303,
 304, 305–306, 307
- Lombardy Basin 400
- Maastrichtian transgression 29, 30
- Maestrat Basin 116, 130
- Mahil Formation 293, 294
 meteoric diagenesis 298–305, 313
 stable isotope data 305, 307, 309
- Majorca, carbonate platform 286–287
- Marrat Formation 20
- Mauddud Member 350, 356–357, 358
 karst dolomitization 368–369
- maximum flooding surfaces (MFSs) 46
- megacycles, Triassic, Palmyrides 43, 48, 49–60
- Mesozoic, tectonostratigraphy 12–13
- Messinian Salinity Crisis 35
- Messinian
 transgression, TST 11, 35, 36
 unconformity, TSPs 11, 13, 34, 33–35, 36
- micritization, Mahil Formation 301–302, 303
- microbialites
 Calvörde Formation 293, 295, 297
 Galve sub-basin 137–138
- Middle Anhydrite, Asmari Formation 223, 233,
 235–236, 237, 250, 252, 257
- Milankovitch cycles 311
- mineralization, Ramales platform 331, 339
- Miocene
 Ermenek Platform 265–288, 266, 269
 sequence stratigraphy, Asmari Formation 250–252
 transgression 36, 37
see also Oligo-Miocene
- Miravete anticline 114, 116, 118
- Miravete fault 118
- Miravete outcrop 116, 117, 123, 124, 134
 chemostratigraphy 123
 correlation 132
 sequence stratigraphy 126, 129–131
- monsoon systems, meteoric diagenesis 312
- Morella Formation 116, 118
- Morella sub-basin 115, 117
- Mut Basin 266, 267, 270, 286–287
- Mut Formation 269, 270
- Muti Formation 169, 172
- Nahr Umr Formation 148, 152, 159
- Natih Formation 146, 189
 channelized systems 164–184
 correlation with Sarvak-Kazdumi sequence 207,
 208, 209, 212
 sequence stratigraphy 165–169, 208
- Natih-e Member 146, 147, 148, 150, 153, 154,
 155, 156
 channel incisions 156, 159
 correlation 153, 154, 157, 209
 late Albian OAE 159
 palaeogeography 153
 sea level change and deposition 157–160
 seismic data 155, 156–157
- Natih-f Member 157
- Natih-g Member 157
- neomorphism
 Ramales platform 324, 337
 Tropfbruch coral limestone 305–306
- NeoTethys Ocean 19–20, 46
 margins 18, 189
- Norian, Palmyrides megacycles 58–60
- NW Dome 348, 351, 354
 dolomitization 369, 370, 372, 375, 378
 hydrocarbons 375
- occlusion, pore systems 294, 295–296, 302,
 305–306
- oceanic anoxic events (OAEs) 11
 Early Albian 27
 Early Aptian 25, 131, 132, 159
 Triassic–Jurassic boundary 20
- Ojebar section 321, 322, 323, 327
- Oliete sub-basin 115, 116
- Oligo-Miocene, Dezful Embayment 219–260

- Oligocene
 sequence stratigraphy, Asmari Formation 246–250
 unconformity, TSPs 11, 13, 32, 34, 31–34
- Oman, epeiric carbonate platform 146–160, 147
 geological setting 146–148
 sea level change and deposition 157–160
 seismic data 150–157
- Oman, Mahil Formation 293, 294, 298–305
 stable isotope data 307, **308**
- Oman, Natih Formation 146, 189
 channelized systems 164–184
- Oman platform, sea level change and deposition 133, 135–137
- oncoids, Tithonian, Iberian Basin 107–108
- Ontong Java LIP 27, 131
- ooids
 Amellago ramp system 65–85
 climate-driven cyclicality 84–85
 dissolution, Calvörde Formation 294, 298
 eustacy-driven cyclicality 84
- oolite 29
 Calvörde Formation, meteoric diagenesis 293–297, 298
- ophiolites, North Africa 29, 31, 33
- orbital forcing 311
- orbitolinites
 Gadvan Formation 353, 381
 Galve sub-basin 114, 117, **119**, 120, 121, 122, 123, 137
 Kazhdumi Formation 355–356
 Ramales platform 324
 Sarvak Formation 194, 203
- Oxfordian
 Iberian Basin, epeiric carbonate ramp 93, 94, 95–100, 106
see also intra-Oxfordian unconformity
- Oxfordian, Early, transgression 24, 25
- oxygen isotopes
 Alps and Apennines 409–410
 Ramales platform 334–335
- oyster buildups, Miocene, Ermenek Platform 275, 276, 278, 280, 282
- Pabdeh Formation 223, 231
 stratigraphy 234, 237, 238, 239
- Padena outcrop 190, 192, 194, 200–206, 201
- palaeoclimate, meteoric diagenesis 312–313
- Palaeogene, transgression 32, 31–34
- palaeosol
 Mahil Formation 298–299, 299, 300
 meteoritic diagenesis 301, 304, 305
- Paleocene–Eocene Thermal Maximum 31
- Palmyrides 44
 tectonic setting 43, 45–46
 Triassic
 carbonate-evaporite deposits 43, 47–61
 hydrocarbon reservoirs 43, 44, 60–61
- Paquier Event 27
- paragenesis
 Alps and Apennines 402, 404
 Anaran Anticline 379
- Peñagolosa sub-basin 115, 118
- Peral outcrop, sequence stratigraphy 129–130, 134
- permeability 291
 effect of meteoric diagenesis 310–311
- Permo-Triassic boundary 9
 TSP 1 16–18, 17
 TST 1 16, 17
- Persian Gulf, oolitic systems, comparison with Amellago ramp system 81, 84
- platform-basin transition
 Galve sub-basin 113–139
 Sarvak Formation 189–214
- pore systems
 meteoric diagenesis 291–313
 occlusion 294, 295–296, 302, 305, 306
- porosity
 effect of meteoric diagenesis 291, 294–297, 303, 304, 305
 petrophysical classes 310–311
 mouldic 297, 298, 303, 304, 379, 381
 Ramales platform 329, 330, 331, 333, 337–340
 vuggy 294–297, 300, 303, 305, 310
 Anaran Anticline 366, 367, 371, 372, 384, 386
- Portoles outcrop 129, 130, 134
- Provence platform, sea level change and deposition 133, 135–137
- pyrite, Ramales platform 331
- Ramales platform 317–340, 319
 cementation 324–331, 338–339
 depositional facies 321–323, 324, 326, 327
 diagenesis 324–331, 335–340
 dissolution 331, 333, 338–339
 hydrothermal stage 339
 porosity development 331, 333, 338–339
 sequence stratigraphy 323–324
 stable isotopes 334–335
 stratigraphy 319, 320, 321
 thermal modelling 332, 333–334
 uplift 339
- Ranero limestones 320, 321–324, 337–338
- reservoir modelling, Anaran Anticline 382, 384–387
- Rhaetian, Palmyrides megacycle D 60
- Rhaetian, Upper, Tropfbruch coral limestone 293, 294, 301
 meteoritic diagenesis 302, 303, 304, 305
 stable isotope data 307, **309**
 unconformities 301
- rifting 18–25
- Rio Calera unit 320, 321
- Rogenstein 293, 294
 meteoric diagenesis 294–297, 298, 311
 stable isotope data 305, **308–309**
- rudists
 Aptian, Galve sub-basin 120, 121, 130, 138
 Cretaceous
 Oman epeiric carbonate platform 159
 Sarvak Formation 194, 200, 203, 205
- rugose topography, carbonate deposition model 14
- Rupelian, Asmari Formation 236, 249, 253, 254, 255, 256
- Salzedella sub-basin 115, 118
- Samail Ophiolite 164
- sandwaves
 Jabal Qusaibah 177, 178, 179
 Jabal Shams 179, 180, 181

- Sarvak Formation 187–214, 191, 348
 correlation with Natih Formation 207, 208, 209, 212
 depositional environment 194–197, **195**
 depositional sequence model 209–211
 dolomitization 348, 365, 366, 367, 368, 376
 facies analysis 194–197, **195**
 faults and joints 350, 351–353
 lithostratigraphy 192, 193, 194
 Lower 350, 357
 dolomitization 376
 stratigraphy 358–359
 sequence heirarchy 206–207
 sequence stratigraphy model 197–206, 208
 Bibi Seydan outcrop 197–200
 Padena outcrop 191, 200–206, 201
 stratigraphy 357–362
 Upper
 dolomitization 348
 stratigraphy 359–362
- Scythian, Palmyrides megacycle A 49, 53, 55
 sea level change
 channel incisions 165, 171
 Dezful Embayment, Oligo-Miocene 248, 250, 252, 254
 Ermenek Platform 283, 284, 285
 Galve sub-basin 131, 133, 135, 135–137
 meteoric diagenesis 311–312
 Oman epeiric platform 157–160
 Sarvak Formation 199–200, 203–204, 207, 209–210
 see also eustacy
 sediment infill 309
 Selli Event 25, 131, 159
 Semail Ophiolite 33
 Sergelu Formation 48, 51, 60
 Serravalian, Ermenek Platform 271, 272, 286
 shoal, tidal, Lower Dariyan Formation 373, 374
 Shu'aiba Formation 26, 146, 147, 148–150
 biostratigraphy 137
 correlation 150, 152
 early Aptian OAE 159
 sea level change and deposition 157–160
 seismic data 150, 151, 152
 sequence stratigraphy 149–150, 149
- Siberian Traps LIP 21
 siliciclastics, Asmari Formation 227, 229, 231
 Simply Folded Belt, Zagros Mountains 344, 345
 Sirte Basin 31, 33
 Sopeña limestones 320, 321–323, 324, 326, 331, 337–338
 Soria Seaway 95, 100, 106
 Spain
 Basque-Cantabrian Basin 317–340
 Galve sub-basin, Aptian platform-basin transition 113–139
 Iberian Basin, Upper Jurassic epeiric carbonate ramp 89–108
 stromatolites, Asmari Formation 235–236
 strontium isotope stratigraphy, Asmari Formation 240, 241, 242, 243–245, 253
 stylolitization
 Anaran Anticline 363–365, 380, 381
 Mahil Formation 301, 303
 Ramales platform 333
 Tropfbruch coral limestone 306, 310
- Surgah Formation 351, 360, 362
 dolomitization 365
 Syria, Triassic deposition 47
 Syrian Arc tectonic event 29
- Tang-e-Gurguda outcrop **225**, 230
 clinofolds 246, 250, 254
 lithostratigraphy 236
 Sr isotope stratigraphy 241, 242, 243
 tectonostratigraphic phases (TSPs) 9, 11, 12–13, 15–36
- Tethys
 carbonate deposition 25–28
 paleogeography, Triassic 46
 tectonics 29–34
- Tithonian, Iberian Basin, epeiric carbonate ramp 92, 93, 94, 96, 97, 101, 103, 104, 105, 107–108
 Toarcian, Late, unconformity, TSPs 11, 12, 20, 21, 22
 Toarcian transgression 21, 28
 total organic matter (TOC), Oman epeiric carbonate platform 158
 transgression, basins 11, 14–15
 transgressive systems tracts (TSTs) 15–36
 Galve sub-basin 127, 129–131
 transgressive-regressive cycles, Jurassic ramps 95, 100
- Triassic
 Arabian Plate, deposition 46–47
 meteoric diagenesis, karst unconformities 291–313
 Palmyrides, carbonate-evaporite deposits 43, 47–61
- Triassic, Late, transgression 18, 19
 Triassic, Lower
 Calvörde Formation 293, 297
 stable isotope data 307, **308–309**
- Triassic, Middle
 Mahil Formation 293, 298–305
 stable isotope data 305, **309**
 transgression 17, 21
 unconformity, TSPs 11, 12, 17, 18–20
- Triassic–Jurassic boundary, extinction 22
 Tropfbruch coral limestone 293, 294, 301, 302
 meteoric diagenesis 302, 303, 304, 305, 311
 stable isotope data 307, **309**
- Turkey, Ermenek Platform 265–288
- Turonian
 Early, transgression 27, 28
 Middle, unconformity, TSPs 11, 13, 28, 30, 27–31
 see also Cenomanian–Turonian
- unconformities
 karst
 Dariyan Formation 354–355
 meteoric diagenesis 291
 Mahil Formation 299, 305
 Ramales platform 323, 337
 Tropfbruch coral limestone 301, 305–306
 TSPs 9, 11
 see also names of individual stages
- Urgonian carbonate platforms 114, 118, 135, 138, 317, 318
 USA, fracture-controlled dolomite 391–392
 Utrillas Formation 116, 118, 123

- Valmaseda Formation 320, 321, 338
- Vercors platform interior domain, sea level change and deposition 133, 135–137
- Villarroya de los Pinares Formation 116, 117, 118
 biostratigraphy 122, 123, 124
 carbon isotope excursion 125
 depositional model 120
 sequence stratigraphy 129, 130, 131, 134
- Wadi Aday, Mahil Formation 298–305
- Wadi Mi'Aidin, tidal channel fill 172
- Well-2, Asmari, Pabdeh, Jahrum formations,
 lithostratigraphy 239, 240
- Well-5, Asmari Formation, lithostratigraphy 238, 240
- Well-9, Asmari Formation, Sr isotope stratigraphy
 242, 253
- Well-12, Asmari Formation, Sr isotope stratigraphy 242
- Well-13
 Asmari Formation
 biostratigraphy 237
 lithostratigraphy 236, 237, 240
- West Caicos, oolitic system, comparison with Amellago
 ramp system 84
- Yenimahalle Formation 270
- Zagros fold belt, fracture-controlled dolomite 388–389
- Zagros Foredeep 35
- Zagros Mountains 344, 345
 fracture-controlled dolomitization 343–393
 geology 189–190, 220, 221, 222
- zebra fabrics, Anaran Anticline 371–374, 373,
 374, 377
- zinc ore, Ramales platform 331