

Index

Note: Page numbers denoted in *italics* indicate figures and those in **bold** indicate tables.

- Ab-e Teymur oilfield 338, 347
Acadian tectonic phase 300
Aden Gulf, oblique extensional stress 82–85
Agha-Jari Formation 162, 163, 173, 173, 174
 AMS sampling 102, 103, **104**, 111
 folding 129, 136
 magnetic studies 48, 49
Agha-Jari oilfield 337, 341, 347
Ahmadi Formation, source rocks 331–332
Ahmadi Member 234, 235
Ahwaz oilfield 325, 338–339, 347
Albian, Late, carbonate facies 218, 219, 235–236, 244
Alborz, seismic imaging 6, 8–12, 13
AMS
 layer-parallel shortening 98
 Zagros Simply Folded Belt 102, **104**, 105, 106–107, 108–112, 113
Anaran anticline 159, 161–175
Arab Formation 318–320
Arabian platform 180
Arsanjan section 215
 Late Cretaceous facies 214, 230, 239, 243
Asmari Formation 80, 125, 126, 127, 162, 163, 309
 oil reservoir 325, 339, 341
 oil families 346, 347
aspect ratio index 143–144, 147–148

Bakhtegan Beds 180
Bakhtyari Formation 174, 175
Balarud Fault Zone 65, 66
Bangestan Group 68, 69
 oil reservoir 325, 339, 341
 oil families 346, 347
Bar Er Formation 182, 184
Bar Er Section 181
 palaeocurrents 198–199, 202
 radiolarians **187**, 190, 192
 stratigraphy 203, 204–205
basement
 reverse faulting 121–136
 thrust system, Pusht-e-Kuh Arc 157, 159, 161
bauxite, Upper Sarvak Formation 261, 269
Bibi Hakimeh oilfield 336–337, 339, 347
Binak oilfield 337, 341, 347
bitumen 310, 320, 325
Borazjan Fault 31, 32, 38
Bouguer gravity anomaly, Iran 7, 11, 15
Bouma sequences 197, 201, 223
boxwork texture 261, 262
breccia, Upper Sarvak Formation 261, 262
brittle tectonic analysis, NEAPM 70–92
Bushgan oilfield 347–348
Buzurgan oilfield 347

calcite cement
 Makran coastal sediment 276–281, 282
 Upper Sarvak Formation 259, 260, 263, 264
 stable isotopes 265, 269
calcite twinning 99, 113, 115

Cambrian, petroleum source rocks 296
Campanian, sedimentary facies 219, 221–223, 230, 232, 234, 237, 239, 244, 246
carbon isotopes
 Iranian petroleum systems 342–345
 Makran coastal sediment **278**, 279, 285
 Upper Sarvak Formation 265, **266–267**, 268
carbonates
 deepwater, Mesozoic 179–207
 facies 193, 195, 197, 198–199, 200
 model 197–199, 201
 radiolarians 185, **185–190**, 190–191, 192, 193, 194, 196
 sequence stratigraphy 199, 203, 204–207
 tectonic v. eustatic control 205–207
 Late Cretaceous, Fars Province 218–228
Cenomanian, carbonate facies 218, 219, 220, 235–238, 244, 245, 246
Cenozoic, Zagros Fold Belt 68, 69, 70
Central Zagros 6, 20
 GPS deformation measurement 26–28, 36–37
 seismic imaging 7–17
 seismicity 25–26
Chaman Fault 59, 60
Changuleh syncline 163, 172, 175
chromite 239
climate, Middle Cretaceous 268–269
compaction, Upper Sarvak Formation 261
Competent Group 45, 141, 142, 158, 166, 167–170, 172
Coniacian, carbonate facies 228, 238, 245–246
Cretaceous, Early, petroleum system 292, 320–325
Cretaceous, Late, Fars Province, tectonic processes 211–248
Cretaceous, Middle
 climate 268–269
 hydrocarbon migration 310
 petroleum systems 295, 325–348
 Upper Sarvak Formation 253–269
cross-sections, balanced 20, 22, 49–51
crust, seismic imaging 8–17

Dalan Formation 302, 304, 305
Dalan-2 well 302, 305
Darang-1 well 299, 302
Dariyan Formation 68, 69, 227, 316
 syndepositional extension 73, 76
Darreh Juve Formation 183, 184, 190, 191, 200, 204
Darreh Juve Section 181
 palaeocurrents 198–199, 202
 radiolarians **185–187**, 190, 192, 196
 stratigraphy 203, 204–205
Daryau anticline, AMS 110, 111
Dashtak Formation 68, 69, 141, 142, 302, 305
 gas fields 306
debris flow, Late Cretaceous 222, 230
décollement
 folding 28
 tectonic fabric 98
 Zagros Fold Belt 142–143

- deformation
 basement 20–26, 35–38
 brittle 99, 112, 113, 114
 Kazerun fault system 22, 29, 31, 32, 33, 38–39, 125
 style, Zagros Simply Folded Belt 139–151
 surface 26–29, 31, 35–39
 Zagros–Makran transition 47–51, 54, 56, 59, 61
- Dena Fault 31, 32, 38
- Devonian, petroleum source rocks 300
- Dezful Embayment
 geomorphological indices 144
 hanging wall 69, 75
 oil and gas fields 293, 294
 source rocks 320, 322, 324, 325–326, 332, 338
- diagenesis
 Makran coastal sediments 275–287
 Upper Sarvak Formation 253, 258–264
- diapirism
 Fars Arc 125, 126, 127
 Upper Sarvak Formation 256, 258
- dissolution, Upper Sarvak Formation 259
- Diyab Formation 314, 318–320
- Djebel Fauqi oilfield 347
- dolomite cement, Makran coastal sediment 279, 280, 281, 282, 285–286
- dolomitization, Upper Sarvak Formation 263–264
- drainage patterns, and folding 141
 Fars Arc 128–133
 Zagros Simply Folded Belt 143–147
- earthquakes 22–26, 31, 38
 Mountain Front Fault 161, 175
 Zagros Simply Folded Belt 100
- Emam Assan-1 well 315
- erosion
 and deformation 171–172
 post-Hercynian 300, 301, 302
- evaporites, Permo-Triassic 302, 305
- extension
 NEAPM 69–92
 oblique 84–88
 Aden Gulf 82–85
- Fahliyan Formation 68, 69
- Fahliyan reservoir 326
- Faraghan Formation 302, 305–306
- Fars Arc 38, 45, 100
 basement faults 121–136
 curvature 58–59
 drainage system 128–133
 incision 135, 136
 magnetic studies 48, 49, 98–112
 seismicity 35
 tectonic evolution 97–117
 uplift 136
- Fars Province 66, 67
 brittle tectonic analysis 70–92
 petroleum systems 296
 sedimentation
 carbonate facies 218–228
 depositional sequences 233, 235–240
 evolution 232–240, 244–248
 gravity deposits 228, 230, 243–244
 igneous–ophiolite facies 224, 231–232
 radiolarite facies 223, 224, 231, 239–243
 siliciclastic facies 223, 230–231
 tectonic processes 211–248
 stratigraphy 68–69
- fault slip data 112, 114–115
- fault-bend folds 139–141, 145, 147, 148, 149–150
- fault-propagation folds 139–141, 147
- faulting
 blind basement 159, 161, 172, 175
 extensional
 geometry 75
 syndepositional evidence 71, 73–74, 76
 normal, Anaran anticline 162, 163, 171
 oblique magnetic lineation 110, 112
 reverse 22, 24, 26
 basement, Fars Arc 121–136
 blind 28–29
 strike-slip 22, 26, 29, 125
 transform 44
 Zagros–Makran transition 47–49, 56, 59
- fluid migration, Makran sediment 281–286
- fold symmetry index 143–144, 147–148
- folding 29, 110
 detachment 28, 116, 140, 145, 146, 147, 148–151
 asymmetric 147, 149–150
 periclinal 140, 142
 and drainage patterns 141
 Fars Arc 128–133
 fault-bend 139–141, 140, 145, 147, 148, 149–150
 fault-propagation 139–141, 140, 147
 hinge length 143, 146, 147–148
 satellite image analysis 143–144, 147–148
 slump, Kola Qazi anticline 230
 styles 139–141
 Zagros Simply Folded Belt 141–152
- foraminifera
 Late Cretaceous 218, 219, 223, 228, 230, 241
 Upper Sarvak Formation 258
- fracturing, Upper Sarvak Formation 262–263
- Gachsaran Formation 69, 141–142, 162, 163, 175, 325, 334
 faulting 114
- Gadvan marginal source rocks 325
- Garau Formation
 petroleum source rocks 320–324, 321
 thermal evolution 322, 324
- Gardaneh-e Abadeh-Tashk, Late Cretaceous carbonate facies 218
- gas fields 291–350, 293
 Miocene 311
 Palaeozoic 297
 Permo-Triassic 295–296, 302, 304
 pre-Zagros 295, 311, 314
- Gavbendi–Qatar hydrocarbons 311, 320
- geomorphological indices 143–144, 147–148
- Ghawar oilfield 318
- Ghazaband Fault 59, 60
- Gisakan fold 29, 30
- Gotmia Anhydrite 322
- GPS deformation measurement 26–28, 31, 34, 35–39
 Zagros–Makran transition 54, 55, 56, 57
- Gurpi Formation 68, 69, 162, 163, 212
 AMS sampling 102, 103, 104

- extension 74
 Late Cretaceous sedimentary facies 219, 221–224,
 228, 232, 234, 238
 marginal source rocks 332
- Halikan fold 29, 30
 hanging wall sedimentary wedges 69, 71, 73, 75
 Hanifa–Tuwaiq, source rocks 314, 317, 318–320
 Hercynian tectonic phase 300–302
 High Zagros Belt 20, 65–92, 66, 101
 brittle tectonic analysis 70–92
 detachment folding 116
 geology 66–68
 palaeostress reconstruction 70–71
 shortening 101
 stratigraphy 68–69
 High Zagros Fault 20, 21, 31, 38, 65
 Hith Formation 314, 317, 318, 320
 Hormuz Salt 29, 38–39, 45, 141, 142, 158, 296, 310
 hydrocarbons
 expulsion 313–314, 324, 334–338, 339
 families 345–348
 isotopic composition 342–345
 migration 305, 307, 310, 313–314, 317, 320, 324,
 334–338
 pre-Zagros 295, 311, 314, 324
- Ilam Formation 68, 69, 212, 219, 232, 238
 oil reservoir 324, 325
 oil families 347
- Imamzadeh Formation 183, 184, 191, 193, 200, 204
 Imamzadeh Section 181
 palaeocurrents 198–199, 202
 radiolarians 187–190, 191, 194, 196
 stratigraphy 203, 204–205
- Imbricate Zone *see* High Zagros Belt
 incision 141, 146
 Fars Arc 135, 136
 Simply Folded Belt 147
- Incompetent Group 45, 141
 interference patterns 125, 128
 Izeh Fault Zone 65, 66
- Jahrum Formation, oil accumulation 320
 Jiroft–Sabzevaran fault system 47, 48–49, 54, 56, 59
 Jurassic
 hydrocarbon migration 307, 308, 310
 Late, petroleum system 292, 314, 318–320
 Middle, petroleum system 292, 311–314
- Kabir Kuh anticline 162, 163, 175
 Kahnij Fault 47, 48
 Kangan Formation 302, 305
 Karanj oilfield 337, 339, 347
 Karez-Bas Fault 31, 32, 38–39
 palaeostress pattern 115
 karstification 253–254, 261, 262
 Kazerun Fault 31, 32, 38, 102
 palaeostress pattern 115
 Kazerun strike-slip fault system 21, 65, 66
 deformation 22, 29, 31, 32, 33, 38–39, 125
 GPS measurement 26–28, 34, 35
 seismic imaging 6, 8
 significance 38–39
- Kazhdumi Formation 227, 324
 petroleum source rocks 325–331
 modelling oil expulsion 334–338
 oil composition 342–345
 oil families 345–348
 oil generated 338–342
- kerogen 318, 332, 334
- Khami Formation
 hydrocarbons 314, 324
 Khami-Surmeh reservoir 314
- Khami Group 68, 69
- Khaneh-Kat anticline, Late Cretaceous
 facies 215, 221, 226, 230, 240, 243
 sedimentary-tectonic evolution 234,
 236–239
- Khaneh-Kat Formation, syndepositional extension 73,
 76, 77, 79
- Khaviz-1 well 322
- Kilur Karim oilfield 337, 341, 347
- Kola-Qazi anticline 215
 carbonate facies 221, 222, 225, 228
 evolution 232, 234, 238–240
 gravity deposits 228, 230, 243
 olistostromes 228
 turbidites 230
- Kuh-e Bangestan-1 well 313, 314
 Kuh-e Mand anticline, hydrocarbons 320
 Kuh-e Salamati well 305
 Kuh-e Siah-1 well 302, 303
 Kuh-e-Dalneshin 215
 Late Cretaceous facies 214, 218, 224, 230, 231,
 234–235, 239
- Kuh-e-Faraghan sediments 299, 300
 Kuh-e-Gahkum petroleum source rocks 299
 Kuh-e-Khormuj 310
 Kuh-e-Khush anticline 128, 129
 Kuh-e-Khush Fault 47, 49
 Kuh-e-Muran structure 126–128
 Kupal oilfield 325, 337, 339, 341
- Lab-e Safid oilfield 337, 341, 346
 Lahbari Member 173, 175
 AMS sampling 102, 104
- laterite, Upper Sarvak Formation 261, 269
 lithosphere, seismic imaging 5–17, 15
 Llandovery, source rocks 296, 298, 299–300
 migration 305
 thermal evolution 305
- Lurestan Province
 petroleum systems 296, 312–314, 320, 322, 323,
 324, 329, 332–333
 stratigraphy 157, 158
- Maastrichtian, sedimentary facies 219, 221–223, 228,
 234, 237, 239–240, 245
- Madar anticline 29, 30
 magnetic fabric analysis 98–112
 magnetism, Zagros–Makran transition 48, 49
 Main Frontal Fault 21, 124
 Main Recent Fault 6, 20, 21, 22, 38
 seismicity 26
 Main Zagros Reverse Fault 6, 21
 seismic imaging 8–12, 13–14
 Main Zagros Thrust 20, 22, 129

- Makran accretionary prism 6, 44, 45, 273–274
 coastal sediments 273–287
 diagenesis 275–287
 facies-controlled 277, 281
 paragenetic sequences 281–285
 stable isotopes 285
 magnetic studies 48, 49
- Makran Thrust 44, 45
- Makran–Pamir transition 59, 60
- Mand anticline 29, 30, 38
 AMS sampling 102, **104**, 108, 109, 110
- Mansuri oilfield 338
- mantle, seismic velocity 16–17
- Marun oilfield 337, 341, 347
- Mauddud Member 218, 219, 234, 235
- Mélange *see* Bakhtegan Beds
- Mesozoic
 deepwater carbonates 179–207
 facies 193, 195, 197, 198–199, 200
 model 197–199, 201
 radiolarians 185, **185–190**, 190–191, 192, 193, 194, 196
 sequence stratigraphy 199, 203, 204–207
 tectonic v. eustatic control 205–207
- Zagros Fold Belt
 extension scenario 84–88
 extensional structures 71, 73–75
 age 75–81
 geometry 75
 stratigraphy 68, 69
- methane, Makran sediments 285–286
- micrite, Makran sediments 276, 279, 280, 281
- micritization, Upper Sarvak Formation 259
- microearthquakes 22–26
- Mila Formation 296
- Minab Fault 47, 48, 50, 109
- Minab Fold 57, 108, 109, 110
- Mio-Pliocene
 AMS 102, 105, 106, 108
 detachment folding 116
 Zagros Simply Folded Belt 143–144
- Miocene, Early, petroleum systems 325–348
- Mishan Formation 311, 313, 316, 317
 AMS sampling 102, 103, **104**
- Mobile Groups 158, 166, 167–169, 172
- Moho depth, seismic imaging 8–11, 12, 13, 15
- morphotectonics 20
- Mountain Front Fault
 GPS deformation measurement 26–28, 101
 seismicity 161, 175
- Mountain Front Flexure
 evolution 172–175
 structure 157–176
 modelling 164, 166, 167–171
- Musandam peninsula, indentation 56, 57, 59
- Namak-1 well 302
- nannofossils, Late Cretaceous 241–242
- Naokelekan Formation 312, 314
- nappes, Tethys southern margin 180
- Naura-1 well 302
- NE Arabian Passive Margin (NEAPM) 66, 68
 brittle tectonic analysis 70–92
 Mesozoic extension 69, 71, 73–92
 age 75–81
 geometry 75
- Neghareh-Khaneh Formation 183, 184–185, 193, 200, 204
 radiolarians 193, 196
- Neghareh-Khaneh Section 181
 radiolarians **190**, 193
 stratigraphy 203, 204–205
- Neo-Tethys Ocean 1–2
 carbonate platforms 255
 closure 2, 70, 215, 255
 ophiolite-radiolarite nappe 69
 subduction 20
- neomorphism, Makran coastal sediment 279–280
- Neyriz Formation 68, 69
- Neyriz Ophiolites 180
- North Bandar-Abbas gas field 311
- North Zagros 20
 GPS deformation measurement 26–28, 35, 36–37
- Northern Zagros transect 6, 7, 8–12, 13–16
- obduction, Late Cretaceous 1, 69–70, 215, 235, 245, 246
- oil families 345–348
- oil fields 291–350, 293
- olistostromes, Late Cretaceous 222, 228
- Oman Line 43, 44, 45, 47, 136
- ophiolite 69–70, 215–216, 231–232, 235, 245, 246
- Ordovician, petroleum source rocks 296
- Ornach–Nal Fault 59, 60
- oxygen isotopes
 Makran coastal sediment **278**, 279, 285
 Upper Sarvak Formation 265–269
- P-waves, travel time residuals 8, 12–13, 16
 Zagros–Makran transition 52, 53–54
- Pabdeh Formation 79, 162, 163
 AMS sampling 102, 103, **104**
 source rocks 325, 332–334, 336, 337
 oil composition 342–345
 oil generated 338–342
- Palaeocene, AMS 102, 105, 107, 108
- palaeocurrents 198–199, 202
- palaeosols, Upper Sarvak Formation 261, 269
 stable isotopes 265
- palaeostress
 markers, Zagros Simply Folded Belt 97–117
 reconstruction, NEAPM 70–71, **72**
 tensors 73, 76, 99, 115
- palaeotemperature 268–269
- Palaeozoic petroleum system 291–292, 295–311
 source rocks 296, 299–305
- Palami Fault 47, 48
- Pamirs *see* Makran–Pamir transition
- paragenetic sequences, Makran 281–285
- Parsi oilfield 337, 339, 347
- partitioning 39
- Passive Group 158, 166, 167–170, 172
- Pazanan oil field 337, 341
- peridotite, Kuh-e Dalneshin 232, 235
- Permian-Triassic, gas fields 295–296, 304, 305, 308
- Permian-Triassic source rocks 302–305, 308

- petroleum systems 291–292, 294, 295
 Early Cretaceous 292, 320–325
 Late Jurassic 292, 314, 318–320
 Middle Cretaceous–Miocene 295, 325–348
 Middle Jurassic 292, 311–314
 Palaeozoic 291–292, 295–311
- Pichakun nappes 180, 181
 facies 193, 195, 197, 198–199, 200
 model 197–199, 201
 radiolarians 185–193, 194, 196
 stratigraphy 199, 203, 204–207
 tectonic v. eustatic control 205–207
- pisolites, Upper Sarvak Formation 261, 262
- Plio-Pleistocene, Makran sediments 273–287
- porosity
 secondary, Makran coastal sediments 280–281
 Upper Sarvak Formation 259, 260
- Proterozoic, petroleum source rocks 296
- Pusht-e-Kuh Arc 156
 evolution 172–175
 modelling 166, 167–171
 stratigraphy 157, 158
- pyrite, Upper Sarvak Formation 264–265
- Qusaiba Formation 296, 299–300
- Qutb Abad anticline 215, 239, 240
- radiolarians, Mesozoic, deepwater carbonates 185, 185–190, 190–193, 194, 196
- radiolarite
 Late Cretaceous 219, 223, 231, 234, 236, 239, 240–243
 Mesozoic, Tethys southern margin 184, 200
 Neo-Tethyan 68, 69, 73
- Rag-e Sefid oilfield 336–337, 339
- Razak Formation, AMS sampling 102, 103, 104
- receiver function analysis 8–12, 15
- recrystallization
 Makran coastal sediment 279–280
 Upper Sarvak Formation 261–262, 263
- Resalat oilfield 318–319
- Reshadat oilfield 318–319
- river networks
 Zagros Fold Belt 128–132, 131
 river profiles 132, 133
 Zagros Simply Folded Belt 143–147
- Rud-e-Mand river 129–132, 131
- Rud-e-Shur river 129–132, 131, 132
- rudists
 Late Cretaceous, Fars Province 218, 220, 228
 Upper Sarvak Formation 257, 258
 palaeotemperature estimates 268–269
 porosity 259, 260
 stable isotopes 265
- S-wave velocity 8, 12, 13, 16
- Sabz-Pushan Fault 31, 32, 38–39
 palaeostress pattern 115
- Sabzevaran Fault 47, 48
- Sachun Formation 213, 219, 234, 240
- Salman oilfield 318–319
- salt plugs 125, 126, 127, 310
- Samand anticline 162, 163, 173
- Sanandaj–Sirjan metamorphic zone 6, 65, 66
 seismic imaging 7, 10–11, 13–17
- Santonian, sedimentary facies 219, 222, 223, 228, 230, 232, 234, 238–239, 244, 246
- Sarchahan Formation 299
- Sargelu Formation 312–314
 petroleum source rocks 311–314
 oil composition 342–345
 oil families 347
- Sarvak Formation 68, 69, 162, 163, 212, 227, 234, 235, 236, 238
 Mauddud Member 218, 219, 234, 235
 oil accumulation 320, 331–332
 oil reservoir 324, 325, 326
 oil families 347
 stratigraphy 256–257
 syndepositional extension 73, 77–78, 83
- Sarvak Formation, Upper
 depositional environments 258
 diagenesis 253, 258–264
 dolomitization 263–264
 fracturing 262–263
 karstification 253–254, 261, 262
 porosity 259, 260
 pyrite formation 264–265
 silicification 265
 stable isotope geochemistry 265–268
- Sarvestan Fault 31, 32, 38
- satellite image analysis, folds 143–144
- sea-level change
 Makran coastal sediments 285–286
 Upper Sarvak Formation 256
- sedimentation
 Fars Province
 carbonate facies 218–228
 depositional sequences 233, 235–240
 gravity deposits 222, 228, 230, 243–244
 igneous-ophiolite facies 224, 231–232
 Late Cretaceous tectonic processes 211–248
 radiolarite facies 219, 223, 224, 231, 234, 239, 240–243
 sedimentary-tectonic evolution 232–240, 244–248
 siliciclastic facies 223, 230–231
 syntectonic, Anaran anticline 171
 Upper Sarvak Formation 258
 Zagros Fold Belt 1–2
- seismicity 22–26, 31, 32, 35, 36–37, 38
 Mountain Front Fault 161, 175
 Zagros Simply Folded Belt 101
 Zagros-Makran transition 51–54
- Seyahou Formation 299
- Seymareh landslide 175
- Shab anticline 125–126, 128, 136
- Shahneshtin Mountain 261, 262
- shale, hot, Silurian 296, 299–300
- Shilaif Formation, petroleum source rocks 332
- shortening
 geomorphological markers 29, 30, 34, 35
 layer-parallel 49, 112, 116
 AMS 98
 Zagros Simply Folded Belt 99, 100, 101–102
 Zagros–Makran transition 49–51, 54

- Shuaiba reservoir 319
 silicification, Upper Sarvak Formation 265
 Silurian, source rocks 296, 299–300, 305, **307**
 strain, tectonic fabric 98–99
 stress fields
 interior Fars 70–71
 see also palaeostress
 strontium isotopes 242–243
 subduction
 Arabian plate 45, 56
 Makran accretionary prism 45
 subduction-collision transition 43–62
 sulphur isotopes 342–345
 Surgah Formation 212, 228, 238
 Surmeh Formation
 oil accumulation 314, 320
 syndepositional extension 73
- Tang-e Garau 322, 323
 Tang-e Jazin
 sedimentary-tectonic evolution
 234–235, 238
 sedimentary facies 229
 Tarbur Formation 68, 69, 213
 sedimentary facies 219, 221, 228, 234
 tectonic fabric 98, 110
 terraces, deformation 29, 30
 Tethys southern margin 180
 deepwater carbonates 179–207
 biostratigraphy 185, **185–190**,
 190–194, 196
 facies 193, 195, 197, 198–199, 200
 model 197–199, 201
 lithostratigraphy 182, 183–185
 sequence stratigraphy 199, 203, 204–207
 tectonic v. eustatic control 205–207
- tilting, extensional 71, 73, 76
 transpression 54, 110
 trellis drainage pattern 145
 Triassic
 petroleum source rocks 302, 305
 see also Permian-Triassic
 turbidites, Late Cretaceous 223, 230
 Turonian
 carbonate facies 218, 219, 220, 228, 236–238,
 244, 245, 246
 climate 268–269
 sea-level highstand 256
 unconformity 253, 255, 256, 261
 unconformity, Turonian, Upper Sarvak Formation 253,
 255, 256, 261
 uplift chains 125, 134, 136
 Urumieh-Dokhtar Magmatic Arc 6, 65, 66
 seismic imaging 7, 13, 15–17
- Varavi-1 well 305
- water gaps 141, 143, 145, 146–147
 wind gaps 141, 143, 145, 146–147
- Zagros Fold Belt 20, 44, 122, 123
 basement faulting 121–136
 geology 99, 101–102, 124–125, 141–143
 kinematics 19–39
 lithosphere, seismic imaging 5–17
 lithostratigraphy 212–213, 215–216, 216
 oil and gas fields 291–350
 river network 128–132, 131
 river profiles 132, 132, 133
 seismicity 35–38
 thermal evolution 305
 uplift 125, 134, 136
 shortening 99, 100, 101–102
- Zagros–Makran transition 43, 44, 45–62
 balanced cross-sections 49–51
 GPS deformation measurement 54, 55, 56, 57
 kinematics 54, 56
 magnetic studies 48, 49
 post-Miocene evolution 56–57, 59, 61
 sandbox experiment 57–59
 seismicity 51–54
 structure and evolution 56–57
- Zendan Fault 49
 Zendan–Minab–Palami fault system 47, 48–49, 50,
 54, 56, 59
 seismic studies 53–54
- Zirreh-1 well 299, 302
 Zagros Frontal Fault 21
 Zagros Simply Folded Belt 65, 66
 AMS 102, 103, **104**, 105, 106–107, 108–112
 deformation style 139–151
 Mio-Pliocene 143–144
 detachment folding 116
 drainage patterns and folding 143–147
 geology 141–143
 geomorphological indices 147–148
 palaeostress markers 97–117
 seismicity 101