

Index

- abrasion resistance 132–133, 134, 184, 189
acid rain 2, 54–55
additives
 application techniques 74, 147, 149, 153
 cleaning of Santa Engrácia, Lisbon 186
 crystallization and salt damage reduction 72–75, 93–102
 historic restoration of Tudela Cathedral 197
 see also consolidated porous limestones; restoration
Adobe Photoshop 231–236
ageing, simulated 232
aggregates
 in historic lime mortars 119, 121, 122
 tuffeau powder for eggshell lime mortar 140–145
 use for concrete, Cyprus 127–135
 use of Coralline limestone, Malta 23
albedo, effect of particulates on 211, 215–216, 217
Alexandria (Egypt) 62
algae/alginates 108, 110, 200–201
Algeria 27, 34
alveolar weathering (honeycombing) 3–4, 5, 7, 15
'Ammonitico Rosso' 30
anhydrite 130
anisotropy in carbonate rocks 40, 42
anthropogenic effects on building stone 54–55
Arab period, Malta 19
aragonite 130, 203, 205, 206
artificial stone as replacement 113–117
Assisi (Italy) 183
Athens (Greece) 13, 29
atmospheric pollution 4, 54–55, 57, 58, 61
 and Orléans tuffeau 103, 104, 108–110
 Oxford (UK) 238, 239
atomic absorption spectrometry (AAS/AES) 184
Austria 147, 148
autogenous healing, in mortars 124
Avila Cathedral (Spain) 231

backscatter electron imaging (BSE), lime mortars 121, 140
bafflestone, Germany 41
Bath (UK) 4, 233
Bath Limestone 231–236, 239, 240, 243
bedding, effects of 4, 161–162, 165, 167, 195
Belgium 13, 203–208
binder evolution, effects of climate on 119–126
bindstone, Germany 41
biocalcarene, effects of borax on 93–102
bioclastic limestones, 3, 4, 33, 34, 203–208, 239,
 see also fossil content; reef limestones;
 shell limestones
biodeterioration of monumental stone 79–92, 114
biofilms 2, 5, 6, 79–92
biogenic limestone, replacement with new local stone 113, 114, 115–117
biological activity/growth 6, 79–92, 108, 110, 115, 190, 228
biomicrites 129–135, 171–182, 195–202
biomicrosparite-biomicrosparrudite 187
biomicrudite 187
biomineralization, and borax 97

biopelintrasparite/grainstone 157–169
biopelsparite 187
biosparite aggregates for concrete, Cyprus 127–135
biosparrudite, research prior to restoration, Spain 171–182
bird droppings 191
black crusts/patina, 114, 115, 197, 232, 244, 245, 247, 248
 see also gypsum; particulates; soiling
bleaching 56
blistering, historic walls, Oxford (UK) 5–6, 238, 245
borax, and salt damage reduction 72–75, 93–102
boundstone, Germany 41, 48
Bratislava (Slovak Republic) 148
Brazil 80
breccias 30, 32, 33, 187
Bronze Age, Malta 226
Budapest (Hungary) 5, 6, 8, 147, 148
Bulgaria 183
Burgos (Spain) 232
bursting (salt crystallization) test 15, 61, 69

Cadiz (Spain) 80, 172
Caen limestones, Calvados (France) 165
calc-sinter, Germany 39
calcarene 3, 203–208
Calcário Ança 79–92
Calcário Lioz 79–92, 186, 187, 188–190
calcic lime characterization 139
calcioclastic limestones, pore structure and durability 157–169
calcite
 aggregates for concrete 130
 effects of borax on salt crystallization 95, 97–101
 euhedral 123, 124, 125
 in hen eggshells 138
 in Maastricht limestone 203, 204
 mineralogy and weathering 42, 45, 53, 55
 recrystallization 5, 130
 sparry/sparitic 130, 203, 204
calcium sulphate *see* gypsum
Calvados (France), Caen limestones 165
Campanile limestone decay, Tudela Cathedral 195–202
capillary absorption, 205, 172, 176, 105–6,
 see also water absorption/uptake
capillary rise 69–70, 73, 113
 Campanile limestone, Tudela Cathedral 196–197, 201
 historic walls, Oxford (UK) 238, 247, 248
carbonic acid 53, 54, 55
carboxylic acid 74
Carrara (Italy) 29, 30–31
cart tracks, Malta 219–229
Carthage (Tunisia) 13
catastrophic decay 4, 5, 237–249
 conceptual model 238, 248–249
 'incipient' 238, 244, 245, 248–249
cave dwellings, Malta 15, 17–18
cavernous hollows 3–4, 5, 8, 238, 239, 249
cement, 23, 181, *see also* Portland cement

- chemical analysis
 Campanile limestone, Tudela Cathedral 196–201
 particulates 210
 Santa Engrácia stones, Lisbon 184, 187
 and stone replacement 113
 weathered tuffeau 108–110
- cherts 130
- Chlorella* 82, 87
- chlorides, 70, 122, 124, *see also* salt crystallization;
 sodium chloride
- chlorite 130, 197
- Chlorophyta 82
- chlorophyll *a* monitoring and determination 81–82,
 88–90
- chromatic parameters *see* colorimetry
- cladding 1, 55, 57, 157
- classifications
 fractures 42
 German carbonate rocks (Folk/Dunham) 40–42
 Köppen–Geiger climate classification 120
 stylolites 42
- clay mineralogy
 aggregates for concrete 130
 of Campanile limestone, Tudela Cathedral 197, 200
 of Coralline Limestone, Malta 225
 and hygric expansion in sandstones 200
 and hygric expansion 55
 and stylolites 57
 tuffeau 110, 140
- cleaning of historic stone, 186, 191, 232, 247, 248,
see also additives
- climate, 119–126, 231–232, *see also* weathering
- climate change 8, 217
- Clipsham Stone 239, 240
- coal pollution 209–218, 239
- Coimbra (Portugal) 80
- colorimetry 172, 184, 231–236
- colour changes, in primary bioreceptivity experiment,
 85–86, *see also* black crusts/patina; orange
 edging; yellowing
- Commission Internationale d’Eclairage (CIE), L*a*b
 system 232, 233
- compactness, Real Alcázar limestones, Seville 172, 176
- concrete 23, 68, 127–135, 191
- consolidated porous limestones 147–155
- cooling experiments, and salt damage 70–71
- Corallian limestones, Oxford (UK) 239
- Coralline limestones, Malta 13–25, 219–229
- cracking, Santa Engrácia, Lisbon, 190, *see also*
 dessication
- Croatia 27, 29, 33
- crustal layer 5, 55
 Coralline Limestone, Malta 228
 historic walls, Oxford (UK) 244, 245, 246, 247, 248
 Maastricht limestone 203, 204, 205–207
see also black crusts/patina; gypsum efflorescence/
 crusts
- cryptoflorescence 64
- crystal morphology, in binders 122, 123, 124–125
- crystallization pressure 67–68, 72, 73–74
- crystallization of salts *see* salt crystallization
- Cyanobacteria 82, 86
- Cyprus, limestone aggregates for concrete 127–135
- Czech Republic 147, 148
- damp, rising *see* capillary rise
- de-icing salts 5, 61, 246–247
- decay
 features in German carbonate rocks 53–57
 Maastricht limestone, Tongeren Cathedral 203–208
 rates and localities, Real Alcázar limestones,
 Seville 175–178
 ‘switching off’ of rapid decay 5–6, 7
see also catastrophic decay; weathering
- ‘deep salts’ 5, 7
- deformation, Santa Engrácia stones, Lisbon 191
- denaturing gradient gel electrophoresis (DGGE) 80–81
- density
 consolidation trials on porous limestones 148,
 149, 151
 eggshell lime and tuffeau powder mortar 140
 German carbonate rocks 49
 Portuguese limestones 159, 167
 Real Alcázar limestones, Seville 172, 176
 Santa Engrácia stones, Lisbon 184, 189
 weathered tuffeau 107–108
- dessication cracks, historic lime mortars, 121, 123, 124,
see also drying
- detergents, Santa Engrácia, Lisbon 186
- diesel particulates 209–218
- differential degradation, Santa Engrácia, Lisbon 191
- differential scanning calorimetry (DSC) 68, 70
- digital image processing 231–236
- dissolution processes, 2–8, 238, *see also* weathering
- dolomite (mineral) 42, 53, 55, 187
- dolomites 42, 48
- dolomitic marble 30
- dolostones 27, 30, 31, 37, 232
- drilling resistance 5, 205, 206
- dry deposition 7
- drying
 effects on historic walls, Oxford (UK) 245
 and salt damage 63–65, 68
 tests on eggshell lime and tuffeau powder mortar
 141–142, 144
see also dessication; hygric expansion; moisture
- durability, 203, 157–69, *see also* deformation;
 hardness; strength
- dusts 2, 6, 8, 55, 57, 58
- dynamic mobility analyser (DMA) 68, 71
- efflorescence
 on biogenic limestone 114
 Campanile limestone, Tudela Cathedral 196, 201
 effects of borax on 93, 98, 99
 in historic lime mortars 125
 research into 63–65, 66, 69, 70, 73
 Santa Engrácia, Lisbon 184
see also gypsum; thenardite
- eggshell lime and tuffeau powder mortar 137–145
- Egypt 13, 27, 29, 33–34, 62
- elasticity, consolidation trials on porous limestones 153
- environmental change 6, 8, 219–229
- environmental effects on binder evolution 119–126
- environmental SEM (ESEM) 65, 68, 72, 73, 94–95,
 96, 97
- environmental X-ray diffraction 69
- epitaxial growth, borax and 97
- epoxy resins 70, 197

- epsomite 63, 93–102
 erosional processes, Malta 219–229
 exfoliation, on biogenic limestone 114
 extracellular polymeric substances (EPS) 79, 87
- fabric 39–42, 149
 false onyx 34
 fillers in historic lime mortars 125
 fire, effect on historic lime mortars 125
 fire damage, German carbonate rocks 53, 56
 fissures 5, 45, 176, 190, 191
 flakiness of limestones for aggregates 129, 132–133, 134
 flaking 4, 5, 190, 196, 245
 floatstone, Germany 41, 48
 fluid dynamics and transport *see* water absorption/uptake
 fluorescence technique, determination of chlorophyll *a*
 81–82, 88–90
 fossil content, 1, 4, 45–48, 187, 203, 173–5, *see also*
 bioclastic limestones
 fossil fuel combustion 2
 fractures 39, 42, 68, 167, 191
 Campanile limestone, Tudela Cathedral 196,
 197, 200–201
 framestone, Germany 41, 48
 franca stone 80
- France
 carbonate rocks 27, 32–33, 140, 147, 165, 239
 eggshell lime and tuffeau powder mortar 137–145
 weathering effects on tuffeau 103–111
 freeze–thaw action 2, 4, 5, 184, 188
 freezing, in concrete 68
 frost action, on travertine 115
 frost heave, in ice 72
 frost resistance 50, 55, 57, 203
 fungal growth 6, 108, 110
- geophysical surveys 237–249
 German carbonate rocks 37–59
 glauconite 47, 110, 175
 Globigerina Limestone, Malta 3, 13–25, 62
 goethite 222
 Gozo 15, 16, 21–22
 grainstones 29, 41, 47–48, 57
 aggregates for concrete, Cyprus 129–135
 mechanical properties of Maastricht limestone
 203–208
 pore structure and durability 157–169
 silicic acid ester treatment 147–155
- Granada (Spain) 61, 80, 93–102
 granite, light reflectance monitoring 232
 granularity 4, 5, 7, 192, 238
 gravimetric analysis, Santa Engrácia stones, Lisbon 184
 Greece 13, 21, 27, 29, 32, 113–117, 147
 ground penetrating radar, Italy 237
 groundwater contamination 5
 gypsum, in capillary-rise experiment 70
 gypsum efflorescence/crusts 2, 4–5, 6, 7–8,
 103–111, 209
 German limestones 45, 47, 55, 57–58
 historic walls, Oxford (UK) 238, 245
 permeability 238
 Santa Engrácia, Lisbon 190–191, 192
 gypsum, rendering, Real Alcázar limestones,
 Seville 181
- halite 70
 hardness 1, 172, 177
 Headington Stone 239, 240, 243, 244, 245
 heating–cooling cycles, 8, 70–71, 209–218,
see also thermal expansion
 hematite 222
 historical photographs, Tudela Cathedral
 197, 200
 Hollington Sandstone, effect of particulates on
 209–218
 hollows, cavernous *see* cavernous hollows
 honeycombing (alveolar weathering) 3–4, 5, 7, 15
 humic acid 53
 humidity, and decay of Real Alcázar limestones,
 Seville 179
 Hungary 5, 6, 8, 147–155
 hydric expansion, Campanile limestone, Tudela
 Cathedral 196, 197, 199–201
 hydrostatic pressure, and salt damage 67–68
 hydrous dilation tests, eggshell lime and tuffeau
 powder mortar 141–142, 144
 hygric expansion, German carbonate rocks, 51–52, 55,
see also crystallization pressure
- ice crystal growth 72
 Iceland spar 95, 97–101
 ICP-OES 108, 139
 illite 197, 225
 imbibition *see* water absorption/uptake
 infrared techniques, Santa Engrácia, Lisbon
 184, 185
 intrabiomicrite 131
 intrapelmicroparite/grainstone 157–169
 Ireland (Northern), mortar samples 119–126
 iron, 6, 48, 110, 198, *see also terra rossa*
 Israel 13, 27, 29, 33
 Istrian Limestone 1, 3
 Italy
 carbonate rocks 13, 21, 27–31, 79–92, 147
 ground penetrating radar 237
 primary bioreceptivity experiment 79–92
see also Assisi; Carrara; Milan; Naples;
 Pisa; Rome; Salento; Venice
- Jurassic limestones, 30, 31, 33, 34, 39, 239,
see also oolitic limestones
- kaolinite 225
 karst 2, 3, 7, 33
- L*a*b system (CIE) 232, 233
 landscape evolution, Malta 219–229
 Latvia, mortar samples 119–126
 lead 108, 110
 Lecce (Italy) 80
 lichens 228
 light reflectance monitoring 232
 lime mortars, historic 119–126
 limestone terrain evolution, Malta 219–229
 linear variable differential transformer (LVDT) 71
 Lioz stone *see* Calcário Lioz
 Lisbon (Portugal) 80, 183–193
 Logos-Edessa (Greece) 114–117
 London (UK) 1, 2

- Maastricht limestone, mechanical properties 203–208
 Macael (Spain) 29
 magnesite 123
 magnesium 187, 198, 199, 200, 201
 magnesium sulphate/epsomite 63, 69–71, 93–102
 Mallorca, cavernous hollows 3
 Malta 3, 13–25, 62, 147, 219–229
 marbles 13, 19, 30
 characteristics 3, 55, 200
 light reflectance monitoring 232
 ‘Ruivina’, Portugal 187, 190
 use of term 13, 27, 31, 32
 marine limestones, France 33
 mechanical properties *see* physical/mechanical properties
 mechanical resistance
 eggshell lime and tuffeau powder mortar 142, 143, 144
 weathered tuffeau 104–105
 Mediterranean region 27–35, 79–92
 mercury intrusion porosimetry (MIP)
 Campanile limestone, Tudela Cathedral 197, 198–199
 consolidation trials on porous limestones 148
 eggshell lime and tuffeau powder mortar 140
 Maastricht limestone 204
 Portuguese limestones 158, 162–164
 Real Alcázar limestones, Seville 172, 176
 weathered tuffeau 106–108
 mercury pycnometry, Maastricht limestone 204
 micas 187
 micrite 175
 micritic calcite, Maastricht limestone 203, 204
 micritic limestones 31, 45, 46, 53
 aggregates for concrete 127–135
 silicic acid ester treatment 147–155
 see also biomicrites
 microbial colonization of monumental stone, 79–92,
 see also biofilms; biological activity
 microkarst 56
 microscopy, 69, 72, 121, 122, 123, 171, *see also* scanning
 electron microscopy
 microspar 127–135
 Milan (Italy) 232
 mineralogy
 Campanile limestone, Tudela Cathedral 197–198
 German carbonate rocks 42, 45, 53, 55, 57
 historic lime mortars 122, 123, 124, 125
 limestone for aggregates 130–131
 Santa Engrácia stones, Lisbon 187
 weathered tuffeau 108–110
 mirabilite 63, 66, 69, 71, 73, 93–102
 ‘Moca Creme’, Portuguese limestone 157–169
 modelling 65–67, 73, 238–239, 249
 modifiers of supersaturation and crystal growth 72–74,
 93–102
 moisture
 content, historic walls, Oxford (UK) 237–249
 and historic lime mortars 123–125
 particulate-induced loss 209–218
 see also water absorption/uptake
 molecular analysis of natural biofilm 80–81
 molecular modelling 73
 Moravia (Czech Republic) 148
 Morocco 27, 34
 Morón (Spain) 172
 mortars 1, 113, 137
 black crusts/patina on joints of 245
 hydraulic, Malta 19, 20, 22
 Santa Engrácia, Lisbon 191
 see also lime mortars; Portland cement; restoration
 mortars
 mudstones 29, 39, 41, 42–45, 57
 Naples (Italy) 13
 Netherlands 203
 niter 191–192
 nitrogen oxides, and acid rain 2, 54
 Northern Ireland, mortar samples 119–126
 nucleation and crystal growth 62–63, 68, 70
 modifiers 72–73, 74, 93–102
 O-IDIP (outdoor integrated digital image processing)
 231–236
 oolitic limestones 3, 4, 6, 7, 8
 Germany 38, 39
 Mediterranean region 30, 31, 33
 Oxford (UK) 239
 silicic acid ester treatment 147–155
 opal-cristobalite tridymite (opal-CT) 108, 140
 optical emission spectrometry with inductively coupled
 plasma (ICP-OES) 108, 139
 orange edging matter, weathered tuffeau 104, 105,
 106, 108, 110
 organic (humic) acid 53
 organic matter 175, 179, 200–201
 Orléans (France) 103, 104, 108, 110
 Oviedo (Spain) 232
 Oxford (UK)
 façade-scale colorimetry, Ashmolean Museum
 231–236
 limestones used in historic buildings 1, 4, 5–6,
 7, 239
 moisture content of historic limestone walls
 237–249
 packstones 41, 45–47, 127–135, 147–155
 Pakhna Formation, Cyprus 128, 130–131
 palomera stone *see* Piedra Escúzar
 particle shape, limestones for aggregates 129
 particle size
 Coralline Limestone, Malta 223–225
 eggshell lime and calcic lime 139
 particulates 2, 5, 8, 108, 209–218, 232
 pelmicrite 187
 permeability 3, 238
 petrography
 Campanile limestone, Tudela Cathedral
 197–198
 limestones for aggregates 128, 130–131
 Maastricht limestone, Tongeren Cathedral
 203–204
 Portuguese limestones 157, 158, 159
 Real Alcázar limestones, Seville 171–175
 Santa Engrácia stones, Lisbon 184, 187
 phosphonates, and salt damage reduction 73, 74
 phosphorus, in weathered tuffeau 110
 photographic records 171, 197, 200, 231–236
 photosynthetic monitoring 81, 85–86

- physical/mechanical properties
 Campanile limestone, Tudela Cathedral 196, 197, 199–201
 consolidated porous limestones 148–153
 German carbonate rocks 39–42, 49–53
 limestones for aggregates 128–133
 Maastricht limestone 203–208
 Real Alcázar limestones, Seville 171–176
 Santa Engrácia stones, Lisbon 184, 188
 stone replacement and artificial stone 113, 114, 115–116
- Piedra Escúzar (Piedra Franca; Piedra Palomera) 79–92, 171–182
- Piedra San Cristobal 79–92
- Piedra Tosca 171–182
- Pietra di Lecce 79–92
- Pisa (Italy) 183
- pitting 7, 196
- Pittsburgh Cathedral of Learning (USA) 231–232
- plasters, and pore size 124
- point count analysis, lime mortars 121
- polishing machines 186
- pollution *see* acid rain; atmospheric pollution; coal pollution; dust; particulates; sulphur dioxide pollution; traffic pollution; urban environment
- polymers, 70, 74, 79, 87–88, 197, *see also* silicic acid ester trials
- pore clogging 62, 63–65, 68, 70, 72, 73
- pore network/spacing/structure
 and durability of Portuguese limestones 157–169
 German carbonate rocks 39, 42
 in historic lime mortars 122–123, 124, 125
 and salt damage 68
 weathered tuffeau 106–108
- pore size
 Campanile limestone, Tudela Cathedral 197, 198–199, 200
 consolidated porous limestones 148, 149, 151–153
 Maastricht limestone, Tongeren Cathedral 204, 205, 206
 Real Alcázar limestones, Seville 176–177
 and stone replacement 114, 115
- porosity 1, 5, 7
 Campanile limestone, Tudela Cathedral 198, 199, 200
 consolidated porous limestones 147–155
 deteriorating historic walls, Oxford (UK) 237–238, 241–242, 243, 247
 eggshell lime and tuffeau powder mortar 140–141
 German carbonate rocks 42–48, 49, 51, 55
 historic lime mortars 122–123, 124, 125
 limestones for aggregates 130, 131, 134
 Maastricht limestone, Tongeren Cathedral 204, 205, 206
 Portuguese limestones 159–162, 164, 167
 primary bioreceptivity experiment 84, 85
 Real Alcázar limestones, Seville 172, 175, 176
 Santa Engrácia stones, Lisbon 184, 188
 and stone replacement 114
 weathered tuffeau 107–108
see also mercury intrusion porosimetry (MIP)
- Portland cement 22, 23, 137, 195, 198, 200, 201
- Portland Limestone 2, 167, 239
 effect of particulates on 209–218
 façade-scale colorimetry 231–236
 portlandite 53, 139, 141
 Portugal 79–92, 157–169, 183–193
 potassium chloride 70
 potassium nitrate 191–192
 pozzolana 116, 117
 prehistoric sites, Malta 15, 16–18, 219–229
 pressure, 51–52, 55, *see also* crystallization pressure
 principal component analysis (PCA) 82
 Protimeter 241, 243
 pseudosparite 175
 El Puerto de Santa María (Spain) 172
 pulverization, Campanile limestone, Tudela Cathedral 197
 pycnometry, Maastricht limestone 204
 pyrite, in weathered tuffeau 110
- quarries
 Algeria 34
 Croatia 33
 Egypt 34
 France 32–33, 140
 Greece 29, 32
 Israel 33
 Italy 29, 30–31, 80
 Malta 15, 21, 228
 Netherlands 203
 Portugal 80, 158, 183, 190
 Spain 29, 31, 80, 172, 197
 Tunisia 34
 Turkey 32
 United Kingdom 239
- radiant heat, and particulates 211, 215–216, 217
- radiocarbon dating 119
- rainwater, 231, 232, 233, 234, 235, 244, 245, 248
see also acid rain
- reef limestones 37, 39, 127–135
- rendering 181, 186
- replacement stone 4, 113–117
 artificial stone 113–117
 in historic walls, Oxford (UK) 239, 240, 245, 247
 and pore size distribution 114, 115
- resistance, mechanical
 eggshell lime and tuffeau powder mortar 142, 143, 144
 weathered tuffeau 104–105
- resistance to fragmentation, limestones for aggregates 129
- resistivity surveys, moisture content of historic walls, Oxford (UK) 237–249
- restoration 4, 232
 mortars 137–145, 171, 181, 197
 prior research, Real Alcázar, Seville 171–182
see also additives; replacement stone
- Rhodes (Greece) 114, 116–117
- rising damp *see* capillary rise
- roads, de-icing salts, 5, 61, 246–247, *see also* traffic pollution
- Romans 18–19, 137
- Rome (Italy), Ara Pacis 231
- rudstone 29, 41, 48

- Salento (Italy) 80
 salt crystallization 2, 3, 4, 5, 8, 61–77, 114
 Campanile limestone, Tudela Cathedral 195, 197, 199, 200–201
 German carbonate rocks 51, 55, 57
 Globigerina limestones 15
 and historic lime mortars 124, 125
 Portuguese limestones 157–158, 164–167
 prevention methods 72–74, 93–102
 salt content of pore water, historic walls, Oxford (UK) 241–242, 243, 247
 Santa Engrácia stones, Lisbon 190–192
 test (bursting test) 8, 15, 51, 69
 see also weathering
- sandstones
 consolidation treatment 153
 effect of particulates on 209–218
 hydric expansion 200
 rapid retreat 5, 6, 7
 replacement stone, Tudela Cathedral 195, 197, 198, 200, 201
- saturation coefficient, 3, *see also* supersaturation
 Savonnières limestone 239
 scaling 5, 6, 7, 8, 56, 190
 scanning electron microscopy (SEM) 82, 87–88, 107, 108, 172, 210
 environmental SEM 65, 68, 72, 73, 94–95, 96, 97
 of mortars 121, 122, 123, 124, 140–141, 144
 and porosity 149, 153, 159
- sealing using wax, Santa Engrácia, Lisbon 186
 seepage evaporation, Santa Engrácia, Lisbon 191
 self-healing in mortars 124
 ‘Semi-rijo’, Portuguese limestone 157–169
 Seville (Spain) 80, 171–182
 shales, German 39
 shell limestones, 29, 37, 38–39, 45–48,
 see also bioclastic limestones
- shrinkage *see* desiccation
 Sibbe (Holland), source for Maastricht limestone 203
 silicic acid ester trials, porous limestones 147–155
 Slovakia 147, 148
 smectite 110, 198, 200
 smoke pollution 239
 sodium chloride 61, 69, 70, 130
 sodium sulphate, 69–73, 93–102, *see also* mirabilite; thenardite
- soil environment changes, Malta 219–229
 soiling 7, 172–173, 216–217, 231–236
 solar radiation 211, 215–216, 217, 235
 solution features, Malta, 221, 223–225, 226,
 see also dissolution
- soot, 55, 57, 238, *see also* particulates
 sorptivity testing 70
 Spain, 13, 21, 27, 28, 29, 30, 31, 79–92, *see also* Avila; Burgos; Cadiz; Granada; Macael; Morón; Oviedo; Puerto de Santa María; Seville; Tarragona; Tudela; Utrera; Valladolid
- spalling, Santa Engrácia, Lisbon 190
 sparite calcite cement, Tudela Cathedral limestone 198
 sparitic calcite, Maastricht limestone 203, 204
 sparitic limestones, Germany 52, 53, 55
 spectrometry 88–90, 172, 184, 233–235
 spectrophotometry 88–90, 172, 233–235
 speleothems 29, 30
- strength
 Campanile limestone, Tudela Cathedral 195, 200
 eggshell lime and tuffeau powder mortar 142, 143, 144
 German carbonate rocks 50–51, 56
 porous limestones 148, 149–151, 153
 Santa Engrácia stones, Lisbon 184, 188, 189
 and stone replacement 113, 114, 115
 weathered tuffeau 104–105
- stress, and salt damage 68
 stress history/‘memory’ (of stone) 2
 stromatolites 45
 stylolites 29, 33, 39, 42, 45, 48, 56, 57
 subflorescence 63–65, 69, 73
 sulphur 2, 4–5, 8, 54, 58, 61
 in gypsum crust on tuffeau 108–110
 in historic lime mortars 122
 see also gypsum; magnesium sulphate; sodium sulphate
- sulphur dioxide pollution 108, 234, 238, 239
 supersaturation 62–63, 65–67, 68
 modifiers 72–73, 93–102
- surface hardness, Real Alcázar limestones, Seville 172, 177
 surfactants, and salt damage reduction 73, 74
 synchrotron measurements 69, 70, 71
- Tarragona (Spain) 62–63
 temperature cycles *see* cooling; freeze-thaw; frost; heating; thermal expansion
terra rossa materials, Malta 222–223, 225, 226
 terrain evolution, Malta 219–229
 texture, German limestones 42
 thenardite 69, 70, 71, 73, 190, 191, 192
 thermal energy, effect of particulates on 211, 215–216, 217
 thermal expansion, 52–53, 189, *see also* heating
 thermogravimetric analysis 106, 138
 thermoporoelectricity 71
 Tongeren Cathedral (Belgium) 203–208
tosca limestone, Real Alcázar, Seville 171–182
 traffic pollution 209, 210, 216, 217, 232, 239, 246
 travertine 29–30, 31, 34, 39, 49, 51
 replacement with artificial stone 113, 114–117
- Tudela Cathedral (Spain), Campanile limestone decay 195–202
 tufa 29–30, 39, 48
 tuffeau (stone) 103–111, 137–138, 142–144
 tuffeau powder and eggshell lime mortar 137–145
 tuffs, consolidation treatment 152, 153
 Tunisia 13, 27, 34
 Turkey 13, 27, 32
- ultrasonic velocity 5, 148, 149–151, 153, 172, 177
 underground locations, Malta 13, 17–18, 19, 20
 United Kingdom, 1, 2, 4, 13, 61, 147, 233,
 see also Oxford
 United States of America 119–126, 231–232
 urban environment, effect on tuffeau, 103–111,
 see also traffic pollution
 Usseau, Vienne (France) 140
 Utrecht (Netherlands) 203
 Utrera (Spain) 172

- vacuum consolidation 147, 149, 153
 Valladolid (Spain), Cathedral Nueva 234
 Valletta (Malta) 13, 15, 20–21
 vaterite 53
 vehicular pollution *see* traffic pollution
 Venice (Italy) 1, 231
 videocamera recording of colour changes and soiling 232
 Vienna (Austria) 147, 148
- wackestones 29, 41, 45, 57, 127–135, 195, 197
 warping experiments 68, 70, 71–72
 water absorption/uptake 3
 limestones for aggregates 129, 132, 133, 134
 Portuguese limestones 158, 159–162, 164
 in primary bioreceptivity experiment 84–85
 properties of German carbonate rocks 49–50
 Santa Engrácia stones, Lisbon 184, 188
 and stone replacement 113, 114
 weathered tuffeau 105–106
 see also capillary absorption; moisture; porosity
 water transfer, eggshell lime and tuffeau powder mortar 141–142, 143, 144
 wax sealing, Santa Engrácia stones, Lisbon 186
 weathering 2–8
 and approaches to stone replacement 113–117
 of Campanile limestone, Spain 195–202
 of Coralline limestones, Malta 219–229
 effects on binder evolution 119–126
 effects on tuffeau 103–111
 of German limestones 45–48, 53–57
 of Globigerina limestones 15
 laboratory simulations of salt weathering 4
 of Maastricht limestone, Belgium 203–208
 properties of limestones for aggregates 129, 132–133
 Real Alcázar limestones, Spain 171–182
 role of particulates 209–218
 Santa Engrácia, Lisbon 190–192
 see also decay; salt crystallization
 Weldon Stone 240
 Wenner configuration profiling 241–242
 wetting–drying 2, 4, 8, 209–218
 wheel, early use of 226
 wind drying, effects on historic walls, Oxford (UK) 245
 windwashing 231, 232
- X-ray diffraction (XRD) analysis
 Campanile limestone 197
 Coralline Limestone, Malta 225
 effects of borax on salt crystallization 94–95, 97
 of eggshells for lime mortar 138
 and stone replacement 113
 using environmental XRD 69
 of weathered tuffeau 106, 108
 X-ray dispersive spectrometry (EDS) 172
 X-ray fluorescence (XRF) 70, 113, 184, 197
- yellowing, from sulphur dioxide 234