

Index

Note: Page numbers denoted in *italics* indicate figures and those in **bold** indicate tables.

- Abbott, D., 760
Acadian Events, 183
Acceleration-strain tensor, 745
Arcuate thrust toe Precambrian Mylonite Zone, 715–736
Achiniver Zone, 528
Achmelvich, 56
Achnashellach area, 16
Achness Falls, 368
Achness Nappe, 371
Achness Thrust, 363, 369, 371
 Cassley Folds, 365
 geological maps, 368
ACM. *See* Attico-Cycladic Massif (ACM, Internal Hellenides, Greece)
Adams, F. D., 520
Africa
 inversion v. simple extension or strike-slip, 839
 Mesozoic–Cenozoic rift system, 836
 rift system, 838, 839
AFTA studies, 817
Alkali metasomatism, 64
Allison, I., 475, 478, 479
Allochthonous unit, 775–776
Allochthon unmetamorphosed rocks, 217
Allt Ealag, 29
Allt nan Sleach quartzites, 489
Allt Rugaidh area
 geological map, 368
Alps, 3, 31, 34, 36, 42, 222, 311, 316
 kilometre-scale thrusting, 23
Altnaharra Formation psammitic rocks
 mullion structures, 365
Alt nan Sleach stream
 crystal fabrics, 489–490
 vorticity data, 489, **586**
Amazonia, 245
Amphibolite facies, 59, 63
 Laxford, 74
 overprinting, 56
 Southern District, 64
Andalusite zone, 140
Anderson, E. M., 23, 39, 464
Antarctica
 Delamerian-Ross orogen, 197
 Laurentian craton, 203
 tectonic tracer, 195
Appalachians, 3, 37, 189, 192
 cross-section, 412
 finite strain data, 415
 foreland fold-thrust belt, 412, 413
 margin, 193
 retrodeformed sections, 413
 structure, 42
 tectonic index map, 410
 thrust, 23
Aptian ammonites, 36
Archaean geothermal gradient, 63
Archaean oceanic crust, 72
Archaean protolith ages, 246
Archaean terrane boundary, 103–118
 previous work, 105–109
 separating two distinct terranes, 114–116
 terranes juxtaposition, 116–117
Archibald Don. *A Memoir* (Sayle), 46
Ard gneiss
 Ialltaig, 56–57
 Loch Maree Group, 63
Ardnamurchan, 239
Ardnish
 pegmatites, 242
 Rb–Sr muscovite ages, 239
Arenig, 21
Argentine Precordillera, 192, 199, 841
 Marathon-Solitario basin, 201
 proto-Appalachian margin, 193
Argentine–Texan tectonic interaction, 203
Argyll Group, 127
Arkle, 10–11
Arnaboll sector cross-section, 325
Arnaboll Thrust, 10, 291, 323
 distribution deformation, 330
 faults, 292
 plane, 327
Arnaboll Thrust Sheet, 324
 basement, 329
 deformation, 327–329, 445–449, 479–480, 508–509, 514–517
 ductility, 330–332
 fault rocks, 328, 445–449, 508–509, 514–517, 524–526
 foliation form lines, 326
 internal deformation, 321–332
 large-scale deformation, 329–330
 Lewisian basement, 327
 pegmatites, 327, 450
 strain localization, 330–332
 structure, 321–332
 surface, 10, 325–327, 518
 thrust belt strain localization, 321–332
 thrusting patterns, 330–332
Asian crust, 218
Assigning crustal residence to Lewisian granulites, 81–99
Assynt, 308
 geological mapping, 29
 klippen, 394, 399
 minor intrusions, 393, 489
 post-Cambrian igneous rocks, 21
 vertical section, 339
 virtual field trip, 436
Assynt 1912 BA Field Excursion, 47
 participants, 32
 participants' signatures, 33
Assynt Culmination, 295
 Borrallan alkaline intrusions, 383–400
 cross-sections, 343
 geological map, 341
 geological setting, 335–338
 lateral variations and linkages in thrust geometry, 335–354
 research history, 340
 simplified structure, 337
 thrusting relationships, 383–400
 transverse zones and origin, 350–352
 TTZ, 340–342, 354

- Assynt Terrane, 69, 109
 geochemical characteristics, 113–114
 Assynt Window, 386
 Asturias, 36
 Atlantic Ocean, 104
 Atomic Energy Commission, 37
 Attico-Cycladic Massif (ACM, Internal Hellenides, Greece)
 ductile thrust zones flow vorticity, 687–710
 geological map, 689
 study area, 688
 synthetic transect, 691
 Attico-Cycladic Massif examples, 687–710
 Evia thrust zone, 690–692
 finite strain analysis, 698–699
 geological setting, 688–690
 main structures and fabrics, 690–692
 microstructural and petrofabric analysis, 692–698
 microstructures, 692–698
 Ochi thrust zone, 692
 quartz *c*-axis fabrics, 698
 sense of shear, 704–706
 tectonic implications, 706–708
 transport parallel elongation, 703–704
 vertical thinning, 703–704
 vorticity analysis, 699–703
 kinematic vorticity profiles, 702–703
 oblique grain shape and quartz *c*-axis fabrics, 702
 quartz *c*-axis fabrics and strain ratio, 701
 rigid porphyroclasts, 699–701
 vorticity number variation potential lithological control, 703
 Australian Delamerian-Ross orogen, 197
 Austrian Geological Survey, 36
 Austro-Hungarian Empire, 36
 Autometamorphism, 64
 Average one-dimensional Earth model, 757
 Back scatter electron (BSE), 175, 476, 603, 605–606,
 637–638, 663
 Badcall, 59
 defined, 61
 granulite facies rocks, 72
 granulites, 65
 trondhjemitic sheet, 67
 Badnabay zone, 106
 Bailey, E. B., 7, 39, 391, 399, 483
 lateral translation, 23
 slide definition, 532
 slide zones, 531
 Baker, D. W., 475
 Baltica, 245
 Gothian belt, 71
 Palaeoproterozoic events and structures, 71
 Proterozoic continent, 70
 Baltica-Laurentia collision, 362
 Bandits of Inchnadamph, 12
 Barber, A. J., 467–468
 Barra, 66
 Barrois, C. E., 36, 37
 Barrovian
 index minerals, 214
 metamorphic sequence, 121
 metamorphism, 121, 122, 153
 units, 154
 Barrow, G., 451
 Basal quartzite, 396
 Basal Torridonian unconformity view, 20
 Basement faults, 351–352
 Basement-influenced rifting, 795–823
 Basement inliers tectonic setting and tectonic slides,
 237–238
 Basement reactivation, 335, 351, 376, 797
 Basin and Range, 767
 Basin-bounding fault, 816
 Basin development, 795–823
 Basin inversion concept, 828
Bassins fermés des Préalpes suisses (Jérémine), 38
 BC foothills, 834
 Bealach Traligill Fault, 347
 Beinn Aird da Loch, 300
 Beinn an Fhurain, 30
 Beinn nan Chaimh-seag, 30
 Beinn Uidhe Thrust, 342
 Bell, A. M., 475
 Ben Arnaboll, 524, 529
 Arnaboll Thrust Sheet, 325
 clean copy map series, 324
 map, 322
 Moine Thrust, 527
 pegmatitic material, 327
 quartz fabrics, 478, 530
 quartzites, 445
 thrusts contour map, 331
 Benbecula, 66
 Ben Fhurain Thrust, 397, 399
 Ben Hee area, 258–260, 268, 455
 Ben Hee–Loch More area, 446, 483
 Ben Hope Nappe, 631, 638
 fabric development, 366
 folds, 378
 psammites, 366
 psammitic rocks, 369
 Ben Hope Phase, 376
 Ben Hope Thrust, 365, 371, 455
 geological map, 506
 microstructures and quartz fabrics, 485
 Ben Hope Zone, 530
 Ben Loyal, 812–813
 Ben More Nappe, 34
 Ben More Thrust, 30, 342, 344, 387, 396
 sheet, 340, 479
 Ben Stack, 57
 Ben Tongue conglomerate, 817
 Ben Vuirich Granite, 128
 Ben Wyvis area, 446, 454
 Bequerel, H., 81
 Bergen Arc Shear Zone, 781
 Bergen District, 36
 Bertrand, M., 23
 Beyond Hope duplex, 299, 479
 BGS. *See* British Geological Survey (BGS)
 Biharmonic equation, 752
 Biotite, 56
 bearing gneisses, 108
 cordierite zone, 140
 Birmingham University, 38, 494
 BIRPS. *See* British Institutions Reflection Profiling
 Syndicate (BIRPS)
 Blackburn, 817
 Black flinty material, 527
 Blenkinsop, T., 475
 Bongor basins, 837
 Bonney, T. G., 445, 447, 449, 510
 cataclastite, 534
 great earth movements, 522
 microstructures significance, 470

- Borolanite mass, 30, 391
- Borraran alkaline intrusions and thrusting relationships
 Moine Thrust zone, southern Assynt culmination, 383–400
 intrusions, 387, 399
 Loch Borraran pluton, 390–393
 Loch Urigill carbonatite outcrops, 393
 margins, 392
 thrusting and mylonitization relationship, 394
- Borraran igneous complex, 295
- Borraran pluton, 396
 pseudoleucite aggregates structural data, 391
- Bosnia-Herzegovina, 36
- Bouguer gravity anomaly map, 372
- Boulonnais, 36
- Boulton, W. S., 38
- Bowler, S., 475, 479
- Boyd Bastionen Fault, 778
- Boyndie Bay
 Portsoy transect, 137
 vergence changes, 138
- Boyndie Syncline, 125
 Buchan Block, 126
 formation, 138
 Scotland lithospheric scale, 155–156
- Boyne Castle Limestone, 136
- Breabag Dome, 343, 344
 fold-and-thrust duplex system, 346
- Breabag Stronchrubbie System area, 344, 345, 349
- Breaching, 303
- Brioverian rocks, 36
- British Association for the Advancement of Science, 29, 34
- British Columbia, 834
- British Geological Survey (BGS), 7, 47, 272, 363, 387
 Assynt map (1923), 436
- British Institutions Reflection Profiling Syndicate (BIRPS), 309, 799
- Brittany
 metamorphic rocks, 38
 Proterozoic Brioverian rocks, 36
- Brøgger, W., 23
- Bronzite picrites, 62
- BSE. *See* Back scatter electron (BSE)
- Bua lighthouse structures, 729
- Bua mylonites
 dextral strike-slip structures, 724
 inclined transpression model, 724
 lineation, 726
- Bua peninsula
 aeromagnetic data, 725
 north-dipping foliation, 725
 strain pattern, 724
- Buchan Anticline, 126
- Buchan Block
 Boyndie Syncline, 126
 map, 124, 124
 PSZ, 140
- Buchan Block-type units, 154
- Buchan metamorphism, 121, 122, 153
 sequences, 122
- Buchan-type units, 153
- Butler, R., 474–475, 598
- Cadell, H. M., 14, 18, 23, 511
 1885 notebook, 19
- Calc-alkaline magmatism, 218, 387–393, 489
- Caledonian allochthons, 779
- Caledonian crustal architecture
 contractional folds and thrusts, 212–213
 evolution, 207–223
 extensional shear zones and faults, 219–221
 Foreland Basin evolution, 222
 migmatite cores and magmatism, 218–219
 mountain building processes, 207–223
 orogen parallel displacements, 221–222
 regional high-grade metamorphism, 213–218
 regional suture zones, 210–212
 strike slip faulting, 221–222
 tectonic framework, 208
- Caledonian Foreland, **810**
 Colour Landsat image, 798
 cross-cutting relationships, 807
 faulting, 807–809
- Caledonian metamorphism, 239
 mineral assemblages, 781
- Caledonian nappe stratigraphy, 781
- Caledonian Orogen, 165, 362, 383, 385, 462, 767
 Baltica-Laurentia collision, 362
 belt, 303
 greenschist-amphibolite facies, 256
 kinematic extrusion, 785
 Palaeozoic Laurentia–Baltica collisional suture, 190
 wedge, 779
- Caledonian S-type granitoids, 772
- Caledonian thrust
 kinematic indicators, 769
 systems, 316, 819
- Caledonides
 deep crustal structure, 213
 extensional collapse, 776
 extensional detachment formation modes, 770
 geochronology data, 217
 geological and structural framework, 209
 Laurentia, 208
 Laurentian side, 216
 metamorphic histories, 217
 orogenic activity timing, 773, 773
 orogen parallel displacements, 222
 reconcile regional extensions, 786
 syn-collisional extension, 785
 systematic mapping of metamorphic conditions, 769
 tectonic model, 211
- Callaway, C., 9, 297, 445, 447, 449, 512, 520, 544
 Eriboll area, 511
 flattened relic detrital grains, 486
 microstructures significance, 470
 Murchisonian hypothesis, 510
 overthrusting, 513
 slickensides, 521
 worm burrows, 445, 544
- Cambrian
 palaeomagnetic poles, 200
- Cambrian age Fucoid Beds, 284
- Cambrian Pipe Rock, 480
- Cambrian quartzites, 190, 304, 325, 466, **582**
 vorticity numbers, 585, 587, **643–644**
- Cambridge, 38, 46
- Cambro-Ordovician
 basinal shales, 831
 shelf sequence, 52
 stratigraphy, 21
- Cameron River structure, 834
 cross-sections and seismic line, 835
- Cam Loch klippe, 396

- Cam Loch Thrust, 397
- Canadian Rockies, 840, 843
lateral changes, 352
- Canisp Shear Zone, 353
dextral transpression, 60
Inverian shear zone, 72
OTZ, 375
reworking, 55
shearing, 56
simple shear with dextral sense, 59
- Cantabrian Mountains, 409
- Cape Cormorant Conglomerate deposition, 831
- Cape Wrath, 807
aerial photograph, 806–807
dykes, 55, 57
pyroxene-gneiss, 57
- Carboniferous rocks
Ayrshire, 40
Yorkshire, 39
- Carn Chuiinneag-Inchbae hornfels, 39, 247
- Carn Gorm, 239
pegmatites, 242
- Carpathians, 36
- Carte Géologique de France* (Pruvost), 36, 37, 38
- Carter, N., 471
- Casey, M., 475
- Cassley Culmination, 371
development, 377
evolution, 376
geological map, 361
gravity models, 373
southern lateral termination, 363
structural data, 367
structural evolution sequence, 374
structural fabric relationships, 366
termination, 369–371
- Cassley Folds, 365, 370
- Cataclasite terminology, 22, 445, 534
- Cathodoluminescence (CL) imaging, 81, 83, 175, 477–478
SIMS, 84
Th–U chemistry, 86
zircon, 86
zircon grains, 85
- Cauchy's momentum balance equations, 743
- Cawthorne, W., 47
- Cenozoic volcanics, 39
- Central African Shear Zone, 837
- Central District, 57
amphibolites, 72
granulite facies, 72
granulite facies rocks partial melting, 64
LIL elements, 61, 62
ramps, 60
strain gradient, 59
TTG gneisses, 61
TTG magmas, 72
- Central Highland Granulites, 244
- Central Ross-shire, 446, 452, 455
- Central Sutherland, 446, 455
- CGB. *See* Cycladic Greenschist-Blueschist (CGB) unit
- Chablais areas, 36
- Chapters on the Geology of Scotland* (Peach and Horne), 36
- Charnockitic facies, 63
- Cheaney, R. F., 461
- Chondritic uniform reservoir (CHUR), 94–95, 96
- Christie, J., 466, 468–476
angle between two fabric girdles, 471
Assynt region mylonites microstructures, 470–471, 544–545
mechanical metamorphism, 524
Moine Thrust, 472, 474
mylonites, 470, 522, 533
mylonites quartz grains, 470–471, 548
orthorhombic quartz fabrics, 473–474
placing Moine Thrust plane, 485
quartz *c*-axis fabrics, 468–472, 489, 544–545
recrystallized Assynt mylonites, 471
Stack of Glencoul mylonites, 547–548
Stack of Glencoul symmetrical fabrics, 563
symmetric *c*-axis fabrics, 473–474, 487, 547
- Chuiinneag-Inchbae, 247
- CHUR. *See* Chondritic uniform reservoir (CHUR)
- CL. *See* Cathodoluminescence (CL) imaging
- Clasifearn zone, 106
- Clifford, P., 465
- Clifford, T., 465
- Clinton, B., 430
- Cloos, E., 463
- Clough, C. T., 14, 39, 40, 41, 306, 452, 461, 470, 531, 548
Lewisian, 19
mullions or rodding, 370, 454, 468
Teall teamwork, 22, 449
- Cnoc-an-t-Sasunaich, 30
- Coal Basin of Lorraine, 37
- Coats Land block, 196, 197
- Coats Land Laurentian tectonic tracer, 196
- Coats Land region, 196
- Coats Land rocks, 196
- Coldbackie area, 815, 817
structures images, 814
- Coldbackie beach, 813
- Coldbackie–Watch Hill, 817
- Coleman-Noll approximation, 746
- Competent oceanic lithosphere, 757
- Compressional inversion, 828–829
- Conceptual arc formation model, 408
- Conjugate shear bands, 482
- Constant volume deformation, 594
- Continental Reflection Profiling, 309
- Continental tectonics, 1–4
- Continent–continent collision, 214
- Cordierite porphyroblasts, 140
- Cordierite zone, 140
- Cornell University, 475
- Coulin Forest area, 446, 467
- Coward, M., 303, 304, 474–475
- Cowhythe Gneiss, 155
- CPO. *See* Crystal preferred orientation (CPO)
- Crampton, Cecil, 30, 32, 39, 817
- Crampton, Colin, 446, 481, 484, 494
quartz fabrics in northern part of Moine Nappe, 466–467
- Creachan Thormaoid, 263
- Creagan thrust sheet, 631, 636, 638, 654
Faraid Head, 649
rigid grain vorticity plots, 656
vorticity estimates, 642
- Creag nan Suibheag granite sheet, 267
- Cream cake effect, 596
- Criffel, 54–55
- Cromarty Inlier, 162
GGF, 167–168
- Crustal duplex, 310
- Crustal extraction ages, 97

- Crustal growth, 74–75
- Crustal residence age
derivation, 96
zircon Lu–Hf data, 96
- Crustal residence assigning
Lewisian granulites with constraints, 81–99
Precambrian gneisses, 99
- Crustal-scale shear zones, 60
- Crypto-crystalline, 447
- Crystal fabrics, 443–494
- Crystalline basement, 667
- Crystallization, 64
fractionation, 152
sequence diagram, 146
- Crystal preferred orientation (CPO)
constrictional component, 676
3D geographical, 617
dislocation creep, 663
eigenvectors, 664
globular grains, 613
principal deformation mechanism, 611
quartz
EBSD data, 604–609, 639, **678–680**
recording ultrahigh-pressure, 663–683
strain geometry, 664
upper hemisphere projections, 671–674
viscoplastic modelling, 677
slip systems and shear sense, 675
strength, 664
- Cunningham, R. J. H., 9, 508
- Curved orogens segments, 405–426
- Cuyania terrane tectonic tracer, 200
- Cycladic Greenschist-Blueschist (CGB) unit, 690
defined, 690
strain ellipsoids, 698
- Dalradian
granites, 153
magmas origin, 152–153
magmatism, 127–128
metabasites, 150
geochemistry, 153
Grampian gabbros, 152
granite bodies, 128
succession, 244
- Dayan, H., 475, 480, 633
- Delamerian-Ross orogen, 197
- De Paor, D., 593
- Detachment Fold, 835
- Devonian
basin fill, 783
basins, 780
extensional deformation, 785
extensional system, 771
interpretive cross-section, 802
sediments offshore and onshore, 822
shear zone, 772
sinistral slip, 772
strata, 771
strike-slip overstep model, 771
- Devonian-Carboniferous Hercynian/Variscan orogeny, 787
- Devonian Lower Old Red Sandstone, 168
- DG-2. *See* Differential grade-2 (DG-2) material
- Dherue Thrust, 365
- Differential grade-2 (DG-2) material, 744, 745
natural times, 746
nonlinear elastic behavior, 754
pure shearing deformation, 763
stress memory, 746
transitional thermodynamics, 751
transitional thermodynamic states, **745**
- Diffusivity ratio, 743
- Digital Earth, 430
- Diharmonic equation, 748
- Dinham, C. H., 40
- Dionard Fault, 804
- Displacement vector, 419
- Dolomites, 30
- Dolostone, 338
- Don, A. W. R., 41–42, 46
- Doseo Basin, 841
- Doseo basins, 837
- Droighinn area, 341
- Droighinn Thrust, 342
- Drum Matthew's cartoon, 800
- DRUM seismic line, 796
- Ductile deformation development, 330
- Ductile formation, 164
- Ductile thinning, 707
- Ductile thrust belts, 315
- Dundonnell structure, 16
- Dura Den, 41–42
- Durness, 807
aerial photograph, 806–807
detailed mapping, 9
faults, 818
structures images, 811
- Durnhill Quartzite, 155
- Dykes
emplacement, 57–58
Laxford, 55–56
Lewisian Gneiss Complex, 30
Torridon, 56
- Dynamic rescaling, 749
- Dynamics of Faulting and Dyke Formation* (Anderson), 39
- Earth's F layer, 757
- East Antarctica, 195
- Eastern Metamorphic Series, 451. *See also* Moine Schists; Moine Supergroup
- Eastern Schists, 21, 233
- East Gondwana, 197
- East Greenland Caledonides, 208, 213–214, 777
- East Midlands, 38
- EBSD. *See* Electron backscattered diffraction (EBSD)
- ECC. *See* Extensional crenulation cleavage (ECC)
- Eclogite facies, 65
- Effective rigidity, 751
hypothesis, 756
- Eifelian sequence, 165
- Eilean Dubh Formation, 346
- Eilean nan Ron, 804, 813, 819
- Einstein, A., 743
theory, 764
- Elburz Mountains, 36
- Electron backscattered diffraction (EBSD), 476, 603, 633–638, 663
- Elliott, D., 297
- England, 38
Geological Survey, 41
- Eriboll, 295, 446, 482. *See also* Upper Arnaboll-Creag na Faoin (UA-CNF)
lessons learnt on mylonites, 535
sketch map, 507
- Eriboll Chapel transect, 325

- Eriboll mylonites, 21–23, 445–449, 480–482, 505–537, 628–633
 definition and description, 514–517
 deformation processes producing, 21–22, 445–450, 517–527
 mylonites in Lapworth's type section, 525–526
 unfoliated fault rocks, 526–527
 differentiated from schists, 527–531
 early recognition of divisional planes, 531–532
 Highland Controversy, 9, 445, 507–509, 511–512
 Lapworth's textural sequence, 524–525
 lineation, 452–454, 521–522
 metamorphism producing mylonites, 522–524
 nomenclature and classification, 533–535
 overthrust faults, 512–514
 overthrust folds, 513–514
 reemergence of Highland Controversy, 509–511
 schists produced at sheared margins of Logan rock, 514
 tectonic regime producing thrust planes, 513–514
 time span in generating mylonite microstructure, 532–533
- Evans, D., 475, 484
- Everest region, 649
- Evia thrust planes, 705
- Evia thrust zone, 689, 690, 691
 octahedral shear strain, 699
 rigid porphyroclast analysis, 700
 strain data, 694
 vorticity data, 694, 701
- Exhumation, 596, 651, 706
- eXtensible Markup Language (XML), 430
- Extensional crenulation cleavage (ECC), 720
 fabrics, 725
- Extensional deformation structures, 779
- Extensional faults, 827
 documented, 777
- Extensional shear zones, 777
- Extensional structures, 784
 formation, 784
- Extension in transport direction, 595, 646–648, 703–705
- External fabric asymmetry, 563
 differences, 567
 relationships, 566
- Extrusion, 597, 651
- Fabric
 coordinate system, 457
 development chronology, 366
- Fabric evolution
 associated with regional strain gradients, 255–272
 case study, 255–272
- Failed rift, 247
- Fairbairn, 471
- Famatinian volcanic arc, 199
- Fannich area, 236, 490
- Fannich Mountains, 446, 454
- Fannich pelite klippe, 237
- Faraid Head, 446, 481, 483, 630, 645
 aerial photograph, 806–807
 mylonitic Lewisianoid basement, 644
- Faraid Head transect
 geological map, 632–633
 vorticity estimates, 632–633
- Farr Bay, 813
- Fault. *See also* specific type or name
 Caledonian Foreland, 807–809
 dominated regimes, 754
 propagation fold, 329
- Fhurain Thrust, 349
 FIA. *See* Foliation intersection/inflection axis (FIA)
- Field slips, 23, 429
- Fisher, M., 475
- Fjordland Region, 777
 tectonostratigraphy, 775
- Fjord Region Detachment, 776, 777–778
- Fjord Region Fault, 778
- Flannan reflector, 799, 801
- Flett, J. S., 35, 235
- Fleuty, M. J., 465
- Flinn, D., 464
- Flow plane
 v. extension transport direction, 595
 shortening value, 594, 647, 704
- Flow problems, 748
- Foinaven, 10–11, 14, 16
 Cadell's field observations, 18
 transect, 18
- Foindle zone, 106
 metamorphosed rocks, 110
 metamorphosed supracrustal rocks, 108
- Folds
 associated with regional strain gradients, 255–272
 F3 hinges and axial planes, 262
 Moine Nappe structural analysis, 258–262
 Bedding (So), 258–261
 F2 hinges and axial planes, 261–262
 foliation (S2) and lineation (L2), 261
 patterns models, 265–268
 regional setting, 256–258
 early structures, 257
 secondary phase structures, 257–258
 Syn-D2 meta-granites, 258
 regional structural correlations, 268–271
 results and interpretation, 265
 sample and zircon characteristics, 262
 SHRIMP analysis, 263–265
 structural evolution during regional deformation, 271–272
 U–Pb geochronology, 262–265
- Ben Hope Nappe, 378
 case study from across Scandian ductile thrust nappe, 255–272
 Creachan Thormaid, 263
 crustal shortening, 210
 dominated regimes, 754
 double system, 236, 243, 454, 456
 foliations and lineations, 243, 457
 Loch Maree Group, 74
 monoclinic symmetry, 472
 Oykel Bridge, 377
 thrust complexes, 329
- Foliation
 successions of mylonites, 275–290
 truncation, 285
- Foliation intersection/inflection axis (FIA), 276
- Foreland Basin, 247
 evolution, 222
- Foreland fold-thrust belts, 406
 thrust displacements, 416
- Fort St. John Graben, 834
- Fort William area, 39
- Forward-breaking thrust sequence, 707
- Foster, S., 48
- Frame-indifferent ideal material model
 DG-2 materials, 745–746
 DG-2 theory vs. computational geodynamics, 763–764

- dynamic rescaling, 763
- entropic invariance, 750–751
- incipient modes analysis, 751–755
- local geometry, 763
- mechanical diffusivity estimate, 751
- modelling concept and approach, 741–745
- mountain building, 756
- rigidity hypothesis, 751
- shear zones, 763
- solids shear localization, 739–764
- stress-energy states, 750–751
- unconventional approach rationale, 761–763
- French Academy of Sciences, 37
- French Geological Society, 36–37
- Fucoid Beds
 - bedding within imbricates, 285
 - dolomitic siltstone, 338
 - dolostone, 338
- Fundamental Complex, 52–53
 - banded rock, 56
 - composition, 57
 - earth movements, 55
 - gneiss, 29
- Gairloch, 67
 - metasediments and metavolcanics, 62
 - simple shear with dextral sense, 59
 - solid-state deformation, 55
 - supracrustals, 19
- Galicia, 36
- Garnetiferous semipelite, 131
- Garnet lherzolite mantle, 152
- Geikie, A., 9, 21, 449, 450, 451, 452, 460, 462, 508, 509, 510, 512, 519
 - crustal creep, 521
 - differentiate mylonites, 527
 - lineation, 521
 - Logan rock, 514
 - mapping, 14
 - maps, 439
 - metamorphism in Moines, 523
 - motivation, 310
 - mylonite classification, 534
 - penetrative ESE-plunging mineral lineation, 493
 - plastic yielding, 521
 - schistose rocks, 516
 - thrust coined, 23
 - thrust-plane, 513
- Geodh Eanruig samples, 86
- Geographical Society of Vienna, 36
- Geological Commission of Switzerland, 37
- Geological Guide to the Assynt District* (Macgregor), 40
- Geological mashup, 437
- Geological Society of France, 37
- Geological Society of Glasgow, 40
- Geological Society of London, 35, 38, 47
- Geological Society of Nigeria, 38
- Geological Structure of the North-West Highlands of Scotland* (Peach), 1, 7, 29, 46, 450
- Geological Survey, 35, 38, 39, 40, 449–456, 510–512
 - adopting Murchison's views, 9, 507–509
 - England and Wales, 41
 - Great Britain, 189
 - NW Highlands, 9
- Geologie der Schweiz* (Heim), 37
- Geology and Geography of Northern Nigeria* (Falconer), 38
- Geology of Caithness* (Crampton), 39
- Geology of the Lake Superior Region* (Leith and Van Hise), 37
- Geology of the Orkneys* (Wilson), 40
- GES. *See* Google Earth Science (GES)
- GGF. *See* Great Glen Fault (GGF)
- GHS. *See* Greater Himalayan Sequence (GHS)
- Gilotti, B. J., 61, 81, 105, 239
- Gilligan, A., 38–39
- Girdle quartz fabrics, 459, 463, 465, 469
- GIS invention, 430
- Givetian sequence, 165
- Glaisgeo, 813
 - structures images, 814
- Glarus area
 - double-fold model, 23
 - fold, 37
- Glas Bheinn Thrust, 342, 343, 344
- Gleann Dubh Fault, 13, 347
- Glen Cassley area
 - structural fabric relationships, **366**
- Glencoul
 - cross-section, 303
 - landscapes and structures, 10
 - thrust geometries, 307
 - transect, 300
- Glencoul Nappe, 34
- Glencoul Thrust, 289
 - bedding within imbricates, 285
- Glencoul Thrust Sheet, 305
 - TTZ, 342
- Glendinning, R. W., 476
- Glennelg area, 235
 - Morar area, 244
 - structural analysis, 237
- Glennelg-Attadale inliers, 52, 74
 - Grenville age, 67
- Glenfinnan Division, 238
- Glen Logan, 509
- Glen Oykel
 - Lewisian Gneiss, 346
 - Moine Nappe, 369
 - penetrative planar, 369
 - structural fabric relationships, **366**, 456
- Globally correlated shear zones, 760
- Global positioning system (GPS)
 - strain rates, 756
 - survey, 755
- Glyn Lagan, 509
- Gneiss Region of Norway, 216
- Gondwanaland amalgamation, 197–199
- Gondwanaland South American margin, 202
- Google Earth, 430
 - fly-by controls, 434
- Google Earth DEM, 440
- Google Earth Science (GES), 431
- Google Earth slider control, 433
- Google Earth terrain model, 433, 440
- Google SketchUp, 433
- Gore, A., 430
- GPS. *See* Global positioning system (GPS)
- Graham, R. H., 58, 67, 449, 475
- Grampian gabbros, 145
 - Dalradian metabasites, 150, 152
 - Ireland, 128
 - shear zones, 128
- Grampian granites, 128
- Grampian magmas origin, 152–153

- Grampian magmatism
 felsic intrusive units, 128
 mafic intrusive units, 128
 Scotland lithospheric scale, 128–129
- Grampian orogenesis, 121–156
- Grampian orogenic episode, 138
- Grampian tectonism, 145
- Grampian Terrane, 123
 - Buchan-type metamorphic sequences, 122
 - geochemistry, 125
 - geophysics, 125
 - GGF, 222
 - gravity anomaly map, 126, 126
 - magmatism, 129
 - map, 123
 - pressure-temperature distribution maps, 127
 - shear zones, 124
- Granite
 - LSZ, 111
 - pegmatite sheets, 111
- Grant, C, 476
- Granulite facies
 - amphibolite facies overprinting, 56
 - gneisses Lewisian complex, 99
 - metamorphism, 114
 - rocks partial melting, 64
 - South Harris, 65
 - tonalitic gneisses, 84, 93
- Gravitational collapse, 290
- Greater Himalayan Sequence (GHS), 649
- Greater Himalayan Slab, 598
- Great Glen Fault (GGF), 161, 244, 247, 801
 - Cromarty Inlier, 167–168
 - dating implication, 177–178
 - Devonian rocks, 168
 - geochronology, 168–177
 - previous studies, 168–169
 - results, 175–177
 - sampling and analytical techniques, 169–175
 - geological map, 506
 - Grampian Terrane, 222
 - kinematics, 184
 - late Palaeozoic–Mesozoic evolution, 180–181
 - late Silurian–Mid Devonian evolution, 180
 - Meall Fuar-mhonaidh Outlier, 168, 182–183
 - mid-Devonian sinistral transpressional movements, 161–184
- Midland Valley, 181
- Moray Firth Basin, 180
- movements, 178
- Rosemarkie and Easter Ross, 183
- Rosemarkie Inlier
 - generation, 181
 - leucogranite textures, 166–167
 - lithology, 165–166
 - rise, 161–184
 - structure, 165–167
- Scotland Acadian Event, 161–184
- structural model, 178–179
- tectonic implications, 179–180
- tectonic setting, 165
- Green, J. F. N., 451
- Greenland, 71
- Greenland Caledonides, 209, 211, 213, 772–779, 774
 - detachment geometry, 778–779
 - Devonian basin, 776–777
 - Devonian ultrahigh pressure metamorphism, 776
 - eclogite, 787
 - extensional detachments and faults, 777–778
 - general setting, 772
 - Greenland extensional deformation timing, 778–779
 - P–T* paths, 216
 - structural framework, 772–776
 - tectonostratigraphy, 775
- Greenly, E., 22
- Greenschist facies overprint, 690
- Grenville–Sveconorwegian orogeny, 245
- GRID 12 seismic section, 800
- Griggs, D., 471
- Grudie Granite, 371, 374
 - pluton, 375
- Gruinard Bay
 - dykes, 56
 - Laxfordian strain gradients, 59
 - light-REE depleted amphibolites, 62
 - mafic rocks, 72
 - pyroxene-gneiss, 57
 - recrystallized zircon rims, 67
 - Sm-Nd mineral isochron, 66
 - TTG gneisses, 61
- Gruinard Shear Zone, 353
- Gruinard Terrane, 69
- Half-flower structure, 839
- Halfpenny, A., 476
 - subgrains misorientation, 572
- Half Way House Zone, 528
- Handheld digital mapping device, 431
- Harris, A. L., 161, 164–167, 177, 184, 237, 244, 446
- Håsteinen Basin, 783
- Haug, E. G., 36–37, 38
- Hay River Fault Zone, 834
- HBF. *See* Highland Boundary Fault (HBF)
- HBFZ. *See* Highland Boundary Fault Zone (HBFZ)
- Heavy Rare Earth Elements (HREEs), 146
- Hebridean Terrane, 18
- Heglig basin, 838
- Heilam section, 35
- Heim, A., 23, 46
 - concept of NW Highlands basement and Alpine superstructure, 34
 - list of participants, 31–33
 - thanks at Inchnadamph 17.IX.1912, 30–31
 - thrust, 23
- Helmsdale Fault movements, 181
- Hercynian orogeny, 783
- Heterogeneous simple shear model, 485
- Hickling, G., 47
- Hicks, H., 509, 512
- Higgins, A. K., 534, 772–778
- Highland Border Series, 38
- Highland Boundary Fault (HBF), 121
- Highland Boundary Fault Zone (HBFZ), 181
- Highland Controversy, 19, 35, 340, 443, 449, 505
- High pressure (HP). *See also* Ultra high pressure (UHP) rocks
 - beneath Nordfjord Sogn Detachment Zone, 782
 - nappes exhumation, 707
 - rock cover, 666
 - rocks in West Gneiss exhumation, 708
- Himalaya
 - channel flow model, 220
 - continental collision, 208
 - contractional structures, 212
 - deep structure, 214
 - geochronology data, 217
 - geological and structural framework, 209

- Kohistan Arc, 62
 metamorphic histories, 217
 metamorphic studies, 214
 tectonic model, 210
- Himalayan Sequence
P–T paths, 216
- Himalaya–Tibetan orogen
 Caledonides, 212
 continental plates, 208
 Tibet, 207
- Himalaya–Tibetan Plateau orogenic system, 597
- Hippler, S., 475
- Holcombe, R., 591
- Holdsworth, R., 310, 476, 485
- Holland, 107
- Hollingworth, S. E., 464
- Holmes, A., 466
- Hookean elastic elements, 764
- Hornblende schist, 56, 57
- Horne, J., 29, 31, 35–36, 452, 511, 517, 521. *See also*
 Peach and Horne British Association excursion
 association with Peach, 35, 449
 disproving Geikie, 9
 Highland Controversy, 449, 505
 kinematic significance, 522
 legacy with continental tectonics and mountain building,
 1–4
 Logan rock, 514
 maps, 439, 512
 metamorphism in Moines, 523
 overthrusting, 513
 recrystallization, 517
 reevaluate Lapworth's work, 449
 slaty schists, 528
- Howie, R. A., 46
- HP. *See* High pressure (HP)
- HREE. *See* Heavy Rare Earth Elements (HREEs)
- Hronusov, V., 439
- HSFE, 150–152
- Hsu, K. J., 275, 534, 554
- Huddleston, W. H., 509, 510
- Iapetus Ocean, 223, 245
- Idefjorden Terrane, 716
 emplacement, 734
- Imbricate thrusting Peach's model, 23
- Imperial College, 464–465, 475
- Inchnadamph area, 10–11
 clean copy map, 15
 field maps, 13, 14
- Inchnadamph Hotel, 13, 31
- Inclined transpression
 arcuate thrust toe Precambrian Mylonite Zone, 715–736
 Bua peninsula regional structural framework,
 724–730
 inclined transpression field structural evidence,
 720–723
 across-foliation shortening, 723
 localized foliation-parallel extension, 723
 regional geological background, 716–717
 Värmlandsnäs peninsula regional structural
 framework, 717–720
 simple-shear oblique slip, 720–722
- India–Asia collision, 210
- Infolds Lewisian Gneiss Complex, 30
- Instantaneous stretching axes (ISA), 583
- Internal fabric asymmetry, 566
- Internal growth zoning, 87
- Internal Hellenides, Greece. *See* Attico-Cycladic Massif
 (ACM, Internal Hellenides, Greece)
- Internal old and new grain fabric asymmetry, 567
- International Congress of Carboniferous Geology and
 Stratigraphy, 37
- International Geological Congress, 37
- Intracratonic (sag) basin, 247
- Intracratonic rift system, 836
- Inverian, 59
 amphibolite facies, 64
 Badcallian granulites, 72
 defined, 61
 foliations and lineations, 60
 structural evolution, 60
 structure field identification, 59
- Inverness, 162
 regional uplift, 180
- Inverness-shire Moine rocks, 238
- Inverse concordia diagram, 98
- Inversion structures
 characteristic geometry, 829
 geometric characteristics, genesis and petroleum
 significance, 827–843
 BC Foothills inversion, 834–836
 central Africa rift systems inversion, 836–840
 inversion structures and petroleum system elements,
 840–842
 NE Thailand inversion, 831–834
 thin-skinned and strike-slip structures recognizing
 inversion, 840
 Western Newfoundland inversion, 830–831
 Norwegian Caledonides, 779, 781
 Off-shore Scotland, 796, 799
- Ireland
 Caledonides, 129
 classic geological maps, 432
 Grampian gabbros, 128
- Irish Geological Survey, 40
- ISA. *See* Instantaneous stretching axes (ISA)
- Isle of Wight, 36, 38
- Isopycnal shears, 761
- Isotope dilution, 108
- Isotopic dating techniques, 241
- IUGS, 524
- James Hutton – the Founder of Geology* (Bailey), 39
- Jehu, T. J., 38
- Jérémine, E., 37–38
- Johns, C., 41
- Johnson, M. R. W., 297, 466
 fabric data, 467
 fabrics detected, 468
 Moine Thrust, 472, 474
 quartz *c*-axis fabric data, 490
 quartz fabrics in southern part of Moine Thrust zone,
 467–468
 recorded orthorhombic quartz, 473, 546
- Juniata culmination, 414
- Jurassic ironstones, 40
- Karakoram Fault Zone, 178
- Kelley, S., 476, 490
- Kennedy, W. Q., 311, 312
- Keyhole Markup Language (KML), 430
 code for draping, 434
 code for placemark, 433
 Scottish Highlands restoring maps, 431–433
 virtual globe technology, 431–433

- K-feldspar, 61
 Ar modelling data, 783
 crystallization, 64
- Khorat Group, 833
- Kimmeridge Clay, 841
- Kinematic indicators, 476, 706
- Kinlochewe, 446, 462, 510
 thrust sheet, 310
- Kinlochour area
 Rb–Sr muscovite ages, 239
 syn-metamorphic tectonic break, 237
- Kirtomy Bay, 816, 817
 views and detailed images, 815
- Kishorn nappe, 16, 467, 478
- Kishorn Thrust Sheet, 305
- Kishtwar window area, Himalaya, 215
- Kjerulf cataclasite, 534
- Klippen outliers, 30
- KML. *See* Keyhole Markup Language (KML)
- Knipe, R., 475, 477–479, 488–489
- Knockan, 30, 308, 474–475, 508
- Knopf cataclasite, 534
- Knoydart
 district, 312
 pegmatites, 242
- Kohistan Arc, 62
- Kola Peninsula expedition, 37–38
- Kolstedt, D., 475
- Krabbendam, M., 461
- Krummedal sequence, 775
- Kvale, 463, 464
- Kyanite zone
 Portsoy transect, 142
- Kyle of Tongue, 446, 466, 484, 531, 532, 804
 geological map, 812–813
- Labrador, 71
La Chanson du Moine Thrust (Lugeon), 34, 36, 47
- Ladakh, 178
- Lairg area, 372
- Lairg gravity low, 371
- Lake Vänern, 730
- Lammermuirs, 35
- Langford, R., 476, 490
- Lapworth, C., 9, 19, 21–22, 23, 445, 447, 449, 512, 513, 517, 520
 cataclasite, 534
 crushing and plastic yielding, 519
 crustal creep, 521
 crystal plastic process, 526
 Eriboll area, 511
 Eriboll initial grain refinement, 535
 mapping Eriboll, 510
 mechanical metamorphism, 522
 metamorphic maps, 528
 metamorphism in Moines, 523
 microstructures significance, 470
 Murchison–Sedgwick controversy, 505
 mylonite description, 514
 mylonites, 533
Nature paper of 1885, 451
 overthrusting, 512
 rolled out gneiss, 521
 textural sequence from gneiss to mylonite, 524–525
 variegated schists, 527
- Lapworth Museum at Birmingham University, 447
- Large ion lithophile (LIL) elements, 61
- Late-Ordovician Grampian ages, 242
- Late Palaeozoic assembly, 190
- Later Intrusions. *See* Scourie dykes
- Later Laxfordian discrete sinistral normal sense shear zones, 59
- Laurentia, 18, 245
 Caledonides, 208
 crustal characteristics, 195
 Cuyania terrane tectonic tracer, 200
 Gondwanaland, 203
 Labrador belt, 71
 proto-Appalachian margin, 193
 reconstruction, 198, 200
 south-eastern, 246
- Laurentian
 Caledonides, 216
 calling card, 194
 craton, 190
 cratonic foreland, 830
- Lausanne, 38
- Law, R., 280–283, 475
 Eriboll mylonites, 481–482
 Stack mylonites, 485–488, 547–548
 Tarskavaig mylonites, 461–462, 492
- Laxford, 70
 amphibolite facies rocks, 74
 clean copy, 17
 D2 deformation, 71
 D3 deformation, 71
 defined, 61
 deformation episodes, 59
 D numbers, 59
 dykes, 55–56
 events, 52
 fabrics, 73
 front, 107
 gneisses, 55
 granites, 63
 granite sheets, 17, 112
 and later metamorphic conditions, 64–65
 Lewisian Gneiss Complex, 105
 lineation, 58
 metamorphic ages, 67
 overprinting, 63
 pyroxene-gneiss, 57
 shear zones, 65
 simple shear, 60
 strain, 60
 structures interpretation sketch, 111
 tectonites, 59
 Uig Hills–Harris Granite Complex, 63
- Laxford River, 113
- Laxford Shear Zone (LSZ), 59, 63, 71, 103–118, 352–353
 v. Canisp Shear Zone, 72
 cross-section, 110, 110
 evolution, 59
 field relationships and structure, 109–113
 Assynt terrane, 109
 geochemical characteristics, 113–114
 Rhiconich terrane, 113
 garnetiferous amphibolitic pods, 113
 geochemical characteristics, 113
 geological map, 104, 106–107
 granite pegmatite sheets, 111
 granite sheets, 73
 Inverian foliation, 112
 Laxfordian deformation, 117
 mapping, 14
 migmatitic grandioritic gneisses, 113

- movements, 62
- ramps, 60
- Scourie Dykes, 116
- separating two distinct terranes, 114–116
- SIMS, 108
- terrane, 117
 - differences, 114
 - juxtaposition, 116–117
- Learnie foreshore, 164
- Lee, G. W., 40
- Leith, C. K., 37
- Les grandes nappes de recouvrement des Alpes de Chablais et de la Suisse* (Lugeon), 36
- Leucogranite
 - foliation, 166
 - veins, 165
- Lewisian. *See* Upper Arnaboll-Creag na Faoin (UA–CNF)
- Lewisian basement, 14
 - basal unconformity, 19
- Lewisian Complex, 68
 - century after Peach 1907 memoir, 57–71
 - dykes as time markers reworking and large scale structure, 57–60
 - geochemistry, 61–63
 - geophysics, 69–71
 - crustal structure insights, 69–70
 - large scale movements and plate tectonic setting, 70–71
 - metamorphism, 63–65
 - alternative tectonometamorphic interpretations, 68–69
 - geochronological work development, 66
 - geochronology, 65–69
 - key protolith ages, 66–67
 - Laxfordian and later metamorphic conditions, 64–65
 - metamorphic ages, 67–68
 - metamorphism and large-scale tectonics, 65
 - relationships between deformation and metamorphism, 65
 - Scourian metamorphic conditions, 63–64
 - Scourie dyke metamorphic conditions, 64
 - nomenclature, 60–61
 - protoliths, 61–63
 - post-Scourie dyke protoliths, 62–63
 - Scourian crust generation, 61–62
 - Scourian protoliths geochemical variability, 61
 - composition, 52
 - deep crustal evolution, 51–75
 - evolution, 71–74
 - Early Laxfordian, 73
 - Early Scourian, 71–72
 - Later Laxfordian, 73–74
 - Late Scourian, 72–73
 - Scourie dykes, 17, 19, 73, 449
 - unanswered questions, 74–75
- mainland map, 82
- map, 82
- metamorphic *P–T* histories and dates, 69
- metasomatism, 65
- nomenclature, 57
- outcrop scale shear zones, 59, 449
- Peach memoir, 19
- Peach 1907 memoir, 52–57
 - dykes as time markers reworking and large scale structure, 55–56
 - dykes as time markers small-scale relationships, 55
 - foliations and lineations, 54–55, 449
 - metamorphism, 56–57
 - protoliths, 52–54
 - P–T* evolution, 65
 - structural history, 57
- Lewisian-derived mylonite, 308
- Lewisian Gneiss Complex, 29, 52, 104, 108, 177
 - Cambrian quartzite, 190
 - crustal-scale shear zones, 105
 - dykes and infolds, 30
 - foliation, 329
 - geological map, 104
 - Glen Oykel, 346
 - Lapworth's outcrop and microstructural sequence, 518–519
 - Laxford area, 105
 - Outer Hebrides, 104
 - pyroxene-bearing gneiss, 105
- Lewisian granulite
 - constraints from combined *in situ* U–Pb and Lu–Hf isotopes
 - protolith ages, 93–95
 - results, 84–92
 - LA–ICP–MCMS Hf isotope results, 90–92
 - zircon characteristics and SIMS U–Th–Pb results, 84–90
 - sampling, 84
 - constraints from U–Pb and Lu–Hf isotopes
 - Lewisian crustal residence history, 95–98
 - 2700 Ma metamorphism, 98–99
 - protolith magma source materials, 95–98
 - Hf-isotope evolution, 94, 94–95
- Lewisian horizontal lines, 63
- Lewisian landscape, 10–11
- Lewisian metamorphic basement, 9
- Lewisian metamorphism, 74
- Lewisianoid basement samples, 635
- Lewisianoid contacts, 628
- Lewisianoid gneisses, 164
- Lewisianoid inliers, 166, 271
- Lewisian outcrop, 21
 - heterogeneous deformation, 55
- Lewisian rocks, 177
 - Iona, 38
- Lewisian thrust sheets, 16
- Lewisian tonalites, 84
- Lewisian-type orthogneisses, 236
- Light Rare Earth Elements (LREEs), 146
- Ligurian knot, 408
- LIL. *See* Large ion lithophile (LIL) elements
- Limpopo belt, 207
- Lineaments, 803
- Linearization, 747
- Linear rheological theory, 764
- Linear stress-deformation behaviour, 754
- Linear (Newtonian) viscous model, 752
- Lineated leucogranite, 166
- Lineation, 55, 452, 453, 457, 459, 464, 463, 465, 469, 514, 521–522
- Line length undeformed state, 406
- Linked thrust geometry models, 294
- Links Bay
 - characterization, 133
 - mapping results, 136
 - mylonitic semi-pelites, 136
 - semi-pelites, 136
- Lithospheric scale. *See* Scotland lithosphere scale
- Liverpool Land peninsula, 775
- Llanoria off trans-Pecos Texas margin, 201

- Lloyd, G., 475–478
- Loch Ailsh, 30
- intrusions relationships, 383–400, 455, 489, 633
 - Assynt culmination, 387
 - Assynt klippen, 399
 - Assynt minor intrusions, 393
 - Borrallan alkaline intrusions, 399
 - Borrallan intrusion margins, 392
 - Loch Borrallan pluton, 390–393
 - Loch Urigill carbonatite outcrops, 393
 - pluton, 387–390
 - restored cross-sections, 394–396
 - Sgonnan Mor folds, 398–399
 - thrusting and mylonitization relationship, 394
 - Moine Thrust zone, 383–400
 - schematic restored cross-sections, 395
 - thrusting relationships, 383–400
- Lochalsh syncline, 16, 296, 305, 306, 478
- Lochan Riabhach Thrust, 308, 630
- Loch Assynt, 10–11
- Loch Assynt Fault, 347
- Loch Ba ring complex, 41
- Loch Borrallan intrusions, 633
- Loch Borrallan–Cam Loch region, 389
- Loch Borrallan Pluton, 338
- Loch Borrallan section, 395
- Loch Broom dykes, 55
- Loch Carron area, 467, 474
- Loch Eil Division, 238
- Loch Eilt, 239
- Loch Eriboll, 10, 445–450, 478, 481, 623–657, 631
- Ben Hope nappe, 633, 649
 - Creagan thrust sheet, 630, 640, 642–644
 - deformation temperatures, 635–637, 648
 - indicated by quartz *c*-axis opening angles, 482, 637
 - Moine Nappe, 635–637
 - UA–CNF thrust sheet, 635
 - detailed mapping, 9, 634
 - displacement estimates, 649
 - ductile thrusting timing constraints, 633–635
 - extrusive flow, 651–652
 - geological map, 627
 - Heilam section, 35
 - lithological vorticity partitioning, 646–648
 - main thrust belt, 629
 - maps scans, 434
 - Moine Nappe, 630–633, 640
 - displacement estimates, 649
 - reconstruction, 649
 - rigid grain analyses, 644
 - Moine Thrust zone
 - displacement estimates, 649
 - mylonites, 480–482
 - reconstruction, 649
 - structural geometry, 628–633
 - mylonites, 623–657
 - petrography, 635–637
 - quartz *c*- and *a*-axis fabrics, 481–485, 528–530, 639–640
 - reconstruction, 649
 - rigid grain
 - analyses, 642–644
 - data plots, 653–657
 - vorticity analysis summary, 481, 644–645
 - samples used for vorticity analysis, 653–657
 - strain, 479–480, 639–640
 - strain symmetry analyses methods and results, 637–638
 - tectonic setting, 625–635
- UA–CNF
- extrusion estimates, 646
 - rigid grain analysis, 642
 - shortening, 646
 - strain magnitude, 646
 - thrust sheet, 639–640, 642
 - vertical ductile thinning across thrust zones, 649–652
 - vorticity analysis, 645–646
 - methods, 640–642
 - results, 642–646
 - vorticity partitioning, 648
 - Wm estimates reflecting natural conditions, 648–649
- Loch Glencoul, 9
- quartz pyroxene gneiss, 29
- Loch Hope, 466, 481
- Lochinver
- picrite dyke, 56
 - quartz pyroxene gneiss, 29
- Loch Kishorn, 446, 451
- Loch Laxford, 10–11
- feldspar, 56
 - garnets, 56
 - granite sheets, 67, 109, 113
 - Scourian metamorphic events, 105
- Loch Loyal Fault, 809, 817
- Loch Maree, 20, 22
- supracrustals, 19
- Loch Maree Fault, 353
- Loch Maree Group, 59
- amphibolite facies, 65
 - basement rocks, 73
 - deformation, 73
 - folds, 60, 74
 - Laxfordian data, 64
 - metasediments, 67, 68, 69
 - metasediments and metavolcanics, 62
- Loch More–Ben Hee area, 446, 483
- Loch Torridon
- pyroxene-gneiss, 57
 - strain gradient, 71
- Loch Uamd Dhaid, 806–807
- Loch Uaradh Dhaidh, 807
- Loch Urigill carbonatite outcrops, 393
- Loei-Petchabun Foldbelt, 834
- Logone Birni Basin, 841
- Lower Loch Shin area, 455
- Lower Old Red Sandstone, 182
- Lower Ordovician strata, 200
- Lower Palaeozoic metamorphic and structural events, 242
- LREE. *See* Light Rare Earth Elements (LREEs)
- LSZ. *See* Laxford Shear Zone (LSZ)
- Lugeon, M., 34, 36, 37, 38
- MacCulloch, J., 9
- MacDuff biotite zone, 140
- MacGregor, A. G., 40, 41, 398, 461, 466, 467, 530
- Magallanes Basin, 841
- Magmatic protolith assignment
- crystallization residence ages, 99
 - Lewisian granulites with constraints, 81–99
 - Loch Torridon area, 97
 - North Harris, 97
 - Outer Hebrides, 97
 - Precambrian gneisses, 99
- Magmatism, 218–219
- alkaline, 400
 - calc-alkaline, 218
 - Caledonian crustal architecture, 218–219

- Dalradian, 127–128
 Grampian, 128–129
 Scotland lithospheric scale, 126–129
 TTG, 74–75
- Mann Fault mylonites
 detailed map, 278
 regional foliation, 285
- Mann Mylonite Zone isoclinal folds, 277
- Mapping technology, 430
- Maps and memoirs to four-dimensional space
 Assynt Region evaluating undergraduate mapping, 435
 creating virtual field trip in Google Earth, 435–439
 GPS – GIS – GES, 430–431
 KML, 431–433
 map inversion, 431
 restoring, 435–439
 solid models, 433–434
 time-animated maps, 439
 using virtual globe technology, 429–440
- Marr, J. E., 46
- Martin, H., 459–460, 464
 quartz *c*-axis fabric model, 460
- Mathematical symbology, 742
- Matthews, S., 475
- McClay, K., 475
- McIntosh, R., 47
- McIntyre, D., 449, 451, 464, 466, 470
- McLeish, A., 475, 547, 591
- McLintock, W. F. P., 39
- MCQ. *See* Mylonitic Cambrian quartzites (MCQ)
- Meall Fuar-mhonaigh Outlier
 geological map, 169
 GGF, 168
- Mechanical diffusivities, 755
- Mechanismus der Gerbirgsbildung* (Heim), 37
- Memoirs to four-dimensional space, 430–439
- Mendum, J., 475
- Mesoproterozoic Krummedal Succession, 219
- Mesozoic sediments offshore and onshore, 822
- Mesozoic strata, 802
- Metabasites, 71–72
- Metamorphic ages, 54
 Lewisian granulites, 81–99
- Metamorphic Geology* (Leith and Mead), 37
- Metamorphism
 alternative tectonometamorphic interpretations, 68–69
 Barrovian, 121, 122, 153
 Cambrian, 9
 geochronology, 65–69
 gneisses, 9
 granulite facies, 114
 Himalayan studies, 214
 key protolith ages, 66–67
 and large-scale tectonics, 65
 mineral growth, 140
 Scotland lithospheric scale, 139–145
 systematic changes, 140
- Metamorphosed supracrustal rocks, 108
- Metasediments, 62
- Metavolcanics, 62
- Microstructures
 3D fabric element building blocks, 612
 element behaviour, 611
 seismic phase velocity properties, 619
- Mid-crustal flow models, 597
- Mid-Devonian sinistral transpression
 events, 183
 movements, 161–184
- Midland Valley, 39, 40
- Mid-Neoproterozoic Knoydartian tectonothermal
 events, 245
- Mid-ocean ridge basalt (MORB), 61
- Migdale Granite Pluton, 374
 gravity effect, 374
- Migmatic layering, 131
- Migmatitic early Scourian gneiss, 68
- Migmatized Moine rocks, 240
- Millstone Grit, 39
- Misfit calculation, 761
- Mississippian Shales, 835
- Mjøsa-Magnor shear zone, 730
- Moho, 65
- Mohr Coulomb constitutive behaviour, 286
- Moine, 636
 contacts, 628
 deformed quartz veins, 564
 Lewisianoid units within, 21
 lithologies, 265
 melting, 265
 mylonitic quartz fabrics, 456–468, 483–485, 557
 mylonitic strain, 582
 pelites, 284, 564, 582
 psammites, 164, 284
 rocks relative ages, 236
 structural cross-section, 259
 tectonics, 313
 vorticity data, 582
 vorticity numbers, 585, 643
- Moine and Outer Isles Seismic Traverse (MOIST),
 309, 310
 geoseismic section, 434
 geoseismic traverse, 435
- Moine mylonite
 boundary, 528
 folded quartz veins, 552
 recrystallized quartz grain, 484
- Moine Nappe, 450, 638, 804, 810
 Achness Nappe structure and lithologies, 363–365
 basement terrane aerial photograph, 808–809
 Ben Hope Nappe structure and lithologies, 365–369
 Cassley Culmination, 363
 Colour Landsat image, 798
 crystal fabrics history of research, 443–494
 down-faulted rock, 633
 ductile thrust architecture, 359–378
 events timing, 362–363
 faults, 809–816
 folding relationship, 369
 geological setting, 362–363
 gravity modelling, 373–375
 growth, 376
 Lairg gravity low geophysical data, 371–375
 lateral variation and linkage, 359–378
 lithologies, 369
 metamorphic framework, 482
 microstructures and crystal fabrics history, 443–494
 and Moine Thrust Belt, 352–354
 mullions, 359–378
 mylonitic Lewisianoid basement, 644
 nappes fabric development, 369
 non-plane strain origin, 376–377
 Oykel Transverse Zone, 375
 penetrative planar fabrics, 369
 rigid grain vorticity plots, 653, 654
 rock densities, 372–373
 structural framework, 482

- Moine Nappe (*Continued*)
 structure, 369
 Sutherland, 243, 308
 tectonic interpretations, 443–494
 termination, 369–371
 transverse zone, 352–354
- Moine Petrofabric Controversy, 242, 463, 464, 471
- Moine rocks, 177, 337
 categories, 246–247
 Inverness-shire, 238
 quartz fabrics, 483–485, 556
 reconnaissance mapping, 268
 Scotland Northern Highlands, **241**
 Sutherland, 256, 258
- Moine Schists, 233, 446, 452, 465
 age and history geochronological implications, 239–242
 basement inliers tectonic setting and tectonic slides, 237–238
 boundary, 528
 century after memoir regional stratigraphic-structural development, 236–238
 correlation across Great Glen Fault, 244
 Lewisian inlier controversy, 236–237
 memoir (1907), 235–236
 mylonite zones, 531
 quartz fabrics, 532
 regional tectonostratigraphic framework, 238
 River Oykel, 29
 sedimentary package, 238–239
 single girdle quartz fabrics, 463
 structural geology evolution, 242–244
 structural history, 39
 tectonic transport directions, 452–454
 tectonostratigraphic evolution, 244–248
- Moine Series, 233
- Moine Supergroup, 338, 383–384
 geological map, 234
 inliers, 65
 Moine Schists, 236–248
 normalized probability density plots, 246
P–T paths, 216
 regional structural geological map, 256
 Scotland, 213
 thrusting models, 312
- Moine Thrust (MT), 21, 30, 34, 265, 267, 289, 474–475, 552, 556, 570–571, 605, 799
 Assynt, 41–42
 Assynt District, 340
 cataclasis and crystalline plasticity, 22, 488
 deep structure models, 309
 extensional structures, 769
 fine grained mylonitic Moine psammite/pelite, 280, 282, 283
 Hsu natural strain plots, 554
 microstructures from mylonites, 529
 mylonitic Cambrian quartzites, 549, 550
 quartz fabrics, 471–472, 547, 558–562
 quartz recrystallization, 470–471, 551
 S2 foliation, 270
 structural profiles, 302
 thrust plane, 340, 513, 545, 549
- Moine Thrust Belt, 9, 12, 18, 332
 after Peach *et al.* (1907), 295–304
 cross-section, 325
 deformation localization structural styles, 304–308
 basement involvement, 305
 folding styles, 305–306
 nature, 308
 thrust sequences or synchronous slip, 306–308
 thrust sheets strain, 304–305
 detailed mapping, 14
 distributed deformation, 306
 geological setting, 338
 Glencoul transect, 300
 lateral variations and linkages in thrust geometry, 335–354
 Laxford Shear Zone, 351
 Lewisian gneiss basement, 352
 Lewisian Gneiss Complex, 338
 lithologies, 338
 lithosphere geophysics, 308–310
 map, 336
 and Moine Nappe transverse zones, 352–354
 NW Scotland, 161
 research history, 340
 roof, 335–337
 structural styles variation, 16
 thrust localization, 325
 thrust planes, 338
 thrust sheets, 335
 transverse zones and origin, 350–352
 TTZ, 354
- Moine Thrust Zone (MTZ), 216, 384, 443, 446, 450, 460, 462, 604
 Alt nan Sleach stream section, 488–490
 Assynt Region, 478–479, 485–490
 deformation conditions, 477–479, 487–488
 microstructures, 478–479, 486
 quartz fabrics, 486–487
 strain analyses, 479, 486
 strain paths and tectonic models, 487, 596–598
 Borralan alkaline intrusions and thrusting relationships, 383–400
 intrusions, 399
 Loch Borralan pluton, 390–393
 Loch Urigill carbonatite outcrops, 393
 margins, 392
 thrusting and mylonitization relationship, 394
 brittle deformation at thrust belt foreland edge, 477–478
 Caledonian Orogeny, 165
 Colour Landsat image, 798
 cross-section, 388, 389
 crystal fabrics history of research and changing tectonic interpretations, 443–494
 deformation mechanisms, 477–480
 deformation mechanisms 1960s, 472–475
 ductile thrust sheet thermal model, 650–651
 Eriboll Region, 479–480
 fabric symmetry 1960s, 472–475
 nature of Moine Thrust, 474–475
 tectonic interpretation of orthorhombic quartz fabrics, 473–474
 Fannich Forest, 490–491
 Garve-Creigh Peninsula, Dornoch Firth, 491
 geological map, 8, 296, 444, 506, 626
 historical background research groups, 475–476
 lower thrust sheets penetrative deformation, 478–480
 macrostructures interpretation 1880s–1920s, 445–451
 metamorphism 1920s–1950s, 454–456
 microstructure, 477–492
 microstructures history, 443–494
 amateurs contributions, 445–449
 H. H. Read's work, 455–456
 Moine Schists deformation, 454–455
 mylonites, 455–456
 1880s–1920s, 445–451

- 1920s–1950s, 454–456
 1950s–1960s, 465–472
 professionals contributions, 449–451
- Moine Nappe in Eriboll–Ben Hope–North Coast Region, 482–485
- Moine Nappe-microstructures and fabrics, 483–485
- Moine Schists quartz fabrics and movement directions
 composite quartz fabrics from Moines Schists, 462
 Frank Coles Phillips, 460–465
 Moine Petrofabric Controversy, 462–465
 petrofabric work on Moine Schists, 460–461
 petrofabric work on Tarskavaig Moines, 461–462
 quartz *c*-axis fabrics and Sander's tectonic cross, 456–460
 1920s to 1950s, 456–465
- Moines Schists and mylonite formation
- mylonite(s), 455–456, 488–490, 599
 age relationships changing perspectives, 451–452
 age relationships early views, 451
 age relationships 1880s–1920s, 451–454
 southern end of thrust zone, 491–492
 Stack of Glencoul, 485–488, 543–548, 579–580
 tectonic transport directions, 452–454, 459, 463, 465
- mylonite belt in Eriboll–Ben Hope–North Coast Region, 480–482
 microstructures and fabrics, 481–482
 structural framework, 481
- mylonite microstructures, 543–574, 548–551
 deformation/recrystallization mechanisms, 569–572
 environmental variables, 569–572
 fabric development, 569–572
 historical background, 544–548
 strain type/magnitude, 551–555
 structural setting and sampling profile, 548
- mylonite quartz crystal fabrics, 555–569
 fabrics adjacent Moine Thrust, 557–563
 footwall mylonitic Cambrian quartzites fabrics, 563–568
 hanging wall Moine mylonites fabrics, 555–557
 old and new grain fabric differences, 568–569
- mylonite vorticity analysis, 579–599
 Cambrian quartzites, 583–589
 domainal variation in shear strain with distance
 from thrust plane, 591–593
 implications for Pipe rock strain data, 593–594
 Moine and Cambrian quartzites, 583
 strain significance, 594–599
 structural positions, 589–593
 tectonic significance, 594–599
 transport-parallel stretching tectonic implications, 594, 596–598, 646–648
 values adjacent to Moine Thrust, 589–590
 values in hanging wall to Moine Thrust, 589
 values in Moine Thrust footwall, 590–591
 vertical thinning, 594–595
 vorticity analyses, 580–589
 vorticity data structural significance, 594–599
 W_m (mean kinematic vorticity number) estimates comparison, 589
- paradigm shifts in microstructural and petrofabric analysis, 476–477
- quartz crystal fabric development, 543–574
- quartz fabrics, 480–492, 530
 1950s to 1960s, 465–472
 northern part of Moine Nappe, 466–467
 northern part of Moine Thrust zone, 468–472
 southern part of Moine Thrust zone, 467–468
 recrystallization influence, 543–574
- Rhue fault zone, 492
 SE of Glen Carron, 490–491
 Sleat of Skye, 491–492
 strain influence, 543–574
 Strath Halladale, 491
 Strath nan Aisinnin, 488–490
 tectonic interpretations, 443–494
- MOIST. *See* Moine and Outer Isles Seismic Traverse (MOIST)
- Mollweide projection, 192
- Monazite, 169, 175
- Montenegro, 36
- Monterrey fold belt
 deformed-state analysis, 418
 fold hinges traces, 418
 palinspastic restoration, 423
- Moore, H., 475, 526, 527
- Morar area
 Glenelg area, 244
 structural analysis, 237
- Morar Division, 238
- Morar Group, 362
 psammites, 240, 371, 375
- MORB. *See* Mid-ocean ridge basalt (MORB)
- Møre-Trøndelag Fault Zone, 783, 784
- Morgan, R., 475
- Mountain building
 Peach and Horne legacy, 1–4
 processes, 207–223
 contractional folds and thrusts, 212–213
 extensional shear zones and faults, 219–221
 frame-indifferent ideal material model, 739–764
 migmatite cores and magmatism, 218–219
 regional high-grade metamorphism, 213–218
 regional suture zones, 210–212
 strike slip faulting and orogen parallel displacements, 221–222
 tectonic framework, 208
- Mourne Mountains, 41
- MT. *See* Moine Thrust (MT)
- MTZ. *See* Moine Thrust Zone (MTZ)
- Muglad basin, 838
- Mullions, 370
 Altnaharra Formation psammitic rocks, 365
 ductile thrust architecture, 359–378
 Moine Nappe, 359–378
 Oykel Bridge, 370
 regional-scale lateral variation and linkage, 359–378
- Mull ring complexes, 41
- Murchison, R. I., 9, 35, 443, 509, 512
 Alps structure, 508
 differentiate mylonites, 527
 Highland Controversy, 507
 vs. Nicol, 9
- Murchison–Geikie hypothesis, 9
- Murchisonian Doctrine, 340, 507–509
- Murchison's Silurian System, 505
- Murray, J., 46
- Mylonites, 763. *See also* Eriboll mylonites; specific type or name
 bulk shortening, 289
 combined shearing and shortening anastomosing zones, 281
 deformation partitioning, 275–290, 283–285, 547–548, 588–591
 deformation temperatures, 447, 482, 488–489, 491, 569, 623–657
 duplex modification below Moine Thrust, 288–289

- Mylonites** (*Continued*)
 extrusional flow, 290, 594–598, 646–648, 704
 first definition, 9, 447, 515
 first used, 9, 447, 514–517
 folding events, 287
 foliations, 275–290
 Mann and Woodroffe mylonites, 277–279
 Moine mylonites and nearby rocks, 280–281
 mylonites distal to orogen cores, 285–287
 reactivation, 283–285
 subvertical mylonites proximal to orogen cores, 285
 successions, 275–290
 gravitational collapse and flattening strains and extension
 in Y, 281–283, 594–599, 703–704
 lessons learnt at Eriboll, 535
 Loch Eriboll, 479–485, 623–657
 orogen cores foliation successions, 283
 orogenesis lengthy deformation, 275–290
 porphyroblastic schists foliations, 276
 porphyroblasts v. porphyroclasts, 290
 shortening strain, 281–283, **553**, **695**
 and shortening v. plane strain, 289–290
 strain and vorticity data, **582**, 594–596, **694**, 704
 strain symmetry, 480, 554, 623–657, 699
 sub-horizontal and subvertical foliations, 287–288
 term coined, 9, 447, 514–517
 vorticity of flow, 583–594, 623–657, 699–703
- Mylonite Zone (MZ)**, 716, 719
 asymmetric folds, 723
 frontal mylonites, 730, 731
 geophysical dataset spatial resolution, 719
 rheological behaviour, 732
 terrane strain, 730
 transpression, 733
 triclinic strain, 731
- Mylonitic Cambrian quartzites (MCQ)**, 465, 549, 605
 3D strain data, 553
 flattening strains, 552
 Flinn plot of strain data, 554
 globular grains, 550, 606
 grain shape lineation, 543, 605
 ribbon grains, 550, 606
 Stack of Glencoul, 468–474, 485–490, 554, 603
 strain analysis, 480, 486, 488, 551–555, 591–596
- MZ**. *See* Mylonite Zone (MZ)
- Naturen**, 36
Nature paper (Lapworth 1885a), 447, 450, 515
- Naver Thrust**, 311–313, 799
 central Sutherland, 238
 fault, 817
 geological map, 234, 296, 444, 506
 S2 foliation, 270
- Navier-Stokes equations**, 762
- NCTZ**. *See* North Coast Transfer Zone (NCTZ)
- Nell, P.**, 475
- Neoproterozoic Knoydartian orogenic event**, 483
- Neoproterozoic tectonothermal events**, 242
- Newton's theory**, 743
- NHT**. *See* Northern Highlands terrane (NHT)
- Nicholas, T. C.**, 41–42, 47
- Nicol, J.**, 9, 443, 445, 511, 512
 grand dislocation Geikie confirmation, 509
 Highland Controversy, 507
 line of fault, 508
 overthrust fault, 512
- Nicol, W.**, 445
 prism, 445
- Nicolson, J. T.**, 520
- Nigeria**, 38
- N-MORB**. *See* Normal Mid Ocean Ridge Basalt (N-MORB)
- Nonlinear viscous models**, 752
 fluid, 746
 materials, 754
- Nordfjord-Sogn Detachment Zone**, 209, 667, 675, 676, 768, 780, 781–782
- Norites**, 62
- Normal Mid Ocean Ridge Basalt (N-MORB)**, 146
 REE, 150
- Normandy metamorphic rocks**, 38
- North American thrust systems**, 302
- North Atlantic**
 gravity map, 796
 palaeogeographic evolution, 70
 tectonic units, **71**
- North Atlantic Caledonides**
 Devonian extension, 785
 extensional tectonics regional view, 220–221, 767–787
 geological map, 209, 768
 Greenland Caledonides, 772–779
 Scandinavian Caledonides, 779–784
 Scottish Caledonides, 769–772
- North coast transect**, 641
- North Coast Transfer Zone (NCTZ)**, 819
 basement-influenced rifting, 795–823
 basin development, 795–823
 coastal parallel fault zone development, 821
 coastal parallel transfer fault system evidence, 819–821
 detailed descriptions, 804–816
 fault patterns and basement terranes, 818
 linking onshore and offshore geology, 818–821
 location, 820
 main faults and fault systems, 804
 offshore studies, 799–803
 onshore studies, 803–804
 post-Caledonian faulting patterns reappraisal, 795–823
 regional geological setting, 797–799
 regional lineament analysis, 803–804
 Scottish Highlands differential uplift and tilting, 821
 sedimentary rocks ages, 816–818
 offshore, 816–817
 onshore, 817–818
- Northern District**, 57
 deformation, 60
 D3 folds, 59
 folds, 74
 granulite facies, 59
 LIL elements, 61, 62
 Scourie dykes, 72–73
 TTG gneisses, 61
- Northern Highlands**, 360
- Northern Highland Steep Belt**, 244
- Northern Highlands terrane (NHT)**, 627
 features, 628
- Northern Scotland**, 796
 deep crustal structure, 310
 regional overview map, 626
- Northern Traligill Thrust**, 349
- North Uist**
 heterogeneously deformed Scourie dyke, 59, 475
- North Wales**, 38
- North West Highlands**, 35, 47, 298–299
 Durness succession, 199
 field mapping, 9
 geological structure revisited by Peach *et al.*
 100 years, 7–25

- historical background, 7–12
- mapping, 12–18
- notebook observations, 18
- petrology and fault rocks, 21–23, 449–451
- scientific investigations and first thrust, 23–24
- tectonostratigraphic framework, 18–21
- Geological Survey's mapping, 1
- Gondwanaland amalgamation, 197–199
- landscapes, 10
- Laurentia within Rodinia, 194
- main rock units, 9
- memoir as century-old legacy, 189–203
- Pacific margin, 194–195
- Pacific Ocean basin Neoproterozoic opening, 197–199
- Pannotia amalgamation, 197–199
- Pannotia to Pangaea, 199–203
- proto-Appalachian-Caledonian margin, 196–197
- Southern margin, 195–196
- survey geologists, 12
- tectonostratigraphic columns, 297
- understanding Earth before Pangaea, 189–203
- North West Scotland
 - Borralan alkaline intrusions and thrusting relationships, 383–400
 - crustal thrust geometry, 309
 - geo-tectonic map, 296
 - internal deformation, 321–332
 - metamorphic zones, 218
 - Moine Thrust Belt, 291, 359
 - simplified geological map, 384
 - structural evolution model, 293–316
 - after Peach *et al.* (1907), 295–304
 - deformation localization structural styles, 304–308
 - Moine and thrust tectonics, 310–316
 - Moine Thrust Belt, 295–308
 - structure, 321–332
 - tectonic studies, 7
 - thrust belt strain localization, 321–332
 - thrust tectonic model, 293–316
- North West Scotland Moine Supergroup
 - geological map, 234
 - Moine Schists, 236–248
 - polyorogenic supracrustal sequences analysis, 234–248
 - thrusting models, 312
- North West Spain, 36
- Norway, 36
- Norwegian Caledonides, 209, 460, 666–668, 779–784
- Norwegian Geographical Society, 36
- Norwegian Geological Society, 36
- Norwegian Geological Survey, 36
- Notebooks theoretical sketches, 23
- Numerical modeling of bedding-parallel shear, 593
- Oblate fabric development, 599
- Oblate strains, 598
- Oblique-to-lateral shears, 294
- Ochi nappe
 - defined, 690
 - rigid porphyroclast analysis, 700
 - tectonic model, 708
 - Wm spatial variation, 703
- Ochi thrust planes, 705
- Ochi thrust zone, 689, 691
 - microstructural-metamorphism relationships, 706
 - obliquity display, 698
 - octahedral shear strain, 699
 - optically measured quartz, 697
 - quartz-rich tectonites, 704
- sample micrographs, 693
- sample petrofabric, microstructural, strain and vorticity data, 695
- values v. structural distance, 702
- vorticity numbers, 701
- Offshore studies, 816
- Old Hythe
 - mapping results, 136–137
 - pelites, 136
 - Section 5, 136
 - Section 6, 136–137
 - semi-pelites, 136
- Old Red Sandstone (ORS), 168
 - Early Devonian Lower, 178
 - lower, 182
 - sedimentation, 184
 - sequence, 801
 - upper, 183
- Oldroyd, D., 7, 48, 445, 449
- Olenellus *fauna*, 21
- Oligocene–Miocene greenschist facies retrogression, 707
- Olivine gabbros, 62
- Onshore fault, 818
 - system, 810
- Ord, A., 475
- Ordnance Survey, 12
- Ordovician metasediments, 124
- Ordovician System, 505
- Orkney Devonian deposits, 771
- Orkney Isles, 771
- Orogens
 - Caledonian crustal architecture, 221–222
 - grain shape fabrics spectrum, 624
 - hiding lengthy deformation histories in mylonites, 275–290
 - metamorphic history, 213
 - parallel displacements, 221–222
- Orogens segments curved
 - displacement vector field construction method, 417–419
 - foreland fold-thrust belt displacement relationships, 415–416
 - Monterrey fold belt displacement vector field, 422–423
 - problem statement, 407–415
 - restoration method, 417
 - restoration sequence, 422
 - restored state map construction, 422
 - retrodeformation, 419–422
 - 3D balancing problem solution, 405–426
 - transformed shape calculation, 420–422
- ORS. *See* Old Red Sandstone (ORS)
- Orthogonal principal sections
 - seismic phase properties, 618
 - seismic phase velocity properties, 610
- Orthorhombic fabrics, 473
- OTZ. *See* Oykel Transverse Zone (OTZ)
- Outer Hebrides, 57, 58, 64
 - brittle fault rocks, 60
 - deformation, 60
 - D3 folds, 60
 - greenschist facies ductile fabrics, 60
 - Laxfordian deformation episodes, 59
 - pseudotachylites, 60, 475
 - Scourie dykes, 72–73
 - simple shear, 60
 - South Harris Igneous Complex, 73
 - TTG magmas, 72

- Outer Hebrides Fault Zone, 60
 Caledonian deformation, 74
 reflectors, 70
 Scourian granulite facies, 72
 thrust sense of movement, 60
- Outer Hebrides Thrust, 799
- Outer Isles Fault Zone, 22
 pseudotachylites, 22, 475
- Outer Isles Thrust, 38
 flinty crush rock, 38
- Overfolds, 34, 37, 47, 113, 511, 532
- Overthrow fault, 512, 514
- Oykel Bridge, 370, 446, 456
 folding, 377
 geological map, 370
 mullion structures, 370
 tectonic significance, 370
- Oykel–Lower Loch Shin, 446, 455
- Oykel River, 30
- Oykel Transverse Zone (OTZ), 353, 359, 474
 architectural development, 362
 Canisp Shear zones, 375
 geographical definition, 378
 geological map, 364
 mullions ductile thrust architecture, 359–378
 Strathan Shear zones, 375
- Oystershell Rock, 527, 630, 638, 644
 quartz-muscovite-chlorite schist, 636
- Pacific margin, 194–195
- Pacific Ocean
 basin Neoproterozoic opening, 197–199
 Neoproterozoic, 195
- Palaeocontinental blocks, 245
- Palaeo-digital elevation models, 440
- Palaeomagnetism, 70
- Palaeozoic Laurentia–Baltica collisional suture, 190
- Pangaea
 Late Palaeozoic assembly, 190
 tectonics, 194
- Pannotia amalgamation, 197–199
- Papuan fold belt, 840
- Park, R. G., 19, 25, 52, 58, 59, 73–74, 116, 716
- Parka decipiens*, 41–42, 47
- Payer Land Detachment, 221, 778
- PDHL. *See* Portsoy–Duchray Hill Lineament (PDHL)
- Peach, B. N., 29, 31, 451, 452, 517, 520, 521
 biographical sketch, 35
 deformation rate, 474
 disproving Geikie, 9
 Eriboll area, 511
 flaggy schists, 528
 Highland Controversy, 505
 honours awarded, 35
 kinematic significance, 522
 legacy with continental tectonics and mountain building, 1–4
 Lewisian rocks, 548
 Logan rock, 514
 maps, 439, 512
 metamorphism in Moines, 523
 mylonite classification, 534
 overthrusting, 513
 placing Moine Thrust plane, 485
 recrystallization, 517
 reevaluate Lapworth's work, 449
 retirement from Geological Society of London, 35
 sheared gneiss, 515
 slaty schists, 528
 slide zones, 531
 speaking ability, 35
 theoretical sketches, 23
- Peach and Horne British Association excursion
 Assynt September 1912, 29–48
 Albert Heim, 30–33
 appendix 1, 42–46
 1912 excursions participants' biographies, 35–42
La Chanson and Lugeon's account of excursion, 34
 list of participants, 31–33
 Programme, 29–30
- Pegmatites, 242
 Arnaboll Thrust Sheet, 327
 Gairloch area, 67
 granite sheets, 111
 protomylonitic microstructures, 328
- Pelites
 Links Bay, 136
 Moine, 284, 564
 PSZ, 142
- Permo-Triassic
 extension, 820
 major fault distribution map, 822
 rocks, 803
 sediments, 816, 822
- Perm State University, 439
- Persia, 36
- Peter Bjerg Detachment, 778
- Petroleum
 inversion structures geometric characteristics, 827–843
 system elements, 842
- Phanerozoic orogens, 72
- Phemister, J., 455, 460
 underlying Moine Thrust, 456
- Phenomenological viscosity, 761–762
- Phillips, F. C., 451, 456, 457, 459, 465, 467
 composite quartz fabrics from Moines Schists, 460–465
 petrofabric data, 463, 466
 quartz fabrics, 466, 493, 494
 tectonic movement, 492
- Phu Phan Uplift, 833
 compressional structures, 833
 Triassic deformation event, 740
- Phyllosilicates, 271, 316, 327–329, 328, 479, 547
- Piasecki, M., 238–239, 242, 248
- Piggy-back model, 306
 sequence, 302, 307, 315
- Pipe Rock, 14, 34, 299, 304, 306
- Pitcher & Read, 471
- Plagioclase feldspar porphyroclasts, 698
- Plane strain deformation, 580
- Plate
 collision indirect coupling, 283
 tectonics, 59
- Platt, J., 589
- Plutonic Origin rocks, 52
- Polycrystal strain, 663
- Polyorogenic supracrustal sequences analysis, 234–248
- Polyphase
 deformation, 243–244
 zircon SIMS, 85
- Porphyritic nordmarkite, 489
- Porphyroblasts, 275–276, 284
 schists, 276
 subvertical foliations, 285
- Port au Port, 830
 surface geology map, 830

- Port Odhar, 806–807
- Portsoy
 igneous rock element plots, 150
 igneous rock samples covariation diagrams, 149
 igneous samples plots, 151
 migmatic-grade units, 139
 N-MORB-normalized REE, 150
- Portsoy Chiasstolite Schist, 143
 kyanite growth, 145
- Portsoy–Duchray Hill Lineament (PDHL), 123, 125
 Argyll Group, 127
 Buchan Block, 154
 evolution, 151
 role and gneissic units age, 154–155
 shear zones, 125, 154
 Southern Highland Group, 127
- Portsoy Gabbro body, 135
- Portsoy Granite
 characterization, 133
 members, 131
- Portsoy Shear Zone (PSZ), 131
 Buchan Block, 140
 mafic metavolcanic rocks, 133
 mineral growth, 142
 pelites, 142
 shear deformation, 145
- Portsoy Thrust zone, 142
- Portsoy transect
 Boyndie Bay, 137
 crystallization sequence diagram, 146, 146
 deformation correlation table, 139
 element data, 147–148
 field photographs, 132, 134
 field photos, 132, 134, 135
 Grampian gabbros, 139
 Grampian orogenic episode, 138
 igneous rock samples, 149
 kyanite zone, 142
 mafic magma suites, 151
 map, 130, 130
 metamorphic mineral assemblage, 139
 mineral growth, 144
 photomicrographs, 141, 141, 143, 143, 144
 shredded mafic units, 135
 sillimanite growth, 142
 tectonic sequence, 139, 151
 trace elements, 147–148
- Post-Caledonian faulting patterns reappraisal, 795–823
- Potts, G., 462, 475–476, 492
- Powell, D., 311, 476
- Power law fluids, 762
- Power-law materials, 754
- Practical Coal Mining* (Boulton), 38
- Precambrian Mylonite Zone of Sveconorwegian orogen
 example, 715–736
- Precordillera, Argentina, 192, 199
- Predicting seismic properties from three-dimensional
 microstructures, 603–620
- Preliminary Reference Earth Model (PREM), 756
- PREM. *See* Preliminary Reference Earth Model (PREM)
- Pre-Moine tectonism, 236
- Pressure metamorphism, 523
- Pressure–temperature distribution maps, 127
- Pre-thrusting templates, 351
- Principle of Non-sentient Response, 745
- Prior, D., 476
- Progressive fold and fabric evolution, 255–272
- Proterozoic arkoses, 52
- Proterozoic dykes heterogeneous reworking, 52
- Proterozoic gneisses, 124
- Proterozoic mineralogies, 305
- Protoliths, 54
- Pruvost, E. M. J., 37
- Psammites, 271
 Ben Hope Nappe, 369
 density, 372
 Moine, 164, 284
 Morar Group, 240, 371, 375
- Pseudotachylites, 22, 475
- PSZ. *See* Portsoy Shear Zone (PSZ)
- Quantitative structural geology, 55
- Quarterly Journal of the Geological Society*, 47
- Quartz
 c-axis fabric opening angles, 477, 569
 crystal fabric development, 458, 543–574
 crystal orientations, 669–670
 EBSD analysis, 476, 606–611, 637, 663
 granulite facies, 56
 imbricate, 10–11
 internal asymmetry, 563
 recrystallization, 262, 488, 551, 636
 slip systems, 665
 tholeiites, 62
 variegated schists, 528
 veining, 525
- Quartz crystal preferred orientation. *See also* Seismic
 properties predicting
 EBSD data, 678–680
 interpreting, 663
 interpreting implications, 677
 purpose and analytical methods, 664–666
 recording ultrahigh-pressure Western Gneiss region,
 663–683
 sample attributes, 681–683
 strain geometry, 664
 upper hemisphere projections, 671–674
 viscoplastic modelling, 677
- Quartzofeldspathic gneisses, 61
- Quartzofeldspathic lenticles, 165
- Quartzofeldspathic veins, 167
- Quasi-adiabatic conditions, 756
- Quaternary Ice Age* (Wright), 41
- Quoich Line, 238
- Raasay
 dykes, 56
 Jurassic ironstones, 40
 pyroxene-gneiss, 57
- Radioactivity, 81
- Ramsay, J., 490, 508
 quartz c-axis fabric data, 465
 structural and microstructural/petrofabric analysis, 449,
 464–465, 475
- Rare earth elements (REE), 61
 negative gradients, 152
 plot, 146
- Read, H. H., 460, 467, 470, 530
 dislocation metamorphism, 484, 524
 granulation, 470, 519
 metamorphic convergence, 447
 Moines metamorphosed view, 461
 underlying Moine Thrust, 456
- Reade, M., 520
 plastic deformation, 519

- Recrystallization, 470, 480, 517, 568, 635
 MTZ, 569–572
 quartz, 262, 488, 551, 636
 Stack of Glencoul, 470–471, 543–574
- Red bed Khorat Group, 833
- Red bed outliers
 geological map, 812–813
- Red Haven to Westerwards Croft Section 3
 mapping results, 131–133
- REE. *See* Rare earth elements (REE)
- Refolded isoclinal folds, 240
- Regional elevation concept, 828
- Regional suture zones, 207
- Reiner-Rivlin fluid, 746
- Reiner-Rivlin viscous models, 752
- Remanence, 70
- Rescaling modulus, 744, 750
- Restoration
 elements, 421
 maps and memoirs, 429–440
- Retrodeformation process, 421
- Reusch, H. H., 36
- Reynolds, S. H., 38
- RGN. *See* Rigid Grain Net (RGN)
- Rhiconich terrane, 19, **115**
 geochemical characteristics, 113–114
- Rhue fault zone, 492
- Richey, J. E., 40–41
- Riekels, L. M., 475
- Rift basin, 246–247
- Rifting, 192. *See also* syn-rift growth
 Africa, 836, 838, 839
 basement-influenced, 795–823
 central Africa systems inversion, 836–840
 failed, 247
 intracratonic system, 836
- Rigid grain data plots
 vorticity analysis, 583, 640, 699–701
 vorticity analysis samples, 584, 653–657, 700
- Rigid Grain Net (RGN), 699
- Ringerike Sandstone, 782
- Rispond Shear Zone, 352
- Rock Cleavage* (Leith), 37
- Rocks. *See also* specific type or name
 crystallization age, 95
 Hf, 91
 isotopic studies, 83
 natural deformation rate, 763
 rheology unconventional approach, 761
- Rodding. *See* Mullions
- Rodinia schematic palaeotectonic reconstructions, 245
- Rogers, H. D., 23
- Rosemarkie Inliers, 162
 Acadian Events, 183
 boundaries, 183
 bounding faults, 178
 carbonate veining, 166
 fenitization, 166
 geology, 163
 GGF, 161–184, 167
 strain modelling, 179
 structural data, 167
 transpressional uplift, 179
- Ross of Mull, 240
- Round Head Fault, 831
- Royal Institution of South Wales, 41
- Royal School of Mines, 35
- Royal Scottish Geographical Society, 35–36
- Royal Scottish Museum, 39
- Royal Society of Edinburgh, 35–36, 38
- Ruadh Mheallan
 block, 59
 D3 shear zone, 74
 ramps, 60
- Rutter, E., 475
- Sabine, P., 48
- Saint Petersburg, 37–38
- Saint Tudwal's Peninsula, 42
- Salter, J., 35
- Salterella
 Cambrian strata, 199
 Grit Member, 14
- San Andreas Fault, 180
- Sandend Bay Section, 131
- Sander, B., 457, 459, 462, 471
 kinematic model, 459
 rock fabric symmetry, 456
 tectonic cross of kinematic axes, 457, 458, 464, 473
- San Gabriel Mountains, 180
- Sango Bay, 445, 446, 512, 630, 645
 aerial photograph, 806–807
 Oystershell Rock, 644
 vorticity estimates, 632–633
- Sango Bay Fault, 804, 807
- Sangobeg, 807
 aerial photograph, 806–807
- Santis thrusting, 23
- Santonian compressional stress, 837
- Sayle, C., 46
- Scalar energy density, 750
- Scandian crustal thickening, 219
- Scandian ductile thrust nappe, 255–272
- Scandinavia, 717
 Caledonian metamorphic history, 216
 compressional fabrics, 220
 crustal thrust, 212
 tectonostratigraphy, 213
- Scandinavian Caledonides, 779–784
 central northern Norway extensional structures, 784
 coaxial strain and (U)HP beneath Nordfjord Sogn
 Detachment Zone, 782
 Devonian basins and Nordfjord–Sogn Detachment Zone,
 781–782
 Devonian basins contraction and NSDZ, 783–784
 south Norway orogenic wedge extensional backsliding,
 779–781
 SW Norway time constraints, 782–783
 west and NW-dipping extensional shear zones, 220,
 667, 781
- Scanning electron microscope (SEM), 175, 476, 603, 637
 crystal orientation techniques, 606
- Scardory Inlier, 465
- Scardroy area, 236
- Schistose rock texture, 516
- Schists. *See also* Moine Schists; specific type or name
 porphyroblasts, 276
 produced at sheared margins, 514
- Schmidt, W., 456, 459, 460, 462
 lineation, 457
 quartz *c*-axis fabric model, 459
- SCLM. *See* Subcontinental lithospheric mantle (SCLM)
- Scotland. *See also* Northern Scotland; North West Scotland;
 specific areas
 Caledonian Orogen, 362
 Devonian succession, 181

- islands and metamorphic rocks, 39
- Lewisian Complex, 81
- Lewisian Gneiss Complex, 104
- metamorphic events, 107
- Moine Supergroup, 213
- MOIST geoseismic traverse, 435
- promontory, 196
- simplified geological map, 384
- sinistral transpression, 181
- Scotland Acadian Event, 161–184
- Scotland lithosphere scale, 799–801
 - Boyndie Syncline age, 155–156
 - Dalradian and Grampian magmas origin, 152–153
 - Dalradian magmatism, 127–128
 - geological background, 122–129
 - Grampian magmatism, 128–129
 - Grampian orogenesis, 121–156
 - Grampian Terrane pre-Grampian andalusite growth, 154
 - late-Caledonian magmatism, 129
 - magma geochemistry, 145–151
 - magmatism, 126–129
 - major element systematics, 146
 - mapping approach, 129
 - metamorphic microstructures summary, 145
 - metamorphic study results, 140–145
 - methods, 129
 - new model, 153–156
 - PDHL role and gneissic units age, 154–155
 - Portsoy transect metamorphism, 139–145
 - Portsoy transect structure, 129–139
 - mapping results, 129–138
 - structural summary, 138–139
 - post-Caledonian extension, 799–801
 - trace element systematics, 146–151
 - uppermost Dalradian deposition age, 155
 - whole-rock geochemistry, 129
- Scottish Geological Survey, 35–36, 39
- Scottish Highlands
 - Assynt Region evaluating undergraduate mapping, 435
 - creating virtual field trip in Google Earth, 435–439
 - differential uplift and tilting, 821
 - GPS – GIS – GES, 430–431
 - Keyhole Markup Language (KML), 431–433
 - map inversion, 431
 - memoirs to four-dimensional space, 429–440
 - metamorphic rocks, 39
 - restoring maps to four-dimensional space, 429–440
 - solid models, 433–434
 - time-animated maps, 439
- Scourie, 65, 449
 - anorthosite, 62
 - crust generation, 61–62
 - defined, 57, 60–61
 - granulite facies, 72
 - granulite-facies metamorphism and deformation, 59
 - granulites, 63
 - history, 59
 - v. Laxfordian metamorphism and deformation, 57
 - metamorphic ages, 67
 - metamorphic conditions, 63–64
 - and migmatization, 74
 - protoliths geochemical variability, 61
 - trondhjemitic sheet, 67
- Scourie Bay
 - granular dolerite to foliated hornblende gneiss, 449
- Scourie Dykes, 55, 56, 72–73
 - ages, 66
 - amphibolite, 65
 - cross-cutting, 68
 - element data, 115
 - Laxfordian, 60
 - lineations, 55
 - LSZ, 116
 - mantle-normalized trace-element plot, 116
 - metamorphic conditions, 64
 - shear zone, 449
 - subvertical, 74
 - suite, 19
 - trace element data, 115
- Seafloor spreading, 192
- Secondary ion mass spectrometry (SIMS), 83
 - central region granulite facies, 98
 - CL-imaging, 84
 - Laxford Shear Zone, 108
 - zircon grains, 84
- Sedgwick, 505, 507
- Sediments. *See also* specific type or name
 - Cambrian, 9, 12, 14
 - characteristics summary table, 261
 - structures cross bedding, 260
 - Torricon, 14, 21, 52
- Seismic properties predicting
 - three-dimensional microstructures, 603–620
 - CPO evolution individual grains, 612–613
 - CPO evolution whole rock, 611
 - 3D geographical CPO individual grains, 616–617
 - 3D geographical CPO whole rocks, 616
 - geographical CPO individual grains, 614–616
 - geographical CPO whole rock, 613
 - individual grains, 619–620
 - microstructural evolution, 611
 - petrofabrics bulk CPO, 607–608
 - petrofabrics grain CPO, 608
 - previous work, 604–606
 - results, 606–611
 - sample description, 604–606
 - SEM observations, 606
 - whole rock, 617–619
- Seismic reference models, 760
- Self-gravitating systems thermodynamics, 743
- SEM. *See* Scanning electron microscope (SEM)
- Sensitive high-resolution ion microprobe (SHRIMP), 127
- Sgonnan Mor folds, 398–399
- Sgonnan Mor structures, 308
- SGR. *See* Sub-grain rotation recrystallization (SGR)
- Sgurr Beac, 234
 - pegmatites, 242
- Sgurr Beag Slide, 237, 311, 490, 506
- Sgurr Beag Thrust, 183, 213, 238, 311, 374
 - geological map, 234, 506
- Shand, J., 22
- Shear
 - bands, 521, 747
 - Canisp Shear Zone, 56
 - deformation field, 747
 - incipient modes analysis, 754
 - localization, 762
 - pipes, 593
 - sense criteria, 450, 476
 - simple, 59
 - Skolithos* burrows, 445, 450, 479, 593
 - Torricon, 65
- Shear zones, 68. *See also* Laxford Shear Zone (LSZ);
 - specific type or name
 - conjugate dextral, 732
 - definition, 155

- Shear zones (*Continued*)
 development, 220, 221
 early 1884 description by J. Teal, 449
 gabbro plutons, 122
 Grampian gabbros, 128
 Laxford, 65
 PDHL, 125
 tectonic development, 124
 types, 105
 voluminous granite, 122
- SHRIMP. *See* Sensitive high-resolution ion microprobe (SHRIMP)
- Sibson, R. H., 60, 332, 475, 517, 841
 deformation conditions, 534
- Siemens, W., 41
- Sillimanite zone metamorphic study results, 142
- Silurian Scandian ages, 242
- Simple shear, 59
- Simpson, C, 593
- SIMS. *See* Secondary ion mass spectrometry (SIMS)
- Single triclinic deformation episode model, 730–732
- Skeletal fabric asymmetry, 567
- Skerray, 804, 809, 813
- Skiag Bridge, 478, 479
- Skolithos*, 304
 worm burrows, 445, 450, 479, 546
- Skye, 443, 452, 454
- Skye-Knoydart area, 312
- Slide planes, 18
- Slieve Gullion, 41
- Slioch, 20
- Smith, J., 46
- Smith, P., 48
- Smoo Cave, 806–807
- Sole thrust, 292
 Skiag Bridge, 478, 479
- Solids shear localization
 frame-indifferent ideal material model, 739–764
 DG-2 materials, 745–746
 constitutive definition, 745–746
 description, 745–746
 dynamic rescaling, 748–749
 frame-indifference, 745–746
 localization, 748–749
 pure shear, 746–750
 quasi-static analysis, 746–748
 thermomechanical competence, 749–750
 DG-2 theory v. computational geodynamics, 763–764
 dynamic rescaling, 763
 entropic invariance, 750–751
 GPS and structural data, 755–756
 incipient modes analysis, 751–755
 DG-2 materials, 753
 elastic materials, 752
 kinematic fields and trial solutions, 751–752
 linear viscous materials, 752
 pure shear modes, 752–753
 Reiner-Rivlin materials, 752–753
 simple shear modes, 753–754
 local geometry, 763
 mechanical diffusivity estimate, 751
 modelling concept and approach, 741–745
 mountain building, 756
 Newton's absolute space-plus-time stress, and gravity, 741–743
 physical principles and geological theory, 741
 rigidity hypothesis, 751
 shear zones, 763
 stress-energy in four dimensional space-time, 743–745
 stress-energy states, 750–751
 ThERM, 756–760
 transitional thermodynamics, 750–751
 unconventional approach rationale, 761–763
- Soper, N. J., 310, 475
- Sorbonne, Paris, 36, 37, 38
- Sorby, H. C., 445
- South Africa, 207
- South America, 203
- South East Laurentia, 246
- Southern District, 57
 amphibolites facies, 64
 D3 folds, 59
 folds, 74
 Laxfordian strain gradients, 59
 syntectonic migmatites, 64
 TTG gneisses, 61
- Southern Highland Group, 127
- Southern margin, 195–196
- Southern Uplands (SUP), 35, 40
 fault, 181
- South Harris Igneous Complex, 62, 63, 65
 accreted terrane, 69
 anorthosites, 66–67, 67
 granite sheets, 67
 granulite facies, 65
 metamorphism, 66
 nappe, 73
 simple shear with dextral sense, 59
 TTG gneisses, 73
- South Uist
 amphibolite facies, 60
 U depletion, 66
- South Wales, 38
- South West Moine, 235
- South West Norway, 780
- South West United States-East Antarctica (SWEATT)
 hypothesis, 194–195
- South West Vermont Appalachians, 276
- Spatial localization, 749
- Spatiotemporal scales, 751
- Spectral radius, 750
- Split cylinder experiments, 590
- Spry, A., 517
 classification scheme, 524
 mylonite classification, 534
 textural classification, 534
- Stack of Glencoul, 30, 445, 485–488, 545, 604
 Cambrian quartzites flow plane, 595
 cross-section, 301
 fabrics, 547, 562
 fine grained mylonitic Moine psammite/pelite, 280, 282, 283
 flow plane, 595
 location map, 544
 microstructures, strain and recrystallization influence, 543–574
 Moine Thrust plane, 549
 Moine Thrust zone mylonites, 543–574, 579–599
 multiple foliations, 280–283
 mylonitic Cambrian quartzites, 545, 550, 559–560, 581
 mylonitic Cambrian quartzites fabrics, 572
 mylonitic Moine, 545, 581
 quartz, 445, 547, 562, 611
 rigid grain plots, 584

- sampling localities, 545, 605
 seismic anisotropy, 608–611
 strain analysis, 554
 strain estimates for mylonitic Cambrian quartzites, **553**
 3D strain analyses, 551–555, 598
 vertical shortening, 596
 vorticity analyses, 579–599
- Stake Ness, 137
- Starkey, J., 475
- Staurolite zone
 andalusite porphyroblasts, 140
 metamorphic study results, 140–142
 porphyroblasts, 140
- Stewart, A. D., 19, 338, 818
- Stoddard, P. R., 760
- Stoer Group, 19
- Stoer Shear Zone, 346, 353
- Strachan, R.,
 East Greenland, 216, 221
 strike-slip faulting, 222
 Moine Supergroup, 213, 216, 239, 244, 247,
 257, 261
- Strahan, A., 38
- Strain
 ellipsoid in tectonic analysis, 464
 field, 286
 ratio v. shear strain, 592–593
 shortening and extrusion, 592–596, **648**, 703–704
 symmetry of quartz v. fabrics, 639
- Strand, T., 463, 623
- Strathan Bay, 532
- Strathan Line, 69
- Strathan Shear zones, 375
- Strath Oykel area, 455
- Strathy Bay, 797, 808–809, 816, 817
- Strathy Fault, 803, 805, 817
- Streaming flow, 748
- Stress energy
 density, 750
 function, 748, 751, 754
 instabilities in DG-2 materials, 751
 thresholds, 744, 751
- Stretching, 55
 tensor, 745
- Strike slip faulting, 221–222
- Strike-slip flower structures, 843
- Strine, M., 476
- Stronchrubbie-Breabag System area, 344, 345, 349
- Stronchrubbie Thrust, 346, 349
- Structural Geology* (Leith), 37
- Structural trap geometries, 841
- Styra nappe
 defined, 690
 flow-path partitioning model, 706
 tectonic model, 708
 vorticity profile, 703
- Subcontinental lithospheric mantle (SCLM), 62, 75
- Sub-grain rotation recrystallization (SGR), 551,
 635, 697
- Sub-horizontal foliation, 287, 287
- Subseismic deformation in hydrocarbon
 exploration, 304
- Subvertical foliation, 287, 287
- Suess, E., 23
- SUP. *See* Southern Uplands (SUP)
- Surge-zones, 303, 340
- Sutherland, 243, 308
 gravity field, 371
 main fault patterns, 805
 north coast, 805
- Sutherland Moine Soper & Barber's cross-section, 311
- Sutherland Schist Series. *See* Moine Schists; Moine
 Supergroup
- Sutherland transect, 313
- Sutton, J., 14, 311, 464, 465
- Suture zones, 210
- Sveconorwegian orogen
 example, 715–736
 sketch tectonic map, 717
- SWEATT. *See* South West United States–East Antarctica
 (SWEATT) hypothesis
- Swiss Alps, 23
- Switzerland, 36
- Swordly Thrust, 799
- Sylvester, A., 471
- Syn-orogenic extension, 707
- Syn-rift growth
 sequence, 838
 structure, 839
- Syn-rift sequence, 840
- Tanner, P. W. G., 128, 237, 311, 531, 630
- Tarskavaig Moine, 461–462, 491–492
- Tatra Mountains, 36
- Taylor-Bishop-Hill
 numerical modelling, 569
 quartz modelling, 476
 quartz simulations, 563–564
- Teall, J. J., 12, 19, 447, 452, 454, 511, 519, 520
 cataclasite, 534
 crystal plastic process, 470, 526
 dynamic metamorphism, 523
 hornblende schist, 449
 methodical field description, 22
 mylonite description, 514
 re-discovery of Teall's wheel, 534
 rolled out gneiss, 521
 Scourie dykes shear zones, 449, 517
 trituration, 517
- Tear-faults, 294
- Tectonic Essays mainly Alpine* (Bailey), 39
- Tectonic Studies Group in Leeds, 297
- Tectonic system
 analysis, 464
 hypothetical, 761
 models, 598
 Scottish Highlands, 161
 strain ellipsoid, 464
 thin-skinned, 295
 thrust, 60, 293, 311
 tracer, 190, 194
 underplating, 65
- TEM. *See* Transmission electron microscopy (TEM)
- Tertiary Igneous Complexes of Mull* (Bailey), 39
- Tertiary Volcanic Districts* (Richey), 41
- Tessellate structure, 466
- Tethys Ocean, 218
- Thailand
 Permian and Mesozoic stratigraphy, 832
 structural cross-section, 833
 tectonic map, 832
- ThERM. *See* Thermomechanical Earth Reference Model
 (ThERM)
- Thermal ionization mass spectrometry (TIMS), **170**,
 174, 176
- Thermomechanical competence parameter, 750, 753

- Thermomechanical Earth Reference Model (ThERM), 757,
758–759
 isopycnal shears, **762**
 and petrogenetic correlations, **762**
 v. PREM, 760
- Thin-skinned models, 308
- Thin-skinned paradigm, 841
- Thin-skinned tectonics, 295
- Thomas, W. A., 375
- 3D balancing problem solution in curved orogens segments,
 405–426
- Three-dimensional (3D) fold hinge-line vergence, 243
- Three-dimensional (3D) strain
 analysis, 591
 models, 715
 ratios, 579
- Thrust, 706. *See also* specific type or name
 basal mylonites, 733
 crustal shortening, 210
 faulting, 756
 faults outward-propagating, 424
 gravitational collapse, 288
 imbrication, 23
 localization within basement gneisses, 316
 models, 315
 plane, 513
 planes, 338
 relationships in Moine Thrust zone, 383–400
 syntectonic, 308
 term coined, 9, 18, 449, 512–513
 truncation, 284
- Thrust belts, 335, 359
 crustal template, 314
 in sequence or out-of-sequence, 303
 Sutherland, 314
- Thrust sheets
 fabrics, 255
 folds, 255
 strain state, 304
- Thrust tectonics, 60
 models, 311
 nature, 293
- Thrust zones. *See* specific name
- TIB. *See* Transcandinavian Igneous Belt (TIB)
- Tibet-Himalayan and Caledonian crustal architecture
 evolution and mountain building processes, 207–223
 contractional folds and thrusts, 212–213
 extensional shear zones and faults, 219–221
 Foreland Basin evolution, 222
 migmatite cores and magmatism, 218–219
 orogen parallel displacements, 221–222
 regional high-grade metamorphism, 213–218
 regional suture zones, 210–212
 strike slip faulting, 221–222
 tectonic framework, 208
- Tietze, E. E. A., 36
- Time-animated map, 437
 stages, 438
- Timespan tags, 437, 439
- TIMS. *See* Thermal ionization mass spectrometry (TIMS)
- Titanites, 67
- Tonalite – trondhjemite – granodiorite (TTG), 61, 72,
 73, 83, 109
 crustal growth, 74–75
 crustal residence ages, 95
 crystallization, 96
 extraction, 95
 felsic rocks, 61
 gneisses, 95
 LIL elements, 62
 magma sources, 97
 magmatism, 74–75
 Tongue, 446, 482
- Tornebohm, A. E., 23, 767
- Torridon, 52, 59
 dykes, 56
 interpretation, 74
 Inverian shear zones, 60
 Iona, 38
 Peach memoir, 19
 ramps, 60
 relative ages, 236
 rocks, 38, 236
 sandstone, 29, 30, 466
 sedimentary rocks, 305
 sediments, 14, 21, 52
 shearing, 65
 strata, 308
 succession, 9
 ultrabasic body, 64
- Torridon Group, 19
- Torridon Shear zone, 353
- Torrisdale Bay, 813
- Traite de Géologie* (Haug), 37
- Traligill Thrust, 349
- Traligill Transverse Zone (TTZ), 335
 Assynt Culmination overview, 340–342
 Central Assynt thrust structure, 350
 Cnoc an Droighinn surge zone revisited, 342–344
 Cnoc nan Uamh Klippe, 346
 cross faults, 346–347
 Droighinn anticlinal stack, 344
 geological setting, 335–338
 lateral variations and linkages, 335–354
 links, 347–350
 lithologies, 338
 Moine Nappe transverse zone, 352–354
 Moine Thrust Belt, 352–354
 piercing point analysis, 348
 research history, 340
 schematic block diagram, 349
 thrust architecture north, 342–344
 thrust architecture south, 344–346
 transverse zones and origin, 350–352
- Transactions of the Geological Society of Glasgow*
 (Macgregor), 40
- Transcandinavian Igneous Belt (TIB), 716
- Transformation modified deformability, 65
- Transmission electron microscopy (TEM), 476, 478, 525, 526
- Transport-parallel elongation, 594–598, 646–648, 707
 values, 595, 648, 704
- Transpressional uplifts, 179
- Transpressional White Mountain shear zone, 735
- Trias, 38
- Triassic sequence, 832
- Triassic Shales, 835
- Trinity College, 40, 41, 46, 47
- Trondhjemitic sheet, 67
 Badcall, 69
- Truncational foliations, 285
- Truncational thrusting, 284
- TTG. *See* Tonalite-trondhjemite-granodiorite (TTG)
- TTZ. *See* Traligill Transverse Zone (TTZ)
- Turkey, 39
- Turner, F. J., 464, 471
- Turriff Syncline, 126

- UA–CNF. *See* Upper Arnaboll–Creag na Faoilin (UA–CNF)
 UHP. *See* Ultra high pressure (UHP) rocks
 UHT. *See* Ultra high temperature (UHT)
 Uig Hills–Harris Granite Complex, 63
 Scourie and migmatization, 74
 Ullapool, 9, 450
 Ultra high pressure (UHP) rocks, 4, 208, 214–218,
 666–668
 ages, 786
 exhumation, 782
 metamorphism, 786
 Ultra high temperature (UHT), 64, 67, **762**
 Lewisian, 65
 Underplating tectonic system, 65
 United States Geological Survey, 37
 Unity oil field, 838
 Universal stage techniques, 457
 University of Birmingham, 38, 447
 University of Bristol, 38, 466
 University of California at Berkeley, 475
 University of California at Los Angeles, 471, 475
 University, Cornell, 475
 University of Durham, 476
 University of Edinburgh, 35, 38, 39, 466, 475
 University of Glasgow, 23, 35–36, 38, 39
 University of Illinois, 475
 University of Kingston, 476
 University of Lausanne, 36
 University of Leeds, 38–39, 475
 University of Lille, 36, 37
 University of Liverpool, 476
 University of London, 464–465, 475–476
 University of Oslo, 36
 University of Rochester, 476
 University of Sheffield, 475
 University of Strasbourg, 36
 University of Wales, 38
 University of Wisconsin, 37
 University of Zurich, 37
 Upper Arnaboll–Creag na Faoilin (UA–CNF), 482, 623
 flattening strains, 646
 rigid grain vorticity plots, 655, 656, 657
 strain and vorticity, 651
 thrust sheet, 636, 637, 638, 649
 Upper Arnaboll thrust sheet, 481
 non-coaxial shearing, 482
 Upper Cretaceous, 36
 Upper Morar Psammite Formation, 239, 240
 Upper Old Red Sandstone, 183
 Upright transpressional shear zone, 716
 Uranium lead age, 295
 crustal residence assigning, 81–99
 geochronology of Scottish Caledonides, 262–265
 Lew99-GE, 97
 zircon, 97, 241, 242
 Ben Hope thrust, 633
 inverse concordia diagram, 98
 LA–MC–ICP–MS data, **171–173**
 and monazite ID–TIMS data, **170**
 UTM coordinates, **678–680**, 721, 727, 728, 729, 732, 733

 Vaich Pelite Formation, 375
 Van Hise, C. R., 37
 Variegated schists, 515
 Värmlandsnäs peninsula
 aeromagnetic data, 718–719
 kinematic indicators, 721, 722–723
 transpression, 724
 Velocity-strain tensor, 745
 Versailles, 37
 Vertical ductile shortening/thinning, 289, 592–594, 646,
 703–704
 Victorian geologists, 493
 Virtual globe technology
 Assynt Region evaluating undergraduate mapping, 435
 creating virtual field trip in Google Earth, 435–439
 GPS–GIS–GES, 430–431
 KML, 431–433
 map inversion, 431
 restoring maps and memoirs to four-dimensional space,
 429–440
 solid models, 433–434
 time-animated maps, 439
 Viscometric flow, 753
 Volcanoes, 136
 Google SketchUp model, 439
 Voluminous granite, 122
 von der Linth, A. E., 23, 37
 Vorticity analysis, 477
 Attico-Cycladic massif mylonites, 699–704
 Moine Thrust zone mylonites, 579–599, 640–646
 fabric parameters, 585
 kinematic vorticity profiles, 585, 587, 702–703
 oblique grain shape and quartz *c*-axis fabrics,
 585, 645, 702
 quartz *c*-axis fabrics and strain ratio, 586–587,
 645–646, 701
 rigid porphyroclasts, 583–584, 644–645,
 699–701
 shortening and extrusion data, 595, **648**, 703–704
 vorticity number variation potential lithological control,
 646, 703

 Wales
 Geological Survey, 41
 Wallis, S. R., 477, 583–586, 640, 699–702
 Walsh, N., 46
 Watch Hill conglomerate
 Watch Hill outlier, 809
 Watson, J. V., 14, 311, 464, 465
 Weathers, M., 475, 548
 Weiss, L., 464, 466, 470
 Weissenberg number, 750
 Wenk, H. R., 475
 Wessex Basin, 841
 Western Gneiss Region (WGR), Norway, 217, 667, 780
 exhumation history, 216, 666, 782–783
 strain geometry assessing, 666
 Western Newfoundland inversion, 830–831
 Westerwards Croft to Links Bay Section 4, 133–136
 West Highland Granite Gneiss, 239
 West Orkney Basin (WOB), 797, 809, 816
 interpretive cross-section, 802
 simplified location map, 821
 structure and age reappraisal, 801–803
 WGR. *See* Western Gneiss Region (WGR), Norway
 Whalley, J., 476, 478
 Wheeler, J., 476
 White, S., 475, 479–485
 Whitehills Harbour to Banff and MacDuff Section 7, 137–138
 White mica, 56
 cordierite zone, 140
 Whole-rocks
 geochemistry, 129
 Hf, 91
 isotopic studies, 83

- Wilkinson, P., 475, 480, 486, 547, 591–593
 Wilson, George V., 40, 243
 Wilson, Gilbert, 466
 Wilson, W., 37
 Winchester College, 48
 WINCH 1 seismic section, 800
 WOB. *See* West Orkney Basin (WOB)
 Wood, D., 475
 Woodroffe Thrust, 277
 mylonite foliation, 279
 truncated mylonitic foliations, 278
 World Wind, 430
 Wright, W. B., 41

 Xenocrystic zircon, 174
 XML. *See* eXtensible Markup Language (XML)
 X-ray texture goniometry, 472, 475, 481, 486, 489, 547,
 555–563, 568

 Ziegler, P. A., 828
 Zircon, 67, 169
 age plot, 88, 90
 analysis, 177
 characteristics and SIMS U-Th-Pb results, 84–90
 chemical abrasion, 175
 CL imaging, 85, 85, 86
 composition, 86
 cumulative age plot, 90
 epidote, 262
 extraction, 262
 Geodh Eanruig samples, 86
 grains and Hf ratios, 93
 growth structures, 91
 Hf isotope, 92, 92
 isotopic composition, 90
 and monazite ID-TIMS data, **170**
 SIMS, 84
 TIMS analysis, 174
 U–Pb compositions, 98
 uranium lead age, 242
 xenocrystic, 174
 Zone of flow, 22
 Zone of fracture, 22
 Zurich Polytechnic, 37