

Index

Note: Page numbers in *italics* refer to Figures; page numbers in **bold** refer to Tables.

- alkali basalts
 - Calatrava (Spain) 109, 126
- alkaline magmas in metasomatism
 - East Serbia 213–214, 214, 229–232
 - Lanzo massif 63
 - Massif Central (France) 154
 - Pannonian Basin 178, 189–191
 - Spitsbergen 71
- allotriomorphic xenolith texture, defined 196
- Alpine–Apennine ophiolite 7
- amphibole veins in xenoliths
 - Calatrava (Spain) 109, 128, **133**, 146
 - East Serbia 233, 234
 - Massif Central (France) 154, 156, 168
 - Pannonian Basin 178
 - Spitsbergen 71
- apatite
 - East Serbian lithospheric mantle xenoliths 213, 216, **218**, 219
 - precipitation in metasomatism 213
 - Spitsbergen xenoliths 71
- Apennines *see* External Liguride peridotite
- ⁴⁰Ar/³⁹Ar age, Monte Maggiore peridotite massif (Corsica) 41
- Austria *see* Pannonian Basin
- basanite volcanism
 - Calatrava (Spain) 126
 - East Serbia 213–214, 214, 229–232, 234
- Beni Bousera massif 87, 91, 92
- bornite 98
- δ¹³C 91, 100, 101, 102
- Calatrava Volcanic District 108–109, 125–127
 - Fe-lherzolite xenolith analyses
 - methods 109
 - results
 - isotopic characteristics 117, 118
 - major element geochemistry 113–114
 - mineral chemistry 110, **111**, 112
 - petrography 109–110
 - trace element geochemistry 114–116
 - results discussed 117, 119–120
 - spinel lherzolite xenolith analyses
 - methods 127–128
 - results
 - mineral chemistry
 - major elements 130, **131**, **132**, **133**, 134, 135
 - P/T* estimates 135–136
 - trace elements 136–138
 - petrography 128, 129
 - whole rock composition
 - isotopes 139, **143**
 - major elements 138–139, **140**, **141**, 142
 - trace elements 139, **140**, **141**, 143
 - results discussed
 - glass origin 144–145
 - melting and depletion 139, 142, 144
 - metasomatism 145–148
 - carbon *see* graphite
 - carbon dioxide
 - in fluid inclusions 87
 - in volcanic products 109, 121
 - carbonate
 - Calatrava Volcanic District xenoliths 109, 112, 121
 - East Serbian lithospheric mantle xenoliths 213, 216, **218**, 219
 - External Liguride peridotite 87
 - precipitation in metasomatism 213
 - Spitsbergen xenoliths 71, 83
 - carbonatite melts 168, 169, 213
 - Carpathian Arc *see* Pannonian Basin
 - cataclastic texture, in mantle xenoliths 196
 - chalcopyrite 91, 93, 95–96, 98
 - Cima (CA, USA), peridotite xenolith texture assessment 202, **204**
 - clinopyroxene
 - Calatrava Volcanic District xenoliths **111**, 112, 129, 130, **132**, 139
 - East Serbian lithospheric mantle xenoliths 213, 216, **217**, 219, **220**, **221**, 223, 224
 - External Liguride peridotite 89
 - Lanzo massif
 - impregnated plagioclase peridotite 51, 52
 - lithospheric lherzolite 49, 50
 - replacive spinel peridotite 51, 56–57
 - Massif Central 154, 156, 157, 163, 164–166
 - Monte Maggiore peridotite massif (Corsica) 12, 13, 15, 17, 18
 - Pannonian Basin peridotite xenoliths 181, 182, 183, 184
 - precipitation in metasomatism 213
 - Spitsbergen xenoliths 71, 73, 75
 - Cofrentes volcanic district 125
 - Corsica *see* Monte Maggiore
 - cumulates 71
 - see also* mafic–ultramafic cumulates
 - diatremes, Calatrava Volcanic District 121
 - disrupted texture 196
 - dunite
 - East Serbian lithospheric mantle xenoliths 214, **215**
 - see also* replacive spinel dunite
 - dykes *see* gabbroic dykes
 - Eifel (Germany), peridotite xenolith texture assessment 202, **204**
 - equant xenolith texture 196
 - equigranular xenolith texture 4
 - defined 196, 198
 - distribution
 - Massif Central 169
 - Pannonian Basin 178, 180, 191

- exsolution, pyroxene 73
- External Ligurides peridotite analyses
 methods 88–89
 results
 graphite structure 89–91
 sulphide assemblage
 chemistry 93–96
 mineralogy 91, 93
 texture 91, 93
 results discussed
 graphite formation 99–102
 sulphide formation 96–99
 composition 7–8
 petrography 89
- Fe-lherzolite xenoliths
 Calatrava Volcanic District analyses
 methods 109
 result discussed 117, 119–120
 results
 isotope characteristics 117, 118
 major element geochemistry 113–114
 mineral chemistry 110, 111, 112
 petrography 109–110
 trace element geochemistry 114–116
- feldspar, East Serbian lithospheric mantle xenoliths 216, 218, 219
- fluidal xenolith texture 196
- foliated xenolith texture 196
- France, *see also* Corsica *also* Massif Central
- gabbroic dykes, Monte Maggiore peridotite massif (Corsica) 13, 18, 23, 25, 28, 29, 30, 31, 32, 36–37
- garnet, Calatrava Volcanic District 127
- garnet pyroxenites
 External Ligurides analyses of graphite and sulphides
 methods 88–89
 results
 graphite 89–91
 sulphides 91–96
 results discussed
 graphite 99–102
 sulphides 96–99
 Lanzo massif 63
 geochemistry *see* major element analysis *also* trace element analysis
 geochronological studies *see* $^{40}\text{Ar}/^{39}\text{Ar}$; ^{147}Sm – ^{144}Nd
- geothermometry, pyroxene 75
- Germany, peridotite xenolith texture assessment 202, 204
- Gharyan volcanic field 108
- glass veins in xenoliths
 Calatrava (Spain) 144–145, 146
 East Serbia 216, 218, 226–229
 Massif Central (France) 154, 156, 160–161, 168, 169
- granoblastic xenolith texture 196
- graphite
 External Liguride pyroxenite 87
 analyses
 methods 88–89
 results 89–91
 results discussed 99–102
- Halvdanpiggen 73
- harzburgites
 East Serbian lithospheric mantle xenoliths 214, 215, 223, 224
 Spitsbergen 78
see also reactive spinel harzburgite
- Herauld (France), peridotite xenolith texture assessment 202, 204
- $^{176}\text{Hf}/^{177}\text{Hf}$ isotope studies, Calatrava Volcanic District 117
- HIMU isotopic signature 117, 120
- Hungary *see* Pannonian Basin
- Hyblean (Sicily) high Mg olivine 108
- igneous texture in mantle xenoliths 196
- ilmenite
 East Serbian lithospheric mantle xenoliths 213, 216, 218, 219, 224
 precipitation in metasomatism 213
- impregnated plagioclase peridotite
 Lanzo massif 49, 51, 56
 Monte Maggiore peridotite massif (Corsica) 9, 12–13, 17–18, 20, 21, 24, 34–35
- Internal Ligurides, peridotite composition 7–8
- isotope studies *see* $^{40}\text{Ar}/^{39}\text{Ar}$; $^{176}\text{Hf}/^{177}\text{Hf}$; Lu–Hf; $^{143}\text{Nd}/^{144}\text{Nd}$; Sm–Nd; $^{87}\text{Sr}/^{86}\text{Sr}$
- Italy *see* External Liguride peridotite *also* Lanzo massif
- Kilbourne Hole (NM, USA), peridotite xenolith texture assessment 202, 204
- kink bands 73
- laminated xenolith texture 196
- Lanzo massif 47, 48
 alkaline melts 63–64
 evolution 64–66
 geodynamics 59
 history of research 47, 49
 mantle processes 59–63
 subdivisions
 Northern
 migrating melts 53–54
 rock types 49, 50, 52
 composition 51, 53
 impregnated plagioclase peridotite 49, 51
 lithospheric lherzolite 49
 replacive spinel peridotite 51
 South-Central
 migrating melts 57–59
 rock types 54–55
 composition 57
 impregnated plagioclase peridotite 56
 lithospheric lherzolite 55–56
 reactive spinel peridotite 56
 replacive spinel peridotite 56–57
- lherzolite
 Cr-diopside and spinel bearing, Spitsbergen 71, 75, 76, 77, 78

- East Serbian lithospheric mantle xenoliths 214, **215**, 216, 226
see also lithospheric lherzolite *also* lithospheric spinel lherzolite *also* Fe-lherzolite
- Ligurian Tethys Basin
 geodynamics 59
 opening 7
 ophiolite 88
 petrology 7–8
 stratigraphy 7
 rifting 64–65
- Ligurian–Piemontese Basin *see* Ligurian Tethys Basin
- lithospheric lherzolite, Lanzo massif 49, 55–56
- lithospheric spinel lherzolite, Monte Maggiore massif (Corsica) 9, 11–12, 15
- Lu–Hf isotope studies
 Calatrava Volcanic District 117
 Monte Maggiore peridotite massif (Corsica) 39
- maars, Calatrava Volcanic District 121
- mafic–ultramafic cumulates, Monte Maggiore peridotite massif (Corsica) 13, 18, 23, **25**, **27**, 36
- magnesium, levels in mantle xenoliths 107–108
- magnification, significance in texture assessment 197, 199
- major element analysis
 Calatrava Volcanic District
 Fe-lherzolite xenoliths 113–114
 spinel lherzolite xenoliths
 mineral chemistry 130, **131**, **132**, **133**, 134, 135
 whole rock composition 138–139, **140**, **141**, 142
- East Serbian lithospheric mantle xenoliths 216, **217**, **218**, 219
- Massif Central peridotites
 methods 154–155
 results 157, **158**, **159**, 160–161
- Monte Maggiore peridotite massif (Corsica)
 methods 15
 results
 gabbroic dykes 18, 23, **25**, **28**, **29**, **30**, **31**, **32**
 impregnated plagioclase peridotite 17–18, **20**, **21**, **24**
 lithospheric spinel lherzolite 15
 mafic–ultramafic cumulate 18, 23, **25**, **27**
 reactive spinel harzburgite 15, 17, **19**
- Pannonian Basin xenoliths 181, 182
- Spitsbergen xenoliths 73–75, **76**, **77**, 78
- Massif Central (France) 108
 geological setting 154
 lithospheric domains 153–154
 peridotite xenoliths
 geochemical analysis
 methods 154–157
 results
 isotope composition 164–166
 major elements 157, **158**, **159**, 160–161
 P/T interpretation 161–163
 trace elements 163–164
 results discussed
 depth interpretation 169–170
 glass formation 169
 melt dynamics 166–167
 metasomatism 167–169
 texture assessment 154, 156, **201**, 202, 203, **204**
- melilites
 Calatrava 109, 126
- melts and melting
 dynamics
 Lanzo massif 57, 59, 59–64
 Massif Central 166–167
 Monte Maggiore peridotite massif (Corsica) 37–38
 modelling, Calatrava peridotite 139, 142, 144
 partial melting and trace elements behaviour 185–187
 modelling
 application 229–232
 theory 234–236
- metamorphic texture, in mantle xenoliths 196
- metasomatism 71, 83, 84
 Calatrava peridotite 145–147
 East Serbia lithosphere 213–214
 evidence from xenoliths 214–216
 methods of analysis 216
 results
 host volcanics chemistry 225
 major element chemistry 216, **217**, **218**, 219
 trace element chemistry 219, **220**, **221**, 222–223
 results discussed
 asthenosphere–lithosphere interaction 232
 glassy pockets 226–229
 host basanites 229–232
 origins 226
 schematic model 233–234
- Massif Central peridotite 167–169
- Pannonian Basin, evidence from xenolith trace elements 187–191
- Mont Briançon, spinel lherzolite xenolith
 geochemistry
 methods of analysis 154–157
 results
 isotope composition 164–166
 major elements 157, **158**, **159**
 P/T estimates 161–163
 texture 154, 156
 trace elements 163, **165**
- Monte Maggiore peridotite massif (Corsica) 8
 classification
 gabbroic dykes 13
 impregnated plagioclase peridotite 9, 12–13
 lithospheric spinel lherzolite 9, 11–12
 mafic–ultramafic cumulate 13
 reactive spinel harzburgite 9, 12
 replacive spinel dunite 9, 13
- composition
 methods of analysis 15
 results
 gabbroic dykes 18, 23, **25**, **28**, **29**, **30**, **31**, **32**
 impregnated plagioclase peridotite 17–18, **20**, **21**, **24**
 lithospheric spinel lherzolite 15
 mafic–ultramafic cumulate 18, 23, **25**, **27**
 reactive spinel harzburgite 15, 17, **19**
- field relationships 10, 13, 14, 15
 location 8, 9

- Monte Maggiore peridotite massif (*Continued*)
 stages of evolution
 geochronology 38–41
 Ligurian Tethys ocean stage 41–42
 mantle protolith 23, 26
 melt dynamics 37–38
 melt origins
 gabbroic dykes 36–37
 impregnated plagioclase peridotite 34–35
 mafic–ultramafic cumulate 36
 reactive spinel harzburgite 26, 31, 34
 replacive spinel dunite 36
 stratigraphy 9
 mosaic xenolith texture 196
 Mount Fucisa peridotite 8
 mylonite bands, Lanzo massif 56
- Nansen ridge 73
¹⁴³Nd/¹⁴⁴Nd isotope studies
 Calatrava Volcanic District 117, 139, **143**
 Massif Central peridotites 164–166
- nephelinites
 Calatrava 109, 126
- Northern Apennines, ophiolite 7
- olivine
 Calatrava Volcanic District
 Fe-lherzolite xenoliths 109, 110, **111**
 spinel lherzolite xenoliths 128, *129*,
 130, **131**
 East Serbian lithospheric mantle xenoliths
 216, 219, **220**, **221**, *224*
 high magnesium 107–108
 Lanzo massif
 impregnated plagioclase peridotite 51, *52*
 lithospheric lherzolite 49, *50*
 replacive spinel peridotite 51, 56
 Massif Central 154, *156*, 157
 Monte Maggiore peridotite massif (Corsica)
 11, 13, 15, 17
 Pannonian Basin peridotite xenoliths 181
 Spitsbergen xenoliths 73, 75
- olivine symplectite 222
 olivine tephrite 214
 olivine websterite 216, 226
 Olot Volcanic District (Spain) 108, 125
 ophiolites, Ligurian Tethys 7, 59, 88
 Oranie (Algeria) 108
- orthopyroxene
 Calatrava Volcanic District xenoliths **111**, 112,
 129, 130, **131**
 East Serbian lithospheric mantle xenoliths 213, 216,
 219, *224*
 Lanzo massif
 impregnated plagioclase peridotite 56
 lithospheric lherzolite 49, *50*, 55
 replacive spinel peridotite 51, 56
 Massif Central *156*, 157
 Monte Maggiore peridotite massif (Corsica) 11,
 12, 15, 17
 Pannonian Basin peridotite xenoliths 181, *182*,
 183, 184
 precipitation in metasomatism 213
 Spitsbergen xenoliths 73, 75
- Pannonian Basin
 peridotite xenoliths
 chemical composition
 methods of analysis 180–181
 results
 major elements 181, *182*
 trace elements 181–184
 results discussed
 depletion/enrichment 184–185
 metasomatism 187–191
 partial melting 185–187
 texture 191
 petrography 178
 texture 178, 180
 setting 178, *179*
- partial melting and trace elements
 interpreting behaviour 185–187
 modelling behaviour
 application 229–232
 theory 234–236
see also melts and melting
- pentlandite 91, 93, 95, 96–98
- peridotites
 East Serbia 216
 Lanzo peridotite massif 49, *50*, 51, 52, 54
 Monte Maggiore peridotite massif (Corsica) 8, 9,
 10, 13, *14*, 15
- Pannonian Basin
 chemical composition
 methods of analysis 180–181
 results
 major elements 181, *182*
 trace elements 181–184
 results discussed
 depletion/enrichment 184–185
 metasomatism 187–191
 partial melting 185–187
 texture 191
 petrography 178
 texture 178, 180
see also impregnated plagioclase peridotite
 also spinel peridotite
- phlogopite
 Calatrava xenoliths 109, 127, 128, **133**, 146
 East Serbia peridotite 216, 232, 233, 234
 Massif Central peridotite 154, *156*, 160–161, 168
 Spitsbergen xenoliths 71
- piclogite 121
- plagioclase feldspar
 Calatrava Volcanic District 112
 East Serbia 216, **218**, 219
 Lanzo massif
 impregnated plagioclase peridotite 49, 51,
 52, 56–57
 lithospheric lherzolite 49, *50*
- poikilitic xenolith texture *180*
- porphyroclastic xenolith texture 4
 defined 196, *198*
 distribution
 Massif Central 169
 Pannonian Basin 178, *180*, 191
- pressure estimates for equilibration
 Calatrava 135–136
 Massif Central 161–163

- protogranular xenolith texture 4
 defined 196, 198
 distribution
 East Serbia 216
 Massif Central 154, 156, 169
 Pannonian Basin 178, 180, 191
- pseudotachylyte, Lanzo massif 56
- Puy Beaunit, peridotite xenolith geochemistry
 methods of analysis 154–157
 results
 glass vein 160–161
 major elements 157–160
 P/T estimates 161–163
 texture 154, 156
 trace elements 163–164, **165**
 results isotope composition 166
- pyrometamorphic texture, in mantle xenoliths 196
- pyroxenite veins and bands
 Lanzo massif 49, 50, 55
 Spitsbergen 71, 78
see also garnet pyroxenite
- pyrrhotite 91, 93, 95, 96–98
- rare earth element (REE) analysis
 Calatrava Volcanic District
 Fe-lherzolite xenoliths 116
 spinel lherzolite xenoliths 136–138, 139
 Lanzo massif 53, 54, 57, 58, 59
 Massif Central peridotites 163–164
 Pannonian Basin xenoliths 181–184
 Spitsbergen xenoliths 79, **80**, 81, 82, 83
- Ray Pic, spinel lherzolite xenolith geochemistry
 methods of analysis 154–157
 results
 isotope composition 164–166
 major elements 157, **158**, **159**
 P/T estimates 161–163
 texture 154, 156
 trace elements 163, **165**
- reactive spinel harzburgite
 Lanzo massif 56
 Monte Maggiore peridotite massif (Corsica) 9, 12, 15, 17, **19**, 26, 31, 34
- replacive spinel dunite, Monte Maggiore peridotite massif (Corsica) 9, 12, 36
- replacive spinel peridotite, Lanzo massif 51, 56–57
- Ronda massif 87
- Serbia (East)
 metasomatism and mantle xenoliths character 214–216
 methods of analysis 216
 results
 host volcanics petrochemistry 225
 major element chemistry 216, **217**, **218**, 219
 trace element chemistry 219, **220**, **221**, 222–223
 results discussed
 asthenosphere–lithosphere interaction 232–234
 glassy pockets 226–229
 host basanite petrogenesis 229–232
 xenolith origin 226
- Sigurd fjell 73
- skeletonization, in texture assessment 197
- ¹⁴⁷Sm–¹⁴⁴Nd model ages
 Massif Central peridotites 166
 Monte Maggiore peridotite massif (Corsica) 38–39
- Spain *see* Calatrava Volcanic District
- sphene, Calatrava xenoliths 109
- spinel
 Calatrava Volcanic District xenoliths **111**, 112, 129, 130, **132**
 East Serbian lithospheric mantle xenoliths 213, 216, **217**, 219, 224
 Lanzo massif
 lithospheric lherzolite 49, 50, 55
 replacive spinel peridotite 51, 56–57
 Massif Central 154, 156
 Monte Maggiore peridotite massif (Corsica) 11, 12, 13, 15, 17, 18
 precipitation in metasomatism 213
 Spitsbergen xenoliths 75, 79
- spinel lherzolite
 Calatrava Volcanic District
 methods 127–128
 results
 isotopes 139, **143**
 mineral chemistry
 major elements 130, **131**, **132**, **133**, 134, 135
 P/T estimates 135–136
 trace elements 136–138
 petrography 128, 129
 whole rock composition
 major elements 138–139, **140**, **141**, 142
 trace elements 139, **140**, **141**, 143
 results discussed
 glass origin 144–145
 melting and depletion 139, 142, 144
 metasomatism 145–148
see also lithospheric spinel lherzolite
- spinel peridotite texture analysis 4
 history of research 196
 quantification
 introduction 196–197
 methods
 resolution problems 197–199
 statistical problems 199–201
 results 201–202
 qualitative assessment 204–206
 sample variability 202–204
 results discussed 206–208
- spinel websterite, Spitsbergen 73, 74, 75, **76**, **77**, 78
- Spitsbergen 71, 72, 73
 basement 73
 graben fill 73
 Quaternary volcanics 73
 xenoliths, mantle
 chemical analysis
 methods 73
 results
 equilibration temperatures 75
 major elements 73–75, **76**, **77**, 78
 trace elements 79, **80**, 81, 82, 83
 results discussed 83–84
 classification 71
 petrography 73
- splash plumes 120

- $^{87}\text{Sr}/^{86}\text{Sr}$ isotope studies
 Calatrava Volcanic District 117, 139, **143**
 East Serbian lithospheric mantle xenolith 216
 Massif Central peridotites 164–166
- statistical analysis, xenolith texture assessment 199–201
- subcontinental lithospheric mantle (SCLM) 1, 2, 177
- sulphides of External Liguride pyroxenite 87–88
 analyses
 methods 88–89
 results
 chemistry 93, **94**, 95–96
 mineralogy 91, 93
 texture 93
 results discussed 96–99
 crystallization history
 melt origins 98–99
- Sverrefjell 73
- symplectites
 East Serbia lithospheric mantle xenoliths **217**, 222,
 225, 226–229
 North Lanzo body 51
- tabular xenolith texture 196
- Tallante Volcanic District (Spain) 108
- tectonite fabric, Lanzo massif 55, 56
- temperature estimates for equilibration
 Calatrava 135–136
 Massif Central 161–163
 Pannonian Basin 191
 Spitsbergen 75
- tephriphonolite 214
- texture classification 4
 spinel peridotite xenoliths
 history of research 196
 quantification
 introduction 196–197
 methods
 resolution problems 197–199
 statistical problems 199–201
 results 201–202
 qualitative assessment 204–206
 sample variability 202–204
 results discussed 206–208
- sulphides in pyroxenite 91, 93
- titanite, Calatrava xenoliths 109
- trace element analysis
 Calatrava Volcanic District
 Fe-lherzolite xenoliths 114–116
 spinel lherzolite xenoliths
 mineral chemistry 136–138
 whole rock composition 139, **140**, **141**, 143
- East Serbian lithospheric mantle xenoliths 219, **220**,
221, 222–223
 modelling enrichment
 method 234–236
 results 229–232
- Massif Central peridotites
 methods 155–157
 results 163–164
- Monte Maggiore peridotite massif (Corsica)
 methods 15
 results
 gabbroic dykes 18, 23, **25**, **28**, **29**, **30**, **31**, **32**
 impregnated plagioclase peridotite 17–18,
20, **21**, **24**
 lithospheric spinel lherzolite 15
 mafic–ultramafic cumulate 18, 23, **25**, **27**
 reactive spinel harzburgite 15, 17, **19**
- Pannonian Basin xenoliths 181–184
- Spitsbergen xenoliths 79, **80**, **81**, **82**, 83
see also rare earth element (REE) analysis
- USA, peridotite xenolith texture assessment 202, **204**
- Veneto volcanic province 108
- websterite
 East Serbia 216
see also olivine websterite *also* spinel websterite
- wehrlite xenoliths, Calatrava 148
- Western Alps
 ophiolite 7
see also Lanzo massif
- Western Tethys Basin *see* Ligurian Tethys Basin
- Yermak hot spot 71, 73