

Index

Page numbers in *italic* denote figures. Page numbers in **bold** denote tables.

- abietane 19, 27
acanthodians 113
Acanthostega 130, 133
 habitat **155**
 Stensiö Bjerg 93, 97, 102–105
Acanthostega gunnari 123, 130
acritarchs
 and decline of pCO₂ 38, 42–43, 44–46
 genus and species richness 39, **44**
Acroplois, habitat **156**, 161–162
actinopterygians 113, 123, 167–168
adaptation
 evolutionary 8
 for terrestrialization 11, 12–15
Aeronian
 cryptospores 50
 miospore colonization 53
Aeronian-Telychian event, miospore biodiversity 50–51
aestivation 145, 146, 147
Africa, north, Devonian, plant assemblage 81–82
Agda Dal Formation 94, 95
Ageleodus pectinatus **121**, 122, 124
Aglosperma 118
Aglosperma avonensis 74
Aglosperma quadrapartita 74, **119**
Aglosperma-type seeds 73–74, 76
agnathans 113
Aina Dal Formation 94, 95, 97
air-breathing 114, 134, 168, 172
algae, charophycean, origin of land plants 39
algaenan 15, 25
aliphaticization 25–26
amber 17–18, 25
Ambitisporites 49, 53
Ambystoma subsalsum 169
ammonotelism 172
Amphibamus, habitat **157**
amphibians
 osmoregulation 168
 phylogeny 152–154
 see also lissamphibians
anemochory 74
Aneurophytales 68, 81, 84, **85**, 86
 Gondwana 89
Aneurophyton germanicum **87**
Aneurophyton maroccanum nov. sp. 82
 comparison with *Rellimia* 84
Aneurophyton olnense **87**
anoxia 113–114
anurans 152, 154, 169
Apateon 139–147
 bone histology 140, **141**
 bone-growth rate 143, 144, 145
 palaeoecological influences 146–147, 163
 skeletonochronology 145–146
Apateon caducus 140
 bone-growth features 144, 145
 influence of palaeoecology 146
 palaeohistology and bone deposition 140, **141**, 143
 skeletonochronology 146
Apateon pedestris 140
 bone-growth features 144, 145
 bone-growth features, influence of
 palaeoecology 146
 palaeohistology and bone deposition 140, **141**, 143
 skeletonochronology 146
Apiculatisporites microconus 131
apoxogenesis 64, 65, 67
arachnid, trigonotarbid 118
arborane 20
arborescence 41
Archaea, skeletal material 20
Archaeopteridales 60, 61, 81
Archaeopteris 60, 61, 63, 66, 67, 81
 ecology 75, 76, 77
 Red Hill 119, 120, 122, 123–124
Archaeopteris halliana **119**
Archaeopteris hibernica 118, **119**
Archaeopteris macilenta 118, **119**
Archaeopteris obtusa **119**
 ‘*Archaeopteris*’ *rotundifolia* nov. sp. 82
Archaeosperma arnoldii 74
Archaeothyris florensii, habitat **158**
Archaeozonotriletes 50
Archaeozonotriletes variabilis 131
Archaeodon 122
Archeria, habitat **157**, 161
aromatics 22–24
arthropods
 chitin 21–22
 desiccation management 13
 herbivory 112–113
 Red Hill 118, 120
 seed dispersal 74
 trackways 118, 120
 water-land transition 7, 171–172
Ashgill
 cryptospores 49
 miospore colonization 52, 53
Asteroxylon elberfeldense 82
Australia, SE, tetrapods, biostratigraphic distribution
 131–132
Avalonia, first embryophytes 51–52, 53
avulsion cycles 115–116

Bacteria, skeletal material 20–21
Baggy Beds, spermatophytes 73, 75
Ballyheigue, spermatophytes 73
Baltica, miospore colonization 52, 53
Baphetes bohemicus, habitat **156**
Baphetes kirkbyi, habitat **156**
Baphetes lintonensis, habitat **156**
Baphetes planiceps, habitat **156**
barinophytes 118, **119**
Barinophyton obscurum **119**
Barinophyton sibericum **119**, 124

- Baur, G. *The Stegocephali* (1896) 6
- Belgium
 placoderms 133
 spermatophytes 71–72, 75–76, 77
- beyerane 14, 19, 27
- biodiversity, evolution, miospores 50–51
- biogeochemical cycles 113
- biomass, carbon 40–42
- biopolymers
 aliphatic 15–17
 skeletal 20–24
- biosynthesis, pathways, and terrestrialization 11, 15
- Bohemian basin, palaeoenvironment 162, 163
- bones, *Apateon*
 bone-growth rate 143, 144, 145
 palaeoecological influence 146–147, 163
 palaeohistology 140, 141, 143
- Boskovice Furrow 160, 162
- Bothriolepis* 123, 131, 132, 133
- Botryococcus braunii*
 desiccation management 13
 organic molecules 15, 25
- Brachydectes elongatus*, habitat 158, 162
- branchiosaurids 139
- Branchiosaurus petrolei*, habitat 157
- Britta Dal Formation 93, 94, 95, 97
 climatic cycles 97, 100, 103
 plant macrofossils 105, 106
 sand bodies 97, 99–100, 103
 sedimentary environment 96, 97, 98, 99–101
 vertisols 97, 98, 100, 101, 104
- bryophytes
 desiccation management 13
 thalloid 39, 40, 41–42, 44
- Bufo marinus* see *Rhinella marina*
- cadalene 14, 19, 27
- cadinane 18, 19, 27
- Caerorhachis bairdi*, habitat 157
- Cairoa lamanekii* 87
- Calamophyton* 60, 61, 62, 63, 66
- Calligenethlon watsoni*, habitat 157
- cambium
 bifacial 81
 vascular 84
- Canowindra fish assemblage 132
- Caradoc
 cryptospores 49
 miospore colonization 53
- carbon, sequestration 38, 41, 43–44
- carbon cycle 40–41, 44
- carbon dioxide
 atmospheric
 drawdown 59–60
 effect of terrestrialization 37–46
 fluctuation 113
 and terrestrialization 37–46
 oceanic 37
 see also pCO₂
- Catskill Delta Complex, Red Hill 111–125
- Catskill Formation 114–115
- cellulose 21
- Celsius Bjerg Group 93–107
 plant macrofossils 105, 106, 107
 sedimentary environments 94, 96, 97
 tetrapod environments 102–107, 131
- Cephalopteris* 105
- Cephalopteris tunheimensis* 107
- Chambers, R. *Vestiges of the Natural History of Creation* (1844) 6
- charcoal, Red Hill 119, 122
- Cheliderpeton vranyi*, habitat 157
- China, North, tetrapods 131
- chitin 20–22
- Chlorophyta, desiccation management 12, 15
- choanae 6, 7
- Cladoxylon* 62, 63, 67
- Cladoxylon taeniatum* 67
- Cladoxyllopsida 60, 61, 62
 arborescent habit 62–67, 66
 stem growth model 64, 66–67
 structure and growth patterns 65–66
 vascular system 62, 63, 64, 65–67
- Cloghnan Shale 132
- CO₂ see carbon dioxide
- coal
 diterpenoids 19–20
 n-alkanes 13, 15
- Colosteus scutellatus*, habitat 156
- Combyingbar Formation 131
- Condrusia brevis* 74
- Condrusia minor* 74
- Condrusia rumex* 74
- Condrusia*-type seeds 73, 74, 75, 76
- Cooksonia caledonica* 55
- Cooksonia pertoni* 54
- Cooper Creek, analogue for Britta Dal Formation 100
- coorongite 25
- Cordaianthus devonicus* 82
- Cordaites*, fernane 20
- cortex 67
- coumaryl 22–23, 28
- cracking 24
- Crassigyridus*, habitat 156
- Crossia* 84
- crossopterygians 6
- cryptospores 13, 14, 40
 dispersal 51
 oldest 49, 51–52
 Ordovician 49
- Ctenacanthus* 121, 123, 162
- Cumberland Marshes, Saskatchewan River, analogue for Red Hill sedimentation 115
- Cuneognathus* 102
- Cuneognathus gardineri* 131
- cupules, seed plants 74, 120
- cutan 15, 25–26
- cutin 15, 25–26
- Cutler Formation, palaeoecology 163–164
- Cyanobacteria
 desiccation management 12
 in evolution of land plants 39, 40, 41
 mats 40, 41
- Cyclostigma* 60, 61, 107
- Czatkobatrachus* 170
- Dechra Ait Abdallah, Devonian plant assemblage 81–82
- degradation, organic matter 24

- degradation-recondensation pathway 24
Dendroperpeton acadianum, habitat **156**, 162
Densignathus 133
 habitat **155**
Densignathus rowei **121**, 123
depo-centres, late Devonian 114
desiccation management
 lipids 12–15
 long-chain aliphatics 12–16
 vertebrates 169
Desmatodon hesperis, habitat **158**
detritivores, Red Hill 122
Devonian
 miospores 51
 plant assemblages, North Africa 81–89
 ‘plant hypothesis’ 59
 trees 59–68, 60
 height-diameter relationship 61
Devonian, Late
 extinctions 113
 palaeoecology, Red Hill site 111–125
 seed plants, radiation 71–77
 tectonics and depo-centres 114
 tetrapods, East Greenland 93–107
Devonian-Carboniferous boundary 131
Diabolepis speratus, habitat **155**
diagenesis 24
Dimetrodon, habitat 161
dinoflagellates, aliphaticization 25
dinospores 22
dinosteroids, triaromatic 12
Diplocaulus, habitat **157**, 161, 162
dipnomorph clade 113
Discosauriscus, habitat **157**
dispersal
 cryptospores 51
 seed plants 74, 75
diterpenoids 19–20
Doragnathus, habitat **156**
Dorinnotheca streelii 74
Dorinnotheca-type seeds 73, 74, 75, 76
drimane 18, 27
Duisbergia, stem 64, 66–67

East Kirkton tetrapod fauna 113–114
ecosystems, marine, effect of terrestrialization
 37–46
Eifelian, Dechra Ait Abdallah 81–82
Elginerpeton 130, 133, 134
 habitat **155**
Elkins, spermatophytes 72, 75, 124
Elkinsia polymorpha 74, 76
elpistostegalians 6, 112–113, 132–133
Elpistostege, habitat **155**, 160
Elsa Dal Formation 94, 95, 97
embryophytes
 desiccation management 12
 oldest cryptospores 49, 51, 54
 origin 41
 phylogeny 6, 54
Emphanisporites micromnatus var. *micromnatus*
 53–54
Emsian, Dechra Ait Abdallah 82
entropy, demographic 76–77

Eoherpeton, habitat **157**
Eospermatopteris 60, 61, 63
 growth patterns 64, 66–67
epidogenesis 64, 65, 67
Equisetopsida 60, 61
Eryops, habitat **156**, 161
eudesmane 14, 18–19, 27
Eugyrinus, habitat **156**
Euphyllophytes 60, 61
Euramerica, tetrapods 133–134
Euryodus, habitat **157**
Eusthenodon 124
Eusthenopteron 6
 habitat **155**, 160
Eutracheophytes 86
Evieux Formation, spermatophytes 71–72,
 75–76, 124
Eviostachya hoegii 76
extinction, Late Devonian 113

Famennian
 fish 132
 Red Hill 118, 124
 spermatophytes 71–73, 77
 stegocephalians 167
 tetrapods 130, 134, 135
Fejervarya cancrivora 161, 168, 169
femur, *Apateon* 140, **141**, 143, 144
fernane 20, 28
Filicopsida 60, 61
fin-limb transition 6–7, 113
fish-tetrapod transition 6–7, 131, 132, 134
 climate 134–135
flavonoids 27
 signalling and warfare 17
 UV protection 15–16
Foozia 62
forestation 41
fossils *see* macrofossils; mesofossils; taphofacies
Frasnian
 fish 132
 spermatophytes 71
 stegocephalians 167
 tetrapods 129–130, 134, 135
Frasnian-Famennian biotic event 131
friedelane 20, 28

galeaspid, Zhongning Formation 131
gametophyte generation 112
gammacerane 20, 28
Gauss Halvø 93, 94, 97, 102
 climatic cycles 97, 100, 103
 tetrapod biostratigraphy 130–131
Geminospora lemurata 131
gene expressions 8
Genoa River trackway assemblage 131
GEOCARB III model 38–46
geochemistry, organic 11–27
Geoffroy St Hilaire, E., on evolution of fish 6
Gigantocharinus szatmaryi 120, **121**, 122
Gilboa trees 61, 67–68
Gillespiea 118, 124
Gillespiea randolphensis 76, **119**
gills, osmotic regulation 168

- Givetian
 origin of tetrapods 132
 spermatophytes 71
Glamorgania gayerii 74
 Glenisla tetrapod trackway 132–133
Gloeocapsamorpha prisca 25
 gnathostomes 113
Gogonasmus, habitat **155**
 Gondwana
 Aneurophytales 89
 colonization by land plants 51, 52, 53, 54–55
 Late Devonian 167
Granditetrasporites zharkovae 71
 Greenland, East
 Late Devonian tetrapods 93–107
 tetrapods, biostratigraphical distribution
 130–131
Greererpeton burkemorani, habitat **156**
Groenlandaspis 132
Groenlandaspis mirabilis 131
Groenlandaspis pennsylvanica **121**, 122
 guaiaacyl 22–23, 28
 gymnophionans 152, 154
Gyracanthus cf. *Gyracanthus sherwoodi* 118,
121, 122
- Haeckel, E., *Generelle Morphologie der Organismen* (1866) 6
 Hangenberg Sandstein, spermatophytes 73
 Harder Bjerg Formation 95, 102
 Heptophyta, earliest mesofossil 54
 herbivory, arthropods 112–113
 heterospory 112
 hibernation 145, 146–147
 Hirnantian glaciation, miospore biodiversity 50
Holoptychius 102, 123, 131, 133
 Homeric, cryptospores 50
 hopanoids 20
 humerus, *Apateon* 140, **141**, 143, *144*
 Huxley, T.H., fish classification 6
 hydrochory 74
Hyenia cf. *elegans* 82
Hylerpeton dawsoni, habitat **157**
Hylonomus, habitat 164
Hyloplesion, habitat **157**
Hyneria lindae 118, **121**, 123, 124
Hynerpeton 130, 133
 habitat **155**
Hynerpeton bassetti 120, **121**, 123
 hypoxia 168
- Iberospondylus*, habitat **156**, 162
Ichthyostega 6, 93, 97, 130, 133
 habitat **155**
 Sederholm Bjerg 93, 94, 98, 102
Ichthyostega eigili 130
Ichthyostega stensioei 130
Ichthyostega watsoni 130
 Isoetales **119**
- Jakubsonia* 130, 133, 134
 habitat **155**
 Jemalong fish-tetrapod assemblage 132
 Joggins, habitat **159**, 162
- Katschenko's line 140
 kaurane 14, 19, 20, 27
Kerrya mattenii 74
 kidneys, osmoregulation 168
 Knoppenbissen Formation, Refrath borehole 76
- Lamarck, J.-B. *Philosophie Zoologique* (1809) 5
 Laurentia, miospore colonization 52, 53
 Laurussia
 Aneurophytales 89
 Pseudosporochaleans 68
Leiocephalikon problematicum, habitat **157**
Lenlogia krystofovichii 74
Lepidodendropsis 118, **119**
Lepidosigillaria 60, 61
 lepospondyls, salt tolerance 152–154, 161–162
Leptophloeum 60, 61
Lethiscus, habitat **157**
 Libya, miospore colonization 52, 53
 lignans 17
 lignin 22–24, 25, 59–60
 lignophytes 60, 61, 81–89
 distribution 89
 heterospory 112
 origin 40, **41**
 phylogenetics 86
 limbs *see* fin-limb transition
Limnomis delaneyi 118, 120, **121**, 123
Limnoscelis dynatis, habitat **158**
Limnoscelis paludis, habitat **158**
Limnostygis relictus, habitat **158**
- lipids
 aliphaticization 25–26
 analysis 12
 long-chain, desiccation management 12–15
- lissamphibians
 habitat 154, 160–161, 163, 165–166,
 169–170
 ornithine pathway enzymes 167–168
 osmoregulation 168
- Livoniana*, habitat **155**
 Llandovery, miospore colonization 52, 53
 Llanvirn, cryptospores 49, 51–52
- Lochkovian
 cryptospores 51
 miospore assemblages 55
 miospore biodiversity 50–51
 trilete spores 50, 51
- Lohsania*, habitat 164
Lorophyton 62
Loxomma acutirhinus, habitat **156**
Loxomma allmanni, habitat **156**
Loxomma rankini, habitat **156**
- Ludlow, trilete spores 50
 lungfish 6, 113, 123, 152
 lungs 168, 172
 lupane 20, 28
 Lycophyta 55, 60
 lycopsids 60, 61, 68, 112
 Celsius Bjerg Group 105, 106, 107
 Red Hill 118, 119
- macrofossils 54–55
 plant, Celsius Bjerg Group 105, 106, 107

- macromolecules 16–17, 20–22, 24, 25–26
 analysis 12
 desiccation management 15
- Maillet, B. de, *Tellamed* (1766) 5
- Massif Central, palaeoenvironment 162, 163
- megafossils 14, 54–55
 desiccation management 13, 15–16
- Megalichthys* 6
- Megalocephalus lineolatus*, habitat **156**
- Megalocephalus pachycephalus*, habitat **156**
- megasporangia 112
- menetogenesis 64, 67
- mesofossils 54–55
- Metaxygnathus* 130, 131, 132, 133
 habitat **155**, 167, 171
- microbial mats *see* Cyanobacteria, mats
- Microbrachis pelikani*, habitat **158**
- Micromelerpeton*, habitat **157**
- Miller, H. *Footprints of the Creator* (1849) 6
- miospores
 biodiversity evolution 50–51
 colonization of land 51–53
 Ordovician-Lochkovian 49–50
 Zhongning Formation 131
- miRNAs 8
- monilophytes 6
- monoterpenoids 18
- Moresnetia zaleskyi* 71, 74
- Moresnetia*-type seeds 73–74, 75–76, 118
- Morocco, Devonian plant assemblage 81–82
- mudskippers, habitat 172
- myriapod, archidesmid 118
- n*-alkanes, desiccation management 13, 14, 15
- Nannochloropsis*, *n*-alkanes 13
- Nathorst Bjerg 93, 94, 96, 99, 102, 103
- Obruchevichthys* 130, 133, 134, **155**
- Obrutschew Bjerg Formation 94, 101–102
 Devonian-Carboniferous boundary 131
 plant macrofossils 106, 107
- Old Red Sandstone Continent 133
 miospore assemblages 54, 55
- oleanane 20, 28
- Onchiodon*, habitat **157**
- Ophiacodon*, habitat **158**, 161, 164
- Ophiderpeton*, habitat **157**
- Ordovician, cryptospores 49, 52
- organic matter
 analysis 12
 degradation 24
 preservation 24–25
 Red Hill 122
 sequestration 38, 41, 43–44
- ornithine pathway 167–168
- Orsadesmus rubecollis* 120, **121**, 122, 124
- osmoregulation 168
- osteogenesis *Apateon* 145
- Osteolepididae, habitat **155**
- Otzinachsonia beerboweri* 118, **119**
- oxygen, atmospheric, fish-tetrapod transition 134–135
- palaeobiogeography, stegocephalians 167
- palaeoecology
 and bone-growth, *Apateon* 146–147
 Red Hill 111–125
 sedimentation 114–118
 stegocephalians 154, **155–160**, 160–172
- palaeogeography, miospore distribution 52
- Palynodata database 38, 39
- Panderichthys* 133
 habitat **155**, 160
- Paralleldal 93, 94, 97
 climatic cycles 97, 103
Ichthyostega 102
- parsimony, sarcopterygians 152–154, 170
- pCO₂ 37–38
 and decline in *Acritarcha* 38, 42–43, 44–45
 and rise of land plants 38–42, 43–44
- peptidoglycans 20–22
- Permian, *Apateon* 139–147, 142
- pH, oceanic 37–38
- Phacopidae 81
- phenols, lignin 22–23
- phenylpropanoid pathway 17, 22, 23
- Phlegethonia*, habitat **157**
- phloem, secondary 61, 81, 84
- phlorotannins 17
- Pholidogaster pisciformis*, habitat **156**
- photosynthesis, earliest 12
- phylocladane 14, 19, 20, 27
- Phyllolepis rosimontina* **121**, 122
- phytoplankton, decline of pCO₂ 38, 44–46
- Pietzschia* 60, 61, 62, 63
 structure and growth patterns 64, 65–66, 67
- Pietzschia levis* 65
- Pietzschia schulleri* 65
- pimarane 19, 27
- placoderms 113, 118, 122
 age 132, 133
 last occurring 131
- plants, land
 and decline of pCO₂ 38–42, 43–44
 Devonian 59–68, 60
 origin 39–40
 Palaeozoic, phylogenetic tree 60
see also seed plants
- podocarpene 19, 27
- pollen 23
- polymerization, oxidative 24, 25, 26
- polypteriforms 6
- polysaccharides 21–22
- porolepiforms 113
- Powichthys thorsteinssoni*, habitat **155**
- preservation pathways, organic matter 24–25
- Pridoli, trilete spores 50
- proanthocyanidins 17
- Probarinophyton* **119**
- Profile Ravine 98
- progradation 115
- propagules 74, 77
 dispersal 75
- Proteokalon petryi* **87**
- Proterogyrinus scheelei*, habitat **157**
- Pseudobornia* 60, 61

- Pseudosporochnales
 distribution 68
 habit 67–68
 morphology 62, 63, 65
Pseudosporochnus 60, 61, 62, 68
Pseudosporogonites hallei 74
Psilophyton princeps 82
 Pteridospermopsida 18
Ptyonius, habitat **157**
 Puertollano Basin, habitat **156, 160, 162**
Puertollanopus microdactylus 162
- radiation, evolutionary 7–8
Rana cancrivora *see* *Fejervarya cancrivora*
 Red Hill
 age of deposit 118
 fauna 118, *120*, **121**
 flora 118, **119**, *120*
 habitat distribution 118
 palaeoecology 111–125
 fire dynamics 119, 122
 organic debris 122
 trophic structure 122–123
 vegetation 118–119
 sedimentation model 114–116
 spermatophytes 72, 75
 taphofacies 116–118
- Refrath borehole 76
Reimannia aldenense **87**
Rellimia, Dechra Ait Abdallah 82–89, 83, 84, **85**
 comparison with other Aneurophytales 84
 fertile organs 84, **85**
Rellimia thomsonii 84, **85, 87–88**
Remigolepis 132, 133
Remigolepis major 131
Remigolepis microcephala 131
Remigolepis xiangshanensis 131
Remigolepis xixiaensis 131
Remigolepis zhongningensis 131
Remigolepis zhongweiensis 131
 reptiliomorphs, saltwater tolerance 152, 154
 resinite 17–18
 resins 17–18
 retene 14, 19–20, 27
Retispora lepidophyta 95, 101
Rhabdosporites langii **85**, 86, 89
Rhacophyton 75, 76, 118, 119, 122, 124
Rhacophyton ceratangium **119, 120**
Rhinella marina, osmoregulation 168
Rhipidophyton 68
 rhizosphere 40–41, 44
 Rhuddanian, cryptospore assemblages 50
Ricnodon, habitat **157**
 Romer's Gap 113, 134
 rooting 40–41
 roots 64
Pietzschia 65
 and plant size 59–60
 Rubisco efficiency 45, 46
Runcaria heinzelinii 71
- Saale basin, palaeoenvironment **160, 162, 163**
 Saar-Nahe Basin
Apateon 140, *142*
 palaeoecology 146–147, 162–163
Sagenodus, habitat 164
 salinity, and biodiversity 151
 saltwater, tolerance of, stegocephalians 151–172
 sand bodies, Britta Dal Formation 97, 99–100, 103
 sandstone, Stensjö Bjerg, *Acanthostega* 103–105
 sarcopterygians 6–7, 113, *120*, 123
 elpistostegalian 6, 112–113, 132–133
 habitat evolution *165, 166*
 parsimony 152–154
 Saudi Arabia, miospore colonization 49, 50, 51, 52, 53
Saurepereton, habitat **156**
 saurerpetonids, salt tolerance 162
Sauropleura, habitat **157**
Scougouphyton abdallahense 82
 Sederholm Bjerg, *Ichthyostega* site 93, 94, 98, 102
 sedimentation, Red Hill 114–116
 seed plants
Aglosperma-type 73, 74, 76
Condrusia-type 73, 74, 75, 76
 dispersal 74, 75
Dorinnotheca-type 73, 74, 75, 76
 early ecology 75–76
 ecological hypothesis 76–77
Moresnetia-type 73–74, 75–76, 118
 radiation 71–77, 112
Warsteinia-type 73, 74
 selection, evolutionary 7
 sequestration, carbon 38, 41, 43–44
 serratane 20, 28
 sesquiterpenoids 18–19
Seymouria, habitat 161
 seymouriamorphs, habitat 154, 163
 shale, black 113
 signalling, molecular 17–18
 Silurian
 macrofossils 54
 miospores 50
 simonellite 19–20, 27
Sinolepis assemblage 131
Sinolepis szei 131
Sinostega 129–130, 131, 133, 134
 habitat **155**
 skeletochronology, *Apateon* 145–146
 skeletons 11, 20–24
Soederberghia groenlandica 132
Spathicephalus, habitat **156**
Spermasporites allenii 71
 spermatophytes *see* seed plants
Spirorbis 169, 170
 spores 23
 trilete, Ordovician 49–50, 53
 sporophyte generation 112
 sporopollenin 11, 22, 25
 synthesis 23
 stauripterids 118, **119**
Stauripterus **121**
 stegocephalians
 palaeoecology 154, **155–160**, 160–164
 evolutionary analysis 164–167
 palaeobiogeography 167
 parsimony 152–154
 saltwater tolerance 151–172
 stem-tetrapods 154, 169
 stems
 cladoxylopsida 64

- growth model 66–67
 - Pietzschia* 65–66
- Stenokoleales 81, 84
- Stenokoleos* 84
- Stensiö Bjerg 93, 94
 - Acanthostega* 93, 97, 102–105
- Stensiö Bjerg Formation 94, 95, 101
 - plant macrofossils 105, 106, 107
 - sandstone 103–105
- Streelispora newportensis* 53–54
- Struveaspis maroccanum* 82
- Styliolina* 82
- stylopod diaphyseal palaeohistology, *Apateon* 140, 143
- suberin 16–17
- sulphurization pathways 24, 26
- Synorisporites* 49
- syringyl 22–23, 28

- Taffs Well, spermatophytes 73, 75
- tannins 17, 27
- taphofacies, Red Hill 116–118
- tectonics, late Devonian 114
- teleosts, habitat 172
- Telychian, miospores 50
 - biodiversity 50–51
- temnospondyls 6, 139–147, 152–154, 161
- Tentaculita* 81, 82
- terpenoids 17, 18–20
- terrestrialization 7–8
 - early ideas 5–6
 - evolution 39–40
 - and organic geochemistry 11–27
- Tetraedron*, algaenan 25
- Tetrahedraletes medinensis* 52
- tetrapods
 - biostratigraphical distribution 129–135
 - earliest diversification 132–135
 - ecological models 124–125
 - environments, East Greenland 93–107
 - evolution 6, 113
 - origin 132–133
 - Red Hill 123
 - water-land transition 6–7
- Tetraxylopteris*, comparison with *Rellimia* 84
- Tetraxylopteris reposana* **85**, 86, **88**
- Tetraxylopteris schmidtii* **85**, **88**
- Tiktaalik*, habitat **155**, 160, 164
- Tournaisian, seed plant dispersal 75
- tracheophytes
 - earliest macrofossil 54
 - origin 40, **41**
- Trachystegos megalodon*, habitat **157**
- trackways
 - arthropod 118, 120
 - tetrapod 131, 132–133, 134, 162
- trees, Devonian 59–68
 - height-diameter relationship 61
- Triadobatrachus* 170
- Triloboxylon*, comparison with *Rellimia* 84
- Triloboxylon arnoldii* **88**
- Triloboxylon ashlandicum* **85**, **88**
- Trimerorhachis insignis*, habitat **156**, 161–162
- triterpenoids 20
- Triturus marmoratus*, bone-growth
 - features 145, 146–147
- Tulerpeton* 130, 133
 - palaeoecology 154, **156**, 160
- Turrisaspis elektor* 118, **121**, 122
- Twofold Bay Formation 131

- United Kingdom, miospore colonization 49, 50, 52, 53
- uraemia, marine environment 167
- urea, osmoregulation 167, 168
- ureotelism 172
- urodeles 152, 154, 169
- ursane 20, 28
- UV protection
 - adaptation 11
 - flavonoids 15–16

- vegetation
 - evolution 38–42, 42, 43–44
 - Ordovician-Lochkovian 49–55
- Ventastega* 130, 133
 - habitat **155**, 160
- Ventastega curonica* 123
- Verruciretusispora magnifica* 131
- vertebrates
 - Devonian 113
 - Red Hill 118, 122–123, 124
 - water-land transition 6–7, 171–172
- vertisols, Britta Dal Formation 97, 98, 100, 101, 104
- Viriattellina* 82
- Viriattellina pseudogemitziana armoricana* 82
- Viséan, terrestrial vertebrates 113

- warfare, molecular 17–18
- Warsteinia paprothii* 74
- Warsteinia*-type seeds 73, 74
- water-land transition 5–8, 113, 171–172
- Wattieza* 60, 62, 68
 - stem 64
- wax, desiccation management 13, 15
- weathering, chemical, and root growth 41, 42
- Wenlock
 - cryptospores 50
 - miospore colonization 53
- Whatcheeria deltae*, habitat **156**
- Wimans Bjerg Formation 94, 95, 96, 97
- wind, seed dispersal 74

- Xenacanthus* 161, 162
- Xenocladia* 62, 63, 67
- Xenotheca bertrandii* 74
- Xenotheca devonica* 74, 75
- xylem 64, 66
 - Pietzschia* 65
 - secondary 61, 67, 84, 86

- Ymer Ø, Britta Dal Formation 96, 100
 - tetrapods, biostratigraphical
 - distribution 130–131
- Youngolepis praecursor*, habitat **155**

- Zatrachys*, habitat **157**, 161
- Zhongning Formation, biostratigraphy 131
- zoochory 74
- Zosterophyllum* 13
- zygopterids 112, **119**