

# Index

Pages on which figures appear are printed in *italic*, and those with tables in **bold**

- abnormal pressures 6, 13, 15, 16
  - North Sea 15
- adjustment time 48, 63
- advection 132
- advective flow 94, 97
- age-dating, of water 4
- Alberta basin, subsidence of 89
- Alberta syncline 60, 61
- Alpine orogeny 106, 117
- alteration, diagenetic 132–5
- Altnabreac, Scotland 188
- aluminium conservation 138
- aluminosilicate hydrolysis 132
- aluminosilicate reaction 137
- anhydrite 56
- anhydrite dissolution 137
- anticlines 13
  - as petroleum traps 14
- aquathermal forces 22
- aquathermal pressure 21
- aquicludes 33–4, 37, 40, 108
- aquifer flow within thrust sheets 89–94
- aquifer formation, hydrochemical evolution of 136–8
- aquifer framework, compaction/expansion of 153–4
- aquifer porosity 135
- aquifer systems
  - E Midlands, thermal aspects of 157–69
    - modelling, results and comparisons 160–7
    - high-temperature fluid flow 93
    - low-temperature circulation 93–4
    - McConnell Thrust Sheet 91
    - UK 122
  - aquifer zones, E Midlands aquifer 128–9
- aquifers 33–4, 37, 38, 39, 40, 42, 108
  - basal-sheet 94, 99, 100
  - confined
    - flow from 116
    - outlets from 122
  - flow regimes, Swan Hills area, Alberta 33
  - non-active 202
  - permeability of 108
  - selection of for environmentally safe disposal of special waste 39
  - double porosity 141
  - excess pressure 53–4
  - mean interstitial flow speed 146
- aquitards 33–4, 37, 38, 39, 40, 42, 43
  - flow regimes, Swan Hills area, Alberta 33
  - pressure reduction in 53
- Arabian Gulf region, petroleum generation, maturation and migration 26–8
- artesian basins 3, 5
- artesian conditions
  - London Basin 114
  - Lower Greensand 116
  - Mercia Mudstone and Lower Lias 120
- atomic absorption 194
- 'back-stripping' models 44
- Basal Permian Sands 112
- base metals 3
- basement
  - crystalline
    - deformation of 99
    - Jaca Basin 95, 97, 99
  - impermeable, def. 106–7
- Precambrian
  - Cold Lake area, Alberta 37, 39, 43
  - Taber area 55
  - UK 106
- basin analysis, approach to 31
- basin analysis, dynamic 31–44
  - applications of 32
  - data processing 33–6
  - hydrogeological synthesis 36–43
    - Cold Lake study area 37–9
    - Swan Hills study area 39–43
  - hydrogeology database 32
- basin evolution, multiple cycles of 55
- basin heat, redistributed by groundwater motion 79, 81, 82
- basins
  - artesian 3, 5
  - Cretaceous–Tertiary, UK 111, 114–16
  - evolving, principles of groundwater flow in 46–55
  - fault-controlled 106
  - Permo–Triassic 109–10, 112–14, 119–20
  - physiographic 8
  - pre-orogenic, fluid flow in 10–13
  - rift 10
    - on aseismic continental margins 14–15
    - petroleum in 15–16
    - structural style 15
  - sedimentary 8–10
    - basic concepts of fluid movement in 173–4
    - conceptual/descriptive model 37–43
    - dynamic processes 32
    - fluid flow in 3–16
    - modelling of 33–6
    - rock framework and contained fluids 31
    - stratigraphy 10
    - transgressions and regressions 9–10
    - western Canadian, thermal regime and hydrodynamics 79–85
  - simple, conceptual evolution of groundwater flow 50–5
  - southern North Sea 160–1
  - structural 106, 116, 118–20
  - unit groundwater 47–8
- Bath–Bristol basin 118–19
- Bearpaw hydrogeological formation 60
- Beaverhill Lake Formation aquifer 38, 39, 42
- bedding, horizontal 143
- bicarbonate, in solution 88
- biotite 133

- block, up-faulted 112  
 borehole-based experiments 190–4  
 boundary conditions, change in 48  
 boundary surfaces 54  
 Bow Island Arch 60, 61, 62  
 Bow Island hydrogeological formation 66, 73, 76  
 Bow Island Topographic High 62, 74  
 breccia, basal 159  
 Bridgets site, Upper Chalk 147  
 Bridgnorth Sandstone 120  
 Brigantian Shales 112  
 brines  
   Carboniferous 127–129  
   E Midlands Carboniferous rocks, origin of 112  
     static, evolved during burial 132  
 brittle regime, Jaca Basin 97  
 brittle-ductile transition 95  
 bubble-point pressure 210  
  
 calcite 88, 92  
   recrystallization of 141  
   secondary 88, 138, 145  
 calcite dissolution 132, 133  
 calcite precipitation 88, 137, 138  
   secondary 137  
 calcite–water exchange, mass-balance equation 89  
 Caledonian orogeny 106  
 Cambrian aquifers 40, 42  
 Cambrian Aquitard 56  
 Cambrian Aquitard hydrogeological group 56  
 Canadian Overthrust Belt 99, 100  
 Canadian Prairies basin 81, 82  
 capillary drainage 211  
 capillary imbibition 211, 212  
 capillary pressure 5  
 capillary pressure differentials 74  
 carbon shift 89  
 carbonate 39, 42, 55–76, 97  
   basin 95  
   lateral flow of pore water 10  
   marine 97  
   net-veined 97  
 carbonate mass transfer 136  
 carbonate redistribution 137  
 carbonate removal 136, 137  
 carbonate sequences 88  
 Carboniferous aquifers 119  
 Carboniferous basins 109, 110–12, 118–19  
 Carboniferous Limestone 112, 119, 157, 158  
   lithology of 111  
 Carboniferous sequence 111  
 Carlisle basin 120  
 Carwynnen, Cornwall 186, 193  
 cation exchange reaction 109  
 cation-anion balance 35  
 cells, two-flow 177  
 cellular flow 179  
 cementation 106  
   and permeability 7  
 cements  
   calcite 134, 137  
   dolomite 134  
 Chalk aquifer 106, 114–16, 141–55, 160  
   dual double-porosity 155  
   Hampshire Province 117  
     the saturated zone 149–52  
     storage 152–4  
     the unsaturated zone 147–9  
     Upper Thames Valley 152  
   chalk matrix, features of 142, 143  
   chalk permeability, nature 141–7  
   Chalk rock 145  
   Chalk, E Anglia 114  
   channelled flow 180–1, 197, 199  
   channelling, dome flanks 168  
   Cheshire basin 120–1  
   chloride 109, 128, 129  
   clay minerals, authigenic, growth of 6  
   clays  
     intergranular 133  
     precipitation of 135  
   Clearwater Formation aquitard 37, 38–9, 39  
   cleavage 98  
     solution 91, 94  
   cleavage fronts 98  
   vertical 99  
   cleavage surfaces 100  
   cleavage system 98  
   Coal Measures 111, 119, 158  
     deltaic environment 159  
   coal-mine drainage 121, 123  
   coals, Cretaceous, ranks of and palaeotopographical  
     map, 'Cypress Plain' 62–3  
   coccoliths 141  
   Cold Lake area, Alberta 32, 36, 37–9, 40  
   Colorado Aquitard 56, 66, 73, 74, 76  
     hydraulic head distributions 66  
   Colorado Aquitard hydrogeological group 56  
   Colorado Group aquitard 37  
   compaction  
     and mudrock fractures 181  
     of mudstones 3, 10  
     water of 15, 19, 181  
     and water flow 10  
     water-saturated sediments 3  
   compaction equilibrium 19  
   for shales 19–21  
   compressibility  
     of rock 46, 153  
     of water 46  
   compressibility characteristics of Chalk 154  
   compressional flow 46  
   conduit flow, brittle regime, Jaca Basin 97  
   conduits, serpentine 151  
   connate fluids 92, 97, 98, 99, 100  
     ponding of 99  
   connate water 6, 108  
     marine composition 114  
   contamination  
     bacteria and suspended solids, Chalk wells 147  
     of formation water samples 34–5  
   convective transfer of heat by groundwater 108  
   Cooking Lake Formation 38  
   Corallian limestone 177  
   Corallian (Upper Jurassic) aquifer 114, 116, 122  
   core analyses, permeabilities and porosities 34  
   crack process zone 93  
   Cretaceous Transgression 15

- cross-flow 173, 175, 176  
   convergent 177  
   effect of 182  
   nature of 180–1  
   *see also* cross-formational flow  
 cross-formational flow 37, 42, 43, 107, 108, 116, 117  
   Colorado Aquitard–Lower Cretaceous Aquifer 74  
   evidence for 176–8  
   gravity induced 45  
   and petroleum accumulations 73  
   vertical 117  
 Crosshole Project, Stripa Mine 190  
 crustal convergence 89  
 cryoturbation 145  
 crystalline lenses 95  
 crystalline rock, flow and flow mechanisms 185–94  
 culling 34–6  
 culling criteria 34, 36  
 cumulative log frequency plots 36  
 Cypress Hills area, probable erosional history 60, 61–3  
 Cypress Hills (Taber area) 56  
 ‘Cypress Plain’ system, Taber area 66, 76  
   age of water 73  
 ‘Cypress Plain’ times, Taber area, cross-formational groundwater flow and petroleum accumulation 73–4  
 ‘Cypress Plain’, Taber area 61, 62–3, 63
- Danube, River, tracing groundwater flow from 3, 4  
 Darcian flow 181  
 darcy, measure of intrinsic permeability 7  
 Darcy’s law 8  
 décollements, sealed and isolated 95  
 deep waste disposal (injection) 32, 37  
   Swan hills area, Alberta, evaluation of 33  
 deformation 3, 117  
   air–water interface, by surface tension 5  
   brittle and ductile 99  
   of rock skeleton 46  
   in sedimentary basins 10, 16  
   structural 106  
 deformation products 95  
 deformational forces 53  
 deltaic deposits 158  
 density contrasts 181  
 density settling 113, 117, 122  
 depletion, differential 202  
 deposition, Carboniferous rocks 110–11  
 depth dependence, hydraulic conductivity 186, 187, 197, 199  
 Derbyshire Dome 112  
 devolatilization reactions, metamorphic 99  
 Devonian Aquifer hydrogeological group 56  
 dewatering  
   basin-wall carbonates, Jaca Basin 95  
   of fluid source regions 95  
   of sedimentary pile, Jaca Basin 97–8  
   of thrust sheets 94, 99  
   to allow deep mining of coal 121  
 diagenesis 3, 6, 16  
   of formation waters 112  
   freshwater 132  
   diagenetic changes 106  
   diagenetic petrology, E Midlands Triassic Sandstone 133–5  
   diagenetic reaction, during burial 114  
   diagenetic sequence, E Midlands Triassic Sandstone 134–5  
   diapirism 16  
   diffusion 54  
     and salinity enhancement 117  
     solute 152  
   diffusion equation 46  
   diffusion/exchange 113  
   diffusive mixing 132  
   diffusivities, directional 190, 192  
   dilatancy pumping mechanism 93  
   dilatational flow 46, 53  
   dilatational stresses 54  
   discharge 47–8, 54, 76  
     Chalk, London Basin 114  
     deep 118  
     from confined Chalk 151  
     Milk River Aquifer 66  
   discharge areas 53, 105, 117  
     Carlisle and Cheshire Basins 120  
     Sherwood Sandstone 113  
     western Canadian basin 79  
   discharge zone, Carboniferous 120  
   disconformities 15  
   dispersion, megascopic (interformational) 73  
   dissolution  
     incongruent 137  
     restricted by channelled flow 180  
   dissolution rates, of a mineral phase 132–3  
   dolomite 10, 39, 134, 136  
     vuggy 56  
   dolomite dissolution 132, 137  
   dolomite removal 135  
   drawdowns 128  
   drill-stem report data 34  
   driving forces, hydrocarbon production 209–11  
   dual-porosity effects 185  
   dual-porosity responses, Stripa Mine 190  
   ductile regime 95, 97  
   duplex formation, Jaca Basin 95, 97
- E Anglia 114  
 E Midlands  
   heat flow 157–8  
   hydrogeology 158–60  
 E Midlands basin 110–14  
 E Midlands microcraton 106  
 E Midlands sandstone aquifer 127–38  
   diagenesis, reaction kinetics and groundwater velocity 132–3  
   diagenetic petrology 133–5  
   hydrochemistry, flow and transport 128–31  
   hydrogeochemical evolution of the aquifer formation 136–8  
   modelling and results 160–7  
   past flow systems in the Triassic sandstone 131–2  
 Eakring anomaly 157, 168  
   modelled 165, 168  
 Eakring anticline 108, 157

- Eakring dome 168  
 Ekofisk formation 201, 203  
 Ekofisk waterflood studies 211–16  
 elastic rebound 53  
   Colorado Aquitard 76  
   of shales 66  
 elastic storage 153, 155  
 Eldon formation 94  
 Elk Point Group 40  
 Ellis Group (hydrogeological formation) 56  
 energy sinks 76  
 English Channel 116  
 enlargement by solution 155  
 Ernestina Lake aquifer 40, 41, 42  
 erosion 46, 48, 106  
   progressive 151  
 erosional history (possible), Taber area 60–3  
 erosional loading 46  
 'Erosional Rebound' system, Taber area 66, 76  
   age of water 73  
 erosional unloading 46, 53, 74  
   causing elastic dilation of rock framework 48–9  
 evaporites 55, 113, 180  
   Mercia Mudstone 117  
   Zechstein 160  
 exchange haloes 97  
 Exshaw Formation 42
- facies migration 9  
 faulting, normal, rift basins and half-graben 14  
 faults 11, 112, 119  
   as conduits for petroleum migration 13–14, 15  
   growth 13, 14, 110  
   in mudrocks 180, 182  
   normal 13  
   role of in fluid flow 13–14  
   in sedimentary basins 16  
   Taber area 60  
   in water and hydrocarbon flow systems 185  
 Fernie Group aquitard 41, 42  
 filtration 112  
 finite-element algorithm 160  
 fissure flow 147, 148, 149, 155, 196–7, 196  
   Lower and Upper Magnesian limestone 159–60  
   need for refined concept 193  
 fissure frequency 193  
 fissure networks 197, 199  
   computer model of 191, 192  
 fissure permeability 119  
 fissure studies, laboratory 194  
 fissure system 190–1  
   rapid flow 152  
 fissures 106, 188  
   in crystalline rock 185  
   discrete, network of 190  
   enlarged 151  
   by solution 146  
   secondary 149, 150  
 fissuring, enhancing permeability 128  
 Fleam Dyke site, Middle Chalk 147  
 flow  
   advective 94, 97  
   beneath local mounds 180  
   cross-formational 1–8, 37, 42, 43, 45, 73, 74, 107,  
     108, 116, 117, 176–8  
   dilatational 53  
   down-gradient to N Sea 113  
   fresh-water 3  
   groundwater 3  
   properties relevant to 185  
   unpredictable 174  
   flow balance 174, 175  
   flow cells 182  
     large-scale continuous 94, 95  
   flow data 33  
     processed, synthesized, displayed 34  
   flow equations and their applications 46–7  
   flow and flow mechanisms in  
     crystalline rock 185–99  
     field tests 185–94  
       borehole-based experiments 190–4  
       multiple-borehole tests 189–90  
       single-borehole measurements 185–8  
     laboratory experiments 194  
     large-scale flow systems 194–6  
   flow lines, regional, deep 108  
   flow paths 34, 99–100, 105, 176  
     in mudstones, regressive phase 12  
     regional 107  
   flow patterns  
     basic, departures from 48  
     'Cypress Plain' time, related to oil and gas  
       accumulation 73–4  
   flow processes, sub-surface, mathematical model 32  
   flow systems 105  
     E Midlands 113  
     intermediate 107, 113, 122  
     large-scale, in crystalline rock 194–6  
       study I, E Manitoba, Canada 195–6, 197  
       study II, Fjällveden, Sweden 196, 198  
     multiple-pass, McConnell Thrust Sheet 91–2  
     short-circuited 40  
   flow and transit times, E Midlands aquifer 129, 131  
   fluid communication 100  
   fluid composition and fluid-to-rock ratios 88–9  
   fluid expulsion 95, 97  
   fluid flow 211  
     advective 91, 97  
     affected by  
       Darcy's law 8  
       permeability 7  
       properties of sedimentary rocks 6–7  
       viscosity 7–8  
   Chalk of England 141–55  
     implications for water movement 147–54  
     dewatering of the sedimentary pile 97–8  
     and diagenesis, E Midlands aquifer 127–38  
     due to sediment loading, Arabian Gulf region 19–  
       28  
     low-temperature 94  
     in pre-orogenic basins 10–13  
     role of faults in 13–14  
     systems in crystalline duplex, Jaca Basin 95, 97  
     and tectonics 99  
     under natural depletion 208–11  
     vertical and lateral fluid fronts 98–9  
     with water movement (injection) 211

- within foreland basin margins 95–9
    - flow system of crystalline basement 95, 97
  - within thrust belts 94–5
    - intra-sheet and inter-sheet flow 94–5
  - fluid flow in sedimentary basins 3–16
    - abnormal pressures 13
    - affecting factors 6–8
    - faults, role of 13–14
    - petroleum in regressive sequences 14
    - petroleum in rift basins 15–16
    - physical principles of liquid flow 4–5
    - pre-orogenic basins 10–13
    - rift basins on aseismic continental margins 14–15
    - terminology 5–6
  - fluid flow within foreland terrains 87–101
    - aquifer flow within thrust sheets 89–94
    - flow within thrust belts and foreland basin margins 94–101
    - J-curve analysis: use of isotope pairs 87–9
    - stable isotopes 87
  - fluid flux 94
    - high temperature 94
    - secondary 93
  - fluid fronts 100
    - geochemical/physical 98–9
    - vertical and lateral 98–9
  - fluid histories, Canadian Overthrust Belt/Pyrenean Foreland 99
  - fluid infiltration 97
  - fluid isotopic composition 92–3
  - fluid migration 99
    - barriers to 12
    - Canadian Prairies basin 81
    - horizontal 21
    - significance of for hydrocarbon accumulation 22, 26
    - preferential 100
  - fluid movement in sedimentary basins, basic concepts 173–4
  - fluid origins 99
  - fluid potential
    - construction of maps and cross-sections 63–5
    - low 116
    - Colorado Aquitard 74
  - fluid potential sink, Colorado Aquitard 73
  - fluid potential surface 160
  - fluid pressure
    - excess 98, 99
    - due to sediment loading 19–21
    - generation of, Arabian Gulf region 22–6
    - hydrostatic 19–21
  - fluid pulsing 97
  - fluid transport, scale of 100
  - fluid volumes and flow rates 100–1
  - fluid-rock interactions 89, 91, 92, 93, 94
    - restricted to shear zones 97
  - fluid-to-rock ratios, quantitative analysis of 89
  - fluvial sandstones 122
  - fold belts 106
  - Foothills imbrication 94
  - Foremost hydrogeological formation 60
  - formation fluids 32
  - formation layering 202
  - formation waters 31
    - age of 73
    - Alberta Basin 92
    - processing of information, an example 34
    - replacement of 108
  - formation-water analyses 34, 36
    - interactive processing of (point data to synthesized information) 35
  - formation-water composition maps 36
  - formation-water culled-data record 35–6
  - formations
    - high-permeability 177
    - hydrogeological, and potentiometric surface maps 63
    - low-permeability 179
  - fracture detection 186
  - fracture development 151
  - fracture networks 209
    - fed by matrix 209–10
    - healed 207
  - fracture porosity 11, 93
  - fracture systems 154
  - fracture zones 190
  - fractures 15, 106, 122, 143
    - 3D Migration Test, Stripa Mine 193–4, 195
    - in Chalk 147
    - and fluid flow 14
    - healed 205
    - in mudrocks 180–1
    - reactivation 181
    - single-fracture experiment, Stripa Mine 193
    - stylolite-associated 205, 208
    - tectonic 205, 208
  - fracturing 112, 151, 158
    - detection of 205
  - fresh water
    - distribution of 109
    - source, E Midlands Triassic aquifer 127
  - fresh water–saline water interchange 115
  - fresh-water flow 3
  - freshwater flushing 181
- 
- Gainsborough Trough 111
  - gas
    - below bubble-point pressure 210–11
    - re-injection of 208
  - gas blocking 210–11
  - gas pools, Mesozoic, S Alberta 83
  - geochemical changes, principal 109
  - geochemical fronts 98–9
  - geodynamic systems, thermally driven 94
  - geological maturity, def. 45
  - geothermal exploration, Wessex Basin 117
  - geothermal gradient highs 81
  - geothermal gradient variations 83
  - geothermal gradients 6, 21
    - rise in, Wessex Basin 117
    - S Alberta 79, 82, 84, 85
  - geothermal lows 81
  - geothermal power exploration 185
  - geothermal resources, exploitation of 32
  - Gippsland basin 15
  - glacial channels, buried 113
  - glaciation, Taber area 61, 63

- grain dimension, characteristic 6–7  
 grain size, mean 6  
 Granite Wash aquifer 40, 41, 42  
 granites 188  
 gravitational flow 46  
 gravitational flow pattern 53  
 gravitational forces 53  
 gravitational loading 13  
 Great and Inferior Oolites 177  
 Grosmont Formation 39, 42  
 groundwater movement 173  
 groundwater  
   Corallian 177  
   London Basin  
     age of 114  
     postglacial 115  
   saline  
     Carboniferous Rocks 112  
     E Anglia 114  
     Sherwood Sandstone 113  
     Wessex Basin 117  
   single origin 176  
   terminology of 5–6  
   upward seepage of 108  
 groundwater ages, estimations of 129  
 groundwater chemistry, down-gradient changes  
   in 108–9  
 groundwater circulation  
   at depth, evidence for 118–19  
   increased E Anglia during low Pleistocene sea  
   levels 114  
 groundwater divide 113  
   influence on petroleum accumulations 74  
 groundwater flow 3  
   in Chalk 114  
   conceptualized evolutionary history 49–55  
   Corallian, Upper Thames Basin 116  
   cross-formational  
     gravity induced 45  
     and petroleum accumulations 73  
   deep 122  
   Fylde 120  
   lateral 117, 118  
   N Ireland 122  
   principles of in evolving drainage basins 46–55  
     flow equations and their applications 46–7  
     steady-state patterns, regional groundwater  
     flow 47–8  
     transient conditions of the gravitational  
     component of regional flow 48  
     transient flow due to dilation or compaction of the  
     rock framework 48–9  
   sedimentary basins, UK 105–23  
     geochemical evidence for regional groundwater  
     flow 108–9  
     geological factors influencing hydrogeology in the  
     UK 106–7  
     groundwater provinces 109–22  
     heat-flow field, UK 108  
     regional groundwater flow in the UK 107–8  
     upward, and migration of oil, Wessex Basin 118  
     Vale of York 113  
   groundwater flow controls 105  
   groundwater flow patterns 105  
     current, Taber area 65–73  
     E Midlands 113  
     regional 112  
   groundwater flow processes 31  
   groundwater flow regimes, in a unit basin 47  
   groundwater flow systems, evolution of, Taber area,  
     Canada 45–76  
     age of water 73  
     current groundwater flow pattern 65–73  
     flow patterns, Cypress Plain time related to oil and  
     gas accumulations 73–4  
     topographic evolution 60–3  
   groundwater flow, regional 105–6  
     controlled by intergranular conductivity 128  
     controlled by surrounding piezometric levels,  
     Worcester Basin 119  
     deep, Worcester Basin 120  
     geochemical evidence for 108–16  
     low fluid velocities 157  
     Middle Jurassic limestones 116  
     role of low-permeability rocks 173–82  
     steady-state patterns of 47–8  
     transient conditions of the gravitational component  
     48  
     UK 107–8  
   groundwater levels, Lower Greensand 114  
   groundwater provinces 107  
     Eastern Province 109–16  
     E Anglia 114  
     E Midlands 110–14  
     Thames Basin and London Basin 114–16  
     Hampshire Province 116–18  
     NW Province 120–2  
     Midland Valley of Scotland 121  
     Orcadian Province 121–2  
     Sewern Province 118–20  
     S Wales 119  
     Somerset Basin 120  
     Worcester Basin 119–20  
   Gussow's differential entrapment theory 11, 16  
   gypsum dissolution 132, 137  
  
 haematite, economic occurrence, S Wales 119  
 halite 37  
 halite dissolution 117  
 Hampshire basin 106  
 head, total 5  
 heat anomalies 123  
 heat flow  
   Canadian Prairies basin 81, 82  
   E Midlands 157–8  
   high 120  
   Wessex basin 117–18  
   near-surface, affected by groundwater flows 168  
   in the UK 108  
   vertical discontinuity, Sherwood Sandstone 158  
 heat-flow anomalies 81  
   Lincolnshire 112, 113  
   western North Sea 113  
   *see also* thermal anomalies  
 heat-flow density 79  
 Hercynian orogeny 106  
 high-permeability formations 177

- hydraulic conductivities 7, 37, 46, 47, 63, 147, 153,  
154, 178, 179, 197  
  apparent 186  
  bulk rock 174, 177  
  Chalk Rock 145  
  depth dependence of 186, 187, 197, 199  
  directional 191  
  low 146  
hydraulic continuity 42, 107  
  Millstone Grit 112  
hydraulic forces 22  
hydraulic gradient (gradient of total head) 5, 152,  
160  
  E Midlands aquifers 128  
hydraulic head distribution 54, 55  
  Colorado aquifer 66  
hydraulic head gradient 177  
  maximum vertical 175  
hydraulic head measurements 188  
hydraulic head values 63, 65, 66  
  misleading 65  
hydraulic heads 46, 105, 199  
  adjustment times 63  
  Chalk 116  
  conceptual evolution of, simple basin 51, 52  
  correction of 34  
  Derbyshire Dome 112  
  low 108  
  in a steady-state field 47  
  Trent Valley and Vale of York 113  
hydraulic properties 55, 56  
hydraulic radius 6–7  
hydraulic tests, single-borehole 185–8  
hydrocarbon accumulation, significance of horizontal  
  fluid migration 22  
hydrocarbon expulsion 210, 211  
hydrocarbon traps 81  
hydrocarbon-generation zones 26, 27, 28  
hydrocarbons 31, 44  
  primary migration 19, 22  
  trapping of 19  
hydrochemistry, E Midlands Triassic aquifer 128–9  
hydrofracturing 91, 93, 94, 97, 98  
  and rapid fluid expulsion 95  
hydrogeological formations 55, 56  
hydrogeological groups 55, 56  
hydrogeological units 55, 56  
hydrogeology database 32  
hydrogeology data, input sources 32, 33  
hydrogeology, UK, influential geological factors 106–  
7  
hydrostatic excess pressures 54  
hydrostatic fluid pressure 19  
hydrostatic pressure gradient, normal 5  
hydrostatic pressures, normal 5  
hydrostatic units, Quaternary and pre-Quaternary 39  
hydrostratigraphic units 34, 36  
hydrothermal solutions 119  
hysteresis 211
- illite 134  
imbibition 216, 218  
  def. 211  
  laboratory study 211, 213  
imbibition characteristics  
  differences Tor and Ekofisk Formations 213–15  
  Ekofisk Field chalk 211–13  
imbricate stack 94  
imbrication 97  
infiltration, annual, over Chalk outcrop 152  
inflow *see* recharge  
interconnectedness, fissure density 191  
intergranular component, chalk permeability 141–3  
intergranular flow 147, 148  
intergranular hydraulic conductivity 127  
intergranular permeability, Carboniferous limestone  
158  
intergranular porosity 127  
  Chalk 147  
interstitial flow speed through an aquifer 146  
interstitial waters  
  geochemical profile (Trunch, Norfolk) 114  
  saline 115  
ionic balance 35  
Ireton Formation aquitard 37, 38–9  
iron oxide coatings, precipitation of 133, 134  
isotopic composition  
  reaction reduced changes 94  
  Wessex Basin brines 117  
isotopic exchange 91, 98  
isotopic modification 117  
isotopic ratios, Taber area 73  
isotopic reservoirs, rock and fluid 89  
isotopic shift 117  
isotopic signature, initial, of fluid phase 89, 92
- J-curve analysis 92  
  use of isotope pairs 87–9  
Jaca basin 95–9, 99, 100  
jointing 151  
joints 143, 154  
  increased frequency of 145  
Joli Fou Formation aquitard 37  
Jurassic Limestone aquifer 106  
Jurassic limestones 113–14
- K-feldspar 133, 135  
  dissolution of 134, 137, 138  
kaolinite 134, 135  
kaolinite precipitation 136, 137, 138  
karst 158  
Keg River Formation aquifer 38  
Keg River–Contact Rapids aquifer 40, 41, 42  
Kevin-Sunburst Dome 60, 61  
Knox Pulpit formation 121
- Lac des Arc thrust sheet 91, 94–5, 99  
leakage effects 154  
leakage upwards 174  
Lee Valley 152  
Lethbridge Valley, Taber area 62, 63, 66  
limestone 10, 106  
  crinoidal 56  
  dolomitic 127  
  intergranular permeability 158  
  micritic 89

- limestone fissures, flow through 3  
 Lincoln topographic high 128  
 Lincolnshire Limestone 113  
 Lincolnshire Limestone aquifer 122, 160  
 Lincolnshire Wolds, chalk 113  
 liquid flow, physical principles of 4–5  
 London basin 106, 114–16  
 London–Brabant massif 110  
 Lotsberg–Basal Red Beds aquiclude 40, 41  
 Lower Cretaceous aquifer 56, 66, 73, 74  
   calculated pressure adjustment time 63  
 Lower Cretaceous Aquifer hydro-geological group 56  
 Lower Cretaceous Sandstone aquifer 106  
 Lower Greensand aquifer 114–16  
 Lower Greensand, E Anglia 114  
 ‘Lower’ Mannville Group 3  
 ‘Lower’ Mannville Group aquifer 38, 39, 42  
 Lower Mannville hydrogeological unit 56  
 ‘Lower’ Mannville–‘Upper’ Banff porous unit 42  
 Lower and Upper Magnesian limestone (Zechstein) 159–60  
 Lucky Strike Upland, Taber area 66
- McConnell Thrust Sheet 89–94, 94, 99  
   aquifer system 91  
   hydrodynamics 92–4  
   multiple-pass flow system 91–2  
   palaeofluid flow, directionality of 92  
   physical system 89–91  
 Malm outcrop 3  
 Mannville unit 73  
 marls 10, 127  
 mass-transfer calculations, E Midlands sandstone aquifer 136–8  
 matrix conductivity, unsaturated 147  
 matrix flow 149, 155  
 matrix permeability 154, 205, 209  
 matrix permeability vs porosity, Ekofisk field 203, 205, 207  
 matrix pore space, flow through 152  
 matrix rock 209  
 mechanical stress changes in 46  
 Medicine Hat Valley, Taber area 62, 63, 66  
 Melbourn Rock 145  
 Mercia Mudstone 117, 122, 127, 128, 129, 160, 163, 164, 180  
   depositional environment 132  
 Mere–Portsdown–Middleton fault 117  
 metamorphic fluids 98–9, 100  
   ascending 99  
 metamorphic volatiles 97  
 meteoric water 19, 74, 112, 122  
   saline 113  
 meteoric water influx 131, 135, 136  
 microfracture network, crack-tip 93  
 Middle Colorado unit 65  
 Middle Jurassic limestone aquifer 114, 116  
 migration, of oil and gas 81–2  
 Milk River aquifer 56, 60, 66, 73, 74, 76  
   calculated pressure adjustment time 63  
   fluid-potential distribution 65  
 Milk River hydrogeological formation 73  
   structure of 59
- Milk River Aquifer hydrogeological group 56  
 Milk River Ridge 62, 66  
 Millstone Grit 112, 158  
   lithology of 111  
 mine workings, S Wales coalfield, intrushes of water 119  
 mineral dissolution 109  
 Mississippian Aquitard hydrogeological group 56  
 Missouri Divide 61, 62, 63, 74  
 ‘Modern Land Surface’ system, Taber area 65–6, 76  
   age of water 73  
 ‘Modern Land Surface’, Taber area 61, 63  
 molasse deposits 106, 121–2  
 Mount White–Cathedral–Stephen aquitard 40  
 mudrocks 173, 179  
   disposal of radioactive waste 173  
 mudstone 10–11, 12  
   abnormally-pressured 13, 15  
   barriers to fluid migration 12  
   basinal 158  
   compaction of 3  
   connate water in 6  
   insufficient permeability 13  
   mudstone on carbonate 10–11  
   mudstone on sandstone 11  
   multiple borehole tests 189–90, 199  
   muscovite 133  
   Muskeg aquitard 42
- NAMMU code, in numerical modelling 178  
 natural flows, Triassic aquifer, E Midlands 129  
 natural gas 65  
   deposits, Colorado Aquitard 74  
   in sandstone lenses 56  
 neutron activation 194  
 nitrate 128  
 North Sea, petroleum fields 15
- oil  
   accumulation of, Carboniferous of the E Midlands 113  
   occurrence of, Formby 120  
 oil fields *see* petroleum fields  
 oil migration, Wessex basin 118  
 oil pools  
   Mesozoic, S Alberta 82  
   Post-Mannville, S Alberta 83  
 oil production, Taber area 74  
 oil reservoirs, Taber area 56  
 oil sands, Cold Lake, Alberta 32, 37  
 oil *see also* petroleum  
 Old Red Sandstone 106, 121  
 Oldman hydrogeological formation 60, 62  
 ore deposits, strata-bound 32  
 organosilicate film, Ekofisk Formation 213, 215  
 orogeny, significance of 9, 12  
 osmotic effects 181  
 outflow *see* discharge  
 oxygen shift 89



- packer systems 145  
 Pakowki marine shale 60  
 palaeoflow systems 87  
 palaeoland surfaces, Taber area 60–3  
   ‘Cypress Plain’ 61, 62–3  
   ‘Modern Land Surface’ 61  
   ‘No. 1 Bench’ 61–2  
   ‘No. 2 Bench’ 61  
 pendular-ring (pore space) 7  
 permeability 7, 56, 105  
   chalk, nature of 141–7  
     intergranular component 141–3  
     primary-fissure component 143, 145  
     secondary-fissure component 146–7  
     shallow (weathered-layer) component 145–6  
   coefficient of 7  
   effective, increase in 93  
   English Chalk 141, **143**  
   enhanced 145–6  
     carbonate aquifers 149–51  
   and groundwater flow to valleys 149  
   high  
     Lee Valley 115  
     Lincolnshire Limestone 113  
   intrinsic 7  
   low 112  
     pre-Carboniferous rocks 158  
   primary-fissure component 145  
   vertical, Mercia Mudstone 119  
   zone of enhancement 151  
 permeability components, Chalk **146**  
 permeability enhancement, Ekofisk field 205  
 permeability ratio 175, 176, 180, 182  
 Permo-Triassic sandstones, dominant influence  
   of 122  
 petroleum  
   barriers to upward migration 12  
   generation, maturation and migration, Arabian  
     Gulf region 26–8  
   in regressive sequences 14  
   in rift basins 15–16  
   in sedimentary basins 16  
   in transgressive sequences 11  
   and water flow 6  
   *see also* oil  
 petroleum fields  
   Buchan Field 122  
   Eakring 168  
   Ekofisk 15, 201–18  
   Frigg 15  
   Handil field 14  
   multiple reservoir sandstones 13  
   in regressive sequences 14  
   Prudhoe Bay 15–16  
   Seria field 14  
 petroleum geology and ephemeral transgressions 12–  
   13  
 petroleum maturation 26  
 petroleum migration 14  
   case for 16  
   hydraulic theory of 45, 73  
   primary 14, 15  
   secondary 11, 14  
 petroleum traps 26  
   anticlines 14  
   hydrodynamic 11  
   palaeogeomorphic 11  
   stratigraphic 11, 14  
   structural 13, 14  
 piezometric levels, Sherwood Sandstone 112–13  
 piezometric surface 5, 105  
   Chalk, E Anglia 114  
 Pika formation 94  
 piston flow process 147, 148  
 plant roots and pore water 153  
 Pleistocene Crag aquifer 106  
 point data  
   a more generalized form necessary 33  
   organization of 32  
 pollutants  
   Chalk 152  
   and recharge mechanisms 147–8  
 pollution, risk of 155  
 pore fluids, expansion of 210  
 pore pressures 16, 46, 47  
   abnormally high 3  
   adjustment times 63  
   decrease in 48–9  
   raised 11  
   reduced by elastic rebound 53  
   transient 48  
   vertical distribution, groundwater basin 48  
 pore size 6  
 pore throats, small 142  
 pore volume, increase in 48–9  
 pore water 3, 11  
 pore water flow and diagenesis 6  
 pore-fluid chemistry, mudrocks 176–7  
 pore-throat dimensions 142–3, **144**  
 pore-volume compressibility 211  
 pore-water chemistry  
   as an indication of flow 181  
   value of 177  
 pore-water suction 147, 152, 155  
 porosity 46  
   Chalk matrix 142, **143**  
   E Midlands Triassic Sandstone aquifer 135  
   Ekofisk Formation 201  
   English Chalk 141, **143**  
   intergranular 147  
   low 112  
   Tor Formation 201  
 porosity layers 201, **204**  
 porosity measurements, laboratory 194  
 porosity vs permeability, Ekofisk field 206  
 potential distribution and direction of groundwater  
   movement 173  
 potential (energy) gradient 12  
 potential (pressure) gradient 211  
 potentiometric gradient, Dinantian 160  
 potentiometric sink 54, 76  
   Colorado Aquitard 73  
 potentiometric surfaces 5  
 Bow Island hydrogeological formation 66, 70, 74  
   flow in aquifers 37  
 Ellis hydrogeological formation 66, 72, 74  
 Mannville hydrogeological formation 66, 71, 74  
 Milk River aquifer 66, 67, 68, 76

- Prairie Formation halite aquiclude 37  
 Precambrian orogeny 106  
 precipitation kinetics 137–8  
 preferred flow 117  
   Chalk, E Anglia 114  
 preferred flow routes 122  
 preferred pathways 151, 211  
   determined by faults 112  
 pressure  
   abnormal 6, 13, 15, 16  
   excess 53–4  
   sub-hydrostatic 76  
   vs depth, conceptual evolution, simple basin 52,  
   52–3  
 pressure adjustment times, Lower Cretaceous and  
   Milk River aquifers 63  
 pressure gradients 5  
   vertical 53, 54, 55  
 pressure head 5  
 pressure reduction 53  
 pressure regimes, Ekofisk and Tor formations 202–3,  
   205  
 primary depletion 201  
   of fracture network 209  
 primary-fissure component 141, 143, 145, 147, 149,  
   154  
   decrease in importance 145  
   enhancement of 154–5  
 processes, dynamic, sedimentary basins 32  
 production rate, controls on 209–10  
 pulsing fluids 92, 93, 99  
 pumped water, deep sandstone aquifer, E Midlands  
   129, 131  
 pumping tests  
   crystalline rock 189  
   Stripa Mine  
   other 190  
   ventilation tests 189
- Qatar Peninsula, absence of oilfields 26  
 quartz 133, 134  
 quartz dissolution 132, 133  
   inhibited 138  
 quartz etching 134  
 quartz precipitation 138
- rapid-flow system, Bedhampton 151  
 reaction front 136, 137  
 reaction rates 132  
 reaction surfaces, transient generation–migration 97  
 recharge 47–8, 54, 76  
   continuous 94  
   direct 119  
   of Jurassic limestones 113  
   of London Basin Chalk 114  
   Milk River Aquifer 66  
   ‘Modern Land Surface’ system 73  
   periglacial 112  
   restricted by glaciation 131  
 saline water from the Carboniferous 112  
 secondary 95  
 of Triassic sandstones, Wessex Basin 117  
   unsaturated zone, Chalk aquifer 147  
 recharge areas 53, 105  
   removal of carbonate 136  
   Somerset Basin 120  
   western Canadian basin 79  
 recharge mechanism and pollutant movement 148–9  
 recharge zones 109  
   Sherwood Sandstone 127  
 recovery mechanisms, fractured chalk 208–11  
 redox boundary 113–14  
 redox reactions 109  
 reducing conditions 129  
 reefs  
   organic, pore-water flow vents 10  
   as petroleum traps 11, 16  
 regoliths 40  
 regressions 9  
 regressive sequences 9, 10, 13  
   petroleum in 14  
   stratigraphy of 12  
 relaxation 54  
 reservoirs, fractured, potential gradient 211  
 resource storage 32  
 restacking, sequential, Jaca Basin duplex 95, 97  
 Retford topographic high 128  
 rock exchange paths 88–9  
 rock framework  
   mechanical stresses in 46  
   transient flow in 48–9  
 rock skeleton, deformation of 46  
 rock units, discontinuity of 8–9  
 Rundle thrust sheet 94  
 runoff, acidic and enhanced permeability 151
- S Wales basin 119  
 saline interface 113  
 saline water mixing 109  
 salinity  
   anomalously low, Worcester Basin 120  
   Carboniferous rocks 112  
   Chalk, E Anglia 114  
   low, E Midlands sandstone aquifer 127, 129  
   Wessex Basin 117  
   *see also* brines  
 salinity gradient, Sherwood Sandstone 113  
 salt deposits, preserved in Mercia Mudstone 122  
 sands, gas-bearing 76  
 sandstone 10, 12, 74, 106, 121–2, 159, 179  
   argillaceous 60  
   Devonian 123  
   multiple reservoir 13  
   overpressured 13  
   turbidite 158  
 sandstone lenses 56  
 saturated zone, Chalk aquifer 149–52  
 scarp-and-vale topography 113, 122  
   E England 107–8  
   mathematical analysis 174–8  
 secondary-fissure component 141, 146–7, 155  
 secondary-fissure systems 151  
 sediment accretion 46  
 sediment accumulation 8  
 sediment loading, and excess fluid pressure 19–21

- sediment-source (compaction) water 19
- sedimentary geology, changes in 31
- sedimentary rocks, properties of 6–7
- sedimentary sequences
  - lithological associations in 9–10
  - structural associations 10
- sedimentation 8
- sediments
  - fluvial continental 112
  - fluvio-deltaic 111
  - neritic 12
- sediments and sedimentary rocks, importance of
  - lateral continuity 8–9
- seepage, upward
  - Fens 113
  - Hampshire Basin 117
- seismic pumping 97
- seismic reflection profiles, S Britain 106
- separation planes 143
- Severn Valley 119, 120
- shales 37, 42, 56, 74
  - marine 60
  - non-marine 56
- shear zone conduits, expulsion of fluids 97
- shear zones 95, 97
  - basement 100
  - conduits for fluid flow 100
  - fluid budget 95
  - release and passage of fluids through 99
- shelf-and-basin sedimentary pattern 111
- Sherwood Sandstone 112–13, 122, 127, 133, 160
  - geochemical studies of 112
- Sherwood Sandstone aquifer 163, 164
  - Triassic 160
  - Wessex Basin 117
- siltstone 56, 60, 106
  - Devonian 106
- single-borehole tests 185–8, 197, 199
- sinks 122
  - major 108
- SiO loss 137
- Skiff Valley, Taber area 62, 66
- sliding 16
- software packages
  - cartographic (GEOPLTR) 34
  - SURFACE II 34
- solute diffusion 152
- solution 149, 151, 154
  - enlargement of primary-fissure component 141
- solution cleavage 91, 94
- Somerset basin 120
  - flow systems 178–80, 181
- source rocks, petroleum 14, 15
  - Arabian Gulf region 26–8
- specific storage 153
- stable isotope ratios, information given by 109
- stable isotopes 87, 109
- stable isotopic compositions, formation waters, Taber area 73
- stagnant conditions 180, 182
- stair-step topology, McConnell Thrust Sheet 89, 91
- step-and-wedge topography, modelled for mathematic analysis 174–8
- stick-slip motion 93
- storage
  - Chalk aquifer 152–4
  - specific 153
- straddle packers 186
- straddle-packer testing 193
- strain field 98
- strain fronts, natural 98
- stratigraphic data 33
- stratigraphy
  - of regressive sequences 12
  - and water movement 10
- Stripa Mine Sweden 189–90, 193–4
- stylolite-cleavage surfaces 100
- stylolite-cleavage system 97
- subsidence 9
  - Alberta Basin 89
- Sullivan aquitard 40
- Sulphur thrust sheet 94
- Sunburst hydrogeological formation 73
- superhydrostatic pressures 54
- surface tension 5
- Swan Hills area, Alberta 32, 33, 37, 39–43
- Sweetgrass Arch 60, 61
- Sweetgrass Hills 61, 62
  - intrusion of 60
- Taber area, Canada 55–76
- tectonic pressures, Wessex basin 117
- temperature and imbibition 211, 213
- tensional stresses 106
- Thames basin 114–16
- Thames River—outlet for Thames basin 115–16
- thermal anomalies
  - convective transfer of heat by groundwater 108, 113
  - radio-active granites 108
  - see also* heat-flow anomalies
- thermal conductivities 79
- thermal maturation 44
- thermal regime and hydrodynamics, western Canadian sedimentary basin 79–85
  - relationship between temperature field and hydrocarbon occurrences 81–5
  - the temperature field 79
- thermal springs 112, 118
- thermal water 119
  - leakage into overlying strata 118
- Matlock spa 163
- throughflow 173
- thrust ramp
  - McConnell 90
  - development of 93
- thrust sheets and aquifer flow 89–94
- thrust-sheet migration 99
- thrust-sheet translation 92
  - fluids in 93
- thrusting, secondary 94
- thrusts, listric 89
- tight zones 202, 203, 205
- tip-line migration related to fluid flow (model) 93
- topographic highs
  - local, and local flow cells 179
  - regional and local, effects of 182

- topographical reversal 62  
 Tor formation 201  
   water-injection programme 216  
 tortuosity 7  
 total dissolved solids (TDS) 35, 36  
 total head 5  
 tracers, chemical and physical 3  
 transfer (throughflow) 47–8  
 transgressions 9  
   ephemeral 12–13  
   marine 106  
 transgressive sequences, petroleum in 11–13  
 transgressive-regressive cycle 10–13  
   petroleum in transgressive sequences 11  
   regressive phase 12–13  
   transgressive phase 10–11  
 transient flow due to compaction or dilation of rock  
   framework 48–9  
 transit time (age) 175–6  
 transit times  
   Gault and Kimmeridge Clays 178, 179  
   groundwater flow across mudrocks 181  
 translation, terminal stages and low-temperature  
   flow 94  
 transmissivity 193, 196  
   in Chalk 146  
     further explanation of 152  
     regional variations 114  
   of Chalk aquifer 149  
   Cheshire Basin 121  
   high, and valleys 149  
 trend surface maps 36  
 Trent River Plain 163  
 Triassic Sandstones 112–13, 117  
 tritium, movement of in Chalk 147–8
- ultrafiltration processes 117  
 unconformities 15  
   pre-Cretaceous 39, 39–40, 42  
   pre-Devonian 39–40  
   sub-Cretaceous 56  
 unit groundwater basins 47–8  
 unsaturated zone, Chalk aquifer 147–9  
 Upper Colorado hydrogeological formation 56  
 Upper Cretaceous aquitard 56, 60  
 Upper Cretaceous Aquitard hydrogeological  
   group 56, 60  
 'Upper Eldon' aquitard 40  
 Upper Greensand 177  
 Upper Ireton Formation 42  
 Upper Mannville unit 56
- Vale of York, groundwater flows 113  
 valleys  
   as discharge areas 149  
   and high transmissivity 149  
 Variscan Front 106  
 Variscan orogeny 106, 117  
 vein networks 97  
 veins  
   late-formed 92  
   occurrence of, McConnell Thrust Sheet 91  
 thrust parallel 98–9
- ventilation tests, Stripa Mine, Sweden 189–90  
 Viking Sandstone aquifer 39  
 viscosity 7–8  
   coefficient of (absolute viscosity/dynamic  
     viscosity) 7–8  
   kinematic 7–8  
 vitrinite reflectance 22, 26
- Wabamun Group 42  
 Wales–Brabant massif 106  
 waste disposal 105  
   radioactive waste 173, 185  
 waste disposal site 42  
 water  
   age of 73  
   age-dating unreliable 4  
   of compaction 15, 19, 181  
   of formation 181  
   meteoric 19  
 water abstraction  
   E Midlands, and drawdown 128  
   NE Lincolnshire 113  
 water chemistry 6  
   evolution of 132–3  
 water flow and hydrocarbon displacement, fractured  
   chalk reservoirs 201–18  
   Ekofisk Field 201–8  
   Ekofisk waterflood studies 211–16  
   mechanisms of recovery in fractured chalks 208–  
     11  
 water flow, affected by petroleum accumulation 11  
 water inflows, S Wales mine workings 119  
 water levels, transient 48  
 water movement  
   Dinantian limestone 157  
   and hydrocarbons 81  
 water saturation, Ekofisk field 201–2  
 water softening 109  
 water table 160  
   affected by secondary fissures 151  
   configuration of 46  
   depression in, Humber area 112–13  
   form of 105  
   lowering of 151  
 water-injection, project and full-field proposal, Ekofisk  
   Field 215–16  
 water-mineral interactions 109  
 water-rock reactions 34  
 water-table fluctuation zone 145, 149  
 water-table fluctuations 151  
 waterflood studies, Ekofisk 211–16  
 Watt Mountain Formation aquifer 38, 42  
 weathering  
   affecting properties of chalk 145  
   and primary-fissure component 141, 143  
 Wessex basin 116  
 wetting-phase saturation 211  
 Widmerpool Gulf 111  
 Wildmoor Sandstone 120  
 Worcester basin 119–20
- Zechstein evaporite aquiclude 160  
 zero flow zone 174