

Index

Note: Page numbers in *italic* denote figures. Page numbers in **bold** denote tables.

- abrasion surface, marine 59–60
 - southeast Australia 57–68
 - evolution 66–68
- Acacia aneura* 99, 100, 101
- Adaminaby Fault 255
- Adaminaby Group 272, 273, 274–275, 276–278
- Al, cosmogenic nuclide dating 130, 226–227, 249
- Albany, Princess Royal Harbour, sheltered beaches 25, 27
- Alice Springs, NT
 - rain events 94–95
 - rainless intervals 94, 96
 - storm events 92
- andesite, weathering 168
- Animal Creek glaciation 168–169
- Anmatyerre Clay 129
- Antarctic ice sheets 123, 125, 127
- Anticline Cave 302
- anticlines, fault propagation 255
- ants 103, 104
- Aphaenogaster barbigula* 103
- archaeology
 - artefacts 74–76, 78–79, 80
 - and geosciences 71–72, 78–81
 - Holocene 73–74
 - living floors 74–75, 78
 - Southern Forests Archaeological Project 75
 - see also* geoarchaeology
- arid zone *see* drylands
- aridity
 - chronology 128–131, 132
 - evolution 123–128, 159
 - landforms 128–132
 - age variation 134–135
 - climatic threshold 133–134
 - onset 132–135
- Arnhem escarpment, Tin Camp Creek, soil-mantled slope erosion rate measurement 229–230, 231, 232–233, 234, 236, 238–239
- artefacts, archaeological 74–76, 78–79, 80
- Arunta Block 153, 155
- Ash Reef Fault 257, 259
- Ashburton–Davenport Ranges 153
- Ashford Cave 298
- Atherton plateau 8
- Australian–Antarctic Discordance 244, 249
- Avon River, incision rates 249–250

- Barkly Dunefield 142, 144, 156
 - influence of climate 147
- Barron River 9, 10, 13, 14
- basalt
 - Quaternary, Atherton plateau 8
 - Tertiary, Lachlan River catchment 270–272, 273, 274–283
- Bass Canyon 45, 51
- Be, cosmogenic nuclide dating 130, 226–227, 237, 249, 259, 260
- beach profiles, low-energy beaches 24, 25, 26, 27–28, 30–40, 39
- beaches
 - fetch-restricted 23, 24
 - low energy, sandy, SW Australia 23–40
 - surge-dominated 23, 25, 37–40
 - wave-dominated 37–40
- Bega area, erosion rate measurement 227–229, 232
- Belfry Cave, Timor Caves 298
- Bellenden Ker granite 8
- bettong 103
- Bettongia lesueur* 103
- Bevendale Basalt 272, 273, 274, 276, 278
- Billa Kalina Basin 125, 251, 252
- biota
 - and climate change 89
 - drylands 88–89, 98–108
 - human impact on 88
 - impact on runoff 97–104
- Birdsville, sand drift 145, 147
- Blanchetown Clay 129
- Bobadil glaciation 168–169
- Boco glaciation 168–169
- Boorowa basalt 271
- Borenore Caves 292
- bornhardts, Yilgarn Craton 309, 310
- Br, speleothems, Tasmania 177, 181
- Brachina Silts 212–215
- breakaways, Yilgarn Craton 309, 314, 317
- Bremer Fault 254
- Broken Bay, continental shelf 59, 61, 62
- Brown Mountain, soil-mantled slope erosion rates 227–229, 232, 234, 238, 239
- Brunhes–Matuyama palaeomagnetic boundary 129, 167
- Buchan Caves 294
- Bulgobac Glaciation 167, 168–169
- Bulloo overflow 159
- Bungonia Caves 293, 294, 295, 301
- Bungonia Gorge 292, 295
- Burra Fault 254, 256
- Butzer, K.W., *Environment and Archaeology* (1971) 72

- CaCO₃, Murray Canyons Group sediments 46, 50
- Cadell Fault 255, 258
- Cadoux Fault 255
- Cairns
 - climate 8
 - sand beach ridge plains 9, 10, 11, 13, 14
 - deposition mechanisms 17–18, 20–21
 - modelling 18–19
 - tropical cyclone Justin (1997) 20
- Cairns Bay, Holocene sand 10, 13
- Calingiri Fault 255
- Cambrai Fault 254
- canyons 43, 44
 - Murray Canyons Group 43–52
- carbon, Murray Canyons Group sediments 46, 48
- carbon isotope variation, speleothems, Tasmania 177–180
- Carpentaria Basin 151, 155
- Cassia* 98
- Casuarina Point 13, 14
- Cathedral Cave 295, 301, 303, 304
- caves
 - age 299, 301
 - anticline 300, 302
 - blades 298, 303
 - breakdown 294, 295, 303–304

- caves (*Continued*)
- clay sediments 295–296
 - cupolas 295, 297, 298, 300
 - eastern Australia 289–305
 - 1830–1952 research 290–292
 - 1952–1984 research 292–293
 - 1979–1995 research 293–294
 - 1996–2008 research 294–296
 - 1999–2008 paradigm change 299–305
 - characteristics 301
 - comparison with other cave systems 304
 - modification processes 301, 303–304
 - origin 300
 - relationship to surface geomorphology 304
 - work of Joseph Newell Jennings 292–293
 - filling and re-excavation 303
 - fluvial 291–292, 294, 299, 300
 - hall and narrows 295, 296, 300, 301
 - hypogene 295, 296, 299, 300, 301, 303, 304
 - water source 304
 - integration 301, 303
 - mapping 295, 297
 - meteoric 299, 300
 - meteoric invasion 301
 - multiphase, multiprocess 300
 - nothephreatic 293
 - paragenesis 301, 303
 - partitions 295
 - per ascensum* 294, 295, 299
 - per descensum* 294, 299
 - renovation 303
 - Tasmania 173–174, 180
 - thermal 294, 295, 299
 - vertical 300
 - see also* speleothems, Tasmania
- caymanite 301, 302
- Cenozoic
- climate 121–123
 - development of aridity 123–131
 - indicators 123–124
 - glaciation, Tasmania 165–172
- Central Plateau, Tasmania, glaciation 170–171
- Chamouni Advance 171
- channels
- bedrock
 - DS long profile analysis 268–270
 - Upper Lachlan River 274
 - influence of lithology on evolution 267–283
 - palaeo-drainage, SE Australian continental shelf 63
 - stream flow, drylands 104–108
- charcoal
- archaeological record 78
 - palaeoenvironment, Flinders Silt 195
- Chillagoe karst 290
- Circumpolar Current 121, 122
- Clarendon Fault 254
- clay, caves 295–296, 301
- cliffs, SE Australia 57, 58, 65, 66–67
- climate
- Cenozoic 121–123
 - development of aridity 123–131
 - indicators 123–124
 - Quaternary, Tasmania 172
- climate change
- and erosion rate 226–227, 239
 - and landscape evolution 108–113
 - influence of biota 89
 - Late Quaternary vegetation, Tasmania 174–176
- Cockburn Sound
- Garden Island, sheltered beaches 24
 - low-energy beaches 24, 25, 26–40
 - beach profiles 27–28, 30–40
 - water-level ranging 28–30
 - waves 30, 31, **33, 34**, 35, 36–37
 - winds 28, 31, 33
- Colong Cave 300, 301
- Como Beach
- fetch-restricted beaches 24, 25, 26–40, 40
 - beach profiles 27–28, 30–40
 - sediment size 36
 - water-level ranging 28–30
 - waves 30, 31, **33, 34**, 35, 36–37
 - winds 28, 29, 31, 33
- compression, tectonic 245–246
- continental margin
- eastern Australia 58–59
 - marine abrasion 60
- continental shelf
- asymmetry 247–248
 - NE Queensland 11
 - SE Australia 57, 58, 59, 60–64
 - evolution 66–68
 - marine abrasion surface 63–64
 - outer sediment wedge 65, 66, 67
- Coolman Plain karst 292
- coolibah *see Eucalyptus coolabah*
- cosmogenic nuclide *see* dating
- Cowley Beach
- sand beach ridge plains 9, 11, 13–14, 15, **16**
 - deposition mechanisms 17–18, 20–21
 - modelling 18–19
 - tropical cyclone Larry (2006) 17–18, 20
- crabholes 101
- Creek Cave, Wombeyan Caves 302
- Crocker Dunefield 144
- Cuddie Springs, archaeological site 74, 77
- cupolas, caves 295, 297, 298
- cyanobacteria, soil crusts 102
- cyclone pumping 12
- cyclones, tropical
- Justin (1997) 20
 - Larry (2006) 17–18, 20
 - NE Queensland
 - sand transport 7–8, 12–13, 16
 - beach ridge plain formation 16–21
- Darling Riverine Plain 151, 155
- mapping 143
- Darwin glass 76
- dating
- cosmogenic nuclide
 - dunefields 130–134
 - erosion rates 226–227, 230–232, **235–236**, 236–239
 - ice advance 169–171
 - neotectonism 259, 260
 - luminescence 14
 - dunefields 128, 130, 132, 134, 142
 - Flinders Silts 195, **196–207**, 208–209
 - oxygen isotope 312–313
 - speleothems, Tasmania 177–180
 - Yilgarn Craton 313–318, **315–316**
 - palaeomagnetic 128–129
 - Yilgarn Craton 312
 - radiocarbon 13, **16**, 128
 - Flinders Silts 194–195

- hearth chronology 80
- Pleistocene glaciation 167, 171
- Davenport Ranges, deformation 251, 253
- deformation
 - tectonic 245–246
 - intermediate-wavelength 250–253
 - long-wavelength 247–250
 - short-wavelength 253–260
- denudational isostatic rebound 268, 270–271, 281, 283
- deserts
 - sand 129–131
 - see also* dunefields
 - stony
 - activation threshold 134
 - dating 131
- detritus, removal of, marine abrasion surfaces 67–68
- Devil's Coach House, Jenolan Caves 301, 303
- Dip Cave, Wee Jasper 296
- Divide Basalt 273
- Dodson, J., *Naïve Lands* (1992) 72
- drainage systems, influence of climate change 159
- drought
 - drylands 88
 - dunefields 146
- Drum Cave 291
- drylands 87–114
 - biota 88–89, 98–108
 - climate change and landscapes 109–113
 - drainage patterns 88
 - erosion 104
 - evapotranspiration 90, 112
 - fauna 88, 102–103, 111
 - human settlement 76–77
 - hydroclimate 89–97
 - overland flow 103, 104
 - rainfall 87, 88, 89, 90–91
 - event structure 92
 - spatial variability 92–95
 - runoff, role of biota 97–104
 - soil crusts 102, 111
 - soil properties and ecohydrology 95–97
 - role of vegetation 98–102
 - stream channel processes 104–108
 - role of trees 104–108
 - streamflow 91
 - topography 90
 - vegetation 88, 91, 98–102, 112
 - mosaics 99–101, 112
- DS analysis, long profile 268–270
 - Upper Lachlan River 274
- du Couedic Canyon 43, 45
 - sedimentation 48–49, **50**
 - slides 51
- Dumbleyung Fault 255
- dunefields
 - activation threshold 134
 - age variation 134
 - chronology 129–131
 - evolution 157–159
 - extension 157
 - formation and distribution 141–160
 - role of climate 142, 145–149, 159
 - role of substrate lithology 155–156
 - role of topography 149, 150–155
 - longitudinal 148, 149, 150, 156
 - formation 157
 - mapping 141, 142–143, 144, 145, 151, 152, 154
 - mounds 148, 149, 150, 156
 - network 148, 149, 150, 156
 - orientation 129, 146–147, 148, 158
 - parabolic 148, 149, 150, 157, 158
 - preservation 149
 - types 148, 149, 150
- duricrust, Yilgarn Craton 309
- dust, aeolian, chronology 129, 131, 132–133
- dust storms 145, 147
- dykes, caves 295
- Early Eocene Climatic Optimum 122
- Earth, structure 246
- earthquakes 253, 254, 255, 260
 - geomorphology 258–260
- echidna 103
- ecohydrology, soil properties, drylands 95–97, 103
- Eden Fault 254
- Ediacara Fault 254
- El Niño-Southern Oscillation
 - climate variability 145–146
 - and dryland streams 107
 - Holocene, impact on human society 77
 - influence of drylands 87, 88
 - and water-level variation 30
- Eocene, climate 121–122, 125, 126
- equifinality 109
- Equilibrium Line Altitude, Tasmanian glaciers 172
- erosion 225–239
 - and archaeology 79
 - drylands 104
 - glacial, Tasmania 173–174
 - marine, polycyclic 57, 60, 65, 66, 67
 - rates, cosmogenic nuclide measurement 226–227, **235–236**
 - Avon River 249–250
 - climate change 226–227, 239
 - rocky slopes 226, 230–232, 237–239
 - soil-mantled slopes 226, 227–230, 232–236
- escarpments, and dunefields 153
- Eucalyptus camaldulensis* 88, 106, 107
- Eucalyptus coolabah* 88, 107
- Eucla Basin 125, 127, 156
 - shoreline elevation variation 248–249
- evapotranspiration, drylands 90, 112
- extinction, megafaunal, and human settlement 77
- Eyre Dunefield 144
- fans, alluvial, NE Queensland 8, 13
- faulting 251–252, 253–259
 - as source of hypogene water 304
- fauna, drylands, impact on soils 88, 102–103, 111
- ferricrete 156, 168
 - Yilgarn Craton 309
- fire, role of humans 77–78, 87, 88, 101
- Flinders Fault 257
- Flinders Ranges 186, 187
 - compressional tectonism 245
 - deformation 258
 - intermediate-wavelength 250–251, 252, 253
 - loess record 218–220
 - rocky slope erosion rate measurement 230–231, 232, **235**, 237, 238–239
- Flinders seismic zone 253, 257, 258
- Flinders Silts
 - chronostratigraphy 186–187, **188–193**, 194, 218–220
 - Brachina Silts 212–215
 - Hookina Silts 209–212
 - luminescence dating 195, **196–207**, 208–209

- Flinders Silts (*Continued*)
 radiocarbon dating 194–195
 Wilkawillina Silts 215–218
- Flogged Horse Cave 298
- flooding, and human settlement 79–80
- foodplains, clay 159
- Flying Fish Point, sand beach ridge plain 9, 11
- Flying Fortress Cave 301
- folding, role of intraplate stress 252–253
- Fowlers Creek, streamflow 91, 105, 106
- Fowlers Gap
 runoff 95, 97
 storm events 79–80, 90, 92
- Fraser Island 60, 67, 68, 128
- Frogs Hollow, soil-mantled slope erosion rates 227–229, 232, 234, 238, 239
- Frome Basin, intermediate-wavelength deformation 250–251, 252, 253
- Gaden Cave 294
- Gambier uplift 250, 252
- Gantheume Canyon 43, 45
- Garden Island, sheltered beaches 24, 26
- Gascoyne Dunefield 144
 influence of climate 145, 147
 influence of topography 155
- Gawler Fault 254, 256
- GCOM2D model 17, 18
- Genghis Khan Cave, Mole Creek 303, 304
- geoarchaeology 71–81
 human–environment interaction 72–81
see also archaeology
- geoid, variation 246, 249
- gibber 101, 131, 134
- Gibson Desert 141, 144
- Giles, WA
 rain events 94–95
 rainless intervals 94, 96
- glaciation
 Bulgobac 167, 168–169
 Linda 166–167, 168
 Moore 169
 Tasmania
 climate 172
 Early Pleistocene 165–167, 168
 and karst processes 172–174, 180
 Late Pleistocene 170–171
 Middle Pleistocene 167–170, 168
- glaciokarsts, Tasmania 172–174, 180
- Glen Helen, rocky slope erosion rate measurement 229, 231–232, 233, 235, 237, 238
- Gnanga, sheltered beach 24
- goanna 103
- GOLEM landscape model 89
- Gondwana, Jurassic rifting 121
- granite
 geomorphology, Yilgarn Craton 309, 311
 NE Queensland 8, 13
 Upper Lachlan River 274, 275, 276, 278, 282
- granodiorite, erosion rates 238
- Great Artesian Basin, lithology 156
- Great Barrier Reef 11
 waves 12
- Great Dividing Range 8
- Great Sandy Desert
 dunefield 143, 144, 150, 156
 influence of climate 145, 147
 influence of topography 151–153, 155
- Great Victoria Desert
 dunefield 142, 143, 144, 150, 156
 influence of climate 147
 influence of topography 151–153, 155
- Green Hill volcano 8
- ground shaking, coseismic 259–260
- groundwater, recharge 91
- gum, red *see Eucalyptus camaldulensis*
- guyots 60
- Hamilton Basin 125, 127
- Hamilton Moraine 169–170
- hearth chronology 80
- Hogans-Fossil Cave 301
- Holocene
 dryland vegetation 112
 human–environment interaction 73–74, 77, 78
 sand beach ridges, NE Queensland 13–14, 15
 sea-level change, NE Queensland 8
- Hookina Silts 209–212
- hornfels, Upper Lachlan River 273, 274, 275, 277–278, 282
- Hortonian overland flow 97, 103
- human–environment interaction 72–81
 biota 88
 chronology 76, 78, 80
- Hunter River, continental shelf 61
- Hyden Fault 255
- hydroclimate, drylands 89–97
- hydroisostasy 8
- Indo-Australian Plate 243, 244
 stress field 244–246
- inselbergs, Yilgarn Craton 310
- Interdecadal Pacific Oscillation 146, 147
- inundation, marine, and sand beach ridge formation 16–21
- Jaramillo event 159
- Jennings, Joseph Newell (1916–1984) 3–5
 on caves and karst 292–293
- Jenolan Caves 291–292, 294, 295, 297, 300, 301, 302, 303, 304
- Jinmium, archaeological site 74, 76
- Justin, tropical cyclone (1997) 20
- Kangaroo Island 44, 124, 131
- Kanmantoo Fold Belt 290
- Kantappa Fault 254
- kaolinite, weathering, Yilgarn Craton 309, 311–318
- Karren field 291
- karst
 eastern Australian caves 289, 290, 292, 293–294, 299–301
 and glaciation, Tasmania 172–174, 180
 work of Joseph Newell Jennings 292–293
see also palaeokarst
- Kiewa Fault 255
- Kings Canyon, rocky slope erosion rate measurement 231, 232, 235, 237–238
- knick-point retreat 67, 258, 269–270
 Upper Lachlan River system 274–277, 281–283
- Kosciusko Uplift event 257, 293
- Kybean Caves 290
- Lacepede Shelf 44
 biogenic carbonate production 50
- Lachlan River 270–271
 Upper 271–279

- incision 271, 272–283
 - influence of lithology, numerical simulation 279–283
- long profile DS analysis 274–279
 - left-bank tributaries 276–277, 278
 - right-bank tributaries 274–276, 277–279
- Lachlan–Thompson Fold Belt, caves 289, 290, 300, 304
- Lake Amadeus 124, 129, 133, 134
- Lake Baraba, archaeological site 74, 78
- Lake Buchanan, climate 124, 128, 133
- Lake Bungunnia 129, 134–135, 157, 158, 253
- Lake Edgar Fault 255, 256
- Lake Eyre 124, 129, 133
 - dunefields 142, 144
 - intermediate-wavelength deformation 253
- Lake Eyre Basin 90, 125, 126, 127
 - intermediate-wavelength deformation 251
- Lake Frome 124, 133
- Lake Gairdner 124, 133
- Lake George
 - archaeological site 74, 76, 78
 - climate 124, 128
- Lake George Fault 255, 257
- Lake Gregory 133, 134
- Lake Kanyapella 258
- Lake Lefroy 124, 129, 134–135
- Lake Lewis 124, 129, 133
- Lake Okarito Pakihi, Late Quaternary, pollen
 - record 176, 180
- Lake Selina, Late Quaternary, pollen record 174–175, 176, 180
- Lake Surprise, palaeoenvironment 74
- Lake Torrens 124, 133, 187, 218, 230
- Lake Tyrrell 124, 129, 133
- Lake Woods 124, 128, 133
- lakes
 - age variation 134–135
 - classification and hydrological threshold 133–134
 - dry 133–134
 - dryland 88
 - ephemeral 133
 - permanent 133
 - see also* playa lakes
- landscape evolution, and climate change, influence of
 - biota 89
- Lannigan's Cave 295, 302
- Lapstone Structural Complex 257
- Larry, tropical cyclone (2006) 17–18, 20
- Last Glacial Maximum
 - Flinders Silts, chronostratigraphy 186–187, 219–220
 - human settlement 75, 76
 - Tasmania 166, 169, 170–171, 174, 180
- Late Oligocene Warming Event 122
- laterite 156
- Levi Fault 254
- lichen, soil crusts 102
- Linda Glaciation 166–167, 168
- lithology, and bedrock river evolution
 - Upper Lachlan River 267–283
 - numerical simulation 279–283
- litter, plant, and soil hydraulic properties 98
- Little Climatic Optimum 77, 80
- Little Ice Age 77
- living floors 74–75, 78
- loess, central South Australia 185–220
 - see also* dust, aeolian; Flinders Silt
- long profile analysis 268–270
 - Upper Lachlan River 274–276, 281
- Lord Howe Rise 58, 60
- Lort River Fault 255
- luminescence *see* dating
- Lynch's Crater, archaeological site 74, 76, 78
- Macalister Range 8
- MacDonnell Ranges 153
 - rocky slope erosion rate measurement 229, 231–232, 237, 239
- Mackintosh rockshelter 74, 75
- macropods 88
- Main Cave, Timor Caves 293, 300
- Malbon–Thompson coastal range 8
- mallee 98
- Mallee Dunefield 143, 144, 150, 151, 158
 - formation 157
 - influence of climate 145, 147, 159
- mantle processes 246
- Marakoopa Cave, Mole Creek 303, 304
- Marryat Creek Fault 257
- marsupials 88, 103
- Matilda Bay, Perth, fetch-restricted beach 24, 25, 26
- Meckering Fault 255, 256, 257
- Medieval Climatic Anomaly 80
- megafauna
 - drylands 88, 103
 - extinction 77
- Melaleuca glomerata* 107
- meltwater, Tasmania 173–174
- Menzies Line 310, 311
- metasediments, Middle Palaeozoic, NE Queensland 8
- Mg, speleothems, Tasmania 177
- Middle Eocene Climatic Optimum 122
- Milendella Fault 254, 256, 258
- Miocene, climate 122–123, 126–127
- Miocene Climatic Optimum 122, 123, 127
- Mission Beach
 - sand beach ridge plains 9, 11
 - tropical cyclone Larry (2006) 18
- Mole Creek Caves 296, 300, 303, 304
- Mole Creek karst 292
- Moore Glaciation 169
- Moparabah Cave 298
- moraines, Tasmania 166–168, 169–170, 171, 174
- Morgan Fault 254, 259
- mosaics, vegetation 99–101, 112
- Mt Etna 124, 128
- Mt Lofty Ranges, deformation 258–259
- Mt Margaret Fault 254
- Mt Narryer Fault 255
- Mt Sonder, rocky slope erosion rate measurement 229, 231–232, 233, 235, 237–239
- mulga 99, 100, 101
- Mulgrave Corridor 8
- Mulgrave River 9, 10, 13
- Mulvaney, D.J. and Golson, J., *Aboriginal Man and Environment in Australia* (1971) 72
- Mundi Mundi Fault 254
- Murninnie Fault 256
- Murray Basin 125, 127
 - subsidence 252
- Murray Canyons Group 43–52, 44
 - sediments 44, 45–52
 - biogenic 50–51
 - bioturbation rates 47, 48–49
 - present-day 48–50
 - sediment accumulation rates 46–48
 - sediment focusing 47–48, 51–52, 51
 - sediment slides 51–52

- Murray River 43, 44, 50
 coseismic diversion 258–259
- Musgrave Block, dunefields 153, 155
- My Cave, Mole Creek 296
- Nahal Arava, rain events and flooding 96
- Nahal Eshtemoa, streamflow 105
- Namib Silts 186, 209, 218
- Narrabeen Beach, continental shelf 59, 63, 64
- Negev Desert, climate change and landscape 110
- neotectonism 159
- New England Fold Belt, caves 289, 290, 304
- New South Wales
 archaeological record 74, 80
 continental shelf 59, 60–64
 dryland rainfall 92, 93
 marine abrasion surface 57–68
- New Zealand, glacial record 179–180
- Newcastle, continental shelf 59, 61
- Newell Beach, sand beach ridge plains 10
- Ngaltinga Clay 131
- Norah Head, continental shelf 61, 62
- Nothofagus cunninghamii* 175, 176
- Nullarbor Plain 156
 limestone 126, 127
 palaeo-shoreline features 248, 249
- Nunamira rockshelter 74, 75
- Nundooka, Fowlers Gap
 artefacts 80
 palaeofloods 79–80
- Nunnock River, soil-mantled slope erosion rates 227–229,
 232, 233–234, 238
- Ochre Cove Formation 131
- Oligocene, climate 122, 125, 126
- Oonadatta, SA
 rain events 94–95
 rainless intervals 94, 96
- Otway Ranges, faulting 255, 257, 258
- oxygen isotope analysis
 speleothems, Tasmania 177–180; *see also* dating
- Padthway uplift 250, 252, 253
- Palaeocene, climate 121, 122, 124–125, 126
- palaeoenvironment, and archaeology 72
- palaeokarst 293–294, 300, 301
see also karst
- palaeomagnetism *see* dating
- palaeosols 130
- Palaeozoic, Middle, metasediments, NE Queensland 8, 13
- Para Fault 254
- paragenesis, caves 301, 303
- Paralana Fault 254
- parna *see* dust, aeolian
- partitions, caves 295
- Pb, Murray Canyons Group sediments 44, 46–47,
 48, 49
- Phyllocladus aspleniifolius* 175, 176
- Pilbara Block, dunefields 155
- planation, marine 60, 65–67
- plants *see* vegetation
- platforms, rock, polycyclic 58, 65
- playa lakes
 chronology 128–129
 hydrological threshold 133–134
- Pleistocene
 climate 127–128, 132, 172
 Early, glaciation, Tasmania 165–167, 168
 Equilibrium Line Altitudes, Tasmania 172
 Late, glaciation, Tasmania 170–171
 Middle, glaciation, Tasmania 167–170, 168
 sand beach ridges, NE Queensland 13–14
- Pliocene, climate 122, 123, 127
- Point Walter, Perth, fetch-restricted beach 24
- pollen
 in archaeological record 78
 Late Quaternary, Tasmania 174–176, 180
- Pool of Cerberus Cave 297
- Port Douglas, sand beach ridge plains 9, 10
- Port Hacking, continental shelf 59, 61
- Port Stephens, continental shelf 59, 61, 63
- Princess Royal Harbour, Albany 25, 27
 fetch-restricted beaches
 beach profiles 27–28, 30–40
 water-level ranging 28–30
 waves 30, 31, 33, 34, 35, 36–37
 winds 28, 31, 33
- Punchbowl Cave, Wee Jasper 293, 303
- quartzite, erosion rates 237
- Quaternary
 archaeology 72–81
 basalt, Atherton plateau 8
 human-environment interaction 72–81
 sedimentary record, palaeoclimate 111
 sediments, NE Queensland 8, 10, 13
 Tasmania
 environmental change, speleothems 176–181
 glaciation 165–181
 climate 172
 pollen record 174–176, 180
- Queensland, NE
 bathymetry 11
 climate 8
 continental shelf 11
 sediments 11–12
 wave energy 12–13, 16, 17
 environment 8–13
 geology 8
 sand beach ridges 7–21
 winds 12–13, 16
- Ra, Murray Canyons Group sediments 46
- Rabbit Skull Cave 302
- radiocarbon *see* dating
- rainfall
 drylands 87, 88, 89, 90–91
 event structure 92
 spatial variability 92–95
 dunefields 145, 146
- rebound, isostatic, denudational 268, 270–271, 281
- regolith, Yilgarn Craton 311–313
 oxygen isotope dating 313–318
- Revenge Formation 129
- ridges *see* sand beach ridges
- River Cave, Jenolan Caves 291, 301
- River Lethe, Jenolan Caves 302
- rivers, bedrock, post-orogenic 268–283
- rock slopes, erosion 226, 230–232, 237–239
- rockshelters, Tasmania 75–76
- Rosedale Fault 257
- Roysalt Formation 129
- runoff
 drylands 95–96, 103–104, 110, 112
 role of biota 97–104
 dunefields 149

- Russell Heads, sand beach ridge plain 9, 10–11
 Russell-Mulgrave Shear Zone 8
- sand
 deserts 129–131
 dunefields
 activation threshold 134
 age variation 134
 chronology 129–131
 formation and distribution 141–160
 mapping 141, 142–143
 origin and transport 157
 transport
 cyclones, NE Queensland 7–8, 16
 marine abrasion surfaces 67–68
- sand beach ridges
 NE Queensland 7–21, 9
 chronology 14–16
 origin 16–18
- sand drift 145–146, 147, 148
- sandstone, erosion rates 237–238, 239
- scotia 291, 292
- sea-floor spreading, Tasman Sea 58–59, 65
- sea-level
 Holocene, NE Queensland 8
 post-Eocene, New South Wales 65
- sediments
 aeolian, chronology 129–131, 132–133
 Murray Canyons Group, focusing 47–48, 51–52, 51
 palaeomagnetic dating 128–129
 SE Australian continental shelf 63
 detritus removal 67–68
 outer sediment wedge 65, 66, 67
see also metasediments; sand
- seismicity
 geomorphological implications 258–260
 profiles, Sydney coast sediments 61, 62, 63
 zones 253, 255–258
- Shark Bay, sheltered beach 24
- Shoalhaven Fault 255
- shoaling 23, 30
- shoreline elevation, variation 248–249, 253
- Signature Cave, Wee Jasper 298
- silcrete 156
- silt *see* Flinders Silts
- Simpson Desert
 dunefields 143, 144, 150, 151
 dating 124, 131, 134, 141
 formation 157
 influence of climate 145, 147
- Sinai Silts 186
- snowline, Quaternary, Tasmania 172
- Snug, soil-mantled slope erosion rates 227, 228, 232, 238
- Soda Mountains, USA, climate change and landscape 112
- soil properties, drylands
 biological crusts 102, 111
 ecohydrology 95–97
 effects of vegetation 98–99
- soil-mantled sites, erosion 226, 227–230, 232–236
- sonar, sidescan, SE Australian continental shelf 61–63, 64
- South Australia
 dryland rainfall 92, 93
 loess 185–220
see also Flinders Silt
- southern Australian volcanic field 250, 252
- Southern Forests Archaeological Project 75
- speleogenesis 295, 299
- speleogenesis, hypogene 295, 298, 299, 303
- speleothems, Tasmania 173, 174
 environmental change record 176–181
- spinfex 98, 143, 145
- Sprigg Canyon 43, 45, 46, 48, 49
 sedimentation 48, 49, 50
- Sr, speleothems, Tasmania 177, 178, 181
- stalagmites, Tasmania 177–180
- Stony Desert, Sturt's 142, 151, 157
- storm surges
 and sand beach ridge formation 8, 16–18
 modelling 17, 18–19
- storms, drylands 92
- strandplain, Otway Range 255
- strath terrace formation 109–110
- stream damming, coseismic 258
- stream gradients 249, 253, 258
- stream incision 269–283
 influence of lithology, numerical simulation 279–283
- streamflow, drylands 91
 channel processes 104–108
- stress, intraplate 244–246
- Strzelecki Desert
 dunefields 143, 144, 151
 dating 141, 142
 formation 158, 159
 influence of climate 145, 147
- Stud Creek, archaeological site 74, 80
- Sub-tropical High Pressure System 123
- subsidence
 East Australian continental margin 58–59
 North Australian continental margin 249, 252
- surge, low-energy beaches 29–30
- Swan River Estuary, Como Beach, fetch-restricted beach 24, 25, 27
- SWAN shallow water wave model 17
- Sydney coast 58
 continental shelf 59, 60–64
 marine abrasion surface 59, 63–68
- Sydney-Bowen Basin 290
- Szemplő-Hegyí Cave 294
- Tachyglossus aculeatus* 103
- Tanami Desert 144
- Tasman Fold Belt 289
- Tasman Sea
 aeolian sediments 131, 135
 sea-floor spreading 58–59, 65
- Tasmania
 Quaternary 165–181
 climate change, pollen records 174–176, 180
 environmental change, speleothems 176–181
 glaciation
 climate 172
 Early Pleistocene 165–167, 168
 Equilibrium Line Altitude 172
 Late Pleistocene 170–171
 Middle Pleistocene 167–170, 168
 glaciokarst 172–174, 180
 rockshelters 74, 75–76
- Tasmanic Caves 289–305
- Tawonga Fault 255
- teatree 107
- tectonism
 and geomorphology 243–260
 NE Queensland 8
- termites 103, 104
- Texas Caves 293
- Th, Murray Canyons Group sediments 44, 46, 48–49, 50

- Thermocline Cave 296
- tides
 range, low-energy beaches 26, 28–30
 and sand beach ridge formation 17–18
- Tilmouth Beds 129
- Timor Caves 293, 298, 300
- Tin Camp Creek, soil-mantled slope erosion rate
 measurement 229–234, 236, 238, 239
- Tinaroo granite 8
- topography, dynamic 246, 249
- Torrens Basin, intermediate-wavelength deformation
 250–251, 252, 253
- transpression 246
- trees, in dryland stream processes 104–108
- Triodia* 98, 143, 145
- Tully Heads, sand beach ridge plains 9, 11
- Tyler Pass, soil-mantled slope erosion rate measurement 229,
 230, 233, 235, 238, 239
- Tyrrell Beds 129
- Uluru Clay 129
- uplift
 dynamic topographic, SW Australia 249–250, 252, 253
 isostatic, Lachlan River 270–271, 281
 southern Australian volcanic field 250, 252
- uranium
 Murray Canyons Group sediments 46, 48, 50
 speleothems, Tasmania 177, 178
- valleys, incised 65
- Vancouver Peninsula, fetch-restricted beach 24, 25
- Varanus gouldii* 103
- vegetation
 drylands 88, 91
 mosaics 99–101, 112
 role of plant litter 98–99
 and soil hydraulic properties 98–99, 112
 trees, and stream channel flow 104–108
 human management 78
 Late Quaternary climate change, Tasmania 174–176
- volcanism, basaltic 58–59, 252, 270–283
- Waratah Fault 255, 257
- water, hypogene 304
- water-level ranging, low-energy beaches 28–29
- waves
 attenuation 23, 36–37
 and formation of beach ridge plains 8, 16–18, 20–21
 modelling 18–19
 low-energy beaches 30, 31, 33, 34, 35, 36–37
 NE Queensland, continental shelf 12–13
- weathering
 change of regime 131
 glacial 166–168
 karst, Tasmania 172–174
 Yilgarn Craton 309, 311–318
 oxygen isotope dating 313–318
- Wee Jasper Caves 293, 296, 298, 303
 karst 292, 293
- Wellington Caves 290, 292, 295
- Western Australia
 dryland rainfall 92, 93
 low-energy sandy beaches 23–40
- Western Desert, archaeological sites 74
- Westland ice advance 180
- Wheeo Basalt 272, 273
- Wilkatana Fault 254, 256, 257–258
- Wilkawillina Silts 215–218
- Willandra Lakes, archaeological sites 73, 74
- Willunga Fault 254
- Wiluna, storm events 92
- winds
 dunefield formation 129, 134, 145–146, 158
 and formation of beach ridge plains 16–18, 20
 low-energy beaches 28, 29
 NE Queensland 12–13, 20
- Winmatti Beds 129
- Wiso Dunefield 144, 145, 156
 influence of climate 147
- Wombeyan Caves 290, 300, 301, 302
- Wonga Beach, sand beach ridge plains 9–10
- Woomera, SA
 rain events 94–95
 rainless intervals 94, 96
- Wyanbene Cave 294
- Wyangala Batholith 273, 274–275, 276, 278
- Yessabah Limestone, caves 304
- Yilgarn Craton 310
 dunefields 153, 155, 156
 granite geomorphology 309, 311
 weathering 309–318
 history 311–313
 oxygen isotope dating 313–318
 zircons 156
- Yule Point, sand beach ridge plains 10
- zircons, dunefields 156