

Index

Page numbers in *italic* denote figures. Page numbers in **bold** denote tables.

- Aalenian, intra, unconformity 170
accommodation: coarse sediment supply, and compartmentalization potential 203, 204, 205–208, 210–215
alkylbenzene carbon analysis 12, 13, 61
Allan maps *see* fault plane profiles
amplitude *v.* offset analysis 43, 46, 47
appraisal *see* field appraisal
aquifer, hydrodynamic, Azeri field 109–111
Auger Blue reservoirs 56–69
 4D seismic surveys 60–63
 Blue O Massive 57, 58, **59**, 60, 61–63
 geochemical fingerprinting 63–68
 Blue O Stray 57, 58, **59**, 60, 63
 geochemical fingerprinting 66–68
 cross-fault drainage 62–63, 64
 geochemical fingerprinting 61, 63–68
 geological setting and production history 57–58
 Lower Blue O2 57, 58, **59**, 60, 61–63
 geochemical fingerprinting 63–66
 pulsed neutron logging 57, 58, 60, 61–63
 stratigraphic communication 63, 65, 66–68
Avalon Formation, reservoir connectivity analysis 337, 341
Azeri field 103–111, 104
 hydrodynamic aquifer 109–111
 oil–water contact 109–111
 Pereriv B reservoir pressure 107–109
- baffles, membrane permeability 73, 258–259, 309
Balta Formation 288–289
barium sulphate, precipitation 75
barriers, flow 26
 inter sand-body 200, 202, 203, 205, 209, 210
 inter-parasequence 200, 202, 203, 205, 208, 209
 intra sand-body 200, 202, 206–208, 209, 210
 Nelson field 73, 80–82
 N’Kossa field 150–153
 development plans 157–162
 Pierce field 129–131
 Rotliegend gas fields 306–312
 Schiehallion field 92–93, 94, 96–101
 Skagerrak Formation 168, 186, 188–189
Base Cretaceous Unconformity 290
Ben Nevis Sandstone, reservoir connectivity analysis 337, 341, 342
bioturbation, Skagerrak 172, 173, 174
Brent Group fields
 drainage cells 72–73
 hydraulic units 72
Brent province reservoir, uncertainty modelling 288–297
Broad Fourteens Basin 311, 312
bubble point 33, 44–45, 46
bulk rock volume, uncertainty 15
Bunter sandstone 168, 169, 172, 192, 312
Canada, Terra Nova field, reservoir connectivity analysis 333–355
capillary sealing 321–322
 failure 352
cataclasis, Rotliegend gas fields 308–310
cataclasites 245, 253, 309
Central Graben 116, 125
 Skagerrak depositional systems 167–168, 172–176
Central Offshore Saddle 307, 310
channel systems
 connectivity 223–224, 225
 modelling 229–231
 Forties Sandstone 114–115, 121–123, 126, 130
 Nelson field 71, 73, 82
 Skagerrak 172, 174–175
Chirag field 103, 104, 106
chloride ion concentration, Nelson field 75, 76–84
clay minerals
 Rotliegend gas fields 310–312
 Skagerrak fault zones 179–184, 192
Clay Smear Potential (CSP) 182, 184, 246, 247, 248, 265–267, 266, 291
clay smears *see also* shale smears 179–184, 180, 184, 244–245, 265–268, 291–292
compartmentalization
 challenges and impact 9–20
 definition 1–2
 phase-behaviour modelling 47
 pressure analysis 48–51
 seismic analysis 43, 46, 47
 depositional systems 166, 200–215
 dynamic 1, 5, 219
 fault *see* fault seal
 fluid phase composition 43–53
 Heron Cluster fields 177–194
 identification 25–26
 impact on recovery 1, 27–31
 turbidite oilfields 29–31
 inter sand-body 200, 202, 203, 205, 209, 210, 211
 inter-parasequence 200, 202, 203, 205, 208, 209, 210, 211
 intra sand-body 200, 202, 206–208, 209, 211
 Pierce field 126–131
 prediction 9, 200–215
 role of accommodation: coarse sediment supply 203, 204
 Rotliegend gas fields 301–313
 Schiehallion field 91–101
 static 1, 5, 55, 219
 stratigraphic
 marginal marine reservoirs 199–215
 hierarchy 200, 202, 203–208, 209
 predictive matrix 208, 209
 predictive tools 210–214
compartmentalization complexity score 27–28
complexity
 appraisal 16, 17, 30
 index 27–28

- Congo, Republic of, N'Kossa field 133–162
- connections, Terra Nova field 346–348
- connectivity 219–241
- Azeri field 106
 - bulk reservoir 221
 - dynamic 219
 - definition 231–238
 - local characterizations 222
 - reservoir analysis, Terra Nova field 333–355
 - reservoir modelling
 - increasingly complex 222–231
 - uncertainty 219–220
 - reservoir stratigraphy and structure 231, 232
 - reservoir to well 221
 - Rotliegend gas fields 306–312
 - static 231–232
- connectivity flow diagram 237, 238–241
- Terra Nova field 333, 348–352
- connectivity function 221–222
- core data 11–12
- Cretaceous, base, unconformity 290
- critical point 44–45, 46
- cut-off efficiency 28
- data integration 10, 71–72
- deformation, Skagerrak 170–172, 179
- deposition
 - and compartmentalization 166
 - fluvial 172–176, 189–192, 200, 208, 209
 - marginal marine systems 200–215
 - Triassic, central North Sea 167–168, 172–176
- dew point curve 44–45, 46
- diagenesis
 - N'Kossa field 146–148
 - Rotliegend gas fields 310–312
 - Skagerrak 179
- diapirs, salt
 - Pierce field 113, 115, 117, 119–122, 125–126, 130
 - see also* halokinesis
- diffusion
 - modelling 37–38
 - molecular 33–34, 37, 38
- dip leak 321
- disaggregation zones 245, 248, 253
- dolomite, N'Kossa field 135, 142, 143, 144, 146–148, 149
- drainage cells 72–73
 - Nelson field 73–86, 74, 84, 85
- drainage chart, Nelson field 84, 86
- drainage efficiency factor 28–29, 30, 31
- Eastern Channel, Nelson field 71, 76
 - produced water 77–78, 79, 81, 83
- effective cross-fault permeability 272
- effective cross-fault transmissibility 272
- effective Shale Gouge Ratio (ESGR) 264–265, 266
- efficiency factors 28–29
- Egret field 166, 168, 171, 173, 176, 184, 189
 - dynamic behaviour 184–185
- Egret source rock 351
- Ekofisk Formation 116, 117–118, 177
- electrofacies, N'Kossa field 149, 154
- enhanced oil recovery, injection data 12
- erosion, Jurassic, Central North Sea 170–172
- Etive Formation 288–289
- extension
 - Central North Sea 170–171
 - N'Kossa field 136, 138, 139
- fault plane profiles 257, 258, 260, 271, 317, 318
- fault seal 5, 165–166, 178–184, 231, 232–233, 243–253, 257–280, 308–310, 317–330
- algorithms 5, 246–248, 247, 263–268, 266
- analysis 317
 - capillary sealing 321–322
 - dip leak 321
 - multi-fault 318–330
 - success rate (1994–2001) 319–321
 - uncertainty 322–324
- Azeri field 106, 111
- calibration 246–253
 - deterministic approach 248–249, 252–253
 - empirical approach 249–253
- fault reactivation seal 244
- fault-rock seal 244–253
- Heron Cluster fields 181–184
- N'Kossa field 154
- Pierce field 125–129
- Rotliegend gas fields 308–310
- stratigraphic layering, visualization 257, 260–261
- visualization tools 259–268
- fault zone thickness, modelling 286
- faults
 - fluid flow
 - Auger Blue reservoirs 62–63, 64, 66
 - flow simulation data analysis 275–279
 - properties
 - predictive capabilities 276–277
 - uncertainty modelling 285–288, 291–297
 - visualization 268–274
 - Heron Cluster fields 176–177, 192
 - permeability 178–181
 - sealing potential 181–184
 - hydraulic resistance 270–272, 279
 - juxtaposition 257, 323–324
 - sand-to-sand 317, 318
 - seal 244
 - visualization 260–261, 263
 - leaking 231, 232–233
 - prediction 11–12
 - and secondary recovery 12
 - transmissibility 235, 237, 238, 268, 270–274, 276–277, 279
 - multipliers 258–259, 262–263, 264, 268–274

Ferron Sandstone 208

field appraisal 1, 9, 11, 15–16, 17

 - Azeri field 103, 107
 - turbidite oilfields 29–31

fluid flow 113

 - cross-fault 5
 - Auger Blue reservoir 62–63, 64
 - properties
 - predictive capabilities 276–277
 - uncertainty modelling 285–288, 291–297
 - visualization 261, 262, 268–274
 - simulation data analysis 275–279
 - see also* fluids, reservoir, cross-fault drainage

- debris 120
- depositional systems 166
- gravity 120
- hybrid, Pierce Field 120
- sealing faults 165–166
- sedimentological control
 - heterogeneities 200, **202**, 206–207, 219, 230
 - N’Kossa field 150–153
 - Pierce field 129–131
- fluids, reservoir
 - critical 45
 - cross-fault drainage 62–63, 64, 66
 - see also* fluid flow, cross-fault
 - density differences 43–53
 - gravity segregation 46, 47, 49, 51
 - formation pressure testing 92
 - gravitational overturning 36–37, 38
 - integrated description 12–13
 - integrated toolkit 10–11
 - mixing 31–39
 - unified diffusive model 37–39
 - near-critical 45–46, 47, 51
 - phase composition 43–45
 - dual phase 45, 46, 50
 - single phase 45, 46, 51
 - pressure dissipation 35–36, 37
 - properties, variation 26, 31–33
 - stratigraphic communication 63, 66–68, 231, 232
- fluvial facies, Skagerrak Formation 168, 170, 172–176
- forensic analysis 16, 20
- formation pressure testing 92
- formation volume factor 51
- Forties Fan system 71
- Forties Montrose High 71, 72, 84, 171, 176
- Forties Sandstone 113, 114–118
 - depositional environment 120–123, 127
 - Lower 118–122
 - Upper 120, 122–123, 127
- fractures, prediction 11–12
- free-water level
 - Pereriv B reservoir 109
 - Rotliegend gas fields 307
 - Terra Nova field 347–348, 354
- Gannet/Guillemot fan 114
- gas
 - dry 45, 46
 - injection, N’Kossa field 157–158, 159, 161
 - wet 45
 - gas cap 43, 46, 47, 50
 - gas condensates 44, 45, 46, 50–51
 - Blue O Massive reservoir 63, 65–66
 - gas fields, Rotliegend, compartmentalization 301–313
 - gas migration shadow, Terra Nova field 339, 340
 - gas–oil ratio 30, 33, 43
 - Auger Blue reservoirs 66
 - Schiehallion field 96
 - West African fields 47, 48, 51
 - geochemistry
 - Pierce field connectivity 123–125, 127, 128
 - produced water, Nelson field 74–86
 - time-lapse 55–56
 - Auger Blue reservoirs 61, 63–68
 - Germanic Trias Group, gas fields 312
 - Groningen field 301–302
 - Gulf of Mexico
 - Auger Blue reservoirs 56–69
 - field complexity 16, 17, 19–20
 - Gunashli field 103, 104, 106
 - halokinesis, Central North Sea 170
 - Hebron field 334, 335, 336–337
 - Heron Cluster fields 165–194
 - compartmentalization 177–194
 - by shales 185–186, 188–192
 - dryland fluvial facies 172–176, 189–190
 - biogenically disrupted sheet deposits 172–173
 - channel belt deposits 172
 - channel-fill deposits 174–175
 - floodplain deposits 173, 175
 - lake and palustrine deposits 173–174, 175
 - playa deposits 175
 - terminal splay complexes 175
 - dynamic behaviour 184–185
 - faults 176–177, 192
 - permeability 178–181
 - sealing potential 181–184
 - reservoir barriers 168
 - structural framework 176–177
 - Triassic depositional systems 167–168
 - Heron field 166, 168, 171, 176, 189
 - dynamic behaviour 184, 186
 - Heron Shale 168, 172, 173, 174, 176, 188, 189
 - heterogeneity, permeability 200, **202**, 206–207, 219, 230, 233–235, 236
 - Hibernia field 334, 335, 336, 339
 - Hibernia Sandstones, reservoir connectivity analysis
 - 337, 339, 341, 342, 343, 345, 348, 351–352
 - hydraulic units 72
 - hydrocarbons, composition 33–34, 37
 - hydrostatic gradient, Azeri field 109
 - infill targets, Schiehallion field 96–101
 - injection
 - N’Kossa field 157–162
 - Pierce field 129–130
 - Schiehallion field 96–101
 - secondary recovery 12
 - and micro-seismic events 14
 - J-Ridge 168, 169
 - Jackson field, Australia, water shut-off 80
 - Jeanne d’Arc Basin 334, 335, 336–337, 340
 - stratigraphy 337
 - Terra Nova field, reservoir connectivity analysis 339–355
 - Jeanne d’Arc sandstones, reservoir connectivity analysis
 - 337, 341, 344, 345, 346–348, 351
 - Judy Member sandstone 169, 170, 172, 186
 - Julius Mudstone 168, 169, 170, 172, 189
 - Keuper sandstone 169
 - lake deposits, Skagerrak 173–174, 175
 - Last Chance Sand 71
 - produced connate water 77, 78, **79**, 83
 - Last Chance Shale 71, 73
 - Lauwerszee Trough, faulted traps 324–330

- layering, stratigraphic, models 257–258
 limestone, N’Kossa field 142, 143, 144–145, 146, 151
 Lista Formation 116, 117, 118, 119
 Loeme Salt 133, 136, 138, 140
 Lower Forties Sandstone 118–122
- Marnock Shale 170, 175, 178, 189, 190
 Maureen Formation 116, 117, 118
 membrane seal 73, 258–259, 309
 visualization 261–268
 micro-seismicity, surveillance 13–14
 Modular Formation Dynamics Tester 10, 18, 33, 35
 mud drapes 223–224, 230
 mudstone, Skagerrak Formation 168, 169, 170,
 172, 173–174
 Multiple Point Statistics algorithm 220, 229
 Muschelkalk 169, 170
- Nelson field 71–86, 72
 chloride ion concentration 75, 76–84
 compartmentalization 82, 84
 see also Nelson field, drainage cells
 data integration 71–72
 drainage cells 73–86, 74, 84, 85
 drainage chart 84, 86
 flow barriers 73
 macroforms 73, 82
 produced water chemistry analysis 74–86
 Ness Formation 288–289
 Netherlands, Rotliegend gas fields,
 compartmentalization 301–313
 Newfoundland, Terra Nova field, reservoir
 connectivity analysis 333–355
 Nigeria, deepwater fields, fluid phase
 composition 44, 45–53
 N’Kossa field 133–162, 134
 connectivity problems 135–136, 150–158
 development plans 157–162
 diagenesis 146–148
 dynamic synthesis 153–157
 extension 136, 138, 139
 rafting 140
 reservoir barriers 150–157
 reservoir characteristics 149–150
 sedimentology 141–148
- oil
 black 45, 46, 47, 51–52
 Blue O2 reservoir 63, 65–66
 mixing 31–34
 volatile 45, 46, 46
 Blue O2 reservoir 63, 65–66
 volume, uncertainty 15, 16
 oil–water contact, Pereriv B reservoir 109–111
 optical fluid analyzer 57–58
 overturning, gravitational 36–37, 38
- Panther Tongue deposit 207–208
 parasequences, compartmentalization 200, 202,
 203, 205, 208, 209
 Peng-Robinson EOS 47
 percolation theory 221, 223–224, 226–228, 230
 Pereriv B reservoir 103, 105, 106
 pressure analysis 107–109
- permeability
 cross-fault 268–270, 272–273, 274, 276–279
 modelling 285–288, 291, 296
 heterogeneity 200, 202, 206–207, 219, 230,
 233–235, 236
 phase-behaviour modelling 47
 phyllosilicate-framework fault rock 245, 246, 248, 253,
 267–268
 Skagerrak 170, 179–181, 184
 Pierce field 113, 115–131
 aquifer support 130–131
 compartmentalization 126–131
 depositional environment 120–123
 fault seal potential 125–129
 fluid flow, sedimentological control 129–131
 geochemical fingerprinting 123–125, 127, 128
 Lower Forties Sandstone 118–122
 salt diapirs 113, 115, 117, 119–122, 125–126, 130
 seismic stratigraphy 117–123
 stratigraphy 116–117
 Upper Forties Sandstone 122–123
 playa deposits, Skagerrak Formation 168, 169,
 170, 175, 190
 Pointe Noire Marl 137, 139
 porescale displacement efficiency factor 28
 pressure, fluid 35–36, 37, 38
 pressure analysis
 compartmentalization definition 48–51
 Pereriv B reservoir 107–109
 pressure testing, formation, Schiehallion field 92
 pressure–volume–temperature analysis 12, 13
 Auger Blue reservoirs 59, 63
 Nigerian deepwater fluid 44–45, 47, 48, 49–51
 probabilistic shale smear factor (PSSF) 265–268, 266
 production data 12
 in performance prediction 16, 18–20
 production logging tools, Schiehallion field 92, 96
 pulsed neutron logs, Auger Blue O Massive 57, 58, 60,
 61–63
- quartz, authigenic, Rotliegend gas fields 310–311
- rafting, N’Kossa field 140
 Rankin Formation 337, 338, 339, 347
 recovery factor 27–28
 recovery, hydrocarbon
 efficiency factors 28–29
 impact of compartmentalization 27–31
 secondary 12
 repeat formation testers 33, 35
 reservoirs
 complexity, appraisal 16, 17
 connectivity 219–241
 analysis 6, 333, 336
 Terra Nova field 339–355
 bulk 221
 function 221–222
 local characterizations 222, 230
 modelling
 channel systems 229–231
 increasingly complex 222–231
 uncertainty 219–220
 net to gross 223–224, 226–228, 230
 stratigraphy and structure 231, 232

- to producing wells 221, 230
- volume support effect 224, 226, 230
- dryland fluvial, Heron Cluster fields 166–194
- fluid properties 26, 31–33
- forensic analysis 16, 20
- heterogeneity 200, **202**, 206–207, 219
- integrated toolkits 10–11, 18–19, 20
- management 16, 18–20
- marginal marine, stratigraphic
 - compartmentalization 199–215
- modelling
 - integrated 4D, Schiehallion field 94
 - uncertainty, workflow 284–297
- structure, description 11–12
- tortuosity 224, 231, 232–233, 234
- resistance, hydraulic, faults 270–272, 279
- Resistivity Index 222
- Rotliegend
 - fault seal analysis 324–329
 - gas field compartmentalization 301–313
 - connectivity factors 306–312
 - IGIP 301, 305–306
 - stratigraphy 302–304, 310
 - Heron Cluster fields 170, 176–177
- sabkha, N’Kossa field 144, 146, 148, 150
- salinity, formation water, Nelson field 76–84
- salt
 - Heron Cluster fields 171, 176
 - N’Kossa field 133, 136, 138, 140
 - Pierce field 113, 115, 117, 119–122, 125–126, 130
 - see also* halokinesis; Zechstein halite
- sand-bodies, compartmentalization 200, 202, 203, 205–208, 209, 210
- sandstone
 - N’Kossa field 135, 142, 143, 144, 149
 - Skagerrak Formation 168, 169, 170, 172, 174–175
- Schiehallion field 89, 90
 - compartmentalization 91–101
 - 4D integrated reservoir modelling 94
 - field surveillance 91–96
 - full field model 93–94
 - infill targets 96–101
- Seagull field 171, 177
 - compartmentalization 185, 186, 188
 - oil fingerprinting 186, 187, 188
- sediment supply, and compartmentalization 203, 205–208, 210–215
- segregation, gravity 46, 47, 49, 51
- seismic amplitude, Azeri field 110
- seismic amplitude v. offset data 43
- seismic analysis
 - 4D
 - Auger Blue reservoirs 60–63
 - Schiehallion field 93, 94–96, 100
 - and fluid compartmentalization 43, 46, 47
- Sele Formation 116, 117–118
- Sendji Carbonate 133, 134, 136–137
 - diagenesis 146–148
 - lithofacies 148–149
 - reservoir barriers 150–157
 - reservoir characteristics 149–150
 - sedimentology 141–148
 - stratigraphy 140–141
- transgressive–regressive sequences 140–141, 145–146, 147, 150–151
- Sequential Indicator Simulation algorithm 220
- shale
 - Nelson field 80–82
 - Skagerrak Formation 173–176, 182–186, 188–192
 - see also* Heron Shale; Marnock Shale
- Shale Gouge Ratio (SGR) 126, 181, 182, 246–249, 247, 262, 263–267, 266, 287
- Shale Smear Factor (SSF) 246, 247, 265, 266, 291
- shale smears *see also* clay smears 179–184, 180, 184, 244–245, 265–268, 291–292
- sheet deposits
 - connectivity 223–224, 225
 - Skagerrak 172–173
- siltstone
 - N’Kossa field 142, 143, 145
 - Skagerrak 173
- Skagerrak Formation 166, 193
 - compartmentalization by shales 185–186, 188–192
 - dryland fluvial facies 168, 170, 172–176
 - fault seal potential 181–184
 - fault zone permeability 178–181
 - preservation 170–173
 - reservoir barriers 168
 - sedimentology 172–176
 - stratigraphy 168–170
- Skua field 166, 168, 171, 176–177, 178
 - compartmentalization 185, 186
 - oil fingerprinting 186, 187, 188
 - shale–fault interaction 189
- Slochteren Formation 302–304, 307, 310, 312, 324
- Smith Bank mudstone 168, 169, 170, 171, 172
- South Caspian Basin, ACG fields 103, 104, 106
- splay complexes, Skagerrak 175, 190, 191
- Sr isotope ratios 34, 37
 - Heron Cluster fields 185, 188
- STOOIP uncertainty 15, 16
 - turbidite oilfields 29–30, 31
- stochastic multi-fault analysis 6, 317–330
- stratigraphy
 - and compartmentalization
 - dryland fluvial 166, 172–176, 189–190
 - marginal marine 200–215
 - Rotliegend gas fields 310
 - and connectivity 63, 66–68, 231, 232
 - Jeanne d’Arc Basin 337
 - sequence, as predictive tool 210, 211
 - Skagerrak Formation 168–170
- Sunrise field 210, 212, 213
- sweep efficiency 28–29, 30, 233, 234, 235, 237
- systems tracts
 - and compartmentalization 200, 201, 203, 204, 205, 206
 - see also* transgressive–regressive sequences
- Tarbert Formation 288–289, 290
- tectonics, Triassic–Jurassic, and Skagerrak preservation 170–173
- Terra Nova field 334–336, 335, 338–339
 - gas migration shadow 339, 340
 - reservoir connectivity analysis 336, 339–355
 - Beothuk Member 347
 - connection definition 346–348

- Terra Nova field (*Continued*)
 connectivity diagram 333, 348, 349–351, 351–352
 East Flank 344–345, 347, 351
 Far East 344–347, 351
 Graben 344, 345, 347, 351, 353
 individual sandstone scale 354
 production fault blocks 352–354
 Trinity Fault 345, 348, 352
 Voyager Fault 348, 351, 354
 West Flank 344, 346–347, 351
 reservoir overview 338–339
- Texel-IJsselmeer High 303, 311, 312
- toolkits, integrated 10–11, 18–19, 20
- tools, visualization 259–268
- tortuosity 224, 231, 232–233, 234
- transgressive–regressive sequences, Sendji Carbonate 140–141, 145–146, 147, 150–151
- transmissibility 235, 237, 238, 268
 cross-fault 270–274, 276–277, 279
 multipliers 258–259, 262–263, 264, 268–274
- traps, multi-fault analysis 318–330
- Triassic, depositional systems, central North Sea 167–168, 169, 171–176
- Triassic–Jurassic, deformation and erosion, central North Sea 170–172, 179
- Trinity Fault 345, 348, 352
- turbidites
 Auger Blue reservoirs 57
 Nelson field, compartmentalization 73, 82
 offshore oilfield, compartmentalization 30–31
 onshore oilfield, compartmentalization 29–30
 Pierce field 114, 117–123
 Schiehallion field compartmentalization 89–101
- uncertainty
 fault properties, modelling 285–288, 291
 fault seal analysis 322–324
 geometrical, modelling 284–285, 290–291, 296
 management 14–16, 17, 19–20
 modelling, workflow 284–297
 Brent province reservoir 288–297
- unconformity
 base Cretaceous 290
 intra-Aalenian 170
- uplift, thermal, Jurassic, Central North Sea 170
- Upper Forties Sandstone 122–123, 126, 127
- vector fields, cross-fault flow analysis 276
- Voyager Fault 348, 351
- water
 formation, mixing 34, 37
 injection 12
 and micro-seismicity 14
 N’Kossa field 157–158, 159, 160, 161–162
 Pierce field 129–130
 Schiehallion oil field 96–101
 perched, Terra Nova field 335–336, 338, 344, 347, 354
 produced connate
 Nelson field 74–86
 shut-off 75, 77, 80, 81
 water chemistry analysis 74–86
see also free-water level
- well log data, as predictive tool 210, 212
- well testing
 extended 19, 26, 30
 Schiehallion field 92
- Western Channel, Nelson field 71
 drainage chart 86
 produced water 77–78, 79, 81, 83
- xylene, Auger Blue reservoirs 66–67, 68
- Zechstein halite 170, 171, 176, 305, 312, 324
 Pierce salt diapirs 126