

Index

Page numbers in *italic* refer to Figures. Page numbers in **bold** refer to Tables.

- abrasion, horst and graben 7
accommodation space 3
accretionary prisms 3, 6–7
accretionary wedges 1–2, 11, 237
 Variscan 223
Ainsa Basin 13
Aliaga basin 78, 79, 80, 81, 83, 85, 91
Alijostrel–Mértola–Riotinto Thrust Belt 206
Almazán basin 80
Alpine Orogeny, Pyrenees 169
Alps crystalline thrust belt 3, 72
Altiplano **72**
Amaro Mount 27
Andes 3, 9, 10, **72**
 see also Fuegan Andes
anisotropy of magnetic susceptibility (AMS) 100–101
 Tethyan Himalaya
 methods of analysis 105, 107
 results 107, **108**, **109**, 110, 111, 112–115
 results discussed 115–117
 summary 117–118
Ansovell Formation **172**, 173
antiformal stacks 3
Apennines 3, 14, 26, **72**
 see also Maiella Mountain
Appalachians 11, 14, 15
Appalachians crystalline thrust belt 3
Apulia Platform 27
Aquitaine Basin **72**
Arguis Formation 46, 48, **52**
Aston orthogneiss 172
Asturian arc 5, 178, 179, 180
Austral Basin 123, 124
- back-vergent folds 11
backthrusts and backthrusting 6, 11
Baixo Alentejo Flysch Group 203
Bar Formation **172**, 173, 179
Barbados prism 3, 7
Barrême Basin (Alps) **72**
basal detachment 3
basement, fabric and structural style 9
basement-cover relations, role in fold and thrust belt
 evolution 2
basement-involved belts 9
Belsué-Atarés Formation 48, **52**
bivergent folding 232
blueschist 7
Bohemian Massif 9
 see also Moravian Karst
Bolivian Subandes **72**
Bolognano Formation 27
Borneo 3
Bourgeau Thrust 153, 154
bow-and-arrow rule 77, 78, 92–93
box fold 85
Brazil offshore 3
break-forward sequence 11
break-thrust fold 32
Březina Formation 225, 226, 228, 232
British Caledonides 3
brittle deformation 3
Brunovistulian terrane 223, 224
buckle folds 157–158, 159
buckling 72, 162
burial and fold and thrust belt evolution 2
Busk method 65, 66
- c* axis analyses 190, 196, 197, 198, 232
Cabo Leticia Anticline 128, 135, 145
Cabo Leticia Formation 125, 126, 127, 128, 132,
 133, 135, 138
Cabo Leticia Thrust 128, 135, 138, 144
Calatayud basin 80
calcite *c* axis analysis 232
Campo del Medio Backthrust 138, 143, 144, 145
Campodarbe Formation 48, **52**
Campos anticline 79, 81, 85
Campos Basin (Brazil) 8
Canadian Rocky Mountains Fold–Thrust Belt 3, 4, 9, 15
 cross section 154
 displacement v. deformation 162–164
 map 153
 shortening model 160–162
 stratigraphy 158–159
 structure 159–160
 compared with Mexican Fold–Thrust Belt **160**
Canaveilles Group 172, 179
Candán Antiform 189
Canigó orthogneiss 172
Cantabrian Mountains 15
Cantabrian Zone 5, 6, 178, 179–180, 185, 186
Caramonico fault 32
carbonate platform, Maiella Mountain 27–28
Cardium Formation 160
Carpathian accretionary wedge 237
Carpathian Orogenic Belt 237
Carpathians 3, 13, **72**
Cava Formation 172–173, 179
Cellino Formation 27
Central Clare Group 63, 64
Central Iberian Zone 185, 186
Cerro Colorado Formation 126, 127, 128, 129,
 131, 133, 142
Cerro Las Vacas Anticline 128
Cerro Piedra Syncline 128
Cerro Ruperto Formation 125, 126, 127, 128, 136,
 137, 138
China, intraplate regions 3
Cima delle Murelle Formation 27, 30
Clare Shale Formation 63, 67, 69, **70**, 73
compaction and decompaction 67
competent bedding 13
 Pico del Águila 48, 49, 50
 discrete-element modelling 51
 method 51–52
 results 53–54
 results discussed 55–58

- Cona Graben 103
 contractional structures 8
 Cordón Largo–Punta Donata Anticlinal Limb 128,
 137–139
 Corredoiras shear zone 189
 cosmogenic nuclides 2
 Costabona massif 173
 Coulomb wedge theory 2
 application in Fuegan Andes 142–144
 controls on taper 162
 cover-basement relations, role in fold and thrust
 belt evolution 2
 critical taper theory 11, 149, 163
 cross-sections
 balanced and restored 1, 25
 Fuegan Andes 139–141
 Maiella Mountain
 construction 30–32
 restoration 34–37
 use in strain simulation 26
 Western Irish Namurian Basin
 construction 65–66
 retro-deformation 68
 crystalline thrusts 3, 6
 Culm Group 207
 curvature analysis 25
 cyclothem sedimentation, Western Irish Namurian
 Basin 64
 Czech Republic *see* Moravian Karst *also* Pavlov Hills
- Dala granitoids 103
 Dead Sea transform 3
 decompaction, Western Irish Namurian Basin 67
 deformation
 rate and timing, role in fold and thrust belt
 evolution 2
 relation to displacement 162–164
 simulation by strain ellipses 26
 thick-skinned 9, 150, 203, 223
 Maiella Mountain model 30, 34
 thin-skinned 9, 72, 150–151, 203, 223
 Canadian Rocky Mountains 150
 Fuegan Andes Thrust–Fold Belt 123, 124
 Maiella Mountain model 29–30
 deformation front 70
 delta progradation 8
 deposition, role in fold and thrust belt evolution 2
 depth-to-detachment methods 1
 detachment folds 46, 85, 226
 detachments
 relation to taper angle 163
 type and depth 2
 Dėvín Hill 242, 244, 246
 diapiric extrusion 232
 diapirs 7
 dip domain method 65, 66
 discrete-element modelling (DEM)
 method 50–51
 use in Pico del Águila anticline
 model set-up 51–52
 results 52–53
 model (1) 53–54
 model (2) 54–55
 results discussed 55–58
- displacement, relation to deformation 162–164
 Drahany facies 224
 ductile deformation 3
 Duero basin 80
 duplex 3, 6, 241
 Moravian Karst 229
 Western Irish Namurian Basin 66, 68, 70
- Eastern Cordillera 72
 Eastern Syntaxis 99
 Ebro Basin 46, 72, 80
 El Doctor Platform 151, 154, 155, 157
 El Doctor Thrust 156
 Eldon Formation 159
 ellipticity coefficient 38, 39
 ellipticity of grains 192
 elongation axes, Maiella Mountain 40
 Eohimalayan phase 101
 Ernstbrunn Formation 241, 243, 244, 245, 246
 erosion, role in fold and thrust belt evolution 2
 error handling in cross-section manipulation 70–71
 Escucha Formation 80
 Estana Formation 172, 173, 179
 evaporates and structural style 9, 13
 extension faults 13
 External Sierras *see* Pico del Águila
- Fatigue Thrust 153, 154
 fault restoration
 Maiella Mountain 34, 35, 36, 38–49
 Western Irish Namurian Basin 66–67
 fault splay 3
 fault-bend folds 13, 85
 Canadian Rocky Mountains 162
 Maiella Mountain 32
 fault-parallel flow (FPF), Western Irish Namurian
 Basin 66
 fault-propagation folds 13, 46, 85, 204, 206, 210
 fault-related folds 45, 159
 finite-element modelling 50
 fission track analysis (FTA) 2
 flexural-slip folding 228, 232
 flexural-slip unfolding (FSU), Western Irish Namurian
 Basin 66, 67, 68, 70
 flysch 204, 208
 see also magnetic fabric study
 fold and thrust (FAT) belts
 classification 1–2
 accretionary prisms 6–7
 crystalline thrusts 3, 6
 foreland belts 3, 4, 5
 toe thrust belts 7–9
 evolution 11–13
 factors affecting 2
 fold-thrust interaction 13–15
 structural styles 9–11
 fold restoration
 Maiella Mountain 34, 35, 36, 38–39
 Western Irish Namurian Basin 66
 fold style, Western Irish Namurian Basin 73
 fold-thrust interaction 13–15
 foliations 3
 Forcarei Synform 186
 rock microstructure 190–192

- grain shape fabric 192–196
 - quartz *c* axis orientation 196
 - significance of results 196–200
- setting 188
- stratigraphy 188–190
- summary 200
- Forcarei Thrust 187, 188, 198, 199
- foreland basins 85
- foreland fold and thrust belts 3, 11
- forward modelling 25
- fracture density, Maiella Mountain 40
- fracture zones 7
- friction and taper angle 163
- frontal accretion 6
- frontal ramps 13
- Fuegan Andes Thrust–Fold Belt
 - maps 127, 128
 - stratigraphy 125, 126, 129
 - structural evolution 124–125
 - structure at Península Mitre
 - application of Coulomb wedge theory 142–144
 - balanced and restored cross section 139–141
 - geometry and kinematics 131
 - Cabo Letica Anticline 135
 - Cordón Largo–Punta Donata Anticlinal Limb 137–139
 - Malagüena Backthrust 131–133
 - Punta Isleta Fault System 133–135
 - Río Bueno Syncline 135–137
 - unconformities and contraction 129–131
- Galicia–Trás-os-Montes Zone 185, 186, 187–188
- geochronology 2
- geometrical variations 9–11
- geomorphological techniques 2
- geopetal structures 241
- geophysical techniques 2
- Gessoso Solifera Formation 27
- glide complex 7
- GPS mapping, Western Irish Namurian Basin
 - 64–65
- grain shape fabric analysis 192–196
- gravitational sliding 232
- gravity, role in transport 7
- Great Counter Thrust 100, 101, 103
- Greater Himalayan Sequence 101
- growth strata 45, 52
- Guara Formation 46, 48, 50, 52
- Gull Island Formation 63, 64, 66, 67, 68, 69, 70, 72, 73
- Gyrong–Kangmar Thrust 101, 103
- Hády-Říčka Limestone 224, 225, 228, 229, 230, 232
- Hellenides 72
- Highwood structure (Alberta, Canada) 6
- Higuerillas Thrust 153, 155
- Himalayas 2–3, 11, 72, 99
 - tectonic elements 100, 101
 - Tethyan Himalayan Sequence 101
 - deformation 101–103
 - intrusions 103, 105
 - metamorphism and structure 105
 - Triassic flysch 103
 - AMS analysis
- methods
 - mineralogy 107
 - sampling 105, 107
 - results 107, 108, 109, 110, 111, 112–115
 - results discussed 115–117
 - summary 117–118
- Horákov facies 224, 225, 226, 227, 228, 229, 231, 232
- horst and graben abrasion 7
- horst restoration, Maiella Mountain 35, 36
- Hospitalet orthogneiss 172
- Hostěnice facies 224, 225, 226, 229, 231, 232
- hydrocarbon industry 2
 - deformation studies and exploration 25
- hydrofracturing 7
- hysteresis 107
- Iapetus Suture 63
- Iberian Chain 78, 80
- Iberian Peninsula 5, 6
- Iberian Pyrite Belt 203, 206
 - evolution
 - described 217–219
 - interpreted 219–220
 - summary 220
 - lithostratigraphy 206–207
 - sub-domains 206
 - tectonic framework 208
 - deformation phases 208–210
 - structure
 - Filón Norte Open Pit 213–217
 - Puebla de Guzmán Antiform 210–213
- Iberian Variscan Belt 185–188
- Iberian Variscan Massif 13, 15, 204, 205
 - compared with Pyrenean Variscan structure 178–180
- Iberian Variscides *see* Forcarei Synform *also*
 - Puebla de Guzmán Antiform
- Ibero-Armorican arc 5, 11, 178, 179, 180, 185
- incompetent bedding 13
 - Pico del Águila 48, 49, 50
 - discrete-element modelling 51
 - method 51–52
 - results 53–54
 - results discussed 55–58
- Indus Yarlung Suture Zone 101, 103
- infrastructure, Pyrenean 169–170
- Inglismaldie Thrust 153, 154
- intercutaneous wedges 3
- intraplate folds 14
- intraplate regions 3
- Ireland *see* Western Irish Namurian Basin
- isoclinal folds 3
- isothermal remanant magnetism 107
- isotope analysis 2
- Italy *see* Apennines *also* Maiella Mountain
- Jujols Group 172, 179
- Jura Mountains 72
- Kilkee Cyclothem 63, 66, 67, 68, 69, 70, 71
- Killarney–Mallow Fault 61, 69
- kinematic modelling *see* Utrillas thrust
- kink bands 3, 6
- kink-band folds 212
- Klement Formation 241, 243, 244

- Klentnice Formation 241, 242, **243**, 244, 245, 246
 Kootenay Formation 159
 Krosno Nappe Group 238
 Křtiny Limestone 224, 225, 226, 227, 228, 232
- La Aquiana Formation **172**, 179
 La Babia fault 151
 La Barca Formation 125, 126, 127, 128, 131, 132, 133, 135, 138
 La Chiara Thrust 138, 143, 144
 La Despedida Group 126
 La Rambla normal fault 83
 Lac des Arcs Thrust 153, 154, 159
 Lalín-Forcarei Group 188
 landscape evolution 2
 landslides 13
 Laramide Province 150
 Laramide uplifts 9
 Las Parras normal fault 83
 Las Parras subbasin 83
 lateral faults 7
 lateral ramps 13
 Laurussia 62, 223
 Lažánky Limestone 224
 leading edge folds 14
 Lesser Himalayan Sequence 101
 Leticia Formation 126, 127, 128, 129, 131, 132, 133, 142
 Lewis Thrust 159
 Lhunze Fault 103
 Líšeň Formation 224, 225
 lithosphere, elastic thickness, role in fold and thrust belt evolution 2
 Lomas de Olmedo Trough 10
 Luarca Formation **172**, 179
 Ludmírov facies 224
 Lys Caillaouas massif 173
- McConnell Thrust 153, 154, 159
 Macocha Formation 224, 225
 Maestrazgo Basin 80
 magnetic fabric in Himalayan Triassic flysch
 methods of analysis 105, 107
 results 107, **108**, **109**, 110, 111, 112–115
 results discussed 115–117
 summary 117–118
 magnetostratigraphy 2
 Mahakam delta (Kalimantan) 11
 Maiella Massif 30
 Maiella Mountain
 analogue model summary 40–41
 cross-section construction 30–32
 cross-section restoration 34–37
 field observations 32–33
 geological setting 27–28
 maps 26, 28
 strain simulation 37–40
 stratigraphy 27
 structural interpretations 28–30, 34
 thrust detachment level 33–34
 Maiella Mountain anticline 14, 30
 forelimb and backlimb stratigraphy 32
 Main Boundary Thrust 100, 101
 Main Central Thrust (MCT) 100, 101
- Major Fault-Propagation Fold Region 206
 Malagüena Backthrust 128, 131–133, 138, 142, 143, 144, 145
 Malagüena Formation 126, 127, 128, 129, 131, 132, 133, 134
 Massana Formation 173
 mechanical heterogeneity *see* competent bedding *also* incompetent bedding
 mechanical properties and deformation 3
 modelling *see* discrete-element modelling, Pico del Águila
 Meilin anticline (Taiwan) 15
 melanges 7
 metamorphism, low grade 3
 Mexican Fold–Thrust Belt
 cross section 154
 displacement v. deformation 162–164
 map 152
 shortening model 160–162
 structure 151, 153, 156, 157, 158
 compared with Canadian Rocky Mountains **160**
 Mexico, Gulf of 3
 Miravete anticline 79, 85
 Mojave-Sonora Megashear 151
 Moldanubian terrane 223
 Moldanubian thrust 223
 Molise Allochthonous nappes 30
 Montalbán basin 80, 81, 85, 91
 Moravia *see* Pavlov Hills
 Moravian Karst
 geological setting 224
 research history 223
 stratigraphy 224–226
 structure
 3-D analysis 229–232
 field mapping 226–229
 results discussed 232–234
 summary 234
 Moravo-Silesian Zone 223, 224
 Morrone di Pacentro Formation 27, 30
 Mount Allan Syncline 159
 Mt Jangsang Lhamo 103
 mud diapirs 7
 Munster Basin 61, 62
 mylonitic zones 232–233
 Myslejšovice Formation 225, 226
- Nankai accretionary prism 6
 nappes 3
 natural remanent magnetism (NRM), Tethyan Himalaya 107, **108**, **109**, 110
 Neohimalayan phase 101
 Niger Delta 3
 Nittany anticlinorium 14
 North American Cordillera 150–151
 see also Canadian Rocky Mountain Fold and Thrust Belt *also* Mexican Fold–Thrust Belt
 North Himalayan gneiss domes 103
 North Thrust Zone 213, 216, 218
 Nuria orthogneiss 172
- oblique collision 3
 oblique ramps 13
 Oklahoma fold and thrust belt 2

- Old Baldy Thrust 160
 Old Red Continent 62
 Ollo de Sapo Domain 178, 179, 180
 Orfento Formation 27, 30
 orientation of grains 192, 195, 196
 oroclines 11
 orogenic polarity 11
 out-of-sequence thrusts 11
 overstep 3
- P–T–t* data 2
 Pálava Formation 241, **243**, 244
 Palmyride Belt 3
 Paraño Group 188, 190
 parasitic folds 3
 Pavlov Hills
 setting 238, 239, 240, 241
 stratigraphy 241, **243**
 structure 241–242, 244–245
 tectonic model 246–247
 Península Mitre *see* Fuegan Andes
 pervasive cleavage 15
 phyllite 3
 Phyllite and Quartzite Unit 206, 207, 210, 216, 217
 Pico del Águila detachment anticline 14
 discrete-element modelling 50–51
 model set-up 51–52
 results 52–53
 model (1) 53–54
 model (2) 54–55
 results discussed 55–58
 geological setting 46, 48, 50
 map 47
 stratigraphy 46, 48
 piggy-back basins 3, 6, 85
 piggy-back sequence 11, 175
 Pindos **72**
 Pine Mountains Thrust 15
 plate convergence-collision regions 2–3
 plate tectonics, role in fold and thrust belt evolution 2
 Policarpo Formation 125, 126, 127, 128, 132, 133,
 135, 136, 138
 Policarpo Thrust Sheet 138, 142, 143, 144
 Portalrubio thrust sheet 81, 82, 83
 Portalrubio–Vandellós fold and thrust belt 80
 Portela unit 188, 189, 190
 Pouzdřany Nappe 238, 239, 245
 Puebla de Guzmán Antiform 206, 219
 deformation 208, 210, 220
 map 205
 structure 210–213, 214
 Puesto José Formation 126, 127, 128, 129, 131, 132,
 133, 134
 Pulo do Lobo Antiform 203
 Punta Ancla Anticline 128, 137
 Punta Ancla Thrust 137, 138, 142, 143, 144, 145
 Punta Cuchillo Anticline 128, 137
 Punta Gruesa Imbricates 142, 143, 144, 145
 Punta Isleta Fault System 128, 133–135
 Punta Noguera Formation 125, 126, 127, 128, 132, 133,
 135, 137, 138
 Punta Torcida Formation 142, 143, 144, 145
 Puri anticline (Papua New Guinea) 15, 16
 Pyrenean thrust 46
 Pyrenees 11, 13, 15, **72**
 cross section 171
 history of research 169–170
 setting 169
 see also Pico del Águila
 Pyrenees, Central
 igneous bodies 173
 lithostratigraphy 174
 Ordovician 172–173
 Silurian–Permian 173
 Vendian–Early Ordovician 170, 172
 tectonic evolution
 Alpine 177
 Ordovician 173, 175
 Silurian–Carboniferous 175
 Variscan 175–177
 Variscan structures
 compared with Iberian Variscan Massif 178–180
 zonation 177–178
 pyrite 107
 pyrrhotite 107
- quantitative structural geometry 1
 quartz *c* axis analysis 190, 196, 197, 198
- Rabassa Formation 172, 179
 ramp geometry 13
 reactivated thrusts 11
 rear accretion 6
 recesses 9, 11
 reciprocal strain ellipse 37
 recumbent folds 6, 232
 reentrants 9, 11
 relay zone 11
 retro-deformation 61
 study in Western Irish Namurian Basin
 methods 66–67
 results 68–70
 results discussed 70–73
 summary 73–74
 Rhenohercynian Zone 62, 223
 Ricmanice-Ochoz elevation 223
 Riedel shears 212
 Río Bueno Formation 126, 127, 128, 129, 133, 136,
 137, 138, 139
 Río Bueno Syncline 128, 135–137, 138, 139
 Río Claro Group 126
 Riotinto Syncline 208
 Rocky Mountains *see* Canadian Rocky Mountain Fold and
 Thrust Belt; Canadian Rocky Mountains
 Ross Sandstone Formation 63, 65, 66, 67, 68, 69,
 70, 73
 Rozstáni Formation 225, 226, 228, 229, 230, 232
 Rundle Thrust 153, 154, 159
- salients 9, 11
 San Andreas transform 3
 San Marcos fault 151
 sand-box modelling 8, 12, 50
 Santa Barbara System 10
 Santo Domingo detachment anticline 46
 Santo Domingo thrust 46
 saturation isothermal remanent magnetism (SIRM),
 Tethyan Himalaya 107

- Saxothuringian terrane 223
 Scandinavian crystalline thrust belt 3
 seamounts 7
 sedimentation effects 2
 seismic sections 242, 245
 seismic techniques 2
 serpentinite diapirs 7
 Sevier fold-thrust belt 150
 Shannon Group 63
 Shannon Lineament 62–63
 shape parameter for grains 192, 194
 shear sense indicators 192
 shear strain distribution, Pico del Águila 53–54
 shortening
 factors affecting measurement 160–161
 methods of measuring 158
 rates in fold and thrust belts 72
 Sierra Madre Oriental *see* Mexican Fold and Thrust Belt
 Simpson Pass Thrust 153, 154
 Siwalik molasses 101
 slate belt 3
 slaty cleavage 3, 14
 slumping 13
 software tools 2
 data projection 65
 retro-deformation 66, 67
 sequential restoration 34
 SpheriStat 231
 sole fault 203, 208
 sole thrust 3
 Somiedo thrust sheet 6
 South Munster Basin 62
 South Portuguese Zone 203, 204, 205 206, 208
 see also Puebla de Guzmán Antiform
 South Pyrenean thrust 45
 South Thrust Zone 213, 216, 218
 South Tibetan Detachment System 101, 103
 Spain *see* Forcarei Synform; Iberian Pyrite Belt; Iberian Variscan Massif; Pico del Águila; Pyrenees; Utrillas thrust
 S. Spirito Formation 27, 30
 strain
 predictive methods 25
 quantification by strain markers 25
 simulation by cross-section restoration 26
 Maiella Mountain 37–40
 strain ellipses 26, 38
 stratigraphy, role in fold and thrust belt evolution 2
 strike-slip *see* transcurrent faults
 structural analysis
 methods 1
 techniques 2
 Subandean Ranges 10
 subduction erosion 6
 subsidence effects 2
 Sulphur Mountain Thrust 153, 154
 suprastructure, Pyrenean 169–170
 surficial processes 2
 syn-kinematic sedimentation
 discrete-element modelling 51
 method 52
 results 54–55
 results discussed 55–58
 Synorogenic Sedimentary Unit 207, 210, 217, 219
 syntaxis 9, 11
 Taiwan 72
 Tajo basin 80
 Tamaulipas Formation 156, 157
 Tampico–Misantla Basin 151, 153, 154, 155, 158
 taper angles 142, 161–162
 tear faults 11
 techniques in structural analysis 2
 tectonic underplating 6
 Tethyan Himalayan Sequence 101
 deformation 101–103
 intrusions 103, 105
 metamorphism and structure 105
 Triassic flysch 103
 AMS analysis
 methods
 mineralogy 107
 sampling 105, 107
 results 107, 108, 109, 110, 111, 112–115
 results discussed 115–117
 summary 117–118
 thermal subsidence 73
 thick-skinned deformation 9, 150, 203, 223
 model for Maiella Mountain 30, 34
 thin-skinned deformation 9, 72, 150–151, 203, 223
 Canadian Rocky Mountains 150
 Fuegan Andes Thrust–Fold Belt 123, 124
 model for Maiella Mountain 29–30
 thrust flats 13
 thrust ramp fold 32
 thrust ramps 13
 thrust restoration, Maiella Mountain 34, 35, 36, 38–39
 thrust wedge 11, 13
 Tian Shan 72
 Tibetan Plateau 99, 104
 Tierra del Fuego *see* Fuegan Andes
 toe thrust belts 3, 7–9, 11
 Tolimán Sequences 153, 155
 trailing edge folds 14
 transcurrent faults 3
 transfer faults 11
 transfer zone 11
 transform faults 3
 transport directions for thrusts 77
 see also Utrillas thrust kinematic modelling
 transpression 3
 Tre Grotte Formation 27, 30
 Tregura Formation 172
 triangle zones 3
 Trinidad thrust belt 3
 Tullig Cyclothem 63, 64, 66, 67, 69, 70, 71, 72, 73
 uplift effects 2
 USA Cordillera 9
 Utrillas Formation 80
 Utrillas thrust
 geological setting 80
 kinematic modelling
 measurements
 deformation 85
 geometry 82–85

- tectonosedimentary relations 85–86
 - transport directions 86–87
- results discussed
 - horizontal slip 92–93
 - integrated slip model 90–92
 - macro- and meso-structures 87–98
 - total displacement 94
 - summary 94–95
- maps 78, 79
- transport directions 77–78
- Valle dell’Inferno Formation 27, 30
- Valles-San Luis Potosí Platform 151, 154, 155, 157
- Valverde del Camino Antiform 206
- Variscan accretionary wedge 223
 - see also* Moravian Karst
- Variscan Orogeny and Orogen 5, 6
 - Iberian Variscan Belt 185–188
 - Iberian Variscan Massif 13, 15, 204, 205
 - Iberian Variscides *see* Forcarei Synform; Iberian Pyrite Belt; Puebla de Guzmán Antiform
- Pyrenees 169
 - compared with Iberian Variscan Massif 178–180
 - folding and thrusting 175–177
 - zoning of structures 177–178
- SW Ireland 62–63, 73
- Vegadeo Formation 172, 179
- Venezuela Basin 8
- Vilémovice Limestone 224, 226, 227, 228, 229, 232
- virgations 9
- Volcano-Sedimentary Complex 204, 205, 206, 207, 210, 212, 216, 217, 219
- Waiparous Thrust 160
- Wales, slate belt 3
- Waschberg Zone 238, 239
- water retention and deformation 72
- West Asturian Leonese Zone 178, 179, 180, 185, 186
- Western Irish Namurian Basin (WINB) 15
 - map 62
 - retro-deformation study
 - methods
 - cross-section construction 65–66
 - data projection 65
 - decompaction 67
 - displacement analysis 67
 - GPS mapping 64–65
 - retro-deformation 66–67
 - results 68–70
 - results discussed
 - basin geometry 73
 - comparisons 71–72
 - error estimates 70–71
 - fold style 73
 - folding and sedimentation 72–73
 - summary 73–74
 - stratigraphy 63–64
 - Variscan Orogen 62–63
- Western Ordos 3
- Western Syntaxis 99
- Windermere Supergroup 158
- Yala Xiangbo 103
- Yinshan 3
- Zagros fold and thrust belt 2, 3, 72
- Ždánice nappe 238, 239, 242, 245
 - stratigraphy 241
 - tectonic model 246–247
- Zimapán Basin 151, 154, 155, 156, 158