

Index

Page numbers in *italic* refer to Figures. Page numbers in **bold** refer to Tables.

- acidification 187, 188, 190
aeolian processes and products 207–208, 209, 220–221
 cool lowland deserts 241–256
 ancient deposits 254–255
 depositional features 246–254
 bedforms 247–249
 internal structures 250–251
 interdunes and interdraa 251, 253
 post-depositional features 254
 sand lamination 246–247
 erosional features 244–246
 evidence of temperature 254
 particles 243–244
Agassiz, Louis, glacial hypothesis 2
Aker moraine line 53
allostratigraphy, marine moraines 59–63, 70
 and bathymetry 66, 68, 69, 71
 comparison 64, 71–72
 Storsand moraine 35–45, 50, 64
alongshore drift, Kuray–Chuja palaeolake 116–118
Alps, Swiss *see* Gornergletscher
Altai Mountains, palaeolakes 111–126
andisols 190
Antarctica
 lichens, role in granite weathering 195–201
 loss of ice mass 57
 permafrost landforms 168
Arctic, Cenozoic glaciations 16–17
Ås-Ski moraine complex 34, 35, 48, 53
avalanches, snow 219–220
- Baltimore Canyon Trough 261
Bani Khatmah
 dropstones 146, 150
 periglacial sediment 133, 135, 145
 deformation 146
Banks Island, periglacial system 6–8, 9, 10
barchans 249, 251, 252
Barents Sea ice sheet *see* Svalbard-Barents
 Sea ice sheet
barrier beaches, Kuray–Chuja palaeolake 114
Barxacoba Valley 95, 96, 98, 106
basin-fill, glaciomarine 72–73
bathymetry
 control on moraine allostratigraphy 69, 71
 intermediate and deep water 66, 68, 70, 71
 shallow water 66, 68, 69, 70
 shelf, Svalbard 17
Bear Island trough-mouth fan 17, 18
Beaverdam Formation 266
bedforms, aeolian 247–249, 250–253
bedrock properties, and slope deposits 215
Belchatow opencast mine, frost cracking 162
Bibei Valley 95, 96, 97, 101, 106
bioprotection, lichens 195
Blackwater National Wildlife Refuge, dune fields
 267, 269
Blue Ridge Mountains 261
Bolterdalen moraine, allostratigraphy 64
- boulder halo, Mars 169
boulder pavements, Juwayl Formation 146,
 149, 150
bounding surfaces, aeolian bedforms 251, 252
burrows and traces 254
- Calvert Formation 268
calving
 Storsand moraine 47, 49, 50, 51
 tidewater glaciers 63, 71
Cenozoic, glaciation, Arctic 16–17
Chagan Uzun Interbasinal Uplift 112
channels
 ice-marginal 4, 5
 Banks Island 6, 10
 Storsand moraine 39, 42, 45
 Sanamah Formation 133, 134
 see also tunnel valleys
Charles City Formation 267
Chesapeake Bay 261
 geomorphology, glacial forebulge 272–273, 274
Chesapeake Group 261
Chuja Basin, strandlines 112–126, 113
clast flows, frost-coated 217–218
climate
 New Jersey coastal plain 265
 and pedogenesis 186
 periglacial 205, 206
climbing ripple lamination 246
clinothems 61, 62, 65
 Storsand moraine 37, 39, 43, 45
coefficient of cryogenic contrast 156, **157**, 160
colluvium *see* slope deposits
Columbia Group 266
Comfortlessbreen surging glacier 25
composite-wedge polygons, Mars 174–175, 177
conglomerate
 Sanamah and Juwayl formations 135
 facies association 141, 142, 144
coversands 207, 209
 Delmarva Peninsula 266–267, 273
 Netherlands 248
crag and tail features, Svalbard 18, 19
cross-bedding, aeolian 250–251
 deformed 254
CRREL permafrost tunnel, Alaska 157, 158
cryodesiccation 207
cryopediments 206
cryopedoturbation 186, 190
cryosphere 1, 2
cryostratigraphy 153
cryostructures 155, 156
cryotic environment, Mars 3–4
cryoturbation 158, 210
cryptogams 186, 187, 190
 Antarctica 196–201
- debrisfall 67
 Storsand moraine 37, 39, 40, 42, 44, 47

- debrisflow 67, 208, 218–219, 220, 222
 cohesionless *see* grain flow
 Gornergletscher 87, 88
 Storsand moraine 37, 39, 40, 42, 44, 47
 Svalbard 26, 28
 Takahashi model 218–219, 220
- deformation
 glacial 5, 6, 27
 Pias area 102–103, 104
 post-depositional, Wajid Group 148
 soft sediment 20, 47
 glacier push, Wajid Group 148
 subglacial deforming-bed 33, 58
 grounding-line behaviour records 67–69
 Storsand 51, 52
- deglaciation, Svalbard 18, 19, 20, 22
- Delmarva Peninsula, coversands 266–267, 273
- delta, Gilbert-type 35, 59, 60, 62, 67, 71
 Pias area 101, 105
- deserts, cool lowland
 aeolian processes and products 241–256
 particles 243–244
- detachment slides 206
- diamictite
 Juwayl Formation 136, 137
 facies association 142, 144–145
- diamicton 5, 60, 61, 67
 matrix-supported, Pias 97, 99, 100, 105
 origin 4
 Storsand moraine 37–40, 45, 47, 49, 50–53
 Svalbard 17, 20, 27
- Dibsiyah Formation 130, 131, 133, 134
- dilatancy 217
- distortion, horizon 186, 187
- draa 249, 251
- dropstones 5, 7
 Juwayl Formation 136, 137, 138, 146, 150
 Kuray and Chuja basins 116
 Svalbard 23
- drumlins, origin 4
- Dryas, Younger, Scandinavia 34–35, 45, 48, 53
- dunes
 aeolian 207, 208, 243, 248–249, 250–253
 Delmarva Peninsula 267
 Mars 243, 248, 249, 255
 types 248–249, 251
- dust, Mars 171–172
- Earth
 arid zones 242
 climatic variation 3
- éboulis ordonnés* 213–214
- Egge-Lyngås moraine, allostratigraphy 64
- entisols 190
- erosion
 subglacial 65, 67
 wind 244–246
- erratics, Svalbard 21
- eskers, Svalbard 26
- fan, submarine 35, 58, 59, 60, 61
 crest 60, 61, 65, 67
 Storsand moraine 45, 46, 50
 grounding-line behaviour records 65, 67
- Storsand moraine 37, 39, 42, 45–47, 50, 51
- Fard al Ban, Juwayl Formation, ‘Sorbet’ facies 136, 140
- faults, Pias area 103
- Fennoscandian Ice Sheet 34, 35, 45
- fjords
 Spitzbergen 15
 Svalbard 17, 18, 19, 20, 25
- flatiron forms 4
- fluid flow, overland *see* overland flow
- fluting
 glacial 6
 Sanamah Formation 146, 147
 Svalbard 27
 wind erosion 244–245
- fluvial deposits 209
- fluvial processes 206
- folds, Pias area 102
- forebulge, glacial, Chesapeake Bay 272–273, 274
- foresets
 fan 61, 62, 65, 67
 Storsand moraine 36–39, 42–47
- fragipan 155, 164, 207
 Southern Maryland 270, 274
- freeze–thaw weathering 156, 183–184,
 186, 206–207
- Mars 172
- stratified slope deposits 215–216
- freezing
 epigenetic 153, 154, 154, 155
 seasonal 153
 syngenetic 153, 154, 155, 157
see also sediment, frozen
- frost cracking 155, 161–164
- frost creep 208, 209
 stratified slope deposits 215–216
- frost shattering 190, 206, 209
see also gelifraction
- funnel-shaped structures, Pias area 103, 104
- Galiccia
 geology and geomorphology 95, 96
 Upper Pleistocene
 climatic overview 106–107
 glacial model 105–106
 valley-junction sediments 93–108, 94
- Gaspésie, stratified slope deposits 216, 218, 220–221
- Geikie, Archibald, glacial studies 2
- Geitryggen–Ski moraine complex 34, 35
- gelifluction 160, 206, 208, 209
 Banks Island 7, 8
- gelifraction 214–215
see also frost shattering
- gelisols 190
- geomorphology, periglacial 206
- glaciers
 early hypotheses 1–2
 outlet 33
 Oslofjorden 35–54
 polythermal, Svalbard 25, 26–27
 sediments 4–5
 surging, Svalbard 15, 25, 25, 27–28
 systems 4–5, 6, 7
 tidewater
 grounding line sedimentation

- and ancient kinematics 57–73, 58
 - Storsand moraine 33–54
- ice-flux 51–52
- Spitzbergen 58
- Svalbard 25–26
- glendonites 254
- gleysols 207
- Gondwana, Palaeozoic glaciation 28, 129, 130, 149–150
- Gornergletscher 77, 78
 - lateral moraines 77–90
 - formation 88–89
 - geomorphology and sedimentology 79, 80–81, 85–86
 - GPR 79–80, 81–84, 86–88
 - ice-marginal profile 84–85
- grainfall lamination 247, 250, 252
- grainflow 208, 217–218, 220
- granite, lichens and weathering, Antarctica 196–201
- gravel
 - massive sandy, Pias 97–98, **99**, 100, 105
 - planar cross-bedded, Pias **99**, 100–101, 103
 - planar-bedded, Pias **99**, 101, 105
 - pocket beach crestline model, Kuray-Chuja palaeolake 122–123
 - trough cross-bedded, Pias 98, **99**, 100, 105
- gravels, upland
 - Mid-Atlantic Coastal Plain 261, 262
 - Delmarva Peninsula 266
 - weathering 262
- greenhouse periods 3
- Greenland, loss of ice mass 57
- grèzes litées* 208, 213–214, 220, 221–222, 223
- ground veins 161
- grounding line
 - 'problem' 33
 - sediment accumulation 33, 58, 63
 - Storsand moraine 39, 47, 49–50
- grounding line behaviour
 - moraine record 65–69, 66, 70
 - intermediate and deep water 66, 68, 70, 71
 - shallow water 68, 69, 70
- grounding line position 63, 66
 - maximum 58, 60, 63
 - Storsand moraine 47, 49–50
- grounding-zone wedges, Svalbard 18, 19, 20
- gullies, Mars 169, 171, 173, 175–178

- Haines Corner, cold climate slope deposits 266
- Hirnantian glaciation 149
- histosol 190, 230, 231, 232
- Holocene
 - slope dynamics, Sierra Nevada, Spain 227–237
 - Svalbard 22
- Holocene Optimum Warm Period 233
- hummocks, Svalbard 18, 19, 26, 27
- hyperpycnite 65

- ice
 - buried glacier 154
 - Mars 171–172
 - needle 155
 - pingo 154
 - pool 154
 - pore 153, 155
 - within frozen sediments 153–154
- ice crust 155
- ice discontinuities 157–158
- ice flux
 - Storsand moraine 47, 51–52
 - tidewater glaciers 63, 67
- ice lenses 155, 156, 190, 210
- ice segregation 153–154, 155, 190, 206
- ice streams 33
 - Oslofjord trough 35
 - Svalbard, landforms 17, 18, 19, 20
- ice veins 154, 156, 157, 190
- ice-contact zone
 - intermediate and deep water 66, 68, 70, 71
 - morphodynamic evolution 59–63, 66, 67, 68
 - Storsand moraine 35–39, 41, 43, 50, 51
 - shallow water 66, 68, 69, 70
- ice-front advance 58, 61
 - Storsand moraine 47
- ice-front position 63
- ice-front retreat 59, 60, 62
- ice-front stillstand 58, 59, 60–62, 65
 - Storsand moraine 47, 49–50
- ice-house periods 3
- ice-margin
 - ancient, kinematics 57–73
 - Gornergletscher, GPR 84–85
 - grounding zone, Svalbard 18, 19, 20
 - retreat, Svalbard 18, 19
- ice-rafted debris 65
- ice-wedge casts 210
- ice-wedge polygons 161, 162, 163, 190
 - Mars 172, 174–175, 177
- icebergs, overturned 41
 - see also* calving
- Iceland, frost cracking 163, 164
- icing deposits 206, 209
- impact crater, Mars 169, 171
- inceptisols 190
- interdraa 251, 253
- interdunes 251, 253
- involution structures, Pias area 102–103
- Isfjorden
 - lateral moraine ridges 20
 - seismic section 20
 - tidewater glacier 25

- Jibal Al Qahr, channels 133
- Juwayl Formation 130, 131, 132, 133, 135
 - age 135
 - boulder pavements 146, 149
 - deformation, soft-sediment 148
 - dropstones 146, 149, 150
 - folds and faults 146
 - lithofacies 135–139
 - facies associations 139–145
 - striations 146, 147
 - thickness 135
 - tunnel valleys 148

- Kapp Ekholm
 - lithostratigraphy 21, 22
 - sediments 23

- Kärkevagge 183
 alpine pedogenesis 187, 190
 chemical weathering 185, 188–189, 190
 horizon distortion 186
- Khusayyayn Formation 130–131, 133
- Kongsfjorden
 lateral moraine ridges 20
 overturned icebergs 41
- Kongsøya, lithostratigraphy 21
- Kongsvegen tidewater glacier 25
- Kregnes moraine, allostratigraphy 64
- Kuray Basin, strandlines 112–126, 113
- Kuray–Chuja palaeolake
 strandlines 111–126
 characteristics 114–116
 classification 116–118
 drop stones 116
 pocket beach crestline model 122–123
 stratigraphy and sedimentology 118–120
 wind-wave climate 115–116, 120, 121–122
- lag deposits 245, 246, 251
- Lake Agassiz, aeolian processes 243
- lake deposits, Holocene, Sierra Nevada, Spain 227–237
- Lake Melville fjord basin 72–73
 glacier 73
 Moraine 3/4 64, 68, 72
 Moraine 5 64, 72
 Moraine 7 64, 68, 73
- lakes
 glacial *see* Kuray–Chuja palaeolake; palaeolakes
 proglacial, Banks Island 6
- lamination
 aeolian sand 246–247, 248
 climbing ripple 246–247, 248
 crinkly parallel 247, 248
 grainfall 247, 249, 250, 252
 planebed 246, 252
 sandflow 247
- landforms, periglacial 206
 Svalbard
 inter-ice stream 17–18, 19
 marine archives 17–20
 terrestrial records 20–22
- Lanzhou, China, loess 244
- Lassen Volcanic National Park, stratified slope deposits 223
- Last Glacial Maximum
 Galicia 105
 Svalbard 17, 19, 21, 22
- latitude-dependent mantle, Mars 169, 170, 171–172, 178
- Latnjavagge, chemical weathering 185
- Laurentide Ice Sheet 73, 259, 261
- Lecidea cancriformis* 196, 198, 199, 200–201
- lichens
 Antarctica, role in granite weathering 195–201
 and weathering 186, 189
- lineations, mega-scale, Svalbard 18, 19, 20, 25, 26
- Linnéelva, lithostratigraphy 21, 22
- lithostratigraphy, Svalbard 21–22
lits gras 213, 214
lits maigres 213, 214
- Little Ice Age
 Sierra Nevada, Spain 228, 231, 233, 235
 Svalbard 18, 19, 22
- lobes
 solifluction, Sierra Nevada, Spain 229, 230–233, 234–235, 236–237
 stone-banked 215–216
- loess 208, 243, 244, 253
- lonestones *see* dropstones
- Łozinski, Walery von, periglacial concept 2, 5
- Mackenzie Delta, heavy mineral assemblages 158
- mapping, allostratigraphic 59–63, 64
 Storsand moraine 35–45, 64
- marine terraces, Mid-Atlantic Coastal Plain
 261–262, 265
- Mars
 aeolian deposits 255
 sand 244, 246, 255
 dunes 243, 248, 249, 255
 wind ripples 248
 yardangs 247
 dust 171–172
 environment 3–4
 ice volume 171–172
 north polar ergs 242
 permafrost 167–178
 landforms 168, 169–178
 gullies 169, 171, 173, 175–178
 impact craters 169, 170, 171
 latitude-dependent mantle 169–172, 178
 polygons 169–172, 174–175, 177
 sedimentary processes 169
 local-scale, gullies 173, 175–178
 regional-scale, polygons 172, 174–175, 177
- Maryland Bays 267
- Mediaeval Warm Period, Sierra Nevada, Spain 230, 233
- meltwater outflow 33, 58, 63
 Storsand moraine 37, 52–53
 meltwater underflow 61
 Storsand moraine 37, 39, 41, 47, 52
- Merrimelia Formation, aeolian deposits 254
- micro-jointing, prismatic 207
- Mid-Atlantic Coastal Plain
 cold-climate slope deposits 259–274
 landforms
 New Jersey 263–266
 Virginia 262–263
 regional geological setting 260–262
 weathering 262
- minerals
 clay
 and CCC values 160–161
 Mid-Atlantic coastal plain 262
 periglacial pedogenesis 187
 heavy, cryostratigraphy 158, 159
- mollisols 190
- Mona moraine 48, 53
 allostratigraphy 64
- moraines
 aggradation 65
 arcuate, Svalbard 18, 19, 27
 crest 60
 sediment records 69
 emergence 59, 62

- grounding line, Storsand 34–54
- lateral
- Bibei Valley 95, 96, 97
 - Gornergletscher 77–90, 79
 - formation 88–89
 - GPR 79–80, 81–85, 86–88
 - sedimentology 79, 80–81, 85–86
 - Svalbard 18, 19, 20
- marine 58–59
- allostratigraphy 59–63, 64, 71–72
 - bathymetric control 66, 68, 69, 71
 - comparison 64, 71–72
 - Storsand moraine 35–45, 50, 64
 - as record of glacier dynamics 63–69
 - grounding line behaviour 65–69, 70
- monoepisodic 63, 65, 69
- polyepisodic 60, 63, 67, 71
- retreat, Svalbard 18, 19, 20, 26
- Svalbard 18, 19, 20, 26–28
- terminal, Svalbard 18, 26
- transverse, Svalbard 18, 19, 20
- morphosequences 259
- New Jersey coastal plain 264–266, 273
- Mount Keinath, tafone, lichen colonization 196, 198–201
- mud apron, Svalbard 28
- mud drapes 62
- Storsand moraine 37, 42, 47, 51
- Murchisonfjorden, lithostratigraphy 21, 22
- nappe coulée* 215
- needle-ice 155
- New Jersey coastal plain
- climate 265
 - landscapes 263–266
 - morphosequences 264–266, 273, 274
- nitrogen fixation 187, 190
- niveo-aeolian sands 207–208, 221
- Delmarva Peninsula 269, 271, 274
- nunataks, Svalbard 21
- Oasi, tafone, lichen colonization 196
- Øgdern ice-drainage shelf trough 48
- olistoliths, diamicton, Storsand moraine 37, 38, 40, 45, 47, 50–52
- Ollo de Sapo orthogneiss 95, 96
- Ordovician, Late, glacial sediments
- Saudi Arabia 129–130, 149, 150
 - glacial model 143, 148
 - Sanamah Formation 132–133
- organisms
- burrows and traces 254
 - role in pedogenesis 187, 190, 191
- Oslofjord trough 34–35, 45
- Oslofjorden, tidewater glacier, Storsand moraine 34–54, 48
- overland flow 220
- Øyeren ice-drainage shelf trough 48
- palaeoenvironments 3, 4
- palaeolakes
- Saudi Arabia 135
 - strandlines, Altai Mountains 111–126
- palaeopermafrost table, fragipans 164
- palaeosols 254
- palaeothaw 158, 159
- Palaeozoic
- glacial deposits, Saudi Arabia 129–150
 - glaciation, Gondwana 149–150
- pans 245
- paraglacial, terminology 213
- Parsonsborg alloformation
- dune fields 267
 - north of Choptank River 268–269, 270, 273, 274
- particles, sedimentary
- cold climate 243–244
 - transport and deposition 243–244
- Patuxent River Valley, slope deposits 271–272
- Pedersenbreen polythermal glacier 25
- pedogenesis, periglacial 207
- alpine
- climate 186
 - organisms 187
 - parent materials 188
 - and permafrost 190
 - relief 187
 - Scandinavia 186–188
 - time 186–187
 - Sierra Nevada, Spain 230–233
- Pensauken Formation 266, 268
- periglacial, terminology 2, 5, 183, 205, 213
- periglacial environments 1, 2, 206
- periglacial processes 205, 206
- post-depositional 209–210
- periglacial sediments 205–211
- periglacial systems 5–8
- periglacial zone 2, 5–6
- permafrost 5, 8, 153
- active layer 153, 154–155, 157, 167
 - Banks Island 7
 - CRREL permafrost tunnel, Alaska 157, 158
 - deformation, Svalbard 27
 - interface with active layer 154–155, 157
 - Mars 167–178
 - landforms 168
 - and pedogenesis 190
 - see also* palaeopermafrost; sediment, frozen
- Permo-Carboniferous, glaciation
- Saudi Arabia 129, 149, 150
 - glacial model 143, 148
 - Juwayl Formation 135
- Phoenix landing site, sediments 169
- Pias, Galicia
- landscape 95
- Upper Pleistocene
- valley-junction sediments 93–108
 - climatic overview 106–107
 - deformation features 102–103, 104
 - glacial model 105–106
 - lithofacies 95, 97–102, 103, 105
- Pine Barrens, NJ
- CCC values 160
 - geomorphology 264
 - sand wedges 162
- pingos 154, 209
- Kuray and Chuja basins 114
- planebed lamination 246, 252
- plants, and pedogenesis 187, 190

- Pleistocene
 glaciation
 Banks Island 6–8, 9, 10
 Svalbard 17
 ice ages 1–2
 slope deposits, Mid-Atlantic Coastal Plain
 259–274
 Upper, valley-junction sediments, Pias 93–108
 pocket beaches 117–118
 crestline model 122–123
 podzolization 187, 190
 polygons
 thermal-contraction-crack
 Banks Island 8, 10
 Earth 168, 177
 Mars 168, 169, 170–172, 174–175, 177
 Poolepynten
 lithostratigraphy 21, 22
 sediments 23
 Potomac River 261, 262
 geomorphology 262–263
 Préalpes, stratified slope deposits 222–223
 proglacial zone 5, 6
 pseudolamination, adhesion ripple 247, 248
 Pyrenees, stratified slope deposits 222
 pyrite, oxidation, and pedogenesis 187, 188, 190
- Qalibah Formation 130, 131
 Qusaiba Shale 130, 133
- Ra moraine line 53
 radar, ground-penetrating 71, 77
 Gornergletscher lateral moraines 79–80, 81–85,
 86–88
 Kuray–Chuja palaeolake 114, 120, 121
 sand dunes 250
 raised beaches, Svalbard 22, 24
 Rappahannock River, terraces 263
 REFLEXW program 80
 regolith, New Jersey coastal plain 264
 regosol, Sierra Nevada, Spain 230, 231, 233, 235
 regs 245
 relief, and pedogenesis 187
 rhythmite
 sand-silt, Pias 99, 101, 102, 103
 siltstone-shale, Juwayl Formation 142, 144–145
 ridges
 aeolian 246
 crevasse-fill 26, 27
 meandering, Svalbard 27
 moraine
 linear, Svalbard 19, 20
 retreat, Svalbard 26
 transverse, Svalbard 18, 19, 20, 26
 Rio Seco lake, sediments 229, 233–234, 235–236, 237
 Rio Seco Valley, solifluction landforms and lake
 sediments 228–237
 ripples, aeolian sediment 247–248, 249
 roches moutonnées
 Scandinavia 185
 Svalbard 21
 rockfall, stratified slope deposits 216–217
 Roman Warm Period 233
 runoff, surface *see* overland flow
- Salisbury Embayment 261
 saltation, sand 207, 243, 245
 San Juan Valley, solifluction landforms and lake
 sediments 228–237
 Sanamah Formation 130, 131, 132–133, 134
 age 133
 deformation, soft-sediment 148
 flute structures 146, 147
 lithofacies 135, 139
 facies associations 139–144
 striations 146, 147
 thickness 133
 tunnel valleys 133, 134, 148
 sand
 aeolian 243–244
 laminae 246–247, 249
 transportation 244, 245
 cross-bedded, Pias 99, 100, 102, 103, 105
 laminated, Pias 99, 100, 101–102, 103, 105
 massive, Pias 99, 101
 niveo-aeolian 207–208, 221
 Delmarva Peninsula 269, 271, 274
 ripple cross-laminated, Pias 99, 100, 102, 103
 sand dunes *see* dunes
 sand sheets 251, 253
 sand veins 162
 sand-wedge polygons 161, 162, 163, 174–175, 177
 sandflow lamination 247, 250
 sandstone
 fine and coarse grained
 Sanamah and Juwayl formations 139
 facies association 142, 145
 massive to cross-bedded
 Sanamah and Juwayl formations 135, 136, 139
 facies association 142, 144–145
 ripple-bedded, Juwayl Formation 136, 139
 Sarah Formation 149
 Saudi Arabia, Palaeozoic
 aeolian deposits 255
 glacial depositional environments 129–150
 evidence of glaciation 145–148
 boulder pavements 146, 149, 150
 dropstones 146, 150
 fluted surfaces 146
 folds and faults 146, 148
 soft sediment deformation 148
 striations 146
 tunnel valleys 5, 148, 149, 150
 glacial models 148
 stratigraphy, Wajid Group 130–132, 133
 Dibsiyah Formation 130, 131, 133, 134
 Juwayl Formation 130, 131, 132, 133, 135
 Khusayyayn Formation 130–131
 Qalibah Formation 130, 131
 Qusaiba Shale 130, 133
 Sanamah Formation 130–133, 134
 Scandinavia
 pedogenesis 186–188
 weathering 183–186
 scree, modern, sediment types 215–222
 sea-level
 Chesapeake Bay area 272–273, 274
 influence of glaciers 33
 Oslofjorden 59

- Storsand moraine 34, 45, 47
 Svalbard 22, 24
 sediments 4–5
 deformation 5, 6
 fluvial 5
 frozen 153–158
 active layer 153, 154
 freezing history
 active layer/permafrost interface 154–155, 157
 cryostructures 155, 156
 ice discontinuities 157–158
 weathering profile differences 155–157
 ice 153–154
 Mars 167–178
see also permafrost; sediment, previously frozen
 full-glacial-mode, Svalbard 16–22
 interglacial-mode, Svalbard 16, 22–28
 Mars, permafrost landforms 169–178
 periglacial 205–211
 previously frozen 158–164
 clay minerals and CCC values 160–161
 subglacial 33, 67–69
 Storsand moraine 39, 50–51
 transport 4, 5
 valley-junction, Upper Pleistocene 93–108
 sediment cores, Svalbard 17
 sedimentation
 grounding line 57, 58
 Storsand moraine 33–54
 sedimentology
 Gornerglischer lateral moraines 79, 80–81, 85–86, 88–89
 Kuray–Chuja palaeolake 118–120
 seismic records, Svalbard 17, 20
 shale
 Juwayl Formation 139
 facies associations 142, 144–145
 Siberia, palaeolakes 111–126
 Sierra Nevada, Spain 228–229
 Holocene slope dynamics 227–237
 lake sediments 229, 233–234, 235–236
 solifluction landforms 229, 230–233, 234–235, 236–237
 sieving, kinematic 217
 sills, bedrock
 Mona Moraine 53
 Storsand Moraine 34, 45, 47, 49
 silt, aeolian *see* loess
 siltstone, Juwayl Formation 137, 139
 facies association 142, 144–145
 sinkholes 254
 Site 15, Svalbard
 lithostratigraphy 21, 22
 sediments 23
 Skardmunken moraine, allostratigraphy 64
 Skilvika
 lithostratigraphy 21, 22
 sediments 23
 slope deposits 208–209
 Mid-Atlantic Coastal Plain 259–274
 stratified 213–223
 aeolian and niveo-aeolian deposits 220–221
 bedrock properties 215
 debrisflow 218–219
 grainflow 217–218
 overland flow 220
 relict 221–223
 azonal 222–223
grèzes litées 208, 213–214, 220–223
 rockfall 216–217
 role of water 215
 snow avalanches 219–220
 stone-banked sheets and lobes 215–216
 slopewash 220, 221
 snow avalanches 219–220
 Snow Hill, MD 267, 268
 snowmelt 220
 soil
 contamination 187
 horizonation 187, 190
 post-depositional 254
see also pedogenesis
 soil wedges 161, 163
 solifluction 160, 186, 187, 206, 208, 209
 landforms, Sierra Nevada, Spain 227–237
 stratified slope deposits 215–216, 221
 ‘Sorbet’ facies, Juwayl Formation 136, 140, 145
 Southern Maryland, slope deposits 269–272, 273
 spits, accumulative strandlines 115, 116–117
 Spitzbergen, glaciers 15
 spodosols 190
 star dunes 248, 251, 254
 stone-banks 215–216, 221
 Storbreen
 alpine pedogenesis 186–187, 189, 190
 biological weathering 186
 chemical weathering 185, 189
 physical weathering 184
 Storfjorden trough-mouth fan 17, 18
 Storsand moraine, sedimentation 34–54, 36
 allostratigraphy 35–45, 50, 64
 deforming-bed 51, 52
 ice flux 51–52
 ice-front latest advance 47
 ice-front retreat 51
 ice-front stillstand 47, 49–50
 maximum grounding line position 47, 49–50
 maximum ice-front position 49, 50
 morphodynamic evolution 45, 47–51, 49
 outcrop section 1 36, 37, 38, 40, 50
 outcrop section 2 36, 38, 39–41, 43, 50
 outcrop section 3 36, 38, 41–43, 44
 outcrop section 4 36, 38, 43–45, 46, 50
 subglacial deposits and diamicton 50–51
 strandlines, Kuray–Chuja palaeolake 111–126
 characteristics 114–116
 classification 116–118
 accumulative 116–117
 erosional 116
 erosional-accumulative 116
 pocket beaches 117–118
 crestline model 122–123
 stratigraphy and sedimentology 118–120
 wind-wave climate 121–122
 striations 4
 iceberg keel, Juwayl Formation 137
 Svalbard 21
 Wajid Group 146, 147

- STWAVE shoreline model 114
 sublimation polygons, Mars 171, 174–175, 177
 Svalbard
 lithostratigraphy 21–22
 Quaternary glaciations 15–28, 16
 full-glacial-mode sediments and landforms 16–22
 submarine 17–20
 terrestrial 20–22
 interglacial-mode sediments and landforms 16, 22–28
 submarine 25–26
 terrestrial 26–28
 surging glaciers 15more
 Svalbard–Barents Sea ice sheet 16–17, 20–21, 22, 24
 swales 246
 systems tracts, Mid-Atlantic Coastal Plain 261–262, 272

 tafoni, Antarctica, and lichen 198–201, 196
 Takahashi model 218–219, 220
 talus 215–223
 Storsand moraine 42
 Taurus Mountains, stratified slope deposits 222
 thaw 206
 evidence for 158, 160
 thaw unconformities 157–158, **159**
 thaw-erosion 157, 158
 thermokarst deposits 209
 pool ice 154
 till 5
 origin of 4
 subglacial 33, 49, 51, 67
 Svalbard 21, 22, 23
 time, and pedogenesis 186–187
 tombolos, Kuray–Chuja palaeolake 114, 115
 transgression/regression
 Mid-Atlantic Coastal Plain 261–262
 Svalbard 22
 tree-solution tongues 102, 103
 Trevinca Mountains *see* Pias, Galicia
 trough-mouth fans, Svalbard 17, 18
 tundra, gleysols 207
 tunnel valleys 4, 5
 Saudi Arabia 129, 133, 134, 138, 141, 148–150
 turbidites 61, 65
 Storsand moraine 41–42, 44, 45, 47
 Tuwayq Mountain Formation 135

 Unayzah B Formation, aeolian deposits 255
 uplift
 glacio-isostatic 22, 40, 51, 59, 60
 Virginia 272

 varves, Juwayl Formation 138
 vegetation, Holocene, Sierra Nevada, Spain 233–234, 235, 236
 ventifacts 244, 245–246
 Vestfjorden, Storsand moraine 35, 45
 Virginia
 coastal plain landscapes 262–263, 273
 systems tracts 272

 Wajid Group 130–150, 131, 133, 143
 water, role in slope deposits 215, 220
 weathering
 biochemical, Scandinavia 185
 biological 183
 Scandinavia 186
 chemical 156–157, 158, 183, 191
 Mid-Atlantic Coastal Plain 262
 Scandinavia 183–186, 187
 Kärkevagge 185, 188–189, 190
 cryogenic 155–157, **160**
 in situ weathered 209
 freeze–thaw 156, 183–184, 186
 Mars 172
 periglacial 206–207
 physical 4
 Scandinavia 184
 post-depositional 209–210
 tafoni 195–201
 wedges
 grounding-zone 59
 Svalbard 18, 19, 20
 Mars 168, 172, 174
 wind
 erosion features 244–246
 production and patterns 242–243
 see also aeolian processes and products
 wind ripples 248
 wind-wave climate
 Kuray–Chuja palaeolake 115–116, 120, 121–122
 pocket beach crestline model 122–123

 yardangs 246, 247

 Zarqa Formation 149
 zastrugi 245, 246, 247, 250
 zibar 253