

Index

Page numbers in *italics* refer to Figures. Page numbers in **bold** refer to Tables.

- accretionary prism, deformation style 67
- adularia veins 120, 255
- afterslip, defined 90–91, 319
- Alaska earthquake (1964) 315
- albite veins 254
- Alpine Fault Zone (New Zealand) 6
 - geological setting 116
 - map 116
 - pseudotachylytes
 - formation
 - controls 125, 127–128
 - depth 125, **130**
 - temperature **130**
 - habitat **121**
 - type i 120, **121**
 - type ii 120, **121**, 122
 - type iii **121**, 122
 - type iv **121**, 122–123
 - host rock chemical relations 120
 - host rock and morphology 116–120
 - melt phase evidence 123–125, 128, **130**
 - microtextures 126
 - relation to seismicity 128–129, 131, 132
 - summary 132
- Alto Tiberina Fault 316, 317
- Amontons' law 2
- amphibolite facies 4, 182
- amygdules 125, 127, 129
- Anghiari splay fault 316, 317
- ankerite veins **24**, 25, 254–255
- Apennines, deformation events 99
- ⁴⁰Ar/³⁹Ar dating Eidsfjord Shear Zone 173
- aseismic creep 69, 135, 183
- asperity deformation 4
- attenuation 39
- Australia *see* Mount Isa Block; Taemas Vein Swarm

- Baikal rift system 182
- Baraq Fault 230, 231
 - vein geochemistry **233**, **234**, **239**, 240–241, 244, 245
- Barbados accretionary prism 17
- basement, fabric and failure 135
- bedding-parallel veins, Taemas Vein Swarm 208, 209, 211, 217
- binary chronological matrix analysis *see* relative age analysis
- biotite, Serre Massif pseudotachylyte 156, 160, 161, **162**, 165
- black fault rock, Pasagshak Point Thrust 79, 88–89
- boudinage 58, 60, 63, 65
- breccias, fault, Zuccale Fault 103, 107
- brittle failure 8, 65, 135, 229–230
 - problems of dating 229
- broken formation 59

- $\delta^{13}\text{C}$
 - carbonate veins
 - East Anatolian and Dead Sea Fault Zones
 - methods of analysis 232
 - results **233**, 235, 236–237, 238, 240, 241
 - results discussed 242–244
 - Taemas Vein Swarm
 - methods 211–212
 - results 213
- Calabria terrane *see* Serre Massif
- calcite veins **24**, 230
 - Chelungpu Fault 30
 - Dead Sea Fault Zone vein geochemistry
 - methods of analysis 232
 - results **233**, **234**, 235–241
 - results discussed 242–244
 - East Anatolian Fault Zone vein geochemistry
 - methods of analysis 232
 - results **233**, **234**, 235
 - results discussed 241–242
 - Taiwan 254, 255
 - Taemas Vein Swarm
 - classification 206
 - bedding-parallel veins 208
 - extension veins 208–209, 210
 - fault veins 206
 - geochemical analysis
 - methods 211–213
 - results 213–215
 - class effects 217–218
 - outcrop effects 216–217
 - stratigraphy effects 215–216
 - results discussed
 - fluid flow 219–224
 - fluid sources 218–219
 - stress levels 224–225
- calcite-ultramylonites 102–103, 105–106, 108
- California, University of vii
- Carmel Fault **230**, 231
 - vein geochemistry **233**, **234**, 237–240, 243–244
- Cascadia subduction zone 90
 - cataclasis and cataclasis 5, 6, 7, 8, 63, 108
 - Pasagshak Point Thrust
 - analogue experiments 86–88
 - relation to black fault rock 90
 - textures 82, 83, 84–86
 - types 80, **81**, 84
 - Zuccale Fault 103, 106–107
- Changua décollement 316
- Chelungpu Fault (Taiwan) 316
 - Drilling Project (TCDP) 11
 - energy budgeting 28
 - fluid budgeting 30–31
 - principal slip zone 28–30
 - setting 26–28
 - summary 31–32
 - map 27
 - setting 26
- Chi-chi earthquake (1999) 26, 27, 316

- Chile subduction zone 90
- China, Wenchuan earthquake Fault Scientific Drilling (WFSD) 17
- chlorite veins **24**, 272, 274, 275
Taiwan 254, 255, 277
- Chrystalls Beach Complex (New Zealand)
assemblages 57–59
deformation fabrics
 continuous 59–60
 discontinuous 60
deformation mechanisms
 continuous 65
 discontinuous 65–67
 sequence 61–64
modern analogues 70–72
setting 56–57
- clay minerals **24**, 25
- clay–clast aggregates 279, 280, 281, 282, 283, 325
- cleavage development 59
 shear failure 66
- Colima–Jalisco earthquake (1995) 91
- Colorado Mineral Belt Shear Zone 136
- composition, role in deformation 4
- copper mineralization, Mount Gordon Fault Zone 287, 289, 291–292
 exploration potential by relative age analysis domains 292–294
 geometrical assumptions 295–297
 validity 299–300
 initial orientation 292
 modifications 297–298
 predicted evolution 300–302
 results discussed 302–305
 summary 305–308
- Corinth Rift (Greece) Laboratory 17
- Coulomb failure theory 65, 313–314, 326–327, 328
 see also Mohr–Coulomb diagrams
- crack–seal bands 60, 209, 211
- creep
 aseismic 69, 319
 dislocation 4, 8
 grain-size sensitive 3–4
 thermal activation 189
 viscous 7
- crust, peak strength 9
- crystal-plasticity 108, 135
- damage zone 39
 defined 20
- Dead Sea Fault Zone
 geological setting 231–232
 map 230
 vein geochemistry
 methods of analysis 232
 results **233**, **234**, 235–241
 results discussed 242–244
- décollements 314, 316
- deformation
 Chrystalls Beach Complex
 fabrics 59–60
 mechanisms 61–67
 experimental work 100
 hydrothermal minerals 23, **24**, 25
 mechanisms 3–4, 86, 108
 processes 77
 relation to geochemistry 20
- Dieterich–Ruina law 2
- diffusion-limited creep 4
- diffusive mass transfer 8, 109
- dilatancy hardening 5
- dilatational hydro-shears 66
- dip slips *see* normal faults; thrust faults
- dislocation creep 3, 7, 8, 108
 flow law 4
- dislocation glide 4, 86
- displacement measurements
 Chelungpu Fault 26
 Nojima Fault 18
- dissolution–precipitation creep 3–4, 5, 7, 8, 25, 63, 65, 67, 108
- dolomite reactions 109
- Düziçi Fault 230, 231
 vein geochemistry **233**, **234**, 235, **239**, 241–242, 244
- dynamic friction, defined 2
- earthquakes
 characteristics 322
 effects 323–324
 fault rupture 324–325
 ground shaking **324**, 325–326
 stress changes **324**, 326–327
 summary 327–328
 frequency 10, **320**
 magnitude 9, 319, **320**
 size scaling 9–11
 slip mechanisms 1–2
 thermal impact 20
- East Anatolian Fault Zone
 geological setting 231–232
 map 230
 vein geochemistry
 methods of analysis 232
 results **233**, **234**, 235
 results discussed 241–242
- eclogite-facies 153
- Eidsfjord Shear Zone
 deformation timing 173
 geological setting 169, 171
 map 170
 microstructures 176, 178, 179
 mylonites 171–173
 petrology 173–174
 pseudotachylyte 175
 thermobarometry
 methods 177, 178, 181
 results **180**, 181–182
 results discussed 182–183
- elastic rebound, first recognized 319
- elastohydrodynamic lubrication 129
- Elba *see* Zuccale Fault
- energy budget
 Chi-chi earthquake 28
 Kobe earthquake 23
- experimental work
 cataclasite formation 86–87
 foliated 87
 non-foliated 87–88

- deformation 100
- frictional melts 124
- high-velocity friction 267–268
 - methods 268–269
 - results
 - dry tests 270–271
 - microstructure 274–275
 - temperature evolution 272, 273
 - wet tests 271–272
 - XRD 272–274, 275
 - results discussed
 - significance for seismic slip 282–283
 - slip rates 278–282
 - weakening mechanisms 276–278
- exploration for mineralization by relative
 - age analysis
 - domains 292–294
 - geometrical assumptions 295–297
 - validity 299–300
 - initial orientation 292
 - modifications 297–298
 - predicted evolution 300–302
 - results discussed 302–305
 - summary 305–308
- extension
 - fractures 60, 65, 66
 - veins 60, 63, 66, 71
 - Taemas Vein Swarm 208–209, 210, 211, 217–218
 - zones and seismic frequency 169
 - see also* normal faults
- extensional-shear fractures 65
- fault breccia 5, 103, 107
- fault gouge 5, 20, 230
 - high-velocity friction experiments 267–268
 - methods 268–269
 - results
 - dry tests 270–271
 - microstructure 274–275
 - temperature evolution 272, 273
 - wet tests 271–272
 - XRD 272–274, 275
 - results discussed
 - significance for seismic slip 282–283
 - slip rates 278–282
 - weakening mechanisms 276–278
 - local studies
 - Dead Sea Fault Zone 238
 - San Andreas Fault 43
 - Zuccale Fault 103, 107–108
- fault lock-up 187
- fault valve theory vii
- fault veins *see* veins
- fault-fracture mesh 60, 61, 66–67, 71, 72
- fault-zone drilling projects 17
- fault-zone guided waves 39, 40, 44, 45
- fault-zone model 7–9
- faults 65
 - first-order splay
 - defined 313
 - dip-slip types 313, 314, 315, 316, 317–318
 - frequency 169
 - friction 2
 - movement 2
 - relation to stress field 313
 - numerical modelling
 - method 188–190
 - results 190–192
 - results discussed 192–198
 - rock assemblage and internal structure 4–7
 - shearing displacement 319
 - slip distance-length ratio 9
 - slip speed 1
 - temperature 79–80
 - zone deformation 3–4
 - zone model 7–9
 - see also* Heier's Zone; Mount Gordon Fault Zone; Zuccale Fault
- feldspar
 - deformation temperatures 4, 7
 - Serre Massif pseudotachylyte 156, 159, 160, 161, 162, 165
- ferrimagnetic resonance (FMR) 20
- first-order splay faults 313, 314, 315, 316, 317–318
- Fiskfjord Shear Zone 169
 - geological setting 173
 - map 170
 - microstructures 179
 - petrology 174, 176
 - pseudotachylyte
 - thermobarometry 176
 - methods 177, 178, 181
 - results 180, 181–182
 - results discussed 182–183
- fissure veins 255
- flats and ramps 316
- flow mechanisms 65
- fluid flow at faults
 - budget
 - Chelungpu Fault 30–31
 - Nojima Fault 23–25
 - effect on calcite vein development 218–224, 230
 - effect on frictional melting 129
 - Mount Gordon Fault Zone mineralizing fluids
 - relative age analysis 291–292
 - domains 292–294
 - geometrical assumptions 295–297
 - validity 299–300
 - initial orientation 292
 - modifications 297–298
 - predicted evolution
 - description 300–302
 - discussion 302–305
 - summary 305–308
 - timing and orientation 290–291
 - Taiwan hydrothermal systems 251, 258–260, 260–262
- fluid inclusions 23, 79–80
- fluidization, defined 267
- frictional faulting 7
- frictional heating 20, 153
- frictional melt 5, 77, 79, 115, 124, 129, 153
- frictional sliding 4, 5, 7, 8
 - experiments on high-velocity friction 267–268
 - methods 268–269

- frictional sliding (*continued*)
 results
 dry tests 270–271
 microstructure 274–275
 temperature evolution 272, 273
 wet tests 271–272
 XRD 272–274, 275
 results discussed
 significance for seismic slip 282–283
 slip rates 278–282
 weakening mechanisms 276–278
- frictional stability 3
- garnet
 Heier's Zone pseudotachylyte 176, 177, 178, 179, **180**,
 181, 182–183
 Serre Massif pseudotachylyte 158, 160, 161, **162**, 163,
 164, 165, 166
- geochemistry 20
 Dead Sea Fault Zone
 methods of analysis 232
 results **233**, **234**, 235–241
 results discussed 242–244
 East Anatolian Fault Zone
 methods of analysis 232
 results **233**, **234**, 235
 results discussed 241–242
 Taemas Vein Swarm
 methods 211–213
 results 213–215
 class effects 217–218
 outcrop effects 216–217
 stratigraphy effects 215–216
 results discussed
 fluid flow 219–224
 fluid sources 218–219
 stress levels 224–225
- glass 123–124
- goethite, Chelungpu Fault 30
- Gölbaşı–Türkoğlu Fault 231, **233**, **234**
- gold deposits, hydrothermal veins in Taiwan
 254–255
- gouge *see* fault gouge
- grain behaviour, classification 86
- grain-size distribution, fault-rock characterization
 23, 28
- grain-size sensitive creep 3–4
- granular flow 3, 8, 77, 87, 92
- granular fluidization 129
- granulite facies 4, 154, 156
- gravitational flow 67
- Grebe Shear Zone (New Zealand) 6
- greenschist facies 4, 7, 8, 125
 Taiwan 254, 255
- Griffith–Coulomb failure envelope 65, 66
- Grizzly Creek Shear Zone (Colorado)
 coexisting tectonite paradox 145
 cyclicality 145
 structure and anisotropy 145–147
 geological setting 136–137
 lithological units 137, 139
 map 138
 structural features 139
 summary 148
- tectonites
 mylonite 139, 142
 mylonitic pseudotachylyte 143–144
 pseudotachylyte 139–143
 ultramylonite 144
- Gutenberg–Richter relationship 10
- H-splays 313, 314, 315, 316, 317–318
- Har Zefiyya Fault **230**, 231
 vein geochemistry **233**, **234**, 235–237, **239**,
 242–243, 244
- heat *see* frictional heating
- heat flow budget, Taiwan 255–257
- Hebrides, Outer viii
- Hegben Lake earthquake (1959) 316–317
- Heier's Zone 169, 170, 171
 Eidsfjord Shear Zone
 deformation timing 173
 microstructures 176, 178, 179
 mylonites 171–173
 petrology 173–174
 pseudotachylyte 175
 thermobarometry
 methods 177, 178, 181
 results **180**, 181–182
 results discussed 182–183
- Fiskfjord Shear Zone 169
 microstructures 179
 petrology 174, 176
 pseudotachylyte
 thermobarometry 176
 methods 177, 178, 181
 results **180**, 181–182
 results discussed 182–183
- Hikurangi subduction margin 68–69
 compared with Chrystalls Beach Complex 70–72
 seismic style 69–70
- Hill fault/fracture meshes 30
- Hinnøya *see* Fiskfjord Shear Zone
- Homestake Shear Zone 136, 147
- hot springs, fluid flow indicators 249, 255
- hydro-shears 66
- hydrothermal minerals, relation to deformation 23, **24**, 25
- hydrothermal systems, Taiwan *cf.* New Zealand **251**,
 260–262
- hydrothermal veins 5
 Taemas Vein Swarm 204, 205
 classification 206, 208–209, 210
 geochemical analysis
 methods 211–213
 results 213–218
 results discussed 219–225
 stratigraphy **206**, 207
 textures 209
- Idaho Springs–Ralston Shear Zone 136
- illite 25, 272, 274, 277
- Imperial College, London University vii
- Imperial Valley earthquake (1979) 91
- implosion breccia 5
- inclusion bands 209
- interseismic coupling 9
- isotope geochemistry *see* $\delta^{13}\text{C}$; $\delta^{18}\text{O}$; Sr isotope analysis;
 U/Th dating

- Israel *see* Dead Sea Fault Zone
- Italy *see* Sansepolcru Basin; Serre Massif; Zuccale Fault
- Japan *see* Kobe earthquake; Nankai Trough; Nojima Fault
- jelly-sandwich model 153
- Kobe earthquake (1995) 17, 18, 20
- Kodiak Island (Alaska) 78, 79
- Pasagshak Point Thrust
- black fault rock 88–89
 - cataclasites
 - formation 86
 - analogue experiments 86–88
 - textures 82, 83, 84–86
 - types 80, **81**, 84
 - fault temperature estimates 79–80
 - seismic cycle and strain rates 90–92
- L-splays 313, 314, 315, 316, 317–318
- Langøya *see* Eidsfjord Shear Zone
- L'Aquila earthquake (2008) 91
- laumontite 23, **24**
- Lishan Fault 250, 252, 254, 255
- lock-up 187
- London University *vii*
- Longmen Shan active fault zone 17
- Love-type waves 39
- low-velocity channel 39
- magnetic susceptibility, Chelungpu Fault 30
- magnetite, Chelungpu Fault 30
- mass balance, deformation and geochemistry 20
- mass transfer, fluid-assisted 108, 109
- megathrusts, subduction-zone 55
- mélange
- Chrystalls Beach Complex 67–68
 - defined 59
- melt phase 123
- evidence for 124–125
 - see also* frictional melt
- mica, deformation temperatures 7
- micro-transforms 60
- microfracturing, role in creep 4
- microlites 124, 159
- mineralization, exploration by relative age analysis
- Mount Gordon Fault Zone 287, 289, 291–292
 - domains 292–294
 - geometrical assumptions 295–297
 - validity 299–300
 - initial orientation 292
 - modifications 297–298
 - predicted evolution 300–302
 - results discussed 302–305
 - summary 305–308
- modelling
- stress field and faulting
 - method 188–190
 - results 190–192
 - results discussed 192–198
 - wave behaviour
 - SAFOD
 - application 45–49
 - discussion 49–51
- Mohr diagram 65, 66, 313, 314
- Mohr–Coulomb criterion for slip 189
- monazite, Serre Massif pseudotachylyte 165
- montmorillonite 5, 25
- Mount Gordon Fault Zone *see under* Mount Isa Block
- Mount Isa Block (Australia)
- faulting history 289–290
 - geological setting 287–289
 - map 288
- Mount Gordon Fault Zone
- relative age analysis 291–292
 - domains 292–294
 - geometrical assumptions 295–297
 - validity 299–300
 - initial orientation 292
 - modifications 297–298
 - predicted evolution
 - description 300–302
 - discussion 302–305
 - summary 305–308
 - timing and orientation 290–291
- Murrumbidgee Group 204, **206**
- mylonite 6, 7, 8, 135
- Grizzly Creek Shear Zone 135–136, 139, 143–144
 - Heier's Zone (Norway) 171–173, 182
- Nankai accretionary prism 268, 269
- Nankai Trough 17
- mega-splay 315
 - slip rate 90
- Nankaido earthquake (1946) 315
- NanTroSeize experiment 17
- Naukluft Thrust (Namibia) 6
- New Zealand
- hydrothermal systems **251**
 - Southern Alps, fluid flow regime 260–262
 - see also* Alpine Fault Zone; Chrystalls Beach Complex; Hikurangi margin
- Nobi earthquake (1891) 319
- Nojima Fault 18, 19
- drilling project 11
 - energy budgeting 23
 - fault characterization 18–20
 - fluid budgeting 23–25
 - healing 25
 - logging during drilling 18
 - principal slip zone 20
 - pseudotachylytes 20–23
 - summary 25–26
- normal faults 169
- Eidsfjord Shear Zone 169, 170, 171
 - deformation timing 173
 - microstructures 176, 178, 179
 - mylonites 171–173
 - petrology 173–174
 - pseudotachylyte 175
 - thermobarometry
 - methods 177, 178, 181
 - results **180**, 181–182
 - results discussed 182–183
 - Fiskfjord Shear Zone 169, 170, 171
 - microstructures 179
 - petrology 174, 176
 - pseudotachylyte

- normal faults (*continued*)
 thermobarometry 176
 methods 177, 178, 181
 results **180**, 181–182
 results discussed 182–183
- H and L splays 313, 314, 316
- modelling kinematics and stress 191, 192, 193, 194, 195, 197
- Zuccale Fault (Elba) 98, 99–100
 field description 101, 102, 103, 104
 microstructures
 amphibole schists 104
 calcite-ultramylonites 105–106
 fault breccias 107
 fault gouges 107–108
 foliated cataclasites 106–107
 phyllonites 104–105
 significance of rock sequence 108–110
 zonation 100
- North America *see* Kodiak Island
- Norway *see* Eidsfjord Shear Zone; Fiskfjord Shear Zone
- numerical modelling
 stress field and faulting
 method 188–190
 results 190–192
 results discussed 192–198
- $\delta^{18}\text{C}$
 carbonate veins
 East Anatolian and Dead Sea Fault Zones
 methods of analysis 232
 results **233**, 235, 236–237, 238, 240, 241
 results discussed 242–244
 methods of analysis 211–212
 results 213, 214, 215, 216, 217
 results discussed 218–221, 224
 Taiwan Slate Belt veins 255, 257, 258, 260
- olistostromes 59
- olivine, deformation temperatures 4
- Otago Schist 67
- Otago University vii
- Outer Hebrides vii
- Pasagshak Point Thrust *see under* Kodiak Island
- permeability, relation to strain in Taiwan 257–258
- phacoids 60
- phyllonites, Zuccale Fault 102–103, 104–105
- pinch-and-swell 63, 65
- plate boundaries and seismogenic zones 320–321
- Porto Azzuro pluton 99
- pressure solution (solution creep) 3, 5, 77, 79, 86, 87, 88, 90, 92
 cleavage 58
- principal slip zone
 character 39
 identification 20
- pseudotachylyte vii 5, 6, 135
 Alpine Fault System 116
 formation
 controls 125, 127–128
 depth 125, **130**
 temperature **130**
- habitats
 type i 120, **121**
 type ii 120, **121**, 122
 type iii **121**, 122
 type iv **121**, 122–123
- host rock and chemical relationships 120
- host rock and morphology 116–120
- melt phase proof 123–125, 128, **130**
- microtextures 126
- relation to seismicity 128–129, 131–132
- summary 132
- black fault rock, Pasagshak Point Thrust 79, 88–89
- co-occurrence with mylonite 135–136
 Grizzly Creek Shear Zone 139–143
- formation 7, 8, 77, 115, 153
- Nojima Fault 20–23
- Heier's Zone 175
 thermobarometry study
 methods 177, 178, 181
 results **180**, 181–182
 results discussed 182–183
- Serre Massif
 methods of analysis 156
 results
 geochemistry 161, **162**, 163
 petrography
 matrix 159–160
 rock fragments 159
 veins 157–159
 wall rocks 156–157
 results discussed 163–166
- pyrrhotite, Chelungpu Fault 30
- quartz
 deformation temperatures 4, 7
 Serre Massif pseudotachylyte 156, 159, 160, 165
 veins, Taiwan 254, 255
 velocity-strengthening 9
- quartzofeldspathic rocks, deformation 7
- ramps and flats 316
- rare earth elements
 calcite veins
 East Anatolian and Dead Sea Fault Zones
 methods of analysis 232
 results **234**, 235, 237, 240, 241
 results discussed 241–242, 243–244
 Taemas Vein Swarm 204, 215, 217, 223–224
- Rayleigh-type waves 39
- Red Canyon Fault 316–317
- relative age analysis
 Mount Gordon Fault Zone 291–292
 domains 292–294
 geometrical assumptions 295–297
 validity 299–300
 initial orientation 292
 modifications 297–298
 predicted evolution 300–302
 results discussed 302–305
 summary 305–308
- reverse faults, modelling kinematics and stress 191, 192, 193, 194, 195, 197
- rheology and seismic style 7, 55

- rift settings, seismicity 169
- rupture characteristics 10
- Ryoke granodiorite 20, 21
- S-C fabric 59, 60, 84
- Saint-Barthélemy Massif 147
- San Andreas Fault, H and L splays 313
- San Andreas Fault Observatory at Depth (SAFOD) 11, 17
 - borehole 41–43
 - deep rock damage modelling
 - method 45
 - results 45–49
 - results discussed 49–51
 - fault-zone guided waves 44–45
 - low-velocity zone 43–44, 49
 - setting 40–41
- San Andreas Fault System 7
- San Francisco earthquake (1906) 319
- Sansepolcru Basin 316, 317
- Santa Barbara, University of California vii
- seismic coupling 7
- seismic moment 9–10
- seismic slip 77, 90
- seismic tremor 71, 72
- seismic-aseismic transition zone 8, 9, 63
- seismogenic deformation, Taiwan 257–258
- seismogenic rupture 135
- seismogenic zones 8, 9
 - conditions of failure 322–323
 - earthquake effects 323–324
 - fault rupture 324–325
 - ground shaking 324, 325–326
 - stress changes 324, 326–327
 - summary 327–328
- plate positions
 - continental 320
 - oceanic 320–321
 - subducting lithosphere 321
 - transcrustal megathrust 321
- thermal control 55
- Serre Massif
 - geological setting 154
 - map 155
 - pseudotachylyte study
 - methods of analysis 156
 - results
 - geochemistry 161, 162, 163
 - petrography
 - matrix 159–160
 - rock fragments 159
 - veins 157–159
 - wall rocks 156–157
 - results discussed 163–166
- shear
 - accommodation at convergence 55
 - displacement 319, 320, 324
 - experiments
 - cataclasis formation 86–87
 - foliated 87
 - non-foliated 87–88
 - fractures and failure 65, 66
 - zones
 - Eidsfjord Shear Zone
 - deformation timing 173
 - microstructures 176, 178, 179
 - mylonites 171–173
 - petrology 173–174
 - pseudotachylyte 175
 - thermobarometry
 - methods 177, 178, 181
 - results 180, 181–182
 - results discussed 182–183
 - Fiskfjord Shear Zone 169
 - microstructures 179
 - petrology 174, 176
 - pseudotachylyte
 - thermobarometry 176
 - methods 177, 178, 181
 - results 180, 181–182
 - results discussed 182–183
 - Grebe Shear Zone 6
 - Grizzly Creek Shear Zone 136–137, 138, 139, 148
 - coexisting tectonite paradox 145
 - cyclicality 145
 - structure and anisotropy 145–147
 - lithological units 137, 139
 - tectonites
 - mylonite 139, 142
 - mylonitic pseudotachylyte 143–144
 - pseudotachylyte 139–143
 - ultramylonite 144
- Sibson, R. H. vii, viii 1
- siderite 24, 25
- sillimanite, Serre Massif pseudotachylyte 156, 159, 165
- slickenfibres 58, 60, 61, 62, 71
 - Taemas Vein Swarm 208
- slickenlines
 - Dead Sea Fault Zone 235, 236, 237
 - Taemas Vein Swarm 208
- slip, accommodation styles 55
- slip magnitude 319, 320, 324
- slip rate/velocity 18, 26, 324
 - relation to strain 90
 - types 77, 79
- slip zones, character 39, 278–279
- slip-hardening 4
- slow-slip events 69, 71, 72, 77, 90, 319
- smectite 25, 274, 275, 277
- solution creep *see* pressure solution
- South Alaska subduction zone 90
- Southern Alps (NZ), fluid flow budget 260–262
- Sovara splay fault 316, 317
- splay faults 313, 314, 315, 316, 317–318
- Sr isotope analysis
 - carbonate veins
 - methods 212
 - results 213, 214, 215, 216, 217, 218
 - results discussed 219–220, 224
- strain rates 90, 92, 135
 - Taiwan 257–258
- stress, role in deformation 4
- stress cycling 327
- stress drop 10
- stress and faulting 313
- stress field variation and faulting 187–188
 - numerical modelling
 - method 188–190

- stress field variation and faulting (*continued*)
 results 190–192
 results discussed 192–198
- strike-slip faults
 H and L splays 313
 modelling kinematics and stress 191, 192, 193, 194, 196, 197
- stylolites 65
- subduction thrust on Kodiak Island 78, 79
 Pasagshak Point Thrust
 black fault rock 88–89
 cataclasites
 formation 86
 analogue experiments 86–88
 textures 82, 83, 84–86
 types 80, **81**, 84
 fault temperature estimates 79–80
 seismic cycle and strain rates 90–92
- subduction zones 55, 90
 Hikurangi margin 68–72
 Nankai Trough 17, 315
- Sumatra–Andaman earthquake (2004) 91, 92, 323
- Taiwan *see* Chelungpu Fault; Chi-chi earthquake
- Taiwan Slate Belt
 fluid flow budget 258–260
 cf. Southern Alps 260–262
 heat flow budget 255–257
 hot springs **251**, 255
 map 250
 strain energy and seismicity 257–258
 tectonic setting 252–254
 vein systems
 field setting 253, 254
 gold deposits 254–255
- talc formation 100, 109
- Taemas Vein Swarm (Australia)
 classification 206
 bedding-parallel veins 208
 extension veins 208–209, 210
 fault veins 206
 geochemical analysis
 methods 211–213
 results 213–215
 class effects 217–218
 outcrop effects 216–217
 stratigraphy effects 215–216
 results discussed
 fluid flow 219–224
 fluid sources 218–219
 stress levels 224–225
 geological setting 204
 map 205
 stratigraphy **206**, 207
 textures 209
- temperature
 role in deformation 4, 8, 20
 role in high-velocity friction heating
 experiments 272
 role in ion substitution 204
- temperature estimates
 Pasagshak Point Thrust 79–80
 pseudotachylite formation **130**
- textures
 deformation 1, 4–5, 7
 frictional 5–7
 viscous 7
 relation to slip rate 5
- thermal budget
 Chi-chi earthquake 28
 Kobe earthquake 23
- thermal impact 20
- thermal pressurization 129, 267, 268
- thermobarometry
 Heier's Zone (Norway)
 pseudotachylite 175
 methods 177, 178, 181
 results 180, 181–182
 results discussed 182–183
 Pasagshak Point Thrust 79–80
 thrust faults, H and L splays 313, 314, 315, 316
- Tonankai earthquake (1944) 91, 315
- trace element analysis
 carbonate veins
 methods 212–213
 results 214, 215, 217, 219–224
- tremor 71, 72
- Turkey *see* East Anatolian Fault Zone
- Tyrrhenian Basin 99
- U/Th dating
 East Anatolian and Dead Sea Fault Zones
 method 232
 results **239**, 240, 241
 results discussed 242, 243, 244, 245
- ultracataclasites 5, 6, 123
 Chelungpu Fault 28–29, 30
 Nojima fault 20, 21, 23
- ultramylonites 123, 144
 calcite 102–103, 105–106, 108
 Eidsfjord Shear Zone 173
- USA *see* Grizzly Creek Shear Zone;
 Kodiak Island
- veins
 Dead Sea Fault Zone 230, 231–232
 vein geochemistry
 methods of analysis 232
 results **233**, **234**, 235–241
 results discussed 242–244
- East Anatolian Fault Zone 230, 231–232
 vein geochemistry
 methods of analysis 232
 results **233**, **234**, 235
 results discussed 241–242
- Taiwan Slate Belt
 field setting 253, 254
 fluid flow analyses 255, 258–260
 gold deposits 254–255
- Taemas Vein Swarm 204, 205, **206**, 207
 classification 206
 bedding-parallel veins 208
 extension veins 208–209, 210
 fault veins 206
 geochemical analysis
 methods 211–213
 results 213–215

- class effects 217–218
- outcrop effects 216–217
- stratigraphy effects 215–216
- results discussed
 - fluid flow 219–224
 - fluid sources 218–219
 - stress levels 224–225
- textures 209
- velocity strengthening 3, 4, 5, 9
- velocity weakening 3, 4, 5, 9
- vesicles 125, 127
- viscous creep 7
- viscous flow, role in mineral deformation 4
- vitritine reflectance studies 79–80, 268

- waveguide 39, 44, 45
- Wenchuan earthquake Fault Scientific Drilling (WFSD) 17
- West Wairarapa Fault 319

- Woodroffe Thrust 147
- World Stress Map Project 313

- XRD analysis, fault gouge 101, 272–274, 275, 277

- zeolites **24**
- Zuccale Fault (Elba) 98, 99–100
- fault rocks
 - field site description 101, 102, 103, 104
 - methods of analysis 101
 - microstructures
 - amphibole schists 104
 - calcite-ultramylonites 105–106
 - fault breccias 107
 - fault gouges 107–108
 - foliated cataclasites 106–107
 - phyllonites 104–105
 - significance of rock sequence 108–110
 - zonation 100