

Index

Page numbers in *italics* refer to Figures. Page numbers in **bold** refer to Tables.

- Abenaki Basin 335
Abenaki Graben 332
Abimael Ridge 209
Adjuntas Formation 9, 36, 42, 62, 110
 fracture abundance **113**
Africa (west) passive margins 265
Airy isostasy 170
Albian Gap 221–223, 225, 297, 471, 473
Alborz Mountains 563, 564, 567, 568, 569, 571, 575, 576
Alcyon Diapir 373
allochthonous salt, defined 81
Alpine Orogeny 433, 443, 612, 614
Amazonas Basin 133, 134, 136, 139, 140, 142
analogue modelling 5, 610
 halokinesis in Gulf of Mexico
 methods 278–279
 results 279, 280
 significance of results 281–282
 halokinesis in Hormuz Basin
 method 550–551
 results
 folded belt 3D 553–557
 folded belt XS 551–553
 ridge–diapir transition 551
 results discussed 557–559
 halokinesis in Laurentian Basin
 basin-scale
 methods
 constraints
 basin width 340–341
 basement tilt 346–347
 floor morphology 341–342
 salt thickness 342–346
 sedimentation rates 346
 materials 336
 scaling factors 336–339
 set-up 339–340
 results 347–349
 results discussed 349–353
 summary 353–354
 pilot trial 336, 354–355
 halokinesis in Levant Basin 459
 methods 459–460
 results 462–465
 results discussed 465–467
 halokinesis in Polish Basin 381, 382
 methods 397–399
 operation 399–400
 scaling parameters **398**
 results
 post extension 400–401
 post inversion 402
 results discussed 405–407
 halokinesis in Santos Basin 485, 486
 methods 195–197
 results 197–201
Angola, Lower Congo Basin, seismic section 53
Angola margin 153, 154, 161, 261
Angola–Gabon Basin 133
angular unconformities 7
anticlines, salt-cored 246–247, 371, 373, 437
Argo salt 333, 335
Ariri Formation 162, 178
Armorican Shelf 364
Assal, Lake (Djibouti), evaporites **163**
Atlantic Ocean, passive margin salt flow 207, 245, 265
Atlantic Ocean (north) *see* Canada
Atlantic Ocean (south)
 Cretaceous events 162, 209–210
 inboard extensional structures
 Albian Gap 221–223
 extensional anticlines 216–217
 fallen salt walls 217–218, 221
 flip-flop salt walls 216, 218
 salt rollers 213–216
 outboard contractional structures 223–229
 salt flow model
 drainage 229
 gravity 234
 isostasy 233
 tilting 229–233
 viscosity 233–234
 overburden 229
 stratigraphy 212
 thermal subsidence 210–213
 see also see Angola margin; Campos Basin; Espirito Santo Basin; Santos Basin; South Atlantic salt basin
Atlas fold–thrust belt 579
Aurora Formation 36, 42, 62, 110
Australia *see* Flinders Ranges; MacLeod Basin; Willouran Ranges
Authon Thrust 595, 596, 600
Avedis Chain 177
Azerbaijan, Shah Deniz Field **132**

Banquereau synkinematic wedge 335
Barra Velha Formation 161
Barre de Chine (Haute Provence)
 evaporites 600–601
 structural style 598–600
 overturning discussed 607–614
 overturning interpreted 601–607
Basque Pyrenees 9, 18
 Poza de la Sal Diapir
 fault data 525
 geological setting 522
 joint patterns 522–523, 524, 525
 map 523
 modelling stress field 525
 results 527
 results discussed 527–530
 seismic section 523
Basque Shelf 364
Biscay, Bay of 363
 see also Parentis Basin
bischofite 209
Blue Anchor Formation 533, 534, 535, 537, 538, 539, 542
Blue Lias Formation 533, 534
Bonney Sandstone 84, 85, 94–96, 98
bottom currents 18
Bouguer gravity anomaly, Medjeh-El-Bab salt structure (Tunisia)
 584–585
box folds 246
Braunschweig-Gifhorn fracture zone 261
Brazil
 Irara Field **132**
 Tupi Field **132**
Brazil basins
 core-scale and petrographic data 139–142
 history of exploration 136–137
 onshore and offshore 134, 136
 petroleum exploration trends 142–149
 southern area

- Brazil basins (*Continued*)
 basin shape 166–168
 evaporites history
 depositional model 163–165
 salt drainage 168–170
 salt loading 170
 summary 170–172
 timing 162–163
 geological setting 159–162
 map 160
 salt walls 261
 seismic sections 161, 162
 stratigraphy and structure 138–139
see also Campos; Espírito Santo; Santos
- Bristol Channel Coast (UK)
 field observations 535, 537
 map 534
 salt tectonic evidence 537–538
 stratigraphic 542–543
 structural 539–542
 stratigraphy 533, 537
 structure 533, 535, 536, 538, 539
- buckle folds 225, 246, 462
- Bunyerroo Formation 84, 85
- buoyancy 245
 buoyancy fractionation 3, 304, 323–324, 328, 329
- Burra Group 83, 84
 $\delta^{13}\text{C}$, La Popa weld veins 112–113, 115, 118
- Cabo Frio Fault 180, 182, 183, 184, 185, 187, 194, 195, 196, 198, 200, 201, 202, 221, 222–223, 471, 473
- Cabo Frio High 176, 177
- Callanna Group 83, 84
- Camboril Formation 178
- Campos Basin (Brazil) 133, 137, 139, 144, 145, 147, 151, 162
 evaporites 165
 extensional anticline 216–217
 flip-flop salt wall 216, 217
 modelling salt behaviour 229
 Parana basalts 160
 salt basin 166, 168
 salt drainage 169
 salt thickness 211
 seismic sections 214, 220
- Canada
 passive margin basins 265, 332
see also Cape Breton Island; Laurentian Basin; Sverdrup Basin
- Cap Ferret Canyon 364
- Cape Breton Island (Nova Scotia) 18
 carbon dioxide sequestration 1
- Carmópolis Field 136
- Carroza Formation 9, 18, 23, 36, 39, 61, 110
 facies 61–64
 associations 64–69
 debris flow 67–69
 floodplain 67
 fluvial channels 64–67
 distribution 69–70
 fracture abundance 113
 stratigraphy 68
 structural geometry 70–71
 synthesis 71–77
- Celt-Aquitaine Flexure 365
- Central European Basin System
 database of research 411–412
 structural model
 basin fill
 Cenozoic 413
 Cretaceous 414
 Jurassic 415–418
 Permian 419–421
 Triassic 418–419
 model results discussed 422–425
 overview 421–422
 water depth 413
 structural setting
 Carboniferous–Permian 409–410
 Jurassic–Cretaceous 411
 Triassic 410
 summary 425
see also Southern Permian Basin
- Central Graben 410
- Céphée–Aldeberan Ridge 367
- Chabowo salt pillows 388
- channels, submarine *see* Magnolia Field
- Chedabucto Fault 332, 335, 336
- chevron folds 246
- China, Longgang Field 132
- Chinle Formation 59
- Cobequid Fault 332, 336
- composite halokinetic sequence 2, 22–24
 classification
 tabular 8, 11, 12, 16, 19, 20, 21, 26, 27, 28, 72
 tapered 8, 12, 16, 18, 20, 21, 26, 27, 28, 72
 modelling 19–21
 regional examples
 La Popa Weld 34, 39, 42
 Patawarta 98, 99
- computed axial tomography (CAT) 5
- concentric folds 246
- contourite flow 18
- contractional salt tectonics 246–247, 265, 361, 486
- Couette flow 169, 303, 466
- cross-section restoration
 Santos Basin
 methods 189–191
 results 192–195
- Crotone Basin (Italy) 34
- Cruzeiro do Sul lineament 177
- Cuesta del Cura Formation 36, 62, 110
- Cupido Formation 23, 36, 43, 110
- Cutlet Formation 18
- Człopa salt diapir 388, 389, 392
- Damaślawek salt diapir 389, 390
- décollement layer or surface 265, 444, 459
 classified 545
- Depot Springs Subgroup 84, 85
- detachment folds 545
- detachment zone *see* décollement layer or surface
- Dhirubhai Field (India) 132
- diapirs *see* salt diapirs
- Difunta Group 9, 35, 36, 110
- Digne Thrust 595–598, 600, 601, 602, 603, 612, 613, 614
- Djibouti, Lake Assal evaporites 163
- Dneiper–Donets Basin
 geological setting 431–432
 hydrocarbon reserves 431
 map 432
 salt structures 432
 seismic sections 437–439
 multilicence project 439
 buffers and monoclines 443–444
 Tourmaisian wedges 439–443
 stratigraphy 433, 444
 structural evolution 444–447
 structural form 434–437
 tectonostratigraphy 432–434
- dome-and-basin structure 83
- drainage
 analogue modelling 237–240
 defined 209
 model for Atlantic Ocean, south 229
 gravitational effects 234

- isostatic effects 233
- tilting effects 229–233
- viscosity effects 233–234
- drape folds and folding 7, 21, 98, 99, 373
- duck's head structure 255, 256
- Dzwonowo salt diapir 388, 389, 392

- earthquakes, salt-related 571–573
- El Gordo Diapir 9, 10, 35, 61, 109
- El Paplote Diapir 9, 10, 12, 15, 22, 23, 35, 61, 109
- Elbe Fault System 410
- en echelon structures 273
- Eridan–Antares Ridge 367
- Espírito Santos Basin (Brazil) 133, 136, 139, 145, 147, 148
 - salt basin 166, 168
 - salt tectonic modelling 149, 150, 151, 152, 154
- Essaouira Basin (Morocco) evaporites 163
- Eurydice Formation 333, 335
- experiments *see* analogue modelling
- expulsion 208, 209
- extensional faulting 207, 245
- extensional salt tectonics 247–248, 265
- Eyvankey plateau 563

- Fars Arc 546, 549
- Fars Province (Iran) 9, 18, 548
 - secondary salt weld 34
- fault inversion, Garmsar salt nappe 573, 576–577
- faulting, extensional 207
- flap folding 7
 - see also* Barre de Chine
- flat, defined 81
- flexural isostasy 171
- flexural-slip folding 7
- Flinders Ranges (Australia) 9, 16, 26, 81
 - depositional sequence stratigraphy 86–87, 96–97
 - geological setting 83–84
 - halokinetic sequences 97–99
 - history of research 85–87
 - map 82
 - stratigraphy 84, 87–88
 - Bonney Sandstone 86
 - Wonoka Formation 85, 88–94
 - summary of data 99–100
 - depositional environment 100–102
 - structural analysis 102
 - see also* Oladdie Diapir
- flip-flop salt tectonics 3, 216, 218, 234, 245
 - defined 245, 246, 247
 - mechanisms 249
 - structures
 - described 248–249, 255
 - geometry 248
 - origins 249–255
 - regional examples
 - Gulf of Mexico 257–261
 - NW Europe 261
 - South Atlantic 255–257
 - Utah 261
 - seismic sections 257, 258, 259, 260, 261
 - summary 261–263
- floaters 503
- Florianópolis Formation 178
- Florianópolis Fracture Zone 209, 210
- Florianópolis High 168, 176, 177
- flow, salt 107
- fluid inclusion analysis, La Popa Weld 119–122
- fluvial sedimentation *see* Carroza Formation
- fold rates 575–576
- fold-and-thrust belts
 - Gulf of Mexico slope domain 270–271
 - see also* Atlas; Haute Provence; Zagros
- fold types 265
 - en echelon 273
 - salt-cored 246–247
- fracture pattern
 - La Popa Weld 109, 113
 - Poza de la Sal Diapir
 - fault data 525
 - geological setting 522
 - joint patterns 522–523, 524, 525
 - map 523
 - modelling stress field 525
 - results compared with field data 527
 - results discussed 527–530
 - seismic section 523
 - value of studies 521
- France *see* Haute Provence; Parentis Basin
- Fundy Basin 332

- Gabon
 - salt structures 247, 251, 254, 255, 257, 258, 259
 - offshore 256–257
 - onshore 256
- Garmsar salt nappe 563
 - geological setting 567–568
 - InSAR study
 - earthquakes and faults 571–573
 - method 563, 565, 566, 567
 - results
 - fault inversions 573
 - regional structures 568–571
 - results discussed 573–575
 - fault inversions 576–577
 - folding 575–576
 - salt extrusion 575
 - map 564
- Germany
 - flip-flop structures 261
 - Hänigsen diapir 611
- Ghawar Field (Saudi Arabia) 131
 - gliding 3, 208, 209, 265
- Glueckstadt Graben 410, 411, 412
- Goleniów salt diapir 387, 388
- grabens 265, 381, 384
- gravitational cells 198
- gravity
 - effect on salt flow 207, 234, 245, 265
 - analogue modelling 234–240
- Great Kavir Desert (Iran) 34
- Green Canyon 270, 271, 275, 276, 277, 278
- Groningen Field 136
- Guaratiba Formation 178
- Guaruja Formation 178
- gypsum resource 1, 535, 538, 542, 543

- halokinesis
 - effects on submarine channels *see* Magnolia Field
 - evolution on passive margins 207
 - Hormuz salt basin 548–550
- halokinetic sequence stratigraphy 2
- halokinetic sequences
 - classified 8
 - composite 8, 22–24
 - modelling 19–21
 - stacked 22
 - tabular 8, 11, 12, 16, 19, 20, 21, 26, 27, 28
 - tapered 8, 12, 16, 18, 20, 21, 26, 27, 28
 - hook 8, 10, 11, 12, 28
 - wedge 8, 12, 13, 28
 - defined 7, 59, 71–72, 81, 97–98
 - La Popa Weld 34
 - regional examples, Patawarta salt sheet 98–99
 - Hänigsen diapir (Germany) 611

- Haute Provence (France)
 sub-Alpine fold-and-thrust belt
 Barre de Chine
 structural style 598–600
 overturning discussed 607–614
 overturning interpreted 601–607
 geological setting 595–598
 map 596
 stratigraphy 597
- heel and toe structures 248
- hook halokinetic sequence 2, 8, 10, 11, 12, 26, 28, 98
 La Popa Weld 34, 39
- Hormuz Formation 546
- Hormuz salt basin 548–550
 analogue modelling of halokinesis
 methods 550–551
 results
 folded belt 3D 553–557
 folded belt XS 551–553
 ridge–diapir transition 551
 results discussed 557–559
- Horn Graben 410
- hydrocarbon maturation, effect of salt 33
- hydrology and palaeohydrology, La Popa Weld study *see* La Popa Weld
- Iara Field (Brazil) 132, 133
- Ibis Fault 364, 367, 370, 374
- Ibis Ridge 367
- Iguape Formation 178
- Ilha Grande Gravitational Cell 198
- India, Dhirubhai Field 132
- Indidura Formation 23, 36, 62, 110
- interferometric synthetic aperture radar (InSAR) 6, 563
 Garmsar salt nappe study
 method 563, 565, 566, 567
 results
 earthquakes and faults 571–573
 fault inversions 573
 regional structures 568–571
 results discussed 573–575
 fault inversions 576–577
 folding 575–576
 salt extrusion 575
- Iran *see* Fars Province; Garmsar salt nappe; Kalut Basin; Kish Field; Tabnak Field; Yadavaran Field; Zagros Mountains
- isostatic responses and salt flow 170, 171, 233, 250, 306
- isotope analysis *see* $\delta^{13}\text{C}$; $\delta^{18}\text{O}$; Sr
- Itajai-Açu Formation 178
- Italy
 Apennines 609
 Crotone Basin 34
- Itanhaém Formation 178
- Itapema Formation 160
- Jabal el Milh diapir (Yemen) 611
- Jean Charcot Seamounts 176
- joints *see* fracture pattern
- Jureia Formation 178
- Kalut Basin (Iran) 34
- Kashagan field (Kazakhstan) 131, 132
- Katangan copperbelt 34, 81
- Kazakhstan 18, 131, 132
- Keathley Canyon 271, 275, 276, 277
- Khuff Formation 131
- Kish Field (Iran) 132
- Kłodawa Salt Structure/diapir 261, 262, 388, 390, 391
 analogue modelling
 methods 397–399
 operation 399–400
 scaling parameters 398
 results
 post extension 400–401
 post inversion 402
 evolution 397
 geological setting 395–396
 map 396
 numerical modelling
 methods 402–404
 results 405
 results compared 405–407
 shape 396, 397
- Kwanza Basin (Angola) 154, 207
 cross section 219
 extensional anticline 216
 fallen salt walls 217–218, 219
 modelling salt behaviour 229
 salt thickness 211
- La Casita Formation 110
- La Peña Formation 36, 43, 62, 110
- La Popa Basin (Mexico) 2, 9–16, 18, 22, 24
 geological setting 34–35, 60–61, 108
 map 61, 109
 secondary salt weld 34
 stratigraphy 36, 62, 110
see also Carroza Formation; La Popa Weld
- La Popa Diapir 39, 60
- La Popa Weld 9, 10, 11, 13, 14, 22, 23
 cross section 111
 cross-weld traverses 37–42, 43
 description 34
 fluid inclusion analysis 119–122
 fluid sources 123
 fracture abundance 109, 113
 palaeohydrological impact 123–127
 plan-view geometry 37
 timing of weld formation 122–123
 veins 109, 111, 113
 isotope analysis 112–113, 115
 $\delta^{13}\text{C}$ 118
 $\delta^{18}\text{O}$ 117
 Sr 115, 116, 119
 petrography 112, 114
 weld development
 initiation 46–49
 modelling 49–51
 model evaluation 51–53
 precursor salt wall 45–46
 summary 53–54
- Lagoa Feia Formation 160
- Landes Fault 364, 368, 369, 370, 374
- Landes High 364, 365
- Landes Plateau 361, 364
- Landes Shelf 361, 364
- Laurentian Basin
 geological setting 334–336
 map 332
 seismic section 333
 stratigraphy 333
- lentils 35, 108
- Levant Basin
 analogue modelling of deformation 459
 methods 459–460
 results 462–465
 results discussed 455–467
 evaporite stratigraphy 450–451
 geological setting 450
 map 451
 seismic and structural surveys
 methods 452–453
 results 453

- Gal B 453–455, 456
- Gal C 455–456, 457, 458, 460, 461
 - results interpreted 456–459
 - shortening measurement 459
- Levoberezhnoye Field (Russia) **132**
- Lion, Gulf of 135
- listric faults 386, 440, 447
- loading 245
- Logan Canyon Formation 333, 336
- Longgang Field (China) **132**
- Louann salt province 134, 137, 138, 269, 270, 277, 278
- Louisiana shelf (USA) 9, 17
- Lower Saxony Basin 410
- Lubień salt diapir 389, 390, 391
- MacLeod Basin (Australia), evaporites **163**
- Magnolia Field (Gulf of Mexico)
 - channel evolution 293
 - description
 - stage 1 294–295
 - stage 2 295
 - stage 3 295
 - interpretation 295–298
 - facies analysis 293
 - facies architecture 298–299
 - geological setting 291–293
 - summary of halokinetic effects 299–300
- Mahogany Field (Mexico) 137, 138
- Marambaia Formation 178
- Marianowo salt pillow 388
- maturation 1
- Mediterranean Sea, evaporite deposition **163**
- Medjez-El-Bab salt structure (Tunisia)
 - evidence for salt glacier 585, 586–590
 - evolution 588, 590
 - geological setting 579–581
 - gravimetric survey 584–585, 587
 - lithostratigraphy 586
 - map 580
 - outcrop and structure 581–584
- megafaults 24, 25, 26, 27
- Mercia Mudstone Group 533, 534, 535, 537, 538, 543
- Merluza Field 143, 144
- Messinian salt *see* Levant Basin
- Mexico *see* La Popa Basin
- Mexico, Gulf of
 - deep water sequences 16–18, 24, 26, 27
 - flip-flop structures 257, 261
 - map 266
 - petroleum prospectivity and salt tectonics 131, 133, 137, 138
 - salt flow and extrusion 277–278
 - analogue modelling
 - methods 278–279
 - results 279, 280
 - significance of results 281–282
 - summary 282–284
 - salt structures reviewed 265–266
 - seismic sections 540, 606
 - shelf break migration 267, 268–269
 - shelf stability 267
 - slope domain kinematics 271
 - deformation zones 273–274
 - minibasin orientation 271–273
 - shallow salt flow 275
 - shear sense 275–277
 - slope domain structures 269
 - minibasins 269–270
 - salt nappes 271
 - thrust-and-fold belt 270–271
 - source rock maturation 1
 - transfer zones 267
 - see also* Magnolia Field
- Mica salt body 17
- mid-Atlantic ridge 209
- Mid-Polish Trough 382, 384
 - salt tectonics
 - axial features 389–392
 - NE flank 384, 386–387
 - SW flank 387–389
- Milankovitch cycles 163, 165, 171
- Minas Viejas Formation 9, 35, 110
- minibasins, Gulf of Mexico 269–270
- Mississippi Canyon 261
- Mississippi Fan Fold Belt 266, 270
- modelling salt behaviour
 - pinned inflation model 99–100, 101
 - see also* analogue modelling; Atlantic Ocean south; numerical modelling
- Mogilno salt diapir 392
- Mohican Formation 333, 335
- monoclines 447
- Morocco, Essaouira Basin evaporites **163**
- Muerto Formation 9, 12, 13, 23, 36, 41, 44, 62, 110
 - fracture abundance **113**
- namakiers *see* salt glaciers
- Naskapi Formation 333, 336
- Netherlands *see* Southern Permian Basin
- Niger Delta 135
- nitrate resource 1
- normal faults
 - effect on salt migration 245, 250
 - en echelon 273
 - Polish Basin 381, 386
 - salt-cored *see* salt roller
- North African salt province 579
 - see also* Medjez-El-Bab salt structure (Tunisia)
- North German Basin 133, 135, 261, 410, 411
- North Sea Basin 133, 134, 135, 261
 - see also* Southern Permian Basin
- Norwegian–Danish Basin 410, 411, 412
- numerical modelling, salt tectonics 235
 - methods
 - design and configuration 304–306
 - material properties 306–308
 - numerical 308–309
 - stratigraphy incorporation 309–310
 - results
 - scenario 1 310–312, 313, 314
 - scenario 2 312, 315–317, 318, 320
 - scenario 3 317, 319, 321, 323, 324, 326, 327
 - results discussed 321–327
 - regional studies
 - Central European Basin System 413
 - basin fill
 - Cenozoic 413
 - Cretaceous 414
 - Jurassic 415–418
 - Permian 419–421
 - Triassic 418–419
 - model results discussed 422–425
 - overview 421–422
 - water depth 413
 - Kłodawa structure
 - methods 403–404
 - results 405
 - results discussed 405–407
- Poza de la Sal Diapir
 - method 525
 - results 527
 - results discussed 527–530
- South Oman Salt Basin
 - methods 508
 - adaptive remeshing 512

- numerical modelling, salt tectonics (*Continued*)
 salt displacement 510
 set-up 508–510
 stringer breaking 510–512
 results 512–515
 results discussed 515–518
 summary 328–329
- Ø180, La Popa weld veins 112–113, 115, 117
- Oladdie Diapir counter-regional weld 34
- Oman *see* South Oman Salt Basin
- Onion Creek Diapir (Utah) 18
- Orpheus Graben 332
- overburden effects on salt flow 207, 208, 209, 229, 245, 250, 303
- palaeohydrology *see* hydrology and palaeohydrology
- Paradox Basin (Utah) 18, 34, 59, 163, 261
- Parana basalts 159–160
- Paraná Basin 209
- Parecis Basin (Brazil) 133–134, 139, 140
- Parentis Basin
 basement structures 374
 bathymetry 363, 364
 cross-section 365
 geological setting 362–365
 history of exploration 361
 map 362
 Pyrenean orogeny effects 374–375
 salt diapir growth 370–372
 salt-related structures 365–366
 eastern 367–368
 western 368–369
 seismic dataset 365, 367, 368, 369, 370, 371
 stratigraphy 366
 summary history 373, 375–376
- Parentis Field 361
- Parras Basin 35, 60
- Parras Shale Formation 9, 12, 23, 35, 36, 41, 42, 62, 110
 fracture abundance 113
- particle image velocimetry (PIV) 5
- passive downbuilding diapirs 246
- passive margins
 salt flow 207, 245, 265
see also Angola; Brazil; North African salt province
- Patawarta Diapir 82, 84, 85, 87
 depositional sequence stratigraphy 96–97
 halokinetic sequences 97–99
 stratigraphy
 Bonney Sandstone 94–96
 Wonoka Formation 88–94
 summary of data 99–100
 depositional environment 100–102
 structural analysis 102
 unroofing sequence 96
- Patawarta salt sheet 26
- Pelotas Basin 209
- Penarth Group 533, 534
- Perdido fold belt 266, 270
- Persian Gulf, petroleum prospectivity and salt tectonics 131
- petroleum prospectivity and salt tectonics 131, 133, 135–138
 modelling 149–153, 155
- physical modelling *see* analogue modelling
- Piçarras Formation 160
- pinned inflation model 99–100, 101
- Poiseuille flow 169, 303, 465, 466
- Poland, flip-flop structures 261
- Polish Basin 410, 412
 geological setting 382–384, 395–397
 Kłodawa Structure
 analogue modelling
 methods 397–399
 operation 399–400
 scaling parameters 398
 results
 post extension 400–401
 post inversion 402
 evolution 397
 map 396
 numerical modelling
 methods 402–404
 results 405
 results compared 405–407
 shape 396, 397
 salt tectonics of mid-Polish Trough
 axial 389–392
 flank, NE 384, 386–387
 flank, SW 387–389
 summary 392–393
- potash resource 1
- Potrerrillos Formation 9, 10, 11, 12, 15, 16, 23, 35, 36, 40, 41, 42, 44, 62, 109, 110
 fracture abundance 113
- Pound Subgroup 84
- Poza de la Sal Diapir
 fault data 525
 geological setting 522
 joint patterns 522–523, 524, 525
 map 523
 modelling stress field 525
 results 527
 results discussed 527–530
 seismic section 523
- Pricaspian Basin (Kazakhstan) 18
- Puffin Diapir 373
- Pyrenean orogen 363–364, 374–375
- radial gravitational flow 207
- radioactive waste repository 1
- rafting and raft tectonics 1, 207, 278
- ramp, defined 81
- reactive diapir, defined 245
- Recôncavo Basin (Brazil) 136
- Red Sea, salt flow 170
- Riyadh Group 131
- Rockita salt pillow 387, 388
- roller *see* salt roller
- rolling hinge models 609
- rollovers 265
- Russia, oilfields 132
- Sabinas Basin 35, 60
- Sable Basin 332, 335
- salt, defined 1, 209
- salt deflation, defined 278
- salt diapirs 18, 19, 34, 39, 60, 261, 262, 373, 392
 analogue model 551, 552
 Bristol Channel Coast 539, 543
 El Gordo Diapir 9, 10, 35, 61, 109
 El Paplote Diapir 9, 10, 12, 15, 22, 23, 35, 61, 109
 formation 245, 246–248, 265, 271
 Hännigsen diapir 611
 Parentis Basin 370–372
 Polish Basin 387, 388, 389, 390, 391, 392
see also Kłodawa Salt Structure; Patawarta Diapir; Poza de la Sal Diapir
- salt drainage 168–170, 209
see also drainage
- salt flow 107
see also analogue modelling
- salt glaciers (namakiers) 5, 172, 234
 model for North African salt province 579
see also Medjez-El-Bab
- salt loading 170

- salt nappes 265, 271, 278
see also Garmsar salt nappe
- salt pillows 387, 388, 436
- salt rollers 213–216, 246, 247–248, 250, 253
- salt sheets 26
- salt stock 438, 439
- salt walls 3, 216, 217–218, 221, 247, 255, 372
- salt weld 372, 373
 Bristol Channel 537, 539, 540, 543
 comparison with fault seals 107–108
 defined 33
 Gulf of Mexico 540
see also La Popa Weld
- salt wings 26
- salt withdrawal, defined 278
- salt-cored anticlines 246–247, 371, 373, 437
- salt-cored normal fault *see* salt roller
- Santos Basin (Brazil) 133, 137, 139, 162
 Albian Gap 207, 221–223, 225, 471, 473
 analogue modelling of deformation 485, 486
 anhydrites 162
 cross-section restoration
 methods 189–191
 results 192–195
 detachment zones 474–475, 476, 478, 479, 480
 evaporite cycle 165
 evaporite deposition 163, 172
 exploration trends 143–149
 extensional anticlines 216
 flip-flop structures 256–257
 formation 175
 geological setting 175–176
 geometry in 3D 475, 482–483
 halokinesis 179
 halokinetic analogue modelling
 methods 195–197
 results 197–201
 map 472
 modelling salt flow 229
 outboard contractional structures 226
 Parana basalts 160
 physiography 176–177
 post-salt overburden 225
 salt basin 166, 168
 salt thickness 211
 salt-cored normal faults 215
 seismic sections 224, 226, 227, 228, 252, 476, 477, 478, 479, 480, 481, 606
 seismic survey
 methods 179
 results 180–185, 186, 187
 results discussed 187–189
 source rock maturation 1
 stratigraphy 178, 474–475
 structural styles 475
 tectonosedimentary evolution 177, 179
- Santos Formation 178
- Santos Hinge Line 161, 165
- São Paulo Plateau 176, 177, 224, 225, 471, 472, 473, 475
- São Paulo Ridge 176, 177, 210
- Saudi Arabia
 Ghawar Field 131
 Niban Field 132
- scarp failure 18
- Scotian Basin 332
- seals and sealing behaviour 1, 33, 107
- sequence stratigraphy *see* halokinetic sequence stratigraphy
- Sergipe Basin (Brazil) 136, 139, 140, 143
- Serra da Mantiqueira mountain chain 176, 177
- Serra do Mar mountain chain 176, 177
- Severnyi Field (Russia) 132
- Shah Deniz Field (Azerbaijan) 132
- shear sense, Gulf of Mexico 265, 273, 274, 275–277
- Shelbourne Basin 332, 335
- shelf behaviour, Gulf of Mexico 266–269
- shortening 245, 265, 361, 483–486
- Sieverstedt diapir 261, 262
- Sigsbee Escarpment 270, 275, 276, 606
- Solimões Basin (Brazil) 134, 136, 139
- Solokha–Dykanka Rampart 434, 435, 437, 438
- source maturation 1
- South Atlantic salt basin
 gravity driven processes 245
 petroleum prospectivity and salt tectonics 131
- South Oman Salt Basin
 chronostratigraphy 506
 geological setting 504, 506
 geomechanical modelling
 methods 508
 adaptive remeshing 512
 salt displacement 510
 set-up 508–510
 stringer breaking 510–512
 results 512–515
 results discussed 515–518
 summary 328–329
 map 505
 salt tectonic evolution 506, 508
 seismic section 507
- Southern Grand Banks Fracture Zone 322
- Southern Permian Basin 262, 382, 383
 geological setting 493
 map 490
 seismic section 491, 494, 495, 498
 seismic survey
 methods 493
 results
 folding and offsets 495–497
 pre-salt and top salt 493–494
 Z3 stringer 494–495
 results discussed 497–499
 summary 499
- Spain *see* Basque Pyrenees; Tabernas–Sorbas Basin
- Spindletop Dome (Texas) 1
- spreading, defined 209
- Sr isotopes, La Popa weld veins 115, 116, 119
- stratigraphy
 impact in numerical modelling of salt tectonics 308–309
 methods 309–310
 results
 scenario 1 310–312, 313, 314
 scenario 2 312, 315–317, 318, 320, 321
 scenario 3 317, 319, 321, 323, 324, 326, 327
 results discussed 321–327
 summary 328–329
- stretching 265
- stringers 503, 510, 511, 512, 513, 515, 516, 517
- submarine channels, effects of halokinesis *see* Magnolia Field
- Sverdrup Basin (Canada) 34, 81
- Synthetic Aperture Radar (SAR) imagery 563
- Tabernas–Sorbas Basin (Spain) 291
- Tabnak Field (Iran) 132
- tabular halokinetic sequence 8, 11, 12, 16, 19, 20, 21, 26, 27, 28, 72, 98
 La Popa Weld 39, 73
- tachyhydrite 209
- tapered halokinetic sequence 8, 12, 16, 18, 20, 21, 26, 27, 28, 72, 98, 99
 La Popa Weld 39, 42, 72, 73, 74
- Taquari–Vassouras salt mine 139
- Taraises Formation 110
- Teisseyre–Tornquist Zone 382
- thermal conductivity 1

- thermal subsidence 265, 306
 thickening 265
 thrust fault 26, 478
 thrust and fold belt, Gulf of Mexico slope domain 270–271
 thrust weld 34
 thrust salt structures 246, 247
 thrusts 265
 tilt blocks 265
 tilting and salt flow 207, 208, 229–233
 Titan minibasin 291
 Tornquist Zone 410
 transpression
 Alborz Mountains 574, 576
 Gulf of Mexico 273, 274
 transtension
 Alborz Mountains 574, 576
 Gulf of Mexico 273, 274
 traps 1
 Tunisia *see* Medjez-El-Bab salt structure
 Tupi Fault 162, 163
 Tupi Field (Brazil) **132**, 133, 146
 seismic section 162
 turbidity currents 18
- Ukraine *see* Dneiper–Donets Basin
 Umberatana Group 83, 84
 unconformities, halokinetic 7, 18
 USA 9, 17, 18
 see also Paradox Basin (Utah)
- veins
 La Popa Weld
 geochemical study 109, 111, 113
 isotope analysis 112–113, 115
 $\delta^{13}\text{C}$ 118
 $\delta^{18}\text{O}$ 117
 Sr 115, 116, **119**
 petrography 112, 114
 Viento Formation 9, 18, **23**, 36, 39, 41, 62, 72, 109, 110
 fracture abundance **113**
 viscosity and salt flow 233–234, 245, 304
 analogue modelling 235–240
 numerical modelling 309, 310–312, 313, 314, 328
 Walker Ridge 270, 271, 275, 276, 277, 278
 walls *see* salt walls
 Walvis Ridge Volcanic High 163–164
 Watchet Discontinuity 535, 539, 540
 Watchet–Cothelstone–Hatch Fault 533, 534, 535, 543
 Wearing Dolomite 84, 85
 wedge halokinetic sequence 2, 8, 12, 13, 28, 98, 99
 La Popa Weld 34, 39, **73**
 Wessex Basin (UK) 533, 543
 Whale Basin 332
 Wilcolo Sandstone 84
 Willouran Ranges (Australia) 25, 34
 Wilpena Group 83, 84, 85
 wing structure 255, 256, 257
 Wittingen diapir 261, 262
 Wonoka Formation 84, 85, 88–94, 98
- Yadavaran Field (Iran) **132**
 Yemen, extruded salt diapir 611
 yo-yo faults 248
- Zagros Mountains 18, 81
 fold-and-thrust belt 546
 geological setting 546, 548
 halokinesis 548–550
 analogue modelling
 method 550–551
 results
 folded belt 3D 553–557
 folded belt XS 551–553
 ridge–diapir transition 551
 results discussed 557–559
 map 547
 overturned flaps 608
 Simply Folded Belt 546
 tectonostratigraphy 546, 548
- Zambia 81
 Zechstein salt basin
 petroleum prospectivity 131, 134, 135
 stratigraphy 490
 Zirab–Garmsar fault 563, 564, 569, 573
 Zuloaga Formation 110
 Zwischenahn diapir 261