

Index

Page numbers in *italics* refer to Figures. Page numbers in **bold** refer to Tables.

- accretion profiles
 - high flows of River Wylfe 60
 - low flows of River Wylfe 59
 - Hanch Tunnel 328
 - Leamonsley Brook 330, 331
 - River Bourne 139
- Adit Code 322
- critical issues encountered during implementation **326**
- alluvial aquifers 85–98. *See* Aviemore alluvial aquifer aquifers
 - alluvial aquifers 85–98
 - Carboniferous Limestone aquifers 249–267, 355–358
 - See also* Chalk aquifers
 - Lower Greensand aquifers 103, 283–284
 - See also* Permo-Triassic Sandstone aquifers
 - principal aquifers of England and Wales 25
- Aviemore alluvial aquifer 89–95
 - conceptual diagram 91
 - conceptualization 89–90
 - model parameters **93**
- baseline predictions 12, 58, 275–287, 297–299, 303–313
- Bean Wellfield 103
- Bibby model predictions, Tilmanstone (Kent) Chalk 230
- bourne. *See* winterbourne
- BRANCH. *See* MODBRNCH
- bromate transport, modelling thereof in Chalk 205–225
- bypass flow/recharge 73, 121–122, 252–253
- Carboniferous Limestone aquifers 249–267, 355–358
 - aquifer properties 262
 - function of vadose (unsaturated) zone, 257–261
 - water balances 261–262
- capillary flux 80–81, 118, 121, 343–345
- case study locations 3
- Catchment Abstraction Management Strategies (CAMS) 23–28
- Catchmod **74**, 75, 121
- Chalk
 - advances in modelling 113–127
 - bourne. *See* winterbourne
 - bypass flow/recharge 73, 121–122
 - capillary flux 80–81, 118, 121
 - conceptual models 117, 120, 177, 201, 212, 237
 - contaminant transport modelling 205–248
 - diffusive exchange 208–223, 227–248
 - dual permeability 114
 - dual porosity/storage 122, 199–202, 213–223, 227–248
 - fracture v. matrix flow in unsaturated zone 117–119
 - groundwater flooding 117, 122–123
 - hardgrounds 135–152, 232–240
 - influence of groundwater model boundaries 155–172
 - preferential flow/recharge. *See* bypass flow/recharge
 - stratigraphy 114–117, 131–133, 229
 - stream-aquifer interaction 119–121, 133, 135–142, 275, 277–280, 282–286
 - unsaturated zone storage 119, 120, 122, 199–202
 - variable hydraulic conductivity with depth (VKD) 122, 139–152, 157, 199, 295–296
 - winterbourne 119–121, 133, 135–142
- Chalk aquifers
 - East Hampshire and Chichester 149, 274–275, 282–283
 - Ely-Ouse. *See* Northern East Anglian Chalk (NEAC)
 - Essex 284. *See also* Northern East Anglian Chalk (NEAC)
 - Hertfordshire 205–225
 - Kent 151, 227–248
 - London Basin 99–111
 - Lincolnshire 173–191
 - North West Norfolk 275, 286. *See also* Northern East Anglian Chalk (NEAC)
 - Northern East Anglian 155–172
 - Pang and Lambourn 114–121
 - Southern England, 129–154
 - Vale of St Albans 193–204
 - Waveney and East Sussex. *See* Northern East Anglian Chalk (NEAC)
 - Wessex Basin 133–147, 279–282
 - Yare and North Norfolk. *See* Northern East Anglian Chalk (NEAC)
- Chalk model parameters
 - hydraulic conductivity 215
 - transmissivity 146, 148, 197
 - transport **218**, **231**, **238**
- Chalk vertical profiles
 - effective aperture 235
 - hydraulic conductivity 116, 233, 234
 - matrix porosity 229
 - pore water 118, 236, 240, 241
 - Tilmanstone (Kent) 232–236
- chloride transport, modelling thereof in Chalk 227–248
- climate change 32, 46, 58, 80, 318
- conceptual model development 9–12, 27
- conduit flow 205–225, 249–267
- Conduit Flow Process (CFP) 223, 323
- conjunctive use 7–8, 13, 32, **44**, 156, 173, 188, 190, 281, 284
- contaminant transport modelling 205–248
- contaminant transport modelling codes
 - Dual-Porosity in 1-Dimension (DP1D) code 228–240
 - MT3D-MS 214–218
- contaminant transport predictions
 - bromate, Hertfordshire Chalk 220
 - chloride, Tilmanstone (Kent) Chalk 230, 239, 242–243, 244, 245
- Continuous Estimation of River Flows (CERF) 66, **74**, 252
- rainfall dataset 67
- Delft-FEWS software 52–54
- Department for Environment, Food and Rural Affairs (DEFRA), UK 22–23
- dewatering model 355–358
- diffusive exchange 208–223, 227–248

- drift, model representation thereof 13–14, 337, 340
dual continuum approach 200, 364
Dual-Porosity in 1-Dimension (DP1D) code 228–240
- East Hampshire and Chichester Chalk 149, 274–275, 282–283
ecological impacts 29, 299–301,
Eden Valley Permo-Triassic Sandstone 296–301
Ely-Ouse Chalk. *See* Northern East Anglian Chalk (NEAC)
Environment Agency of England and Wales 2–4, 8, 19–22
Environment Agency Recharge Code 74, 75, 121
Equivalent Porous Medium (EPM) approach 213–214, 222, 249, 357–358
Essex Chalk 284. *See also* Northern East Anglian Chalk (NEAC)
- FAO 56 method 68–81
 actual evapotranspiration calculation, Penman-Grindley v. FAO 56 72
FEFLOW 62
Fickian diffusive exchange 227
flow impact prediction examples, formats and methods 271–274
four R (4R) 75–77, 141–142, 157, 169, 252, 271
Fylde Sherwood Sandstone 13–14
- groundwater abstraction impact predictions
 Ashwood, West Midlands-Worfe Permo-Triassic Sandstone 276–279, 309–317
 Bocking, Essex Chalk 280, 284
 Cookley, West Midlands-Worfe Permo-Triassic Sandstone 309–313
 Dimmingsdale, West Midlands-Worfe Permo-Triassic Sandstone 309–313
 Glandford, Yare and North Norfolk Chalk 274–275
 Hanch Tunnel, Lichfield Permo-Triassic Sandstone 330–331
 Hardham conjunctive abstraction scheme, Lower Greensand 281, 284–285
 Havant and Bedhampton, East Hampshire and Chichester Chalk 273–275
 Leckford and Clarendon, Wessex Basin Chalk 277, 279–282
 Norton RCL, West Midlands- Worfe Permo-Triassic Sandstone 309–313
 recommended groundwater model runs 283
 River Leith, Eden Valley Permo-Triassic Sandstone 296–301
 stream flows 274–302, 309–317, 330–331
 Wensum, Yare and North Norfolk Chalk 282, 286
 Worlds End, East Hampshire and Chichester Chalk 278, 282–283
- groundwater abstraction impact predictions on ecology 299–301
groundwater body WFD status, England & Wales 33
groundwater flooding 117, 122–123
groundwater models
 lumped parameter models 249–267
 See also regional groundwater models
 water balance models 249–267
- groundwater modelling codes
 FEFLOW 62
 ICMM 106
 See also MODFLOW, ZOOMQ3D
guidance notes on groundwater modelling 8, 10–12, 19, 27
guidance on when to rely on predictions 46
- Habitats Directive 23–26
Hertfordshire Chalk 205–225
historic
 abstraction of West Midlands-Worfe aquifer 306
 Bratch pumping station 2
 Chalk groundwater levels and chloride concentrations, Grimsby, Lincolnshire 175
 Chalk groundwater level evolution, Trafalgar Square, London 102
 numerical model development 11
history of
 groundwater exploitation in the UK 7
 groundwater modelling in the UK 1–2, 21–22
 Lichfield Permo-Triassic Sandstone aquifer use 319–320
 long-term recharge and abstraction, Lincolnshire Chalk 183–184, 185–187
- ICMM 106
Impact of Groundwater Abstraction on River Flows (IGARF) 270, 275, 289–290, 296, 301
influence of groundwater model boundaries 155–172
 behaviour and influence of groundwater divides 165–167
 effect of edge boundaries 161–165
- joining and splitting of models 155–172
 cross-boundary consistency 167–169
 method to join and split MODFLOW models 158–161
 overcoming difficulties of large joined models 169–170
- karst 205–225, 249–267, 355–358
Kent Chalk 151, 227–248
- legal drivers for groundwater modelling, England and Wales 22–23, 24
Lichfield Permo-Triassic Sandstone 319–332
Lincolnshire Chalk 173–191
location maps
 Aviemore alluvial aquifer 88, 90
 case study locations 3
 Eden Valley Permo-Triassic Sandstone 298
 Groundwater abstraction impact examples 272
 Groundwater body WFD status, England & Wales 33
 Hertfordshire Chalk bromate contamination 206
 Lichfield Permo-Triassic Sandstone 320
 Lincolnshire Chalk 174
 Northern East Anglia Chalk (NEAC) 157
 Mendip Carboniferous Limestone 250
 Pang and Lambourn catchments 114
 principal aquifers, England & Wales 25
 regions of the Environment Agency 21
 Scottish groundwater models 88
 Southern Chalk regional groundwater models 130
 Tilmanstone (Kent) Chalk chloride contamination 228
 Thames catchment (London basin) 100
 Vale of St Albans Chalk 194

- West Midlands-Worfe Permo-Triassic Sandstone 305
- Wirral Permo-Triassic Sandstone 334
- London Basin Chalk 99–100
- London Basin Chalk groundwater modelling 99–111
- Lower Greensand aquifers 103, 283–284
- low flow alleviation 156, 161, 164, 167, 321
- lumped parameter models 249–267
- mains leakage 73
- Mendip Carboniferous Limestone 249–267, 355–358
- Method of Interactive Planning for Water Management (MIPWA) 20
- modelling tasks 11
- moderate diffusivity aquifer management 303–318
- MODFLOW
 - Conduit Flow Process (CFP) 223, 322
 - dry cells 196
 - four R (4R) 75, 141–142, 157, 169, 271, 273, 279, 282–284, 287
 - MODBRNCH 319, 322, 331. *See also* Adit Code
 - splitting and joining 160
 - VKD 141–152, 157, 194, 254
- MORECS model 66–68, 74, 177, 342–343
- MOSES model 66–68, 74, 79, 252, 343
- MT3D-MS 214–218
- national groundwater modelling programme, England & Wales 2–3, 19–37
 - conceptual model development and regulation 27
 - groundwater body WFD status, England & Wales 3.3
 - implementation of the programme 24–30
 - origin of the modelling programme 21–23
 - progress with groundwater investigations 26
 - strategic operational uses of groundwater models 23, 24
 - tactical use of groundwater models 23, 24
 - tiered guidance and modelling tools 30
 - what could be done better 30–34
- National Groundwater Modelling System (NGMS) 49–63
 - examples of operational use 56–58
 - functionality 53–56
 - operational structure 51–52
- National Rivers Authority 2, 21, 182
- non-technical summary for water resources managers 44
- Northern East Anglian Chalk (NEAC) 155–172
- Pang and Lambourn Chalk 114–121
- parallelization 169–170, 368
- parameter estimation (PEST) 195–198, 353–373
 - advantages over manual calibration 369–370
 - application of inverse techniques 354–355
 - common concerns 358–369
 - parallelization 368
 - pilot points 196, 360, 362
 - regularization 360
 - sensitivity analysis 370–371
 - singular value decomposition (SVD) 364–365
 - Tikhonov regularization 364
- Penman-Monteith approach 68–69
- Permo-Triassic (Sherwood) Sandstone aquifers
 - Eden Valley 296–301
 - Fylde 13–14
 - Lichfield 319–332
 - West Midlands-Worfe 14–15, 276–279, 303–318
 - Wirral 333–351, 355
- Permo-Triassic (Sherwood) Sandstone
 - conceptual model 337
 - lithostratigraphy 306
 - model parameters 299, 307, 324, 369
 - stream-aquifer interaction 276–279, 296–301, 309–317, 326–331
- PEST 195–198, 353–373. *See also* parameter estimation
- phased modelling approach 8–12, 27
- predictions
 - baseline 12, 58, 275–287, 297–299, 303–313
 - Bibby model, Tilmanstone (Kent) Chalk 230
 - flow impact prediction examples, formats and methods 271–274
 - guidance on when to rely on predictions 46
 - modelling protocol groundwater abstraction impact combined with surface water influences 286–287
 - See also* contaminant transport predictions, groundwater abstraction predictions
- principal aquifers of England and Wales 25
- Public Health Act 1848 1
- quarry dewatering model 355–358
- rapid model for estimating the depletion in river flows 289–302
 - impacts on ecology 299–301
 - River Leith case study 296–301
- recharge estimation 65–83
 - actual evapotranspiration calculation Penman-Grindley v. FAO 56, 72
 - catchment conceptualization 71
 - definitions 70
 - groundwater model recharge methods 74
 - key processes 69–73
 - national data sets 66–69
 - ongoing issues 79–81
- recharge and runoff modelling codes 73–79
 - Catchmod 74, 75, 121
 - four R (4R) 75–77, 141–142, 157, 169, 252, 271, 273, 279, 282–284, 287
 - Environment Agency Recharge Code 74, 75, 121
 - SHE 76–79
 - ZOODRM 79, 90, 96, 103
- refining existing regional model 333–351
 - modifications to the regional model 340–345
 - revised conceptual model 336–337
- Regional Aquifer System Analysis (RASA) programme 20
- regions of the Environment Agency of England and Wales 21
- regional groundwater models
 - Cam and Bedford Ouse Chalk. *See* Northern East Anglian Chalk (NEAC)
 - East Hampshire and Chichester Chalk 149, 274–275, 282–283
 - East Kent Chalk 151
 - Ely-Ouse Chalk. *See* Northern East Anglian Chalk (NEAC)
 - Essex Chalk 284. *See also* Northern East Anglian Chalk (NEAC)
 - Fylde Sherwood Sandstone 13–14
 - Hardham Basin Lower Greensand 284–285
 - Lichfield Permo-Triassic Sandstone 319–332
 - Lincolnshire Chalk 173–191

- regional groundwater models (*Continued*)
 London Basin Chalk 106–109
 North Kent Chalk 151
 Northern East Anglian Chalk (NEAC) 155–172
 North West Norfolk Chalk 275, 286. *See also* Northern East Anglian Chalk (NEAC)
 Swanscombe (London Basin) Chalk 103–106
 Test and Itchen Chalk 147–149
 Vale of St. Albans Chalk 193–204
 Waveney and East Sussex Chalk. *See* Northern East Anglian Chalk (NEAC)
 Wessex Basin Chalk 133–147, 279–282
 West Midlands-Worfe Permo-Triassic Sandstone 14–15, 276–279, 303–318
 Wirral Permo-Triassic Sandstone 333–351, 355
 Yare and North Norfolk Chalk. *See* Northern East Anglian Chalk (NEAC)
- regularization 360
 Restoring Sustainable Abstraction programme 23
 Riparian zones and capillary flux 80–81
 runoff recharge 72, 117
- saline intrusion 29, 33, 149, 151, 173–191
 scoping study 9, 29
 Scottish alluvial aquifers, modelling thereof 85–98
 Aviemore alluvial aquifer 89–95
 groundwater models 88
 singular value decomposition (SVD) 364–365
 stakeholder engagement 39–48
 benefits realization 42–45
 good practice international experience 40–42
 guidance on when to rely on predictions **46**
 non-technical summary for water resources managers **44**
 using predictions 45–46
 strategic operational uses of groundwater models 23, **24**
- SHE 76–79
 Sherwood Sandstone. *See* Permo-Triassic Sandstone
 Shropshire Groundwater Scheme 30
 Southern Chalk 129–154
 Southern Chalk regional groundwater models 129–154, 274–275, 279–283
 stream-aquifer interaction 119–121, 133, 135–142, 269–301, 309–317, 326–331
- tactical use of groundwater models 23, **24**, 182–185
 technical standards, groundwater modelling 7–17
 phased approach 8–10
 template project brief and guidance notes 10–13
 Texas Groundwater Availability Modeling (GAM) programme 20
 Thames catchment (London basin) 100
 Tiered Guidance and Modelling Tools **30**
 Tikhonov regularization 364
 tracer tests 210, 251
 tunnel simulation 319–332
- UCODE 31
 unsaturated zone 73, 80, 117–120, 122, 137–140, 257–261
- Vale of St Albans Chalk 193–204
 variable hydraulic conductivity with depth (VKD) 122, 139–152, 157, 199, 254, 295–296
- Water Act 1945 7
 Water Act 1973 6, 21, 65
 Water Authorities (regional) 7, 21
 water balance modelling 249–267
 Water Framework Directive (WFD) of European Community 4, 20, 22–33, 303
 Water Resources Act 1963 3, 7, 21, 311, 317
 Water Resources Act 1991 185
 Water Resources Board (WRB) 7, 21
 Waveney and East Sussex. *See* Northern East Anglian Chalk (NEAC)
 Weibull formula 313
 Wessex Basin 133–147, 279–282
 West Midlands-Worfe Permo-Triassic Sandstone 14–15, 276–279, 303–318
 wetlands 29, 93, 119, 151, 165, 284, 333–351
 winterbourne 119–121, 133, 135–142
 Wirral Permo-Triassic Sandstone 333–351, 355
- Yare and North Norfolk Chalk. *See* Northern East Anglian Chalk (NEAC)
- ZOODRM 79, 90, 96, 103
 ZOOPT 103
 ZOOMQ3D 90–96, 103, 122, 290–293