

## Anatomy, phylogeny and palaeobiology of early archosaurs and their kin

STERLING J. NESBITT<sup>1,2\*</sup>, JULIA B. DESOJO<sup>3</sup> & RANDALL B. IRMIS<sup>4,5</sup>

<sup>1</sup>*Department of Biology, University of Washington, Seattle, WA 98195-1800, USA*

<sup>2</sup>*Division of Paleontology, American Museum of Natural History, Central Park West at 79th Street, New York, NY 10024, USA*

<sup>3</sup>*CONICET, Sección Paleontología de Vertebrados, Museo Argentino de Ciencias Naturales 'Bernardino Rivadavia', Av. Angel Gallardo 470, Buenos Aires, C1405DRJ, Argentina*

<sup>4</sup>*Natural History Museum of Utah, 301 Wakara Way, Salt Lake City, UT 84108-1214, USA*

<sup>5</sup>*Department of Geology & Geophysics, University of Utah, Salt Lake City, UT 84112-0102, USA*

\*Corresponding author (e-mail: [sjn2104@gmail.com](mailto:sjn2104@gmail.com))

Archosauria include two extant clades, crocodylians and avians. However, the diversification of the avian and crocodylian crown groups are relatively recent events that began during the Late Cretaceous (Brochu 2001, 2003; Clarke *et al.* 2005), less than 100 Ma ago. These crown diversifications are shallow in time compared to the much deeper divergence of the crocodylian and avian stem lineages in the Triassic, approximately 250 Ma ago (Butler *et al.* 2011; Nesbitt 2011; Nesbitt *et al.* 2011). The early archosaurian diversification began in the wake of the devastating end-Permian mass extinction, and the divergence of both lineages and disparate body forms was rapid, occurring less than 10 Ma after the first archosaur (Nesbitt *et al.* 2010). This initial diversification was severely affected by the end-Triassic mass extinction approximately 50 Ma later, and only three major archosaur clades – pterosaurs, dinosaurs and crocodylomorphs – survived to diversify during the rest of the Mesozoic.

Since the cladistic revolution first affected studies of archosaur phylogeny nearly 30 years ago (e.g. Benton 1985; Clark 1986; Gauthier 1986; Sereno 1986; Benton & Clark 1988), many workers attempted to elucidate the early evolutionary history of archosaurs during the late 1980s and early 1990s (e.g. Benton & Clark 1988; Sereno 1991; Parrish 1993; Juul 1994). Whereas the pace of phylogenetic study for pterosaurs, dinosaurs and crocodylomorphs continued unabated through to the present day, early archosaur work reached little consensus (Gower & Wilkinson 1996), and novel phylogenetic datasets attempting to resolve the interrelationships of the major early clades were

comparatively rare after the mid-1990s. Nonetheless, discoveries of new taxa and specimens continued throughout the 1990s and 2000s.

With these new discoveries, interest in the evolutionary history of early archosaurs and their close relatives has accelerated in the past 10 years, as evidenced by the vast number of recent studies concentrating on these diapsid reptiles. Since 2000, a minimum of 48 new taxa of early archosauriforms (Table 1) has been named, and nearly all of these are Triassic in age. The combination of the discovery of new species in existing collections and the re-evaluation of previously described specimens has had a major impact on our understanding of the evolutionary history of these groups.

Yet, the accelerated pace of discovery and disparate worldwide locations of these new fossils, as well as early archosaur researchers themselves, has impeded consensus in the field. Therefore, in September 2011, two of the co-editors (S.J. Nesbitt and J.B. Desojo) convened the first symposium of early archosaur evolution at the IV Congreso Latinoamericano de Paleontología de Vertebrados in San Juan, Argentina. It focused on recent advances in the study of early archosaurs and their relatives in order to coalesce researchers from across the globe to present, discuss and synthesize current research on early archosauriform evolution. During that meeting, researchers from Poland, Russia, Brazil, Germany, China, the USA, Argentina and the UK (Table 2) gave 30 presentations over 2 days addressing new and re-described specimens, new phylogenetic hypotheses, functional morphology and macroevolutionary patterns.

**Table 1.** *New taxa of early archosauriforms described since 2000***Non-archosaurian archosauriforms**

- Archeopelta arborensis* Desojo *et al.* (2011)  
*Chanaresuchus ischigualastensis* Trotteyn *et al.* (2012)  
*Koilamasuchus gonzalezdiazi* Ezcurra *et al.* (2010)  
*Osmolskina czatkowicensis* Borsuk-Białynicka & Evans (2003)  
*Yonghesuchus sangbiensis* Wu *et al.* (2001)  
*Doswellia sixmilensis* Heckert *et al.* (2012)

**Phytosaurs**

- Mystriosuchus westphali* Hungerbühler & Hunt (2000)  
*Nicrosaurus meyeri* Hungerbühler & Hunt (2000)  
*Machaeropsopos jablonskiae* Parker & Irmis (2006)  
*Pravusuchus hortus* Stocker (2010)  
*Protome batalaria* Stocker (2012)

**Aetosaurs**

- Apachesuchus heckerti* Spielmann & Lucas (2012)  
*Adamanasuchus eisenhardtae* Lucas *et al.* (2007)  
*Aetobarbakinooides brasiliensis* Desojo *et al.* (2012)  
*Desmatosuchus smalli* Parker (2005)  
*Redondasuchus rineharti* Spielmann *et al.* (2006)  
*Rioarribosuchus chamaensis* Lucas *et al.* (2006)  
*Sierritasuchus macalpini* Parker *et al.* (2008)  
*Stagonolepis olenkae* Sulej (2010)  
*Stenomyti huangae* Small & Martz (2013)  
*Tecovasuchus chatterjeei* Martz & Small (2006)  
*Typothorax antiquum* Lucas *et al.* (2002)

**'Rauisuchians'**

- Arganasuchus dutuiti* Jalil & Peyer (2007)  
*Bystrowisuchus fterovi* Sennikov (2012)  
*Decuriasuchus quartacolonina* França *et al.* (2011)  
*Diandongosuchus fuyuanensis* Li *et al.* (2012)  
*Effigia okeeffeae* Nesbitt & Norell (2006)  
*Hypselorhachis mirabilis* Butler *et al.* (2009)  
*Polonosuchus silesiacus* Sulej (2005)  
*Postosuchus alisonae* Peyer *et al.* (2008)  
*Qianosuchus mixtus* Li *et al.* (2006)  
*Yarasuchus deccanensis* Sen (2005)

**Non-crocodyliform crocodylomorphs**

- Dromicosuchus grillator* Sues *et al.* (2003)  
*Junggarsuchus sloani* Clark *et al.* (2004)  
*Kayentasuchus walkeri* Clark & Sues (2002)  
*Litargosuchus leptorhynchus* Clark & Sues (2002)  
*Phyllodontosuchus lufengensis* Harris *et al.* (2000)  
*Redondavenator quayi* Nesbitt *et al.* (2005)

**Triassic pterosaurs**

- Austridactylus cristatus* Dalla Vecchia *et al.* (2002)  
*Caviramus schesaplanensis* Fröbisch & Fröbisch (2006)  
*Eudimorphodon cromptonellus* Jenkins *et al.* (2001)  
*Raeticodactylus filisurensis* Stecher (2008)

**Non-dinosaurian dinosauromorphs**

- Agnosphitys cromhallensis* Fraser *et al.* (2002)  
*Asilisaurus kongwe* Nesbitt *et al.* (2010)  
*Diodorus scytobrachion* Kammerer *et al.* (2012)  
*Dromomeron gregorii* Nesbitt *et al.* (2009)  
*Dromomeron romeri* Irmis *et al.* (2007)  
*Sacisaurus agudoensis* Ferigolo & Langer (2007)  
*Silesaurus opolensis* Dzik (2003)

**Table 2.** *List of the Participants of the Early Archosaurs and Their Kin Symposium 2011*

- 
- Arcucci, Andrea B.** Area de Zoología, Universidad Nacional de San Luis, Argentina.
- von Baczko, María Belén.** CONICET. Sección de Paleontología de Vertebrados, Museo Argentino de Ciencias Naturales ‘Bernardino Rivadavia’, Buenos Aires, Argentina.
- Bittencourt, Jonathas S.** Laboratório de Paleontologia, Faculdade de Filosofia, Ciências e Letras, Universidade de São Paulo, Ribeirão Preto, Brazil.
- Brusatte, Stephen L.** Division of Paleontology, American Museum of Natural History, New York, NY 10024, USA
- Cerda, Ignacio A.** CONICET-INIBIOMA, Museo de Geología y Paleontología, Universidad Nacional del Comahue, Buenos Aires, Argentina.
- Corwin, Sullivan K.** Laboratory of Evolutionary Systematics of Vertebrates, Institute of Vertebrate Paleontology and Paleoanthropology, Beijing, China.
- Desojo, Julia B.** CONICET. Sección de Paleontología de Vertebrados, Museo Argentino de Ciencias Naturales ‘Bernardino Rivadavia’, Buenos Aires, Argentina.
- Ezcurra, Martin D.** Sección de Paleontología de Vertebrados, Museo Argentino de Ciencias Naturales ‘Bernardino Rivadavia’, Buenos Aires, Argentina.
- Garner, Thomas.** Department of Earth Sciences, Denver Museum of Nature and Science, Denver, Colorado, USA.
- Gower, David J.** Department of Zoology, The Natural History Museum, London, UK.
- Holliday, Casey M.** Department of Integrative Anatomy, University of Missouri, Missouri, USA.
- Irmis, Randall B.** Natural History Museum of Utah and Department of Geology & Geophysics, University of Utah, Salt Lake City, Utah, USA.
- Lacerda, Marcel.** Laboratório de Paleovertebrados, Departamento de Paleontologia e Estratigrafia, Instituto de Geociências, UFRGS, Porto Alegre, Brazil.
- Langer, Max C.** Laboratório de Paleontologia, FFCLRP-USP, Ribeirão Preto, SP, Brazil.
- Liparini, Alexandre.** Laboratório de Paleovertebrados, Departamento de Paleontologia e Estratigrafia, Instituto de Geociências, UFRGS, Porto Alegre, Brazil.
- Mastrantonio, Martins Bianca.** Centro Universitário Metodista IPA, Porto Alegre, RS, Brazil.
- Nesbitt, Sterling J.** Department of Biology, University of Washington, Seattle, Washington, USA.
- Raugust, Tiago.** Laboratório de Paleovertebrados, Departamento de Paleontologia e Estratigrafia, Instituto de Geociências, UFRGS, Porto Alegre, Brazil.
- Parker, William G.** Division of Resource Management, Petrified Forest National Park, Arizona, USA.
- Schultz, Cesar L.** Laboratório de Paleovertebrados, Departamento de Paleontologia e Estratigrafia, Instituto de Geociências, UFRGS, Porto Alegre, Brazil.
- Sennikov, Andrey G.** Paleontological Institute RAS, Moscow, Russia.
- Small, Bryan J.** Department of Earth Sciences, Denver Museum of Nature and Science, Denver, Colorado, USA.
- Smith, Nathan D.** Department of Geology, The Field Museum of Natural History, Chicago, Illinois, USA.
- Stocker, Michelle R.** Department of Geological Sciences, Jackson School of Geosciences, The University of Texas at Austin, Austin, Texas, USA.
- Taborda, Jeremias R. A.** CONICET. Sección de Paleontología de Vertebrados, Museo Argentino de Ciencias Naturales ‘Bernardino Rivadavia’, Buenos Aires, Argentina.
- Trotteyn, Maria Jimena.** CONICET. Complejo Universitario Islas Malvinas. Universidad Nacional de San Juan, San Juan, Argentina.
- Turner, Alan H.** Department of Anatomical Sciences, Stony Brook University, Stony Brook, New York, USA.
- Weinbaum, Jonathan C.** Biology Department, Southern Connecticut State University, New Haven, Connecticut, USA.
- Werning, Sarah.** Museum of Paleontology and Department of Integrative Biology, University of California, Berkeley, California, USA.
-

The current Special Publication arose from this symposium, containing synthetic reviews of the major early archosauriform clades, along with additional contributions of new research on a variety of topics. The 11 syntheses cover most of Triassic archosauriform diversity, and these summaries provide the most up-to-date information on each clade provided by experts currently studying these groups. In each of these chapters, authors provide a consensus view of the evolutionary importance of the clade, phylogenetic definition(s), its fossil record both in time and space, a brief description of the anatomy, the most up-to-date hypotheses of phylogenetic relationships (within the group and among other archosauriforms), available palaeobiological inferences and future perspectives. What is particularly noticeable among all these summaries is the renewed attention to resolving early archosauriform and archosaur phylogeny.

The remaining contributions reflect the diversity of new work on the early archosauriform fossil record. Large advances in our understanding of the evolution of early archosauriforms have been gained by new fieldwork and the re-analysis of previously collected specimens. These discoveries are reflected in the wealth of new anatomical data presented here (e.g. *Prestosuchus* braincase, **Mastrantonio et al. 2013**; Brazilian *Chanaresuchus*, **Raugust et al. 2013**; *Decuriasuchus* skull, **De França et al. 2013**; new Colorado aetosaur, **Small & Martz 2013**; *Postosuchus* postcrania, **Weinbaum 2013**; new *Poposaurus* cranial material, **Parker & Nesbitt 2013**; and *Sacisaurus* full description, **Langer & Ferigolo 2013**), particularly with respect to a blossoming of South American work. These data, in turn, help to provide new information that advance phylogenetic hypotheses (Early–Middle Triassic tracks, **Niedźwiedzki et al. 2013**; new *Poposaurus* cranial material, **Parker & Nesbitt 2013**; and *Sacisaurus* full description, **Langer & Ferigolo 2013**). With all the focus on new taxa and their phylogenetic implications, higher-order palaeobiological study of early archosauriforms has not always kept pace but new work is remedying this situation. Emerging insights into functional morphology (mandibular joint evolution, **Holliday & Nesbitt 2013**; *Prestosuchus* leg muscles, **Liparini et al. 2013**), growth and ontogeny (new Colorado aetosaur, **Small & Martz 2013**; aetosaur osteoderm histology, **Taborda et al. 2013**), and macroevolutionary patterns (body size evolution, **Turner & Nesbitt 2013**) are enriching our understanding of this Triassic radiation.

The dramatic recent increase in our knowledge of early archosaurs and their relatives has advanced what major research questions we can ask. Fortunately, the number and geographical distribution

of early archosaur researchers has expanded, especially among early-career scientists. As a community, we are revisiting the alpha taxonomy and osteology of older nominal taxa using apomorphy-based identifications in order to avoid chimeric holotypes (a problem in previous taxonomic studies that mixed ‘rauisuchian’ with dinosaur material, and aetosaur with phytosaur material) and the potential circularity of conflating stratigraphical/geographical attribution with appropriate morphologically-based diagnoses. At the same time, new fieldwork globally has targeted areas that have the potential to fill in gaps in our understanding of archosaur phylogeny and palaeobiology. Morphological studies are taking into consideration the ongoing need to revise and discover additional characters using new types of data (e.g. functional, histological) for use in future systematic analyses. Similarly, technological advances have played their part, from the use of digital photography and 3D surface imaging to greatly enhance the speed and accuracy of recording information on specimens that are too numerous and large to be loaned between national and international collections, to the application of computed tomography to non-destructively examine internal structures of bones. These approaches have ultimately led to advances in understanding the palaeobiology of the early relatives of archosaurs. For example, our understanding of early archosaur locomotion, diet, ontogeny and behaviour have all improved.

One of the important accomplishments of this synthesis is that most of the specialists of the world achieved a sufficient consensus to write several overviews of early archosaurs on the present book, given the diversity of opinion, language and culture. Therefore, this Special Publication serves as a true synoptic ‘state-of-the-art’ view of our understanding of early archosaurs and their relatives. We hope it serves as a benchmark for current knowledge and highlights future research avenues.

## References

- BENTON, M. J. 1985. Classification and phylogeny of the diapsid reptiles. *Zoological Journal of the Linnean Society*, **84**, 97–164.
- BENTON, M. J. & CLARK, J. M. 1988. Archosaur phylogeny and the relationships of the Crocodylia. In: BENTON, M. J. (ed.) *The Phylogeny and Classification of the Tetrapods, Volume 1: Amphibians, Reptiles, Birds*. Clarendon Press, Oxford, 295–338.
- BORSUK-BIAŁYNIĆKA, M. & EVANS, S. E. 2003. A basal archosauriform from the Early Triassic of Poland. *Acta Palaeontologica Polonica*, **48**, 649–653.
- BROCHU, C. A. 2001. Progress and future directions in archosaur phylogenetics. *Journal of Paleontology*, **75**, 1185–1201.

- BROCHU, C. A. 2003. Phylogenetic approaches toward crocodylian history. *Annual Review of Earth and Planetary Sciences*, **31**, 357–397.
- BUTLER, R. J., BARRETT, P. M., ABEL, R. L. & GOWER, D. J. 2009. A possible ctenosauriscid archosaur from the Middle Triassic Manda beds of Tanzania. *Journal of Vertebrate Paleontology*, **29**, 1022–1031.
- BUTLER, R. J., BRUSATTE, S. L., REICH, M., NESBITT, S. J., SCHOCH, R. R. & HORNUNG, J. J. 2011. The sail-backed reptile *Ctenosauriscus* from the latest Early Triassic of Germany and the timing and biogeography of the early archosaur radiation. *PLoS One*, **6**, e25693, 1–28.
- CLARK, J. M. 1986. *Phylogenetic relationships of the crocodylomorph archosaurs*. PhD, University of Chicago, Chicago, IL.
- CLARK, J. M. & SUES, H.-D. 2002. Two new basal crocodylomorph archosaurs from the Lower Jurassic and the monophyly of the Sphenosuchia. *Zoological Journal of the Linnean Society*, **136**, 77–95.
- CLARK, J. M., XU, X., FORSTER, C. A. & WANG, Y. 2004. A Middle Jurassic ‘sphenosuchian’ from China and the origin of the crocodylian skull. *Nature*, **430**, 1021–1024.
- CLARKE, J. A., TAMBUSI, C. P., NORIEGA, J. I., ERICKSON, G. M. & KETCHAM, R. A. 2005. Definitive fossil evidence for the extant avian radiation in the Cretaceous. *Nature*, **433**, 305–308.
- DALLA VECCHIA, F. M., WILD, R., HOPF, H. & REITNER, J. A. 2002. A crested rhamphorhynchoid pterosaur from the Late Triassic of Austria. *Journal of Vertebrate Paleontology*, **22**, 195–198.
- DE FRANÇA, M. A. G., LANGER, M. C. & FERIGOLO, J. 2013. The skull anatomy of *Decuriasuchus quartacolonina* (Pseudosuchia: Suchia: Loricata) from the middle Triassic of Brazil. In: NESBITT, S. J., DESOJO, J. B. & IRMIS, R. B. (eds) *Anatomy, Phylogeny and Palaeobiology of Early Archosaurs and their Kin*. Geological Society, London, Special Publications, **379**, first published on February 13, 2013, <http://dx.doi.org/10.1144/SP379.8>
- DESOJO, J. B., EZCURRA, M. D. & SCHULTZ, C. L. 2011. An unusual new archosauriform from the Middle–Late Triassic of southern Brazil and the monophyly of Doswelliidae. *Zoological Journal of the Linnean Society*, **161**, 839–871, <http://dx.doi.org/10.1111/j.1096-3642.2010.00655.x>
- DESOJO, J. B., EZCURRA, M. D. & KISCHLAT, E. E. 2012. A new aetosaur genus (Archosauria: Pseudosuchia) from the early Late Triassic of southern Brazil. *Zootaxa*, **3166**, 1–33.
- DZIK, J. 2003. A beaked herbivorous archosaur with dinosaur affinities from the early Late Triassic of Poland. *Journal of Vertebrate Paleontology*, **23**, 556–574.
- EZCURRA, M. D., LECUONA, A. & MARTINELLI, A. 2010. A new basal archosauriform diapsid from the Lower Triassic of Argentina. *Journal of Vertebrate Paleontology*, **30**, 1433–1450.
- FERIGOLO, J. & LANGER, M. C. 2007. A Late Triassic dinosauriform from south Brazil and the origin of the ornithischian predecestral bone. *Historical Biology*, **19**, 23–33.
- FRANÇA, M. A. G., FERIGOLO, J. & LANGER, M. C. 2011. Associated skeletons of a new middle Triassic ‘Rauisuchia’ from Brazil. *Naturwissenschaften*, **98**, 389–395.
- FRASER, N., PADIAN, K., WALKDEN, G. & DAVIS, A. 2002. Basal dinosauriform remains from Britain and the diagnosis of the Dinosauria. *Palaeontology*, **45**, 79–95.
- FRÖBISCH, N. B. & FRÖBISCH, J. 2006. A new basal pterosaur genus from the Upper Triassic of Northern Calcareous Alps of Switzerland. *Palaeontology*, **49**, 1081–1090.
- GAUTHIER, J. 1986. Saurischian monophyly and the origin of birds. In: PANDIA, K. (ed.) *The Origin of Birds and the Evolution of Flight*. California Academy of Sciences, Memoirs, **8**, 1–55.
- GOWER, D. J. & WILKINSON, M. 1996. Is there any consensus on basal archosaur phylogeny? *Philosophical Transactions of the Royal Society of London, Series B*, **263**, 1399–1406.
- HARRIS, J. D., LUCAS, S. G., ESTEP, J. W. & LI, J. 2000. A new and unusual sphenosuchian (Archosauria: Crocodylomorpha) from the Lower Jurassic Lufeng Formation, People’s Republic of China. *Neues Jahrbuch für Geologie und Paläontologie, Abhandlungen*, **215**, 47–68.
- HECKERT, A. B., LUCAS, S. G. & SPIELMANN, J. A. 2012. A new species of the enigmatic archosauromorphs *Doswellia* from the Upper Triassic Bluewater Creek Formation, New Mexico, USA. *Palaeontology*, **55**, 1333–1348.
- HOLLIDAY, C. M. & NESBITT, S. J. 2013. Morphology and diversity of the mandibular symphysis of archosauriforms. In: NESBITT, S. J., DESOJO, J. B. & IRMIS, R. B. (eds) *Anatomy, Phylogeny and Palaeobiology of Early Archosaurs and their Kin*. Geological Society, London, Special Publications, **379**, first published on January 24, 2013, <http://dx.doi.org/10.1144/SP379.2>
- HUNGERBÜHLER, A. & HUNT, A. P. 2000. Two new pterosaur species (Archosauria, Crurotarsi) from the Upper Triassic of southwest Germany. *Neues Jahrbuch für Geologie und Paläontologie, Monatshefte*, **2000**, 467–484.
- IRMIS, R. B., NESBITT, S. J., PADIAN, K., SMITH, N. D., TURNER, A. H., WOODY, D. & DOWNS, A. 2007. A Late Triassic dinosauriform assemblage from New Mexico and the rise of dinosaurs. *Science*, **317**, 358–361.
- JALLIL, N.-E. & PEYER, K. 2007. A new rauisuchian (Archosauria, Suchia) from the Upper Triassic of the Argana Basin, Morocco. *Palaeontology*, **50**, 417–430.
- JENKINS, F. A. JR., SHUBIN, N. H., GATESY, S. M. & PADIAN, K. 2001. A diminutive pterosaur (Pterosauria: Eudimorphodontidae) from the Greenlandic Triassic. *Bulletin of the Museum of Comparative Zoology*, **156**, 151–170.
- JUUL, L. 1994. The phylogeny of basal archosaurs. *Palaeontologia Africana*, **31**, 1–38.
- KAMMERER, C., NESBITT, S. J. & SHUBIN, N. H. 2012. The first basal dinosauriform (Silesauridae) from the Late Triassic of Morocco. *Acta Palaeontologica Polonica*, **57**, 277–284, <http://dx.doi.org/10.4202/app.2011.0015>
- LANGER, M. C. & FERIGOLO, J. 2013. The Late Triassic dinosauriform *Sacisaurus agudoensis* (Caturrita Formation; Rio Grande do Sul, Brazil): anatomy and affinities. In: NESBITT, S. J., DESOJO, J. B. & IRMIS, R. B. (eds) *Anatomy, Phylogeny and Palaeobiology of Early Archosaurs and their Kin*. Geological

- Society, London, Special Publications, **379**, first published on April 23, 2013, <http://dx.doi.org/10.1144/SP379.16>
- LI, C., WU, X.-C., CHENG, Y.-N., SATO, T. & WANG, L. 2006. An unusual archosaurian from the marine Triassic of China. *Naturwissenschaften*, **93**, 200–206.
- LI, C., WU, X.-C., ZHAO, L.-J., SATO, T. & WANG, L.-T. 2012. A new archosaur (Diapsida, Archosauriformes) from the marine Triassic of China. *Journal of Vertebrate Paleontology*, **32**, 1064–1081.
- LIPARINI, A. & SCHULTZ, C. L. 2013. A reconstruction of the thigh musculature of the extinct pseudosuchian *Prestosuchus chiniquensis* from the *Dinodontosaurus* assemblage zone (Middle Triassic Epoch), Santa Maria 1 Sequence, South Brazil. In: NESBITT, S. J., DESOJO, J. B. & IRMIS, R. B. (eds) *Anatomy, Phylogeny and Palaeobiology of Early Archosaurs and their Kin*. Geological Society, London, Special Publications, **379**. First published online June 13, 2013, <http://dx.doi.org/10.1144/SP379.20>
- LUCAS, S. G., HECKERT, A. B. & HUNT, A. P. 2002. A new species of the aetosaur *Typhothorax* (Archosauria: Stagonolepididae) from the Upper Triassic of east-central New Mexico. *New Mexico Museum of Natural History and Science Bulletin*, **21**, 221–233.
- LUCAS, S. G., HUNT, A. P. & SPIELMANN, J. A. 2006. *Rioarribasuchus*, a new name for an aetosaur from the Upper Triassic of north-central New Mexico. *New Mexico Museum of Natural History and Science Bulletin*, **37**, 581–582.
- LUCAS, S. G., HUNT, A. P. & SPIELMANN, J. A. 2007. A new aetosaur from the Upper Triassic (Adamanian: Carnian) of Arizona. *New Mexico Museum of Natural History and Science Bulletin*, **40**, 241–247.
- MARTZ, J. W. & SMALL, B. J. 2006. *Tecovasuchus chatterjeei*, a new aetosaur (Archosauria: Aetosauria) from the Tecovas Formation (Upper Triassic, Carnian) of Texas. *Journal of Vertebrate Paleontology*, **26**, 308–320.
- MASTRANTONIO, B. M., SCHULTZ, C. L., DESOJO, J. B. & BITTENCOURT GARCIA, J. 2013. The braincase of *Prestosuchus chiniquensis* (Archosauria: Suchia). In: NESBITT, S. J., DESOJO, J. B. & IRMIS, R. B. (eds) *Anatomy, Phylogeny and Palaeobiology of Early Archosaurs and their Kin*. Geological Society, London, Special Publications, **379**, first published online April 23, 2013, <http://dx.doi.org/10.1144/SP379.10>
- NESBITT, S. J. 2011. The early evolution of archosaurs: relationships and the origin of major clades. *Bulletin of the American Museum of Natural History*, **352**, 1–292.
- NESBITT, S. J. & NORELL, M. A. 2006. Extreme convergence in the body plans of an early suchian (Archosauria) and ornithomimid dinosaurs (Theropoda). *Proceedings of the Royal Society of London B*, **273**, 1045–1048.
- NESBITT, S. J., IRMIS, R. B., LUCAS, S. G. & HUNT, A. P. 2005. A giant crocodylomorph from the Upper Triassic of New Mexico. *Paläontologische Zeitschrift*, **79**, 471–478.
- NESBITT, S. J., IRMIS, R. B., PARKER, W. G., SMITH, N. D., TURNER, A. H. & ROWE, T. 2009. Hindlimb osteology and distribution of basal dinosauriforms from the Late Triassic of North America. *Journal of Vertebrate Paleontology*, **29**, 498–516.
- NESBITT, S. J., SIDOR, C. A., IRMIS, R. B., ANGIELCZYK, K. D., SMITH, R. M. H. & TSUJI, L. A. 2010. Ecologically distinct dinosaurian sister-group shows early diversification of Ornithodira. *Nature*, **464**, 95–98.
- NESBITT, S. J., LIU, J. & LI, C. 2011. A sail-backed suchian from the Heshangou Formation (Early Triassic: Olenekian) of China. *Earth and Environmental Science Transactions of the Royal Society of Edinburgh*, **101**, 271–284.
- NIEDŹWIEDZKI, G., BRUSATTE, S. L. & BUTLER, R. J. 2013. *Prorotodactylus* and *Rotodactylus* tracks: an ichnological record of dinosauriforms from the Early-Middle Triassic of Poland. In: NESBITT, S. J., DESOJO, J. B. & IRMIS, R. B. (eds) *Anatomy, Phylogeny and Palaeobiology of Early Archosaurs and their Kin*. Geological Society, London, Special Publications, **379**, first published online April 23, 2013, <http://dx.doi.org/10.1144/SP379.12>
- PARKER, W. G. 2005. A new species of the Late Triassic aetosaur *Desmatosuchus* (Archosauria: Pseudosuchia). *Compte Rendus Palevol*, **4**, 327–340.
- PARKER, W. G. & IRMIS, R. B. 2006. A new species of the Late Triassic phytosaur *Pseudopalatus* (Archosauria: Pseudosuchia) from Petrified Forest National Park, Arizona. In: PARKER, W. G., ASH, S. R. & IRMIS, R. B. (eds) *A Century of Research at Petrified Forest National Park: Geology and Paleontology*. Museum of Northern Arizona, Flagstaff, AZ, 126–143.
- PARKER, W. G. & NESBITT, S. J. 2013. Cranial remains of *Poposaurus gracilis* (Pseudosuchia: Poposauroidae) from the Upper Triassic, the distribution of the taxon, and its implications for poposauroid evolution. In: NESBITT, S. J., DESOJO, J. B. & IRMIS, R. B. (eds) *Anatomy, Phylogeny and Palaeobiology of Early Archosaurs and their Kin*. Geological Society, London, Special Publications, **379**, first published on January 29, 2013, <http://dx.doi.org/10.1144/SP379.3>
- PARKER, W. G., STOCKER, M. R. & IRMIS, R. B. 2008. A new desmatosuchine aetosaur (Archosauria: Suchia) from the Upper Triassic Tecovas Formation (Dockum Group) of Texas. *Journal of Vertebrate Paleontology*, **28**, 692–701.
- PARRISH, J. M. 1993. Phylogeny of the Crocodylotarsi, with reference to archosaurian and crurotarsan monophyly. *Journal of Vertebrate Paleontology*, **13**, 287–308.
- PEYER, K., CARTER, J. G., SUES, H.-D., NOVAK, S. E. & OLSEN, P. E. 2008. A new suchian archosaur from the Upper Triassic of North Carolina. *Journal of Vertebrate Paleontology*, **28**, 363–381.
- RAUGUST, T., LACERDA, M. & SCHULTZ, C. L. 2013. The first occurrence of *Chanaresuchus bonapartei* Romer 1971 (Archosauriformes, Proterochampsia) of the Middle Triassic of Brazil from the *Santacruzodon* Assemblage Zone, Santa Maria Formation (Paraná Basin). In: NESBITT, S. J., DESOJO, J. B. & IRMIS, R. B. (eds) *Anatomy, Phylogeny and Palaeobiology of Early Archosaurs and their Kin*. Geological Society, London, Special Publications, **379**. First published online June 13, 2013, <http://dx.doi.org/10.1144/SP379.22>

- SEN, K. 2005. A new rauisuchian archosaur from the Middle Triassic of India. *Palaeontology*, **48**, 185–196.
- SENNIKOV, A. G. 2012. The first ctenosauriscid (Reptilia: Archosauromorpha) from the Lower Triassic of Eastern Europe. *Paleontological Journal*, **46**, 499–511.
- SERENO, P. C. 1986. Phylogeny of the bird-hipped dinosaurs (Order Ornithischia). *National Geographic Research*, **2**, 234–256.
- SERENO, P. C. 1991. Basal archosaurs: phylogenetic relationships and functional implications. *Society of Vertebrate Paleontology Memoir*, **2**, 1–53.
- SMALL, B. J. & MARTZ, J. W. 2013. A new aetosaur from the Upper Triassic Chinle Formation of the Eagle Basin, Colorado, USA. In: NESBITT, S. J., DESOJO, J. B. & IRMIS, R. B. (eds) *Anatomy, Phylogeny and Palaeobiology of Early Archosaurs and their Kin*. Geological Society, London, Special Publications, **379**. First published online June 11, 2013, <http://dx.doi.org/10.1144/SP379.18>
- SPIELMANN, J. A. & LUCAS, S. G. 2012. Tetrapod fauna of the Upper Triassic Redonda Formation, east-central New Mexico: the characteristic assemblage of the Apachean land-vertebrate faunachron. *New Mexico Museum of Natural History and Science Bulletin*, **55**, 119.
- SPIELMANN, J. A., HUNT, A. P., LUCAS, S. G. & HECKERT, A. B. 2006. Revision of *Redondasuchus* (Archosauria: Aetosauria) from the Upper Triassic Redonda Formation, New Mexico, with a description of a new species. *New Mexico Museum of Natural History and Science Bulletin*, **37**, 583–587.
- STECHEER, R. 2008. A new Triassic pterosaur from Switzerland (Central Australpine, Grisons), *Raeticodactylus filisurenensis* gen. et sp. nov. *Swiss Journal of Geosciences*, **101**, 185–201.
- STOCKER, M. R. 2010. A new taxon of phytosaur (Archosauria: Pseudosuchia) from the Late Triassic (Norian) Sonsela Member (Chinle Formation) in Arizona, and a critical reevaluation of *Leptosuchus* Case, 1922. *Palaeontology*, **53**, 997–1022.
- STOCKER, M. R. 2012. A new phytosaur (Archosauriformes, Phytosauria) from the Lot's Wife beds (Sonsela Member) within the Chinle Formation (Upper Triassic) of Petrified Forest National Park, Arizona. *Journal of Vertebrate Paleontology*, **32**, 573–586.
- SUES, H.-D., OLSEN, P. E., CARTER, J. G. & SCOTT, D. M. 2003. A new crocodylomorph archosaur from the Upper Triassic of North Carolina. *Journal of Vertebrate Paleontology*, **23**, 329–343.
- SULEJ, T. 2005. A new rauisuchian reptile (Diapsida: Archosauria) from the Late Triassic of Poland. *Journal of Vertebrate Paleontology*, **25**, 78–86.
- SULEJ, T. 2010. The skull of an early Late Triassic aetosaur and the evolution of the stagonolepidid archosaurian reptiles. *Zoological Journal of the Linnean Society*, **158**, 860–881.
- TABORDA, J. R. A., CERDA, I. A. & DESOJO, J. B. 2013. Growth curve of *Aetosauroides scagliai* Casamiquela 1960 (Pseudosuchia: Aetosauria) inferred from osteoderm histology. In: NESBITT, S. J., DESOJO, J. B. & IRMIS, R. B. (eds) *Anatomy, Phylogeny and Palaeobiology of Early Archosaurs and their Kin*. Geological Society, London, Special Publications, **379**. First published online June 11, 2013, <http://dx.doi.org/10.1144/SP379.19>
- TROTTEYN, M. J. & HARO, J. A. 2012. The braincase of *Chanaresuchus ischigualastensis* (Archosauriformes) from the Late Triassic of Argentina. *Journal of Vertebrate Paleontology*, **32**, 867–882.
- TROTTEYN, M. J., MARTÍNEZ, R. N. & ALCOBER, O. A. 2012. A new proterochampsid *Chanaresuchus ischigualastensis* (Diapsida, Archosauriformes) in the early Late Triassic Ischigualasto Formation, Argentina. *Journal of Vertebrate Paleontology*, **32**, 485–489. <http://dx.doi.org/10.1080%2F02724634.2012.645975>
- TURNER, A. & NESBITT, S. J. 2013. Body size evolution during the Triassic archosauriform radiation. In: NESBITT, S. J., DESOJO, J. B. & IRMIS, R. B. (eds) *Anatomy, Phylogeny and Palaeobiology of Early Archosaurs and their Kin*. Geological Society, London, Special Publications, **379**. First published online April 23, 2013, <http://dx.doi.org/10.1144/SP379.15>
- WEINBAUM, J. C. 2013. Postcranial skeleton of *Postosuchus kirkpatricki* (Archosauria: Paracrocodylomorpha), from the Upper Triassic of the United States. In: NESBITT, S. J., DESOJO, J. B. & IRMIS, R. B. (eds) *Anatomy, Phylogeny and Palaeobiology of Early Archosaurs and their Kin*. Geological Society, London, Special Publications, **379**, first published on February 13, 2013, <http://dx.doi.org/10.1144/SP379.7>
- WU, X.-C., LIU, J. & LI, J.-L. 2001. The anatomy of the first archosauriform (Diapsida) from the terrestrial Upper Triassic of China. *Vertebrata Palasiatica*, **39**, 251–265.