

Index

Page numbers in *italic* denote figures. Page numbers in **bold** denote tables.

- Adamanian faunal assemblage 504
adaptive radiation 573–574, 589–590, 592–593
Aetobarbakinoides brasiliensis, growth 414, 416, 417, 419–422
Aetosauria 203–231
 anatomy 215, 217–220
 distribution 204, 205, 208–211
 future work 230
 holotype 394
 mandibular symphysis 561–563
 palaeobiology 221, 223–230
 phylogeny 204, 205, 220–221, 222
 systematics 394–409
 taxa **2**, **206–207** now invalid **216**
Aetosauria *sensu* Parker (2007) 394
Aetosaurinae *sensu* Heckert & Lucas (2000) 394
Aetosauroides scagliai Casamiquela (1960) 204, 209
 anatomy 217, 218–221
 growth curve comparison 413–422
 palaeobiology 224, 226, 227, 229
Aetosaurus crassicauda 393
Aetosaurus ferratus
 anatomy 208–209, 212, 213, 215, 217–221
 growth 414, 417, 418–421
 palaeobiology 223, 224, 226, 227, 228
 phylogenetic analysis 426
Aetosaurus ferratus O. Fraas (1877) 393
 comparison with *Stenomyti huangae* 395–410
age
 Aetosauria 205, **206–207**, 208–211
 dinosauriform trackways 344–346
 Dinosauromorpha **161–162**, 175
 Ornithosuchidae **189**, 196
 Proterosuchidae **12–13**
 pterosaurs **123**, 126
 Rauisuchia **247–250**, 263
 Stenomyti 395
age, of individuals 413, 417, 418, 420
 see also radioisotope data
anatomical abbreviations *see individual chapters*
anatomical data 4
ancestral body size, estimate 578, **581–585**, 592
angular, *Decuriasuchus* 490, 494
ankle joint 264, 444
 crocodile-reversed 187, 188, 195, 198
anterior ventral muscle group **448**, 455–457
Ar/Ar date 281, 282
Archeopelta arborensis 49, 50–52, 53, 55, 56
archosaur
 evolutionary studies 1–4
 phylogeny 425–426
 posture and gait 441
 track-maker 340–341, 343, 345
Archosauria Cope (1869) *sensu* Gauthier & Padian (1985)
 471, 507
 sensu Gauthier (1986) 394, 527
Archosauria, crown group 9, 525
archosauriform
 new taxa **2**
 origin 9–29
archosauriform, non-archosaurian **2**, 35, 49, 303
archosauriform, radiation study 573–593
 analyses comparison 590–592
 materials and methods 574–581
 results 581–590
Archosauriformes *sensu* Gauthier (1986) 308
 Gauthier *et al.* (1989) 62
archosauromorph clades 241
Archosauromorpha von Huene (1946) 62, 308
Archosaurus rossicus **12**, 14
Arizona, *Poposaurus* 504, 505–506
Arizonasaurus babbitti Welles (1947) 425
 braincase comparison 426, 427, 431–433
armour 49, 203, 204, 241, 293
armour, growth pattern 413
astragalus 16
 Dinosauromorpha 172
 Ornithosuchidae 193
 Postosuchus 543, 544
 proterochampsid 65–66, 72–73
Austriadactylus cristatus 130, 132, 133, 134
 palaeobiology 145–146
 phylogeny 138–142
Avemetatarsalia 244, 343, 525, 526
 bipedality 265
 mandibular symphysis classes 567
 muscle reconstruction 441, 445, 459, 461, 462, 465
avemetatarsalians (bird line) 241
Aves *see* birds

Baranóv trackway site 321, 323–324
Batrachotomus kuperzellensis Gower (1999) 425
 braincase comparison 425–433, 437
bats 119
BayesTraits 578, **581–582**, 590
beak 556, 568, 569
beaked poposauroids 518
behaviour, Euparkeriidae 45
Big Bang evolutionary model 143, 144
bipedality 503–504, 516–519
 age of origin 346
 Euparkeriidae 45
 muscle anatomy 464
 Ornithosuchidae 199
 Postosuchus 547
bird ancestry 1, 9, 42, 44, 525
 common ancestor 29, 179
birds
 diversity 573, 574
 mandibular symphysis 558–559
 muscle reconstruction 444–445, **448**, 453–457, 459–463, 465
bite 261, 292
body fossils and tracks 343, 345, 347
body length, growth 419–422

- body mass 223–224
 estimation of 414–418, 419, 420, 421
- body size
 Crocodylomorpha 291–292
 Dinosauromorpha 177
 pterosaurs 144
- body size and tracks 344, 347
- body size evolution 573–593
 age estimate 577, **579–581**
 clade-specific 582, 585–587, 588
 femur length **583–585**
 model testing 578, **581, 582**, 587, 589, 592
 phylogeny 574–577
 proxy data 577–578
 scaling relationships 592
 through time 581–582, 586, 587–592
- bootstrap values 383, 437
- bootstrapping 139
- braincase, *Prestosuchus*
 basioccipital 427–428
 exoccipital 428–430
 laterosphenoid 433
 opisthotic 430
 parabasisphenoid 432–433
 prootic 431–432
 supraoccipital 430
- Brazil, *Decuriasuchus* skull anatomy 469–499
- Brazil, *Prestosuchus* 425–438
- Brazil, Triassic dinosauromorph 353–387
- Bremer support values 383
- Brownian motion model 578, **581**, 587, 593
- calcaneum
 Dinosauromorpha 172
Postosuchus 543, 544
 proterochampsid 65–66, 72–73
 Rauisuchia 258
- cannibalism 291
- Carniadactylus rosenfeldi* 127, 129, 131, 132, 133, 136
 palaeobiology 144–146
 phylogeny 138–143
- carnivore 303, 504
- crocodylian 292, 293
- carpus 536, 538
- Cerritosaurus binsfeldi* Price (1946) 60, 68–69, 82, 83
- Chalishevia cothurnata* 15, 18
- Chanaresuchus bonapartei* Romer (1971) 303
 biostratigraphy 304–306, 307
 cladistics 83–86
 study methods 306–308
 systematics 60, 68, 69–73, 308–315
- Chanaresuchus ischigualastensis* Trotteyn *et al* (2012)
 73–76
- Chanaresuchus* Romer (1971) 69, 308
- character optimization suites 517, 518, 519, 520
- chiropteran mammals 119
- clade 4
- cladistic analysis
 Euparkeriidae 35, 41–42, 44
Gualosuchus 83–86
 Proterochampsia 83–86
 proterosuchian 23, 24–26
 pterosaurs 137–138
 Rauisuchia 187, 197, 241–244
- Rauisuchidae 259–260
- Shuvosauridae 244–245
- Silesauridae 353, 382, 383
- cladogram 43, 57, 61
 Aetosauria 222
 Archosauria 526
 archosauriform 575–576
 crocodylomorphs 278
 dinosauriforms 382, 383
 Euparkeriid 43
 Ornithosuchidae 197
 Phytosauria 92
 poposaurids 518
 Proterochampsia 61
 Proterosuchia 25
 pterosaurs 130, 138–140
 Rauisuchia 245
- classification, Phytosauria **93–97**
 clavicles/interclavicles 534
- Colorado (Eagle Basin), aetosaurs 393–410
- common ancestor 244, 266, 294, 519, 559
 birds and dinosaurs 179
 crocodylian 9, 29, 44
- computed tomography
 joints 556, 561
Sacisaurus tooth 361
- consensus tree, basal dinosauriforms 382, 383
- coronoid, *Decuriasuchus* 494
- cranial remains, *Poposaurus gracilis* 507–516
 dentary 510–511
 ilium 511–513, 516, 517
 maxilla 507–510
 measurements **471**
 prearticular 511
 pubis 513–514
 surangular 515–516
 tibia 514
- craniodental function 555
- Crocodylia, muscle reconstruction 444–445, **448**,
 453–465
- crocodylian lineage 1, 9, 44, 241, 525
 common ancestor 9, 29, 44
- Crocodyliiformes Hay (1930) 275, 277
- crocodylomorph, non-crocodyliiform **2**, 292
- crocodylomorph, shared characters 410
- Crocodylomorpha (early) 275–294
 distribution 276, 277, 279
 evolution 287, 289–291
 mandibular symphysis 565–566
 occurrence, oldest 281
 occurrence, youngest 281–282
 palaeobiology 291–294
 phylogeny 276–277
 taxa 276, **280–281** now invalid 285–287
- Crocodylomorphi Hay (1930) 277
- Crocodylus niloticus* Laurenti (1768) 277
- Crurotarsi 244
- Ctenosauriscidae* Kuhn (1964) 245
- cynodonts 304, 305
- Decuriasuchus quartacoloniam* França,
 Langer & Ferigolo (2011)
 systematic palaeontology 471–472
- Decuriasuchus quartacoloniam*, skull anatomy 469–499

- geological setting 469–470
mandible 489–496
materials and methods 470–471
skull 472–489
deep dorsal group 445–447, **448**, 450, 453
dentary 560
Decuriasuchus 494–496
Dinosauromorpha 381
Poposaurus 510–511
Stenomyti 405–406
dentition, *Sacisaurus* 354, 359–362, 381
depositional environment 126, 208, 283, 354
dermal armour, proterochampsid 73, 76, 82
dermal ossification 544
Diapsida Osborn (1903) 62, 308
diet
Aetosauria 224–226
Euparkeriidae 45
in ontogeny 560
Phytosauria 109
Proterosuchidae 26–27
pterosaurs 145–146
Rauisuchia 260–261
Dinodontosaurus Assemblage Zone 303, 304, 305
dinosaur
lineage 347
feathered 180
non-avian 157
phylogenetic relationship 136
Dinosauriformes Novas (1992) 159
dinosauriomorph
mandibular symphysis 566–568
relationships 383
tracks 319–347
Dinosauriomorpha Benton (1985) 159
Dinosauriomorpha, non-dinosaurian 157–180
anatomy 164–172
definition and diagnosis 158–160
distribution 160
evolution 174
occurrence, oldest 163–164
occurrence, youngest 164
palaeobiology 176–180
phylogeny 175
systematics 173–176
taxa **161–162**
diversification, archosaur 1
Doswellia kaltenbachi 49, 50, 51, 52, 55, 56
cladograms 57
Doswelliidae 49–58
anatomy 55–56
definition 49
evolution 56–57
fossil record 50–55
palaeoecology 57–58
taxonomy **50**
Doswelliidae Weems (1980) 49, 50–51
Dromomeron romeri **161**, 164, 172, 174
Eagle Basin, Colorado
geology 393–394
ecology
Aetosauria 224–226
Dinosauriomorpha 178–179
Rauisuchia 242, 260–261
ectopterygoid 489, 490
edentulism 503–504, 517, 519
edentulous beak 556, 558, 564
edentulous symphysis 556, 563, 569
eggs 146
endothemy 555
Erpetosuchus granti Newton (1894) 285–286
Erthrosuchidae 9, 10
bones 18
fossil record 15, 19
skeletal reconstruction 17
Erthrosuchus africanus 15, 22, 29
age **13**
cladistic analysis 23, 24, 25, 26
diet and life-style 27–28
Eudimorphodon ranzii 120, 126–128, 129, 131–133, 136
palaeobiology 145–146
phylogeny 138–142
Eudimorphodon taxon 136, 137
Euparkeria capensis 35, 37, 45
holotype 39
taxonomy/phylogeny 41–44
Euparkeriidae Huene (1920) 35–46
age **40–41**
distribution 39, 42
fossil record 39–41
palaeobiology 45
phylogenetic definition 35–38, 43
research (future) 45–46
taxonomy 41–44
evolutionary model tests 589, 590, 592
Extant Phylogenetic Bracket 442–443
extinction *see* mass extinction
feeding
Crocodylomorpha 292–293
Rauisuchia 261–263
femur 16, 17
Aetosauria 218, **415**, 416, 417
Chanaresuchus 313–315
Dinosauriomorpha 172, 367–375, 382
Paracrocodylomorpha 545
Postosuchus 537, 540, 542
Prestosuchus 458, 459, 462, 463, 464
proterochampsids 65, 72
Rauisuchia 258
Sacisaurus 367–375, 383
Stenomyti 407
femur length **415**, 416, 417
and age 579–581
as body size proxy 577–578
femur measurements **370**
femur/humerus ratio 516
fenestra 16, 17, 18
Decuriasuchus 496, 498
fibula
dinosauriomorph 375–376, 382
Postosuchus 541, 543
Prestosuchus 450
proterochampsid 65, 72, 78
fissure fill, fossils 213, 279, 283, 284
flight, pterosaurs 119, 144–145

- foot 16
 footprint
 Aetosauria 229
 Lagerpeton 342, 343
 Rauisuchia 264
 footprint evolution 343–346
 forelimb
 Postosuchus 534
 proterochampsid 75, 81
 Ornithosuchidae 192
 frontal 481, 482
 future research 45, 180, 230, 294
 Phytosauria 109–110
 proterochampsids 86–87
 Proterosuchia 28–29
 gait and stance 45
Garjainia prima 15, 18, 22
 age 12
 cladistic analysis 24, 25, 26
 gastralia, *Postosuchus* 532
 Gondwanan crocodylomorphs 279
Gracilisuchus stipanicorum Romer (1972) 286
 group behaviour 228–229
 growth
 Crocodylomorpha 291–292
 Dinosauromorpha 177
 Phytosauria 108
 pterosaurs 146–147
 Rauisuchia 263
 growth curve study, *Aetosauroides scagliai* 413–422
 materials and methods 414–418
 results 418–422
 growth, arrested 413–414, 415, 417, 418–419
 growth, rate of
 Euparkeriidae 45
 Proterosuchidae 28
Gualosuchus reigi Romer (1971) 60, 76–78
 cladistics 83–86
Gualosuchus Romer (1971) 76
 gut content 27, 129, 291
 head size, Erthrochidae 27
Hesperosuchus agilis Colbert (1952) 277, 279, 285, 292
 hind limb 38
 Aetosauria 212
 Dinosauromorpha 170, 172, 173
 Euparkeria 38
 proterochampsid 75–76, 82
 hind limb, muscle function 463, 465
 hip joint 463
 histology 4
 Aetosauria 227, 229
 crocodylomorphs 291, 292, 293
 Dinosauromorpha 177
 Euparkeriidae 45
 pterosaurs 147
 Rauisuchia 262, 263
 holotype 284, 287, 292, 293, 504, 511
 Aetosauria 393, 394, 395–398, 403
 Cerritosaurus binsfeldi 68
 Chanaresuchus bonapartei 69
 Chanaresuchus ischigualastensis 73
 Crocodylomorpha 288
 Decuriasuchus 496
 Dinosauromorpha 173, 174
 dinosauromorph tracks 333
 Euparkeria 39
 Gualosuchus reigi 76
 Poposaurus gracilis 507, 511
 Postosuchus 527, 535
 Prorotodactylus mirus 325, 333
 Proterochampsia 62, 63
 Proterochampsia nodosa 66
 proterochampsids 69–73, 76, 77, 79, 82
 Proterochampsidae barrionuevoi 62, 63
 pterosaurs 126, 130, 131, 132, 133, 134
 Radinosuchus gracilis 82
 Rauisuchia 256, 259, 261
 Sacisaurus 355, 357, 358, 362
 Tropidosuchus romeri 79
 Huene, Friedrich von 469
 humerus 17, 534–536, 537
 Aetosauria 212, 415, 416, 417
 Dinosauromorpha 168, 364, 380, 381
 phytosaur 99
 proterochampsid 65, 69, 72, 78
 Rauisuchia 258
 Sacisaurus 364, 380, 381
 humerus length 415, 416, 417
 humerus/femur ratio 516
 hyoid apparatus 472, 473, 490, 496
 Iceberg evolutionary model 143
 ichnogenera, identification 319–339
 ichnology, Aetosauria 228
 ilium 538–539, 540
 Paracrocodylomorpha 545, 546
 Poposaurus 511–513, 516, 517
 institutional abbreviations *see end of individual chapters*
 integument, Dinosauromorpha 180
 ischium
 Dinosauromorpha 369
 Postosuchus 540, 541, 547
 Rauisuchia 258
 jugal 486–487
 K–Ar date 282
 key characters, Rauisuchia 242–244
 knee movement 463, 464
 Koszary trackway site 322
 lacrimal 478–480
 lagerpetid, distribution 160
 Lagerpetidae 175, 177
 Lagerpetidae Arcucci 1986 159
Lagerpeton chanarensis 157, 159, 174
 anatomy 167, 168, 170–171, 172
 fossil record 160–164
Lagerpeton track-maker 341–342, 346
 lepidosaur, soft tissue 556
 Lepidosauria, muscle reconstruction 444–445, 459, 461
 life reconstruction 198, 225, 548
 life-style/ecology, Proterosuchidae 26–28
 locomotion
 Aetosauria 226

- Crocodylomorpha 293
 Dinosauromorpha 177–178
 Lagerpetidae 177
 Ornithosuchidae 199
 Phytosauria 109
 poposaurids 516
 pterosaurs 145
 Rausuchia 264–265
 locomotion, evolution of 464, 465
Loricata Merrem (1820) 246
 sensu Nesbitt (2011) 469, 471
 mandibular symphysis 563, 564–565
 loricatans, shared characters 410
 lung ventilation 266
 lung, avian-like 179, 293

 M. ambiens 460
 M. pubo-ischio-tibialis 461
 M. pubo-tibialis 462
 MacClade 517, 568
 magnetostratigraphy 208
 mandible
 archosauriforms 555–570
 Chanaresuchus 312–313
 Dinosauromorpha 336–359
 Sacisaurus 356–359
 mandible, *Decuriasuchus* 489–496
 angular 490, 494
 coronoid 494
 dentary 494–496
 hyoid apparatus 472, 473, 490, 496
 prearticular 494
 splenial 490, 494
 surangular 493–494
 mandibular symphysis
 classes **557–558**, 566
 materials and methods 556
 modern analogues 556, 558–560
 phylogeny and evolution 568–569
 manus 536, 538
 manus imprints 325, 330–332, 334–335, 337–338
 mass extinction 1, 9, 28, 29, 242, 589
 end-Permian 555, 574, 592
 end-Triassic 574
 maxilla
 Decuriasuchus 472–474, 475–477, 480, 497, 498
 Dinosauromorpha 356
 Poposaurus 507–510
 Rausuchia 256
 Stenomyti 401–404
 Meckelian groove 556–565, 568
 metatarsals
 Dinosauromorpha 171, 172, 376–377, 378
 proterochampsid 66, 73
 Sacisaurus 376–377, 378
 Mm. flexor-tibialis internus 461–462
 morphology, functional 4, 555
 muscle attachment and evolution 465
 muscle reconstruction 445–462, 464–465
 anterior ventral group **448**, 455–457
 deep dorsal group 445–447, **448**, 450, 453
 M. ambiens 460
 M. pubo-ischio-tibialis 461
 M. pubo-tibialis 462
 Mm. flexor-tibialis internus 461–462
 posterior ventral group **448**, 457–460
 superficial dorsal group 453–455
 muscle reconstruction, Rausuchia 262, 264

 nasal 477–478, 480
Neoetosauroides engaeus 215, 218
 growth 414, 417, 419–422
 palaeobiology 223, 225
 nest making 228
 neural spine 265, 517, 519
 Ornithosuchidae 192
 Postosuchus 529, 547
 New Mexico, fossil locality 545
 nocturnal 45
 nodal reconstruction, caution 593
 non-archosaurian archosauriform **2**, 35, 49, 303
 body size 589
 mandibular symphysis 560–561
 non-avian dinosaur 157
 non-crocodyliform crocodyliform **2**, 292
 non-dinosaurian dinosauromorph **2**, 157–180, 353
 non-pterodactylid pterosaur 128, 130, 137, 138,
 139–140, 144, 145

 oasis 306
 ontogeny 4, 578
 Aetosauria 226–227
 Crocodylomorpha 284–285
 pterosaur 134–135, 146–147
 Rausuchia 262–263
 ontology and diet 560
 Ornithischia clade 383, 384
 ornithodiran
 body size 582, 587, 588, 589
 palaeobiology 177, 179, 180
 Ornithosuchidae
 anatomy 190–195
 distribution 188
 evolution 195–199
 fossil record 188–190
 mandibular symphysis 561
 palaeobiology 199
 phylogeny 188, 197
 taxa **189** now invalid **196**
Ornithosuchus longidens 188, 189
 anatomy 190–194
 evolution 195, 198–199
 osteoderms 544, 545
 Aetosaurus 214, 219–220
 Doswellia 51
 growth pattern 413, 417–418
 measurement 407, **408**
 morphology 409–410
 Paracrocodylomorpha 546
 proterochampsid 69, 81
 Ornithosuchidae 192
 Stenomyti 398–399, 401–402, 407–409
 osteology 4, 426

 palaeobiogeography 15
 palaeobiology 29
 Palaeobiology Database 98, 199
 palaeoecology 109, 294

- palaeoenvironment 306, 315
 Crocodylomorpha 282–284
- palaeohistology
 aetosaur 413, 417, 418
 Proterosuchidae 28
- palaeolatitude 39, 40, 176, 199, 283
- palaeopathology, Aetosauria 228
- palatine 489, 490
- Pangaea 15, 50, 205, 242, 252
 northern 143, 279
 southern 160
 western 176
- Paracrocodylomorpha Parrish (1993) 245–246,
 525, 527, 545–547
 sensu Weinbaum & Hungerbühler (2007) 507
- parental care 146
- parietal 481–483
- pectoral girdle 16
 aetosaur 212
 Dinosauromorpha 168, 364
 Postosuchus 532–534
 Sacisaurus 364
- pelvic girdle
 aetosaur 212
 Euparkeria 38
 Dinosauromorpha 168, 170, 364–367
 Ornithosuchidae 193
 proterochampsid 65, 72, 75, 81
 Sacisaurus 364–367
- pelvic myology 464–465
- pelvis
 Poposaurus 504
 Postosuchus 539
 Prestosuchus 444, 450, 465
- pes imprints 325, 327–329, 331–332, 334–335, 337–338,
 340–341
- pes, *Postosuchus* 543–544
- Peteinosaurus zambellii* 126–128, 129, 131, 133
 palaeobiology 145–146
 phylogeny 138–143
- Petrified Forest National Park 504, 505, 507
- phalange
 Dinosauromorpha 378–379
 proterochampsid 66, 73
 Sacisaurus 378–379
- phylogenetic analysis and gait 516
- phylogenetic generalized least squares 578, **581–582**, 587
- phylogeny 4
 Aetosauria 204, 205, 220–221, 222, 426
 Archosauria 425–426
 Austriadactylus cristatus 138–142
 Dinosauromorpha 175
 Euparkeriidae 41–44
 Paracrocodylomorpha 545, 549
 Phytosauria 92–98, 104–106
 Poposauroida 516–520
 Prestosuchus chiniquensis 433–437
 Proterochampsia 60, 61
 Proterosuchidae 10, 25, 28
 Pseudosuchia 157, 197–198, 244, 413, 503–504
 pterosaur 130, 136–137, 138–140
 Raeticodactylus filisurensis 138–142
 Rauisuchia 244–246, 255, 266, 441, 425
 Sacisaurus 379, 381–384
 Silesaurus opolensis 379
 sphenosuchians 289–290
- Phytosauria 2, 91–110
 classification **93–97**
 distribution 98–104
 evolution 106–108
 mandibular symphysis 561
 occurrence, oldest 103
 occurrence, youngest 103–104
 palaeobiology 108–109
 phylogeny 92–98, 104–106
 taxonomy 107–108
- piscivorous 146
- plantigrade posture 264
- Platyognathus hsui* Young (1944) 286
- pneumaticity 179–180
 Crocodylomorpha 293–294
 Rauisuchia 265–266
- Poland, dinosauromorph tracks 319–347
- Poposauroida 243, 257–259, 503, 517
 scaling relationships 592
- Poposauroida Nopcsa (1923) 144
 sensu Weinbaum & Hungerbühler (2007) 507
- poposauroids 265
 mandibular symphysis 563–564
 shared characters 410
- Poposaurus gracilis* Mehl (1915) 507
 musculature 442, 445, 447, 450, 453–455, 457–462
 muscle function **463**
 pelvic myology 464–465
- Poposaurus gracilis*, cranial remains 503–520
 distribution 506
 geological setting 504
 occurrence, oldest 504–505
 occurrence, youngest 506
 systematics 507
- postcranial skeleton of *Postosuchus kirkpatricki* 525
 appendicular skeleton 532–538
 axial skeleton 527–532
 materials and methods 527
 measurements **550**
 pelvic girdle and hindlimb 538–545
 reference specimens 549–550
- postcranial skeleton, *Stenomyti* 406–407
- posterior ventral muscle group **448**, 457–460
- postfrontal 481, 482, 498
- postorbital 483, 484
- Postosuchus* Chatterjee (1985) 527
- Postosuchus kirkpatricki* Chatterjee (1985) 527
 braincase comparison 425, 427, 430, 431, 433
- posture 442, 516
- preacetabular process 516, 517
- prearticular 494, 511
- predators
 proterosuchid 26–28
- pterosaurs 146
- predeontary
 Archosauria 567
 Orthischia 556, 568
- prefrontal 480, 497
- premaxilla 472–475, 498
- Preondactylus buffarinii* Wild (1984) 128, 130,
 131, 132
 palaeobiology 145–146

- phylogeny 138–142
 Prestosuchidae Romer (1966),
 Brusatte *et al.* (2010) 245, 442
Prestosuchus chiniquensis von Huene (1938) 442
 braincase 425–433
 character codification 425, 433–436
 material and methods 426
 phylogenetic analysis 433–438
Prestosuchus chiniquensis,
 thigh musculature 411–465
 inferred function 462–464
 materials and methods 442–445
 muscle reconstruction 445–462
 pelvic myology 464–465
 systematics 442
Prestosuchus von Huene (1938) 442
Prorotodactylus 319–347
 age 344–345, 346
 track-maker 320, 339–342, 344–346
Prorotodactylus mirus Ptaszyński (2000) 325–331
 cf *Prorotodactylus* isp. 333–336
Prorotodactylus Ptaszyński (2000) 325
Proterochampsia barrionuevovi Reig (1958) 286
 Reig (1959) 60, 62–66, 68
Proterochampsia nodosa Barberena (1982) 63, 66–68
 cladistics 83–86
Proterochampsia Reig (1959) 62
Proterochampsia 59–87, 303, 315–316
 anatomy 60–62
 cladistics 83–86
 evolution 83–86
 fossil record 60
 palaeobiology 86
 phylogeny 60, 61
 systematics 62–84
Proterochampsia Bonaparte (1971) 308
 Kischlat 2000 62
 proterochampsid
 teeth 62, 64, 68, 70, 73, 78, 80, 82
 Proterochampsidae Sill (1967) 60
 Proterosuchidae 9–29
 age 12–13
 anatomy 19–23
 diet and life-style 27–28
 distribution 10–11, 15
 evolution 23–26
 fossil record 10–19
 palaeobiology 26–28
 phylogenetic definition 10, 25, 28
 taxa 12–13 now invalid 20
Proterosuchus fergusi 10, 11, 20, 21, 22, 27
 age 12
 cladistic analysis 23, 24, 25, 26
 distribution 15
 growth rate 28
 skeletal reconstruction 16
Protosuchus richardsoni Brown (1933) 277
Pseudolagosuchus major 157, 159
 fossil record 160–163, 171–173
 Pseudosuchia
 body size 582, 587
 evolution 438, 525
 phylogeny 157, 197, 198, 244, 413, 503, 504
 skull anatomy 469
 thigh musculature 441–465
Pseudosuchia Zittel (1890),
 Gauthier & Padian (1985) 442
Pseudosuchia Zittel 1887–1890 *sensu*
 Gauthier & Padian (1985) 471, 507
 pseudosuchian 187, 203, 241, 393, 426
 pterosaur
 body size 587, 588
 definition 119–120
 diagnosis 121
 evolution/relationships 140–144
 fossil record 121–136
 equivocal remains 121–122, 124–126
 unequivocal remains 126–136
 mandibular symphysis 566
 palaeobiology 144–147
 phylogeny 130, 136–137, 138, 139, 140
 systematics 123
 pterosaur track-maker 342
 pterosaur, non-pterodactyloid 128, 130, 137,
 138, 139–140, 144, 145
 Pterosauria Owen (1842) 119–120
 Pterosaurii Kaup (1834) 119–120
 Pterosauroomorpha 120–121
 pterygoid 489, 490
 pubis
 Poposaurus 513–514
 Postosuchus 539–540
 quadrate 487–489
 quadratojugal 487
 quadrupedal 517, 518
 determination of 516
 dinosauromorph 346–347
Radinosuchus gracilis von Huene (1938) 60,
 68, 82, 83
 cladistics 83–86
Radinosuchus von Huene (1938) 82
 radioisotope date 19, 60, 164, 208–211, 281, 282
 radius 65, 72, 536
Raeticodactylus filisurensis 133, 135
 palaeobiology 145–146
 phylogeny 138–142
 Rau, Guilherme 469
Rauisuchia Bonaparte (1975) 244, 245
 Brusatte *et al.* (2010) 442
 clades 187, 197, 241–244
 distribution 246, 251, 252
 evolution 255–260
 occurrence, oldest 252, 255
 occurrence, youngest 255
 palaeobiology 260–266
 phylogeny 244–246, 255, 266, 441, 425
 shared characters 410
 taxa 2, 247–250, 437 now invalid 253–254
Rauisuchidae Huene (1942) 244, 469
 sensu Nesbitt (2011) 527
 clade 259–260
Rauisuchoidea 245
Rauisuchus tiradentes Huene (1942) 277
 shared characters 188, 243, 243
 reconstruction, Aetosauria 223–224
 reproduction, pterosaurs 146

- reptiles
 carnivorous 242
 flying 119
Reptilia Laurenti (1768) 308
respiration, avian 179
Revueltosaurus 561–563
ribs
 Postosuchus 531–532
 proterochampsid 65, 69, 70, 73–75
Riojasuchus tenuisiceps 187, 188, 189
 anatomy 190–195
 evolution 195, 198–199
Rotodactylus
 age 344–345, 346
 track-maker 320, 339–342, 344–346
Rotodactylus Peabody (1948) 319–321, 335–336
 cf. *Rotodactylus* isp. 339
 Rotodactylus isp. 338–339
Rotodactylus cursorius Peabody (1948) 334, 335, 336–338, 343

Sacisaurus agudoensis [dinosauromorpha] 353–387
 dentition 354, 359–362, 381
 femur 367–375, 383
 geological context 353–355
 mandible 356–359
 metatarsals 376–377, 378
 pectoral girdle 364
 pelvic girdle 364–367
 phalanges 378–379
 phylogeny 379, 381–384
 skull bones 355–356
 tibia and fibula 375–376, 377, 382
 type locality 354
 vertebral column 362–364
sail-like structure
 poposaurid 503, 516, 517, 518, 519
 Rauisuchia 257, 258, 259, 265
Saltoposuchus 284–285
Santacruzodon Assemblage Zone 303, 304–306, 315–316
Sauropodomorpha, body size 587, 592
Saurosuchus galilei Reig 1959 425
 braincase comparison 425–429, 431–433
Scapino's classification 556, 557–558, 559
scapula 14, 17, 18
 Dinosauromorpha 363
scapular girdle, proterochampsid 65, 70–71, 75
sexual dimorphism 263
 Phytosauria 108–109
shoulder girdle 80–81
shuvosaurid 258, 259, 265
Shuvosauridae 517, 520
 clade 244–245
silesaurid, distribution 160
Silesauridae 158, 175
 clade 353, 382, 383
Silesaurisae Langer *et al.* (2010) 159–160
Silesaurus opolensis 157–159
 anatomy 164–171, 179, 180
 compare with *S. agudoensis* 353–384 *passim*
 evolution 174, 176
 fossil record 160–163
 locomotion 178
 phylogeny 379
Simpson's model 574
size evolution 589–590
skeletal ontogeny 578
skeletal reconstruction
 Aetosauria 208, 223–224
 Chanaresuchus bonapartei 71
 Crocodylomorpha 291
 Dinosauromorpha 158
 Doswelliidae 51
 Euparkeriidae 36
 Erythrosuchus 17
 Ornithosuchidae 190
 Paracrocodylomorpha 545, 546
 Poposaurus 519
 Postosuchus 547, 548
 Proterochampsidae *barrionuevoi* 6
 Proterosuchus 14
 pterosaur 120
skelton
 Crocodylomorpha 287
 pterosaur 132–133
 Rauisuchia 243
skull 410
 Aetosauria 203, 209, 215, 217
 Chanaresuchus 308–312
 Crocodylomorpha 279, 286, 287, 288, 289, 290, 292
 Dinosauromorpha 165, 355–356
 Doswelliidae 52, 54, 55
 Euparkeria 37
 Ornithosuchidae 190, 191
 Phytosauria 100–101
 proterochampsid 60, 63–64, 66–74, 77, 79–80, 82, 83
 proterosuchid 14, 16, 17, 18
 pterosaur 131, 132–133, 135
 Rauisuchia 243, 256, 259–263
 Sacisaurus 355–356
 Silesaurus 164–166
 Stenomyti 395–397, 398, 399, 400, 403
 skull anatomy *Decuriasuchus* 469–499
 cranial measurements 471
 ectopterygoid 489, 490
 frontal 481, 482
 jugal 486–487
 lacrimal 478–480
 mandible 489–496
 maxilla 472–474, 475–477, 480, 497, 498
 nasal 477–478, 480
 palatine 489, 490
 parietal 481–483
 postfrontal 481, 482, 498
 postorbital 483, 484
 prefrontal 480, 497
 Premaxilla 472–475, 498
 pterygoid 489, 490
 quadrate 487–489
 quadratojugal 487
 squamosal 483–486
 vomere 489
 skull articulation 555
 skull length 20, 27–28
 skull morphology, comparison 498
 skull *see also* cranial remains
 skull, reconstruction *Poposaurus* 519

- social behaviour 228–229
social grouping 261
soft tissue 433, 556, 559
soft tissue reconstruction 264, 442–443, 455
South Africa, Euparkeriidae 35–46
Sphenosuchia Bonaparte (1972) 277
sphenosuchians 275
 phylogeny 289–290
Sphenosuchus acutus Haughton (1915) 277
splenial, *Decuriasuchus* 490, 494
squamosal 483–486
Stagonolepis robertsoni 204, 208–210, 212, 213, 214
 anatomy 217, 218–221
 palaeobiology 224–226, 228
Stenomyti huangae 394–409
 age 395
 dentary 405–406
 description 397–406
 diagnosis 395–397
 femur and tibia 407
 maxilla 401–404
 postcranial skeleton 406–407
 skull 395–397, 398–405, 410
stomach contents 261
strict consensus tree, Archosauria 437
Stryczowice trackway site 321, 322–323
Suchia Krebs (1974) 527
 sensu Benton & Clark (1988) 471
superficial dorsal group 453–455
surangular
 Decuriasuchus 493–494
 Poposaurus 515–516
symphyseal classification 556, **557–558**, 559
symposium participants 2011 **3**
systematic palaeontology 308–315
 Decuriasuchus 471–472
 Dinosauromorpha 173–176
 Prestosuchus 442
 Proterochampsia 62–84
 pterosaur **123**
systematics/classification pterosaurs **123**
- taphonomic bias 143–144
Tarjadia ruthae 49, 50, 52, 54, 55, 56, 57
tarsus, *Postosuchus* 541–542, 543
taxa
 aetosaur **206–207**, 414
 now invalid **216**
 Aetosaurus 393
 Archosauria 567
 archosauriform **2**, **557–558**, 577
 Crocodylomorpha 276, **280–281**
 now invalid 285–287
 dinosauromorph 382, 384–387
 Dinosauromorpha **161–162**
 Doswelliidae **50**
 Euparkeriidae **40–41**
 Ornithosuchidae **189**
 now invalid **196**
 Proterosuchidae **12–13**
 now invalid **20**
 Pseudosuchia **471**
 Rauisuchia **2**, **247–250**, **437**
 now invalid **253–254**
 taxonomy 4, 9
 Phytosauria 107–108
 Proterosuchidae 9, 28
teeth
 Aetosauria 217, 220, 221
 crocodylomorph 290, 292, 293
 Dinosauromorpha 159, 166
 Ornithosuchidae 188, 199
 Paracrocodylomorpha 545
 proterochampsid 62, 64, 68, 70, 73, 78, 80, 82
 pterosaur 121, 122, 124–125, 129, 131, 132–134, 136
 and diet 145–146
 and evolution 140–141
 Rauisuchia 255, 260
teeth, serrated 241
Terrestriusuchus 284–285, 291, 292
thermoregulation 265
theropod 119
 body size 587
thigh, *Prestosuchus* 451–452
thin section, osteoderm 417, 418
tibia 16
 Chanaresuchus 315
 Dinosauromorpha 171, 375–376, 377, 382
 Poposaurus 514
 Postosuchus 540, 543
 Prestosuchus 450, 458, 461
 proterochampsid 65, 72, 78
 Stenomyti 407
time tree archosauriform 575–576, 577, 578, **581–585**, 586, 587, 589
 scaled to body size 591
tomography scanning 29
tooth morphology, Dinosauromorpha 178
tooth, Aetosauria 224–225
 Doswelliidae 55
 proterosuchian 19–21, 22, 23
trace fossils 228
track-makers dinosauromorph 320, 339–342
trackways, dinosauromorph 319–347
 age 322–324
 correlation 342–343
 footprints evolution 343–346
 oldest record 324
 stratigraphy 321
 systematics 325–339
Traversodontid Biozone 305
Triassic–Jurassic boundary, body size change 586, 587–588, 589, 590, 592
Tropidosuchus Arcucci (1990) 78–79
Tropidosuchus romeri Arcucci (1990) 60, 68, 78–82
 cladistics 84–86
type locality, *Poposaurus gracilis* 507
type species
 Proterochampsia barrionuevoi Reig (1959) 62
 Prestosuchus chiniquensis von Huene (1938) 442
type specimen, *Postosuchus* 527
Typhothoracisinae 393
Typhothorax coccinarum 211, 212, 214
 anatomy 217, 218, 219–221
 growth 414, 417, 419–422
 palaeobiology 223–224, 226–228, 230

- Tyrannosaurus rex*, musculature 442, 445, 447, 453, 455–462, 465
- ulna 536, 537
 Aetosauria 212
 Dinosauromorpha 364
 Ornithosuchidae 192
 proterochampsid 65, 72
 U–Pb date 164, 282
- variance random walk model 578, 593
Venaticosuchus rusconii 187, 188, 189
 anatomy 191–193
 evolution 195, 198–199
 vertebra 17, 18
 Aetosauria 217–218
 Dinosauromorpha 167, 362–364
- Doswelliidae 55–56
Euparkeria 38
 Ornithosuchidae 192, 193–194
 Paracrocodylomorpha 545, 547
Postosuchus 527–532
Prestosuchus 459, 460
 proterochampsid 64–65, 68–70, 73, 74, 78, 80, 81
 pterosaur 122, 124, 129, 131, 142
 Rautisuchia 258, 265, 266
 vertebral column 18, 21, 22
Sacisaurus 362–364
 vertebral measurements **550**
 vomer 489
- wing ratio 144
 Wióry trackway site 321, 323