

Index

Page numbers in *italic* denote figures. Page numbers in **bold** denote tables.

- Abbott glacial trough, sedimentation 233–242
 data acquisition and processing 235–236
 glacial/preglacial 240–242
 seismic stratigraphy 236–238
- Abbott Ice Shelf 242
- Abernethy Flats, marine terrace 374, 375
- ablation 326–327, 331–333, 335, 344, 354
- ablation till 401
- abrasion 191, 303, 306, 313
- accessory minerals 285, **286**
- accretion 21, 26
- accretionary complex 17, 47, 57
- acid insoluble organic fraction age 216
- acid sulphate soil 406, 408
- active layer 429, 436–439, 445, 447
- Adélie Land, marine record 222
- advanced synthetic aperture radar image mode
 precision 481
- aeolian deflation 374, 376, 385
- aeolian dune deposits 80
- aeolian dust 256
- aeolian erosion 321
- aeroxysts 375, 376
- age-diagnostic heat flow 140–141
- Airborne Topographic Mapper System, NASA 458
- albedo, planetary 481
- albedo-induced heating 337
- algae, age 171, 172
- algal mat 86, 419
- Allan Hills, cold-based glaciers 301, 306, 307, 310
- alluvial plain 186, 192, 193
- alpine glacier 302, **304–305**
 Dry Valleys 322–323
- Alter Mountain Formation 81–83
- Amery Ice Shelf 151, 152, 154, 160, 184
- Amery Trough, bathymetry 224
- amphibole analysis **284**, 291
- Amundsen Sea
 bathymetry 234
 glacial retreat history 220, 221, 227
- Amundsen Sea Embayment, glaciomarine sediments
 233–242
- analytical procedures
 apatite (U–Th)/He thermochronology 38–39
 geomorphology 41–43
 radar imagery 483
- AND–2A borehole 200–209
- Andaman earthquake 2004, infrasound signal 471
- ANDRILL *see* Antarctic Geological
 Drilling Programme
- angular clasts 358
- anhysteretic remanent magnetization 265
- Antarctic Circumpolar Current 140, 264
 bioproductivity 246, 247, 254–257
- Antarctic Cold Reversal 246–257
- Antarctic Continent, periglacial processes 438–444
- Antarctic Continent, periglacial regions 431
- Antarctic Geological Drilling Programme 200, 343
- Antarctic glaciation, initiation 25
- Antarctic Ice Sheet 1, 183
 sea level change 177
 thickness 2–3
- Antarctic Ice Sheet, Last Glacial Maximum 215–227
 expansion and retreat 217–223
 marine record 217–223
 retreat 224–227
 size and thickness 223–224
- Antarctic Isotopic Maximum 257
- Antarctic Peninsula 12, 17, 263
 periglacial processes 436–438
 soil **399**, 404–406
- Antarctic Peninsula Ice Sheet 264, 273, 274
 Last Glacial Maximum to recent 354
 marine record 215, 217–219, 225, 226
 thickness 264
- Antarctopelta* [dinosaur] 102, 104, 110
- anthropogenic warming 263
- Anthropornis* [penguin] 129, 130, **131**
 systematic palaeontology 132–137
- apatite
 age 37, **38**, 39, 40, 153
 (U–Th)/He thermochronology 1–2, 38–39
- Ar/Ar age 22, 289, 328
 volcanic ash 338–342
- Archaeospheniscus* [penguin] **131**, 132
- Archaeospheniscus wimani* 136–137
- Arctic, climate and geomorphology 343
- Arena Sandstone 83
- Armitage, A B 67
- armoured surface 360, 444
- ASAR IMP (advanced synthetic aperture radar image
 mode precision) 481
- ash-fall deposits 335, 341, 342, 343
 chronology 338–342
- asteroid, periglacial analogue 444, 445
- atmosphere–ocean–earth interactions, seismic record
 469–471, 477–478
- atmospheric circulation 247
- atmospheric CO₂ 256, 257
- Austral echinoid faunas 117–126
- avian dinosaur 105, 106, 107, 111
- Azorella* cushion 432, 433–434
- Aztec Siltstone 84–85
- back-arc basin 48, 61
 extension 21, 139, 148
- Barker, Peter F vii–viii
- basalt boulder 362, 376, 382, 383
 in glacialigenic assemblage 360, **361**
 in moraine assemblage 368, 371, 373
- basaltic magmatism 17, 24
- basaltic tholeiite, Jurassic 291, 295
- basement age and heat flow 139, 142, **143**
- bathymetry 233, 234, 241
 Amery Trough 224
 Amundsen Sea 234

- bathymetry (*continued*)
 IODP Leg 318 278
 South Orkney Trough 46
 West Antarctic Peninsula 265
- bathymetry data 215–217, 220, 224, 225, 226
 multibeam swath 221, 222
- beach, modern 374–376
- Beacon Heights Orthoquartzite 83–84
- Beacon Supergroup 2, 67–91
- Beaconites* [trace fossil] 82, 83, 85
- Beardmore Glacier 170, 171
- bedrock features 216, 225
- biogenic opal 250
 Bsi values 245, 248, 251, 252, 255
 removal 267
- biogeographical province 110
- biogeography, dinosaurs 108–111
- bioproductivity, detection method 3, 245–258
 changes 256–257
 chronology 246–247
 methods 247–249
 proxy 254–256
 reliability 253–254
 results 250–253
²³⁰Th_{xs} normalisation 249–250, 252
- biotic influence 433, 437, 439, 441, 445, 447
- biotite analysis 283, 285
- bird 107, 108, 109, 111, 112
- bird *see also* penguins
- block field 382, 383–384, 412, 414, 415, 447
- blocky terrain 378
- bog, formation 404
- Bootstrapped Spanning Network 118, 121, 122, 124, 125
- boreholes, New Harbour 200–209
- Bouguer gravity anomaly 240
- boulder *see also* basalt and granite
- boulder belt moraine 307, 308, 313
- Boulder Train Assemblage 362, 365–374
- boulder trains 307–309
- boulders overturned 310–312
- boulder-top abrasion 303, 306
- Boyd Straight, bathymetry 224
- brachiopod 87, 90
- braided channels 192, 193, 194
- Brandy Bay Moraine 365, 367
- brecciation, glaciotectonic 311
- Britannia Range, cold-based glaciers 301, 302, 306, 307, 310–314
- brittle deformation 49, 310
- brittle mesostructure analysis 58–60, 62
- brittle structures 54
- Bruce Bank, crustal thickness 48
- Bruce–Discovery Basin, heat flow 143, 144
- bulk density 248, 250, 251, 253
- buried glacier ice 443
- buried ice 310, 369, 378, 385
 deposits 320, 322–323, 326, 331–335
- buried soil 313
- burrow 72, 79, 80, 81, 82, 83, 87, 91
- Byrd Fault 77
- Byrd Glacier 2, 38
- Byrd Glacier fault, thermochronology study 37–43
- Byrd's expedition 71
- C₄₀/RA plot 362, 372, 373
- Ca²⁺ concentration 247
- calibrated age 217
- calving 264
- carbonate content 266, 268, 270, 272
- cave deposits 77
- chemical geochronology 287–288, 295
- chemical texture 421, 424
- Churchill Mountain, stratigraphy 78
- Circum-antarctic Opal Belt 247
- circumpolar currents 117, 118, 125
 Eocene 123
- CIROS–1 borehole 200–209
- cirque 302
- cirque glacier 360, 365
- cladogram, penguin 136
- Clarke Valley, shoreline 461
- clay mineralogy 156–159
 Site U1359 292–293
- climate 1
 literature review 429–430
 stability 342–343
 warming 293
- climate and soil 399, 407
- climate change 199–200, 226, 245
 and ice sheets 163
 indicators 447
 last glacial 255
 prediction 167
 sensitivity 432–433, 437
 study 412
- climate change and landscape 319–344
 chronological control 338–342
 ice-sheet dynamics 343–344
 microclimate zones 324–326
- climate control 247
- climate, Last Glacial Maximum 385
- climate, Maritime Antarctic 482, 492
- climate, periglacial 411
- climate-driven provinciality 111
- climatic analogue 445
- clinoflorm 237
- clinopyroxene analysis 282, 283
- coal 16, 68
- Coal nunatak 440
- coastal thaw zone, microclimate 324–326
- cobble armour 376
- cold desert 411
- cold-based glaciers
 Allan Hills 301, 306, 307, 310
 Britannia Range 301, 302, 306, 307, 310–314
 Dry Valleys 322–323
- cold-based glaciers, geomorphology 4, 299–315
 dating methods 313–314
 deformational features 310–311
 depositional features 306–310
 erosion features 303–306
 preservation features 311–313
 types 301–303
- cold-based ice deposits 360, 361, 388
- cold-based periglacial activity 430, 447
- colour *b** 248–249, 250, 251, 253
- colour banding 189

- Comprehensive Nuclear-Test Ban Treaty Organisation
471, 474, 475, 479
- compressed ground 311, 312
- compression 2
- continental break-up 47, 233
Gondwana 1, 117–118, 123, 153
Pangea 111
Rodinia 25
- continental rise 277–278
- continental shelf 217–223, 226, 233, 240
width **219**
- contourite 223
- contraction crack polygon 328, 332, 442
- Cook Ice Cap 432
- Cook Mountain, stratigraphy 78
- cooling (tectonic) 2, 38, 39
- cooling event 373
- cooling, oceanic basement 148
- Coronation Island 45, 46
- Cosgrove glacial trough 242
- cosmogenic isotope 435
- cosmogenic nuclide
dating 313, 326
Dry Valleys 337, 342
measurement 223
study 153
- Crater Lake, test site 482, 484, 486
- creep, rate of 330
- Crohn Surface 153, 154
- crust
glacial isostatic adjustment 455, 463–465
tilt 4
thickness 22, 23, 24, 48, 288
- crust-mantle depth 236, 238
- cryogenic processes 429, 437
- cryoplanation terrace 440, 441, 445, 447
- cryoseismic source 470, 476–477
- cryosphere 199, 215
- cryoturbation 322, 331, 333, 338, 342
- Darwin Mountain, stratigraphy 78
- data
geophysical 47, 235–236
seismic acquisition 203
seismic processing 203–204
seismic resolution 204
- dataset, recalibration 168
- Davies Dome 359–360, 371–373, 383–384
- dead ice environment 369, 387
- debris-covered glacier 331,
- Deception Island
snow cover study 481–492
soil 404–406
- décollement 378
- deformation
brittle 49, 310
Gondwanide 17
Taylor Group 13, 14, 22
- deformation, crust 455, 463, 464
- deformation, geoid 455
- deformation, soft-sediment 189, 190, 194, 195
- deformational features, cold-based glacier 310–311, 314
- deglacial ages 175, 177, 178
- deglacial shoreline 455, 464
- deglaciation 273, 274, 411, 437, 438, 440
isostatic adjustment 464
- Delphinornis* [penguin] **131**, 132, 136, 137
- denudation 10, 21–25
Cretaceous 153
rate of 2
thermochronology 37
- deposition
Lambert Graben 192–195
Taylor Group 76–78
- depositional environment
Abbott glacial trough 238, 242
Lambert Graben 186
Pagodroma Group **159**
- depositional features, cold-based glacier 306–310
- depositional processes **187**, 188–192, 194
- desert pavement 313, 336, 337
- desert varnish 306, 307, 310, 376
- desert, polar 353–389, 411
- desiccation cracks 79, 80, 82, 83, 85, 86
- diamictite, Permian 14
- diatom source 249
- diatomaceous claystone 185, 194, 195
- diatomaceous sediment 216, 219, 222, 227, 279
- differential movement study, apatite
thermochronology 37–43
- dimorphism 136
- dinosaur, non-avian 102, 105, 106, 110, 111
- dinosaurs, Late Cretaceous 2, 99–112
future research 111
depositional environment 101
palaeogeography 108–111
taxonomic list **103**
- diurnal frost effectiveness 434
- double-frequency microseism 470, 471–475,
476–478
- drainage 17
- drainage patterns 24–25
- drainage, palaeo- 221, 222, 225
- Drake Passage
magnetic anomalies 139, 146
opening 118, 125
- drift 302, 312
- drift, erratic-poor 360–363, 365, 376
- drift, erratic-rich 363–365
- drift, thin patchy 306–307, 313
- dromaeosaur 105, 110
- drop moraine 307, 308, 312, 314
- dropstone 90, 155, 266
Lambert Graben 187, 193, 194
- drumlin 216, 217, 218, 220, 223, 365
- dry permafrost 400
- Dry Valleys 4, 301–302, 303
buried ice 310
isostatic adjustment 455–465
Last Glacial Maximum 171–172, 174
microclimate variation 319–344
- duricrust 337, 338
- dust transport 247, 254, 256
- dyke swarms 20
- Earth properties 464, 465
- earthquake focal mechanism 46, 62
- East Antarctic coastal oases, soil **399**, 402–404, **405**

- East Antarctic Ice Sheet 168, 171–175, 277, 343, 344
 glacial onset 183
 ice mass change 464
 marine record 215, 222–223, 226
 map 220
 sediment transport 294
- echinoids, Southern Ocean 2, 117, 120
 genus richness 121
 palaeobiogeography 121–125
 taxa **119**
- Ekman transport 247
- El Nino Southern Oscillation 264
- electrical resistivity 378
- elevation data **38**, 40, 41
- Ellsworth Basin, Devonian 76, 77, 87–90
- Ellsworth Mountains, Devonian 89–90
- Entisol 408
- entrainment 311, 314, 323, 333, 363, 385, 415
- environment change, monitoring 475, 477–478
- Envisat ASAR IMP, evaluation 481–492
- ephemeral stream 376, 415
- eroded material 160–162
- erosion features, cold-based glacier 303, 306
- erosion
 Abbott glacial trough 237, 238
 magnitude 153
 rate of 162, 163
- erratic 168, 415, 417, 418
 age 169, 170, 172
- Etchecopar's method 49–50, 55, 56
- eustatic events 177, 225
 records 227
- exhumation
 rate of 39–41
 South Orkney 48
 Transantarctic Mountains 37
- extension, Transantarctic Mountains 22, 23
- Falkland Islands 13, 16
 Devonian 67
 rotation 21
 stone runs 435, 436, 445
- Falklands Island block 87
- fault data analysis 49, 50–53
- fault displacement, thermochronology study 38–39
- faults, palaeostress analysis 49–55
- faunal isolation 124, 125
- feldspar analysis **284**, 285
- Ferrar Large Igneous Province 1, 19, 20, 21
 pyroxenes 291
- Ferrar, H T 67
- firnification 360
- fish, fossil 68, 74, 85, 90
- fission track studies 22, 23, 25
- flooding event 82, 91, 227
- flow velocity, rock glacier 378
- fluvial activity 323
- foëhn 321
- footprint, sauropod 106
- foraminifera 226
 stable isotope analysis 264, 266–273
- fore-arc basin 57
- Fourier transform infrared spectroscopy 246, 248, 249,
 251–252, 253–254
- freeze-thaw sediments 380, 382–383
- fresh water input 477
- frost creep 380
- frost-shattered boulders 380, 382
- FTIRS *see* Fourier transform infrared spectroscopy
- fumarolic activity 24
- furrows in granite 446
- Gamburtsev Mountain, seismic experiment 478
- garnet analysis U1359 **279**, 283, 291
- gelifluction 323, 332, 382
- gelifluction lobe 308, 310
- Gelisols 408
- geochemistry, Ferrar magma 19, 20
- geoid deformation 455
- geomorphic processes 319–324
- geomorphology 157
 Byrd glacier 41–43
 cold-based glaciers 299, 303, **304–305**
 periglacial 415, 417
 polar deserts 353–389
- geophysical data 47
 acquisition and processing 235–236
- George V Land, marine record 222
- geothermal anomaly, permafrost 482
- geothermal heat flow 140, 388
- glacial erosion 153–159
- glacial history 2, 200
 Lambert–Amery ice 162–163
- glacial isostatic adjustment 455–465
- glacial processes 4–5
- glacial signature, sand grains 192
- glacial terrace 414, 415, 419
- glacial trough 216, 301
- glacialfluvial outwash 192–195
- Glacialisaurus* [dinosaur] 110
- glacially eroded ridges 416, 417
- glacial–periglacial interactions 385–387
- glaciation onset 154
 dating 25
- glaciation, Carboniferous/Permian 14, 15, 75
- glaciation, Oligocene/Miocene 125
- glacier advance 200, 209
- glacier characteristics **359**
- glacier ice, James Ross Island 358–360
- glacier incision 153–159
- glacier lake outburst 379
- glacier scour 209
- glacigenic assemblage **358**, 360–365
 characteristics **387**
- glaciofluvial outwash 192–195
- glaciofluvial to marine transition 183, 194
- glaciomarine sediments 233–242, 291
- glaciotectonized bedrock 310
- glass shard 338, 341, 342
 Ar/Ar age **339–340**
- global seismic network 469, 470, 472
- Gondwana
 break-up 1, 117–118, 123, 153
 glaciation 15
 plate margin 16, 21
 reconstruction 10, 11–14, 20
 seaway 87
- Gondwanan fauna dispersal

- dinosaur 99, 102, 108–111
 echinoids 117
 Gondwanide deformation 17
 graded bedding 188
 grain size analysis 167
 Larsemann Hills **419, 420, 421, 422, 425**
 Site U1359 **279**
 grain size, glaciofluvial/marine 186–192
 granite boulder 362, 363, 365, 376, 383
 granite, enigmatic weathering *446*
 gravity anomaly 236, *240*, 288
 gravity data 48, 200, 207, 208
 gravity flow 189
 gravity wave, microseisms 470
 greenhouse gas forcing 263
 greenhouse world 199, 200
 grooves 303, 306
 gouges 322
 ground ice 310, 385
 grounded ice sheet, Ross Sea 171–173, 177
 grounding depths **218–219**
 grounding-line retreat 219–223, 226, 263
 Amery ice *162*
 Last Glacial Maximum 175–176
 grounding-zone wedges 216, 220, 221, 222, 223
 grus 336
 guano 400, 407
 gully 327, 443, 445
- hadrosaur *106, 111*
 halloysite 342
 Heard Island 431, 433, 434–435
 heat flow and basement age 139–148
 method 140–142
 results 142–143
 site comparison 143–148
 heavy mineral analysis
 Lambert Graben 192, *193*, 194
 provenance study **279–282**, 283–286, 291
 Heimdall Erosion Surface *73, 81, 82, 90*
Heimdallia [burrow] 72, 79, 80, 91
 Hf analysis 185
 humeri *134*
 hummocky ground 373, *377, 378*
 hydrolaccolith *414*
- ice dome 359
 ice drainage and landscape 151–163
 isostatic uplift 159–160
 outlet glaciers 153–159
 study methods 151–153
 ice flow
 Abbott trough *236, 239, 241*
 McMurdo Sound *174*
 Ross Sea sector *175*
 ice mass change 464, 465
 ice sheet 303, **304–305**
 ice sheet retreat, causes 224–227
 timing 219
 ice sheet stability 215, 225–226
 ice sheet, Late Glacial Maximum 388
 thickness 216–217, **218–219**, 223–224, 227
 Ross Sea 171, 173, 177
 ice shelf collapse 221
- ice streams 216
 ice surface elevation 173, *175*
 ice volume 167, 465
 fluctuation 343, 344
 ice wedges 328–329
 ice, exposed 367, *371, 373, 413*
 iceberg debris 3
 iceberg, remote monitoring 477
 ice-collapse pits 374
 ice-cored features
 debris cone *308, 310*
 lobes 343
 moraine *359, 360, 369–374, 380, 387*
 ridges 306
 substrate 311
 ice-cored landforms, identification **381**
 ice-dynamics 264, 343–344
 seismic data 475, 478
 ice-free areas 397, 403, 417, 434
 ice-house world 199, 200
 ice-quake, seismicity 470, 476, 477
 ice-rafted detritus 268, 269, 273, 274
 provenance 294
 ice-sheet grounding lines 168
 ichnofauna 78, 80–83, 85
 igneous provenance 286, 290–291, 295
 IJR–45 Glacier Moraine 354, 358, 365–369
 imbricate thrusting 9
 impact crater 288
 incision, outlet glaciers 153–159
 infrasound *474, 476–478*
 inland mixed zone, microclimate 324–326
 landforms 327–328, 330, 343
 Integrated Ocean Drilling Program *see* IODP
 interglacial, biogenic opal 253, 256
 International Polar Year 470, 474, 478, 479
 International Symposium in Antarctic Earth Sciences 1, 5
 IODP Leg 318 Site U1359 277–295
 sediments 279
 iron, bioproductivity 254, 256
 isostatic change 24, 159–160, 225
- James Ross Basin 2, 99–112
 dinosaurs *100, 102–108*
 stratigraphy 100–102
 James Ross Island, landscape evolution 353–389
 geology and glacial history 354–357
 glacier ice 358–360
 James Ross Island, permafrost 436, 438
 Jane Basin, opening 47, 48, 61–62, 144
 jarosite 406
 joints, palaeostress analysis 49–55
 Jurassic rifting 17–21
- Kaa Bluff, moraine 362, 363
 kame terrace 172
 kaolin 157–158, 159
 kaolinite, depth plot 293
 K–Ar age 291
 karstic relief 74, 91
 katabatic wind 321–322, 376
 kenyte erratics 172, *174, 176*
 Kerguelen Island 431–435
 kettle lake 370, 374, 415

- Kirkpatrick lavas 21–22
- Kukri Erosion Surface 2
 elevation data 37, 41–43
 lake sediment 86
 Taylor Group 67, 71, 73–76, 79, 81, 82, 91
 Transantarctic Mountains 10, 14, 17, 22
- kyanite analysis **285**, 286
- laboratory and natural conditions 447
- Lachlan Orogen 11–12, 14
- Lachman Crags
 erratics 364–365
 glacier 360, 371, 372
 mesa 382, 383
 rock glacier 378–380
- lacustrine sediment, infrared spectroscopy 249, 253
- lacustrine strandlines 455
 records 456–458
- lag deposit 376, 385, 444
- Lake Bonney, strandline 461
- lake levels, Dry Valleys 343
- Lake Vanda, strandline 457, 460, 463
- lake, ice dam 172
- lake, periglacial 414, 415, 418
- Lambert Glacier–Amery Ice Shelf system 151, 152, 156, 183–185
- Lambert Graben, sediments 183–195
 depositional history 192–195
 geology 183–186
- laminated sediment 191, 194, 279
- landform analysis 326–338
 macroscale 326–328
 mesoscale 328–335
 microscale 335–338
- landform analysis, Dry Valleys 326–328, 335–338
- landscape and climate change 319–344
 geomorphic processes 319, 321–324
 landform analysis 326–338
 landscape stability 342–343
- landscape and cold-based glaciers 299
 protection 313
- landscape and ice drainage 151–163
 model comparison 160–162
 uplands and summit surfaces 153
- landscape evolution 4, 162–163
 James Ross Island 353, 384–389
- landscape stability 342–343
- landslide 377, 378
- landsystems and palaeoglacial models 353–388
 landscape evolution 384–385
 methods 357–358
 study area 354–357
- Larseman Hills
 geology 415, 417
 sediments 420–421
 soil 402, 403
- Larsemann Hills, periglacial environment 411–425
- Laschamp Event 246
- Last Glacial Maximum 3, 272, 274
 age 173–174, 178
 biogenic opal 252, 256, 257
 deglaciation 415
 grounding-line retreat 175–176
 ice surface elevation 173
 ice thinning 174–175, 178
 isostatic adjustment 456
- Last Glacial Maximum, configuration 167–178
 Dry Valleys 171–172, 174
 Marie Byrd Land and interior 172–173
 Ross Embayment and Roosevelt Island 173
 Transantarctic Mountains 168–171
 Victoria Land 172
- Late Glacial Maximum, ice sheet 361, 387–388, 389
- Laurie Island 45, 46
- lava 19, 155
- lava, thickness, 21–22
- lichen 401, 404, 441
- LiDAR DEM, strandline elevation 458–463, 465
- lineations 216
- lithofacies, glaciofluvial/marine 186–192
- lithosphere and erosion 162
- Little Ice Age Advance 357, 373
- Livingston Island 436, 437, 438
- lonestone 185, 195
- lycopod 83, 84, 87
- magma, origin 19
- magmatism
 Gondwana margin 20
 Silurian 12
- magnetic anomaly 240
 age estimate 143–148
 Scotia Sea 139, 140
 sea-floor 48
- magnetic map, Amery Group 158
- magnetic susceptibility 247, 252, 255, 265, 268, 269
- magnetics 265, 266, 268, 273
- Malvinokaffric fauna 10, 13, 72, 87, 90
- mantle 19
- mantle plume 21, 24
- mantle rheology 455–456
- Marguerite Bay 12
 marine record 217, 218, 219, 226
- Marian Island 431, 432, 433–435
- Marie Byrd Land 10, 11, 12, 13–17, 23, 25
 Last Glacial Maximum 172–173
- marine ice sheet 7
- marine raised beach 455, 463, 464
- marine records 458, **460**
 ice sheet movement 217–223
- marine sediment 3–4
 infrared spectroscopy 246, 254
 Wilkes Land 277–295
- marine sediments, multi-proxy study 263–274
 age model 267, 272–273
 coarse fraction 266–267
 core material 264–265
 methods 265
 results 267–272
 sampling 266
- marine terrace 374, 375, 385
 soil 406
- Maritime Antarctic, periglacial processes 436–438
- Mars, analogue 442, 443
 cold-based glaciers 314, 320, 343
- marsupial, dispersal 109, 111
- mass flow deposits and heat measurement 140
- mass movement 369, 377, 378

- Mawson, D, expedition 71
 Maya Erosion Surface 14, 72
 McMurdo Basin, Devonian 76, 77, 90–91
 McMurdo Dry Valleys 69, 71, 77
 geology and topography 320–321
 soil 400, 401
 stratigraphy 73
 see also Dry Valleys
 McMurdo Sound
 ice flow-lines 174
 seismic 200, 201, 209
 McRobertson Land, marine record 223, 227
 mean sortable silt 269, 271
 mechanical microtexture 421–424
 megaflores 216, 217, 218
 mega-scale glacial lineations 216–218, 220–223
 Abbott Trough 235
 meltwater channels 306
 meltwater cycles 194
 meltwater processes 385, 386
 Meltwater Pulse 1A 167–168, 215, 225–227
 Ross Sea Sector 177, 178
 mesa 383–384
 metamorphic provenance 286, 290–291
 metamorphism, Permian 16
 meteorite, infrasound signal 471
 Mg/Ca ratio 272, 273
 microbaroms, environment monitoring 474–476
 microbial activity 338
 microclimate, dry valley 444–445
 microfossil analysis 266, 269–272
 micrographs, glacial sediments 191
 Mid Miocene climate optimum 342
 Miers Valley 456, 457, 460, 462–463
 Milankovitch forcing 343
 Miller Range 7, 8
 moat ridges 462
 monazite 283, 286, 288, 289, 290, 293
 moraine 170, 172, 216, 223, 323, 414, 419
 ice-cored 334, 367, 415
 ridges 373
 soil 401
 moss 401, 404, 437
 mound, seismic interpretation 208
 Mount Berlin, fumarolic activity 24
 Mount Boreas, Taylor Group 84
 Mount Erebus, volcanism 24
 Mount Melbourne, volcanism 24
 Mount Rymill, deposits 156, 157, 158, 159
 Mount Stinear 154, 157, 158, 159
 Mount Wyatt, Earp Formation 90
 multi-proxy study 263–264, 272

 Nd isotope age 289
 needle ice 434
Neogaeornis [dinosaur] 108, 111
 Neptune Group 88
 New Harbour Project 199–209
 lithology 206
 seismic data 201–204
 setting 200–201
 New Mountain Sandstone 80–81
 Newton graben 57
 nivation hollow 380

 non-avian dinosaur 102, 105, 106, 110, 111
 Northern Patagonian Icefield 385, 386
 Nuclear-Test Ban, infrasound network 474, 475, 479
 nunatak 153, 172, 301, 314, 440
 nutrient concentration 245, 254

 Ocean Drilling Program 3
 Site 1166, glacial sediments 183–195
 see also IODP
 ocean floor age and heat flow 140
 ocean temperature 343, 344
 ocean–Earth interaction, seismic record 469–471,
 477–478
 oceanic circulation 247, 256
 oceanic crust 10, 57
 ocean-wave, microseism 5, 471, 474, 475, 479
 Offshore New Harbour Project 199–209
 Ohio Range, marine Devonian 87, 90
 Ong Valley, soil profile 401, 402, 407
 opal see biogenic opal
 organic coating 441
 organic matter in soil 404
 ornithogenic soil 406
 Ornithic subgroup 407–408
 ornithopod 105
 orthopyroxene analysis 281, 283, 286
 ostracod 270, 272
 outlet glacier 303, 304–305
 oxides, analysis 285
 Oxyaquic subgroup (soil) 407–408
 oxygen isotope analysis see stable isotope

 Pagodroma Group/equivalent 157, 155–160
 stratigraphy 158
Palaeodyptes [penguin] 131, 132
Palaeodyptes Huxley 1859 135–136
 palaeobiogeography, echinoids 117–126
 analysis 118, 120
 Eocene, Late 123–124
 Maastrichtian 121–123
 Miocene, Early 124–125
 present day 125
 taxonomic richness 120–121
 palaeocirculation records 271
 palaeoclimate and bioproductivity 255
 palaeoenvironment change, study 245
 palaeoenvironment reconstruction 415
 palaeoenvironment, core JR179–PC466 272–274
 palaeofjord 155, 161
 deposits 159
 palaeogeography, dinosaurs 108–111
 palaeogeography, Gondwana 77
 palaeo-icesheet reconstruction 353
 palaeokarst 85
 palaeomagnetic data 21
 palaeoshoreline, isostasy study 455–465
 marine records 458
 methods 458–459
 strandline records 455–465
 palaeostress, Signy Island 45–62
 palaeosurface, elevation 152–153
 palaeovalley 85
 Palaeozoic evolution 1–2
 paludification 404

- palynomorphs 72
 Pan-Antarctic Observation System 479
 Pangea, break-up 111
 Panthalassan margin 11, 13, 16
 Panthalassan oceanic crust 10
 paraglacial assemblage **358**, 364, 374–378
 paraglacial processes 4, 388
 parsimony analysis 132, 136
 particle size analysis, Site U1359 **279**
 passive margin–subduction, Transantarctic Mountains 7–11
 patterned ground 360, 367, 380, 383, 412, 433
 $p\text{CO}_2$ records 200
 Pearce Valley, cold-based glaciers 301, 308, 310, 311
 temperature 325
 Penguin Islands, soil 404–405
 penguins' activity 2
 age of rookeries 172
 and soil 400, 404, 406
 penguins, phylogenetic analysis 129–137
 age 130
 location/geology 129–130
 material and methods 130, 132
 phylogenetic analysis 136–137
 systematic palaeontology 132–136
 taxa **131**
 Pensacola Mountains, Devonian 87–89
 perched lake 367, 374
 periglacial assemblage **358**, 378–384
 periglacial outwash plain 194
 periglacial processes, landforms 4–5, 429–448
 literature review 429–430
 map 431
 periglacial, sedimentary processes 411–425
 permafrost 429–430, 434–447
 cold-based glacier 311, 385–387
 dry valleys 322
 on other planets 444–445
 temperature 483
 warm 482
 permafrost and soil 404–406
 permafrost mapping, radar assessment 481
 Permian glaciation 14, 75
 petrology 16
 Petrosalic subgroup (soil) 408
 phosphate-rich beds 87, 88
 phreatomagmatic deposits 19, 25
 phylogeny, penguins 136–137
 physical properties, sediment 247–248
 piedmont glacier 302, **304–305**
 pillow palagonite 19
 Pine Island Trough 220, 226, 227, 234
 ice stream 235, 241, 242
 pingo 414
 plant, Devonian 68, 73–74, 83, 84, 85, 88
 plate margin
 early Palaeozoic 11–14
 Mesozoic 21
 South Orkney Microcontinent 45
 plough structures 378, 380
 ploughed boulders 310–311
 plutons, Mesozoic 354, 355
 polar deserts, geomorphology 353, 430, 432
 boulder train assemblage 365–374
 glacigenic assemblage 360–365
 paraglacial assemblage **358**, 364, 374–378
 periglacial assemblage 378–384
Polarornis [dinosaur] 107, 108
 polygon formation 322, 442, 444
 contraction crack 328, 332
 sand-wedge 330, 331, 332, 341
 sublimation 329, 331, 332, 341
 polygonal fracturing 443
 polythermal glacier 373
 porosity 248
 post-Last Glacial Maximum, sea level rise 215–216,
 226–227
 Powell Island 45, 46, 47, 57, 61–62
 power spectral density 471, 472, 473
 precipitation 354
 preservation features, cold-based glacier 311–313
 pressure melting 363
 pressure ridge 414, 415
 Prince Charles Mountains, glacial history
 151–159
 Prince Gustav Ice Shelf, disintegration 357
 proglacial lake 171
 pronival rampart 442
 protactinium/thorium, $^{231}\text{Pa}/^{230}\text{Th}$ ratio 254
 protalus ramparts 378, 379, 380
 Protector Basin 146–148
 provenance
 Beacon Supergroup 81, 90
 Pagodroma Group 158
 Prydz Bay sediments 185, 192, 194
 provenance study 277–295
 age 288
 heavy minerals **279–282**, 283–286
 methods 279, 281, 283
 sediments 279
 source 286
 provincialism 111
 echinoids 123, 125
 Prydz Bay
 grounding line 223
 lithofacies 186–195
 sedimentation 183–185
 sediments 151, 154–155, 160, 162
 psilophytes 72
 puzzle rocks 337
 pyroclastic rocks 18, 19
 pyroxene, Site U1359 291

 quantitative analysis, echinoids 117–126
 dataset 118
 relationships 121–125
 taxa **119**
 Quarternary volcanic activity 388
 quartz grains 443, 444
 texture **421**, **423**

 RA index 358, 364
 radar imagery in snow mapping 5, 481–492
 analytical procedures 483
 backscatter analysis 485–486, 488
 statistics **487**
 evaluation 489–492
 methods 482–484

- snow conditions 454–455
- study area 482–483
- radiocarbon age 216–217, 220–223
 - James Ross Island 356–357
 - Ross Sea Ice Sheet 171, 172
 - strandlines 457–463
- radiocarbon to calendar years 459
- rain rate 249, 253, 254
- raised beach 374, 385
- Raymond bump 176
- Rb–Sr age 22
- red desert varnish 376
- refugia 314
- relative humidity **324**, 325, 326, 342
- relative palaeointensity 265, 266, 268, 273
- relaxation curve 455, 464
- remote mapping **357**, 388
- remote monitoring, microseism 477
- Reptile Horizon 106
- reptiles, marine 99
- rheology 455–456, 465
- Riedel fractures 54, 55
- rifting, Cretaceous–Cenozoic 21–25
- rifting, Early Jurassic 17–21
- Right Dihedra method 49
- roche moutonnée 413, 415
- rock fragment, analysis 285
- rock glacier 310, 323, 378–380
 - age 436–437, 438
- rock streams 380
- rockfall 323, 331, 333
- Rodinia 1, 8
 - break-up 25
- Roosevelt Island Last Glacial Maximum 173, 175, 176
- Ross Embayment
 - ice loss 464
 - Last Glacial Maximum 169, 173, 176
- Ross Ice Shelf 38
- Ross Orogen 9–11
 - sediment source 291, 294
- Ross Orogeny 1, 8, 90
- Ross Sea
 - coastline 456
 - marine record 221–222, 223
 - seismic stratigraphy 238, 240
- Ross Sea sector 7
 - grounded ice sheet 167–178
 - Meltwater Pulse 1A, 177, 178
 - soil **399**, 400, **405**
- rotation 21
 - Ellsworth block 87
 - South Orkney 57
- roundness 358, 366, 369, 371, 383
 - shape analysis 357, 364, 367, 372–374, 376
- salinity 255, 264, 272, 329
- salt and soil 400, 408
- salt weathering 322, 323, 327, 335–338, 343, 445
- sand grains, abrasion 191
- sand grains, glacial signature 192
- sandbars 187
- sand-wedge polygon 330, 331, 332, 341
- Schirmacher Oasis, periglacial environment 411–425
 - geology 415, 417
 - sediments 419–420
- scoria cones, Marian Island 432
- Scotia Metamorphic Complex 48
- Scotia Sea, heat-flow determinations 139–148
- Scotia Sea, bathymetry 46
- Scotia Sea, bioproductivity 245–258
- Scott, Robert F, expeditions 67–68
- scrapes 303, 306, 322
- scree slope 376–378
- sea bed temperature **143**
- sea ice dynamics, seismicity 476, 479
- sea ice
 - formation 256, 257
 - cover 264, 272, 273
 - palaeocirculation 271
- sea salt flux 255
- sea surface temperature 257, 264
- sea-level change 1, 167
 - Devonian 73, 82
- sea-level curve 73, 455
- sea-level forcing 177
- sea-level rise 263
 - Last Glacial Maximum 215–227
 - post-Last Glacial Maximum 217, 226–227
- sediment assemblages, polar desert **358**
- sediment focusing, ²³⁰Th_{xs} normalisation 249–250, 252–257
- sediment, Lambert–Amery Ice Shelf 151–163
- sedimentary structures 186–192
- sedimentation and subduction 10–17
- sedimentation rates 200, 245–247, 251–254, 268
- sedimentation, Abbott glacial trough 233–242
- sedimentological analysis 268–269
- sedimentology, periglacial 411–425
 - grain size **419–422**, 425
 - methods 417
- sediments, ODP Site 1166 183–195
 - lithofacies 186–192
 - lithostratigraphy 185–186
 - textural characteristics 191–192
- seismic profile
 - Abbott glacial trough 236, 237, 239, 240
 - New Harbour 202, 204, 207
 - Scotia Sea 144–147
- seismic stratigraphy 199–209
 - Abbott glacial trough 236–238
 - correlation 205
 - Eocene–Oligocene 207–208
 - Oligocene–Miocene 208–209
 - Transantarctic Mountain Border Fault 204–205
- seismic units, glacial 277–278
- seismic, multi-channel data 201–204
- Seymour Island 129–130
 - soil 408
- Shackleton Range 7, 8
- Shackleton, E H, expedition 68
- shape-roundness analysis 357, 364, 367, 372–374, 376
- shear indicators 55
- sheet flow 388
- shelly fauna 72, 73, 87, 90
- shoreline tilt and age **460**
- Signy Island, biotic influence 437

- Signy Island, stress field study 2, 45–62
 geology 47–49
 palaeostress database 49–55
 relative chronology 57, 61–62
- silica-rich water 245, 247
- Si/Ti ratio 249, 250, 253
- sills, Transantarctic Mountains 19
- single frequency microseism 471–474, 477, 478, 479
- Siple dome 173
- Skelton, R W 67
- Skolithos* [trace fossil] 78, 80, 82, 83
- slickenside 54
- slope processes 380
- slope, asymmetrical 367
- slumping 82, 83, 189, 365, 369, 371
- Sm–Nd studies 185
- snow bank 326–328, 330–332, 359, 380, 382
- snow conditions 489–492
- snow cover analysis, radar 482–485, **487**
- snow mapping *see* radar imagery
- snow temperature **487**, 490
- snow transport 321–322
 wind-blown 326, 328
- soft-sediment deformation 189, 190, 194, 195
- soil 4, 320
 colour 406, 407
 formation 399, 407
 moisture 322–324, 331–333, 342, 402
 pH **405**, 406
 temperature **324**, 326, 329
- soil map windows 397–398
- soil study 397–408
 classification **405**, 407–408
 properties 399–407
- soil–landscape relationships 398, 399–406
- solid earth deformation 4, 455, 463, 464
- solifluction 323, 328–329, 332–333, 343, 380, 382
- sorted polygons 440
- sorted stripes 432, 434
- South Georgia, landforms 436–437
 South Orkney 48
 Transantarctic Mountains 7–10, 11
- South Orkney Microcontinent 2
 palaeostress 45–62
- South Scotia Ridge, stress 62
- South Shetland 481, 482
 rock glacier 437
- South Victoria Land, cold-based glaciers 299, 301–303
 Dry Valleys 319–344
- South Victoria Land, Taylor Group 78–85
- Southern Hemisphere Westerlies 256
- Southern Ocean, biogeography 117–126
- Sphenisciformes 129, 137
- spits 374
- spreading centre, Scotia Sea 139
- Sr/Sr age 130
- stable isotope analysis 266–273
- stable upland zone
 landforms 328, 331–332, 337
 microclimate 324–326, 343
- stagnant glacier ice 369
- stereoplots, stress field 50–53, 56, 61
- stone polygons 365, 380, 382
- stone runs, tropical origin 435, 436, 445
- stone stripes 360, 367, 380, 382
- storm intensity, microbarom 474–475, 479
- storm intensity, microseism 470–473
- storms, seismic data 478
- strandlines tilt 455–465
- stream, ephemeral 376, 415
- stress fields, evolution 45–62
 characterization 55–57
- stress release fracture 377
- stress tensor 56, **58–60**, 62
- striae 415, 417
- sub-Antarctic periglacial processes 431–436
- subduction 23
 and sedimentation 10–17
- subglacial drainage system 226
- sublimation 326, 327, 332, 335, 354
 polygons 329, 331, 332, 341
 rates 443, 444
- Sulphuric Haploturber subgroup 408
- summer sea surface temperature 257
- surface erosion, rate 337
- surface exposure age 326
¹⁰Be 169, 170, 171, 172, 338
³He 172
- surface water conditions 264
- surface water, low temperature 323, 338
- surge 177, 189
- surge events, seismicity 476
- Syowa Station, microseism records 469, 471–475
- tafoni 307, 335, 336, 337
 development 440
- tarsometatarsi 133, 135, 136
- taxonomic list
 dinosaurs **103**, **103**
 echinoids **119**
 penguins **131**
- taxonomic richness, echinoids 120–121
- Taylor Group
 deformation 13, 14, 22
 stratigraphy 11
 thickness 10
- Taylor Group, Devonian 67–91
 age 72–74
 depositional basins 76–78
 Ellsworth Basin 87–90
 Kukri Erosion Surface 74–75, 76
 previous study 67–68, 71–72
 Southern Victoria Land 78–86
 stratigraphy 11
- Taylor Valley 320, 456
 buried ice 332, 334
 flow lobes 310, 330
 geomorphology 457, 461–462
 wind rose diagrams 325
- temperate glaciers, Tierra Del Fuego 385
- temperature and permafrost, 434, 437
- temperature indicator 255, 256–257
- temperature, air 324–326, 337, 342
 Deception Island 483, 485, **487**
 mean annual 301, 354
- temperature, cold-based glaciers 325
- temperature, sea bed 142
- temperature, soil 408

- tension gashes, palaeostress analysis 49–55
 tephritic phonolite lava 155
 Terra Cotta Siltstone 75, 79–80
 Terra Nova Bay, permafrost 440, 441, 443
 terrestrial analogues 445
 Test Ban Treaty network 471, 479
 texture, mechanical 421–424
 thermal conditions, microscale 440
 thermal contraction 322
 thermal gradient, Scotia Sea 142
 thermal regime 386, 387–388, 389, 481
 thermal shock 442
 thermal stress 445
 thermal stress fatigue 337, 338
 thermochronology study, Byrd Glacier fault 37–43
 thermokarst 333, 334, 435, 437
 theropod 102, 105, 111
 Thionic prefix 408
 thorium, $^{230}\text{Th}_{\text{xs}}$ normalisation 249–250, 252–257
 $^{231}\text{Pa}/^{230}\text{Th}$ ratio 254
 thrusting 369, 370, 373
 South Orkney Microcontinent 48, 49, 57, 62
 tidal channel 189
 Tierra Del Fuego, temperate glaciers 385, 386
 till delta 241, 242
 tilt magnitude 461, 462, 464
 tilting, strandlines 455–465
 time-lapse photographs, Crater Lake 486
 titanosaur 111
 topographic diffusivity 335, 342
 topography 24
 and glaciation 161, 162–163
 and soil 399, 407
 total organic carbon 175
 trace fossils 79, 80, 81, 83, 86
 trace metal analysis 267, 271–272
 Transantarctic Mountain Border Fault 200, 208
 seismic 207, 204–205
 Transantarctic Mountains
 Last Glacial Maximum 168–171
 Taylor Group 67, 78–86
 unroofing 1–2
 Transantarctic Mountains, geology/tectonics
 Archean 7
 Carboniferous to Triassic 16–17
 Cretaceous–Cenozoic 21–25
 Devonian 10–11
 Jurassic 17–21
 Neoproterozoic 7–10
 Ordovician to Carboniferous 11–14
 Permo-Triassic 14–16
 translation 9, 21, 25, 26
 Trinity Peninsula 354, 355
 turbidity currents 189
 Ulu Peninsula, palaeo- to modern processes 354–389
 geomorphological map 356
 unloading 160
 unroofing 1–2
 Ross Orogen 37
 U–Pb age 20, 185
 uplift 21–25
 Cenozoic 160
 rate of 160, 464
 uplift, erosion induced 163
 uplift, ice loss 455
 upwelling proxy 245, 247, 256
 U-shaped valley 153, 415, 417
 U–Th date 172
 (U–Th)/He 1–2, 38–39
 valley asymmetry 327, 328, 443
 Vega Island, volcanic activity 388
Vegavis [bird] 107, 108, 109, 112
 ventifact 322, 336, 337, 362, 376, 385, 435
 Mars analogue 443
 vertebrate fossil record 99, 101
 vertebrate, dispersal 108–111
 vicariance 111, 117, 126
 Victoria Group 14, 17, 19–20, 22, 72
 stratigraphy 11
 Victoria Land 7, 8, 10, 13–15, 17–19, 22–25
 geomorphic processes 319–344
 Last Glacial Maximum 172
 strandlines 456–468
 stratigraphy 11
 Taylor Group 74
 Victoria Land Basin, seismic 200–201, 205, 207, 209
 viscous flow 323–324
 features 328, 330, 331, 332
 volcanic ash, chronology 246
 volcanic rocks
 Cenozoic 23
 Devonian 76
 Neogene 354
 recent 432, 435
 volcanism 320
 alkaline 24
 silicic 20, 21, 26
 volcano, active 24, 482, 492
 warm-Earth intervals 342–344
 warming event 270, 272
 Holocene 226
 warming trend 437
 water-escape features 80
 water mass characteristics 264
 water, low temperature 323, 338
 water, periglacial processes 430
 weathering pits 337
 weathering rinds 429
 weathering, chemical 430, 435, 438, 445
 weathering, mechanical 433, 445
 weathering, periglacial 429–447
 weather-related phenomena, seismic data 478
 Weddell oceanic crust 48, 61–62
 Weddell Sea
 geophysical survey 21
 marine record 218, 222, 223, 224, 227
 opening 21
 Weddellian Biogeographical Province 110, 117, 123
 West Antarctic Ice Sheet 168, 263, 264, 274
 ice volume 343, 344, 464
 map 220
 marine record 215, 219–222, 225–227
 marine sediments 233
 transport 294
 West Antarctic Peninsula, drift sediments 263–274

- West Antarctic Rift System 22, 23–25, 233–234
wet valley, soil 403, 406
wet-based ice deposits 360, 361, 363, 388
Whisky Glacier 354, 359, 371
Wilkes Land, IODP Leg 318 277–295
Wilson terrane 10
wind 321–322, 376
 microbarom signal 475
 microseism signal 470
wind erosion 321
 and deposition 433–435, 439, 440, 444
 rate of 322
Windmill Islands, soil 403
Windy Gully Sandstone 79
winter sea ice, bioproductivity 257
World Stress Map 63
Wright Valley 456, 457, 459–461
 soil profile 400, 401
xenolith, peridotite 14
xenotime 283, 286, **287**, 289, 290, 293
Yalour Island 441
y–R diagram 49
zeolite zonation 21
zircon age 48
zircon age provinces 17
zircon studies 16, 20